
RoHS Reach Halogen Free Pb Free



TDK item description C2012C0G2A472JT****

Applications	Commercial Grade Please refer to Part No. CGA4J2C0G2A472J125AA for Automotive use.	
Feature	Mid Mid Voltage (100 to 630V)	
Series	C2012 [EIA 0805]	
Status	Production	



	Size
Length(L)	2.00mm ±0.20mm
Width(W)	1.25mm ±0.20mm
Thickness(T)	1.25mm ±0.20mm
Terminal Width(B)	0.20mm Min.
Terminal Spacing(G)	0.50mm Min.
Recommended Land Pattern (PA)	1.00mm to 1.30mm(Flow Soldering)
recommended Land Fattern (FA)	0.90mm to 1.20mm(Reflow Soldering)
Recommended Land Pattern (PB)	1.00mm to 1.20mm(Flow Soldering)
Neconimended Land Fattern (FB)	0.70mm to 0.90mm(Reflow Soldering)
Recommended Land Pattern (PC)	0.80mm to 1.10mm(Flow Soldering)
Neconiniented Land Fattern (FC)	0.90mm to 1.20mm(Reflow Soldering)

Electrical Characteristics		
Capacitance	4.7nF ±5%	
Rated Voltage	100VDC	
Temperature Characteristic	C0G(0±30ppm/°C)	
Q (Min.)	1000	
Insulation Resistance (Min.)	10000ΜΩ	

Other	
Coldoring Method	Wave (Flow)
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Package Quantity	2000pcs


 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.


[!] All specifications are subject to change without notice.





Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)











[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{!\ \}mbox{All}$ specifications are subject to change without notice.

3 of 3 Creation Date : September 22, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

Associated Images



 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.