WILLIAYER CERAMIC Chip Capacitors C3216X7R1C106M160AC

TDK item description C3216X7R1C106MT****

Applications	Commercial Grade Please refer to Part No. <u>CGA5L1X7R1C106M160AC</u> for Automotive use.	- 12	
Feature	General General (Up to 75V)	ſ	
Series	C3216 [EIA 1206]		
Status	Production (Not Recommended for New Design) Recommended Alternate Part No. : <u>C3216X7R1C106K160AC</u> (Interchangeability is not guaranteed.)	BG	

	Size
Length(L)	3.20mm ±0.20mm
Width(W)	1.60mm ±0.20mm
Thickness(T)	1.60mm ±0.20mm
Terminal Width(B)	0.20mm Min.
Terminal Spacing(G)	1.00mm Min.
Recommended Land Pattern (PA)	2.10mm to 2.50mm(Flow Soldering)
	2.00mm to 2.40mm(Reflow Soldering)
Recommended Land Pattern (PB)	1.10mm to 1.30mm(Flow Soldering)
	1.00mm to 1.20mm(Reflow Soldering)
Recommended Land Pattern (PC)	1.00mm to 1.30mm(Flow Soldering)
	1.10mm to 1.60mm(Reflow Soldering)

Electrical Characteristics		
Capacitance	10µF ±20%	
Rated Voltage	16VDC	
Temperature Characteristic	X7R(±15%)	
Dissipation Factor (Max.)	5%	
Insulation Resistance (Min.)	10ΜΩ	


Other	
Coldering Mathed	Wave (Flow)
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Package Quantity	2000pcs

! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.


 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)







Capacitance



C3216X7R1C106M160AC






! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images



 $!\ \mbox{Images}$ are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$