WITICK Multilayer Ceramic Chip Capacitors C3216X5R1E475M160AA

RoHS Reach Halogen Free Pb Free

TDK item description C3216X5R1E475MT****

Applications	Commercial Grade Please refer to Part No. <u>CGA5L2X5R1E475M160AA</u> for Automotive use.	- 12
Feature	General General (Up to 75V)	ſ
Series	C3216 [EIA 1206]	
Status	Production (Not Recommended for New Design) Recommended Alternate Part No. : <u>C3216X7R1E475K160AC</u> (Interchangeability is	B
	not guaranteed.)	

	Size
Length(L)	3.20mm ±0.20mm
Width(W)	1.60mm ±0.20mm
Thickness(T)	1.60mm ±0.20mm
Terminal Width(B)	0.20mm Min.
Terminal Spacing(G)	1.00mm Min.
Recommended Land Pattern (PA)	2.10mm to 2.50mm(Flow Soldering)
	2.00mm to 2.40mm(Reflow Soldering)
Recommended Land Pattern (PB)	1.10mm to 1.30mm(Flow Soldering)
	1.00mm to 1.20mm(Reflow Soldering)
Recommended Land Pattern (PC)	1.00mm to 1.30mm(Flow Soldering)
	1.10mm to 1.60mm(Reflow Soldering)

Electrical Characteristics		
Capacitance	4.7μF ±20%	
Rated Voltage	25VDC	
Temperature Characteristic	X5R(±15%)	
Dissipation Factor (Max.)	3%	
Insulation Resistance (Min.)	106ΜΩ	


Other		
Coldering Mathed	Wave (Flow)	
Soldering Method	Reflow	
AEC-Q200	NO	
Packing	Embossed (Plastic)Taping [180mm Reel]	
Package Quantity	2000pcs	


! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.


 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)







Capacitance 10 8μ 6µ Capacitance/F 4μ 2u 1μ 74 10j '0004 'n 1. CO4 Ga 101 Frequency/Hz C3216X5R1E475M160AA










! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images



 $!\ \mbox{Images}$ are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$