

LQW2UASR18G0C#

Note: This datasheet may be out of date.

Please download the latest datasheet of LQW2UASR18G0C# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQW2UASR18G0C%23

### "#" indicates a package specification code.

Air-core inductor with non-magnetic electrode material which does not disturb magnetic field in magnetic field utilized application such as MRI.


















< List of part numbers with package codes > LQW2UASR18G0CB LQW2UASR18G0CL



## Appearance & Shape







## References

| Packaging | Specifications   | Standard |
|-----------|------------------|----------|
|           |                  | Packing  |
|           |                  | Quantity |
| В         | Bulk(Bag)        | 500      |
| L         | 180Embossed Tape | 2000     |

| Mass (typ.) |        |
|-------------|--------|
| 1 piece     | 0.039g |

1 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





# LQW2UASR18G0C#

Note: This datasheet may be out of date.

Please download the latest datasheet of LQW2UASR18G0C# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQW2UASR18G0C%23

"#" indicates a package specification code.



# **Specifications**

| L size   | 2.62±0.3mm    |
|--|---------------|
| W size   | 2.45±0.2mm    |
| T size   | 1.83±0.2mm    |
| Size code inch (mm)  | 1008 (2520)   |
| Inductance   | 180nH±2%      |
| Inductance Test Frequency  | 25MHz         |
| Rated current (Itemp) (Based on Temperature rise)                  | 620mA         |
| Max. of DC resistance  | 0.77Ω         |
| Q(min.)  | 45            |
| Q Test Frequency   | 100MHz        |
| Self resonance frequency (min.)                                    | 750MHz        |
| Operating Temperature Range(Self-temperature rise is not included) | -40°C to 85°C |
| Brand  | Murata        |
| Series   | LQW2UAS_0C    |

2 of 3

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. Please download the latest datasheet of LQW2UASR18G0C# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQW2UASR18G0C%23


"#" indicates a package specification code.


# LQW2UASR18G0C#




### Characteristic Data

The charts below may show another part number which shares its characteristics.







3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering