

# LQH32CH4R7M53#

Note: This datasheet may be out of date.

Please download the latest datasheet of LQH32CH4R7M53# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQH32CH4R7M53%23

"#" indicates a package specification code.

Size Code 3225 (1210) in mm (in inch), 1.7mm max. Thickness



















< List of part numbers with package codes >

LQH32CH4R7M53B


LQH32CH4R7M53K

LQH32CH4R7M53L



### Appearance & Shape







### References

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	500
K	330Embossed Tape	7500
L	180Embossed Tape	2000

Mass (typ.)		
1 p	piece	0.045g



#### **Notices**

When rated current is applied to the products, self-temperature rise shall be limited to 20°C max and inductance will be within ±10% of initial inductance value.

1 of 3

#### Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





## LQH32CH4R7M53#

Note: This datasheet may be out of date.

Please download the latest datasheet of LQH32CH4R7M53# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQH32CH4R7M53%23

"#" indicates a package specification code.



## **Specifications**

L size	3.2±0.3mm
W size	2.5±0.2mm
T size	1.55±0.15mm
Size code inch (mm)	1210 (3225)
Inductance	4.7μH±20%
Inductance Test Frequency	1MHz
Rated current (Itemp) (Based on Temperature rise)	650mA
Max. of DC resistance	0.195Ω
Class of magnetic shield	No Shield
Self resonance frequency (min.)	43MHz
Operating Temperature Range(Self-temperature rise is not included)	-40°C to 85°C
Brand	Murata
DC Resistance Intermediate Values	0.15Ω±30%
Series	LQH32CH_53

2 of 3

#### Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



# LQH32CH4R7M53#

Note: This datasheet may be out of date.


Please download the latest datasheet of LQH32CH4R7M53# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-gb/products/productdetail?partno=LQH32CH4R7M53%23

"#" indicates a package specification code.



### Characteristic Data





Impedance - Current Characteristics

Impedance - Frequency Characteristics

3 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

