

## DXP18BN5014T#

Note: This datasheet may be out of date.

Please download the latest datasheet of DXP18BN5014T# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=DXP18BN5014T%23

"#" indicates a package specification code.








< List of part numbers with package codes > DXP18BN5014TB DXP18BN5014TL



### Appearance & Shape







### **Features**

- 1. Ultra Miniature Film Transformer
- 2. Low Insertion Loss
- 3. Wideband Frequency Range
- 4. Surface Mount

### **Applications**

TV tuners, Cable TV tuners and Communication application that require unbalance mode to balance mode conversion.



### **Applications**

Other Usage For general



## Packaging Information

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	500
L	180mm Embossed Tape	5000

1 of 3

#### Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





## DXP18BN5014T#

Note: This datasheet may be out of date.

Please download the latest datasheet of DXP18BN5014T# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=DXP18BN5014T%23

"#" indicates a package specification code.



# **Specifications**

Operating Temperature Range	-40°C to 85°C	
Frequency Range	50MHz to 870MHz	
Insertion Loss	1.5dB max.(at Freq. Range)	
Size Code (in mm)	1608	
Size Code (in inch)	0603	
Length	1.6mm	
Length Tolerance	±0.1mm	
Width	0.8mm	
Width Tolerance	±0.1mm	
Thickness	0.45mm	
Thickness Tolerance	±0.1mm	
Power Rating	20dBm	
Port Impedance	50Ω - 200Ω	
CMRR(min.)	25dB	
Mass(typ.)	0.003g	

2 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



## DXP18BN5014T#


Note: This datasheet may be out of date.


Please download the latest datasheet of DXP18BN5014T# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=DXP18BN5014T%23

"#" indicates a package specification code.








**Insertion Loss Characteristics** 

CMRR Characteristics



**Equivalent Circuit** 

3 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.