

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of GRM155C70J225ME11# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=GRM155C70J225ME11%23

"#" indicates a package specification code.

GRM155C70J225ME11#











< List of part numbers with package codes > GRM155C70J225ME11D GRM155C70J225ME11J



Appearance & Shape







References

Packaging	Specifications	Standard Packing Quantity
D	180mm Paper Tape	10000
J	330mm Paper Tape	40000

Mass (typ.)		
1 piece	3.1mg	
φ180mm Reel	149g	

1 of 4

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





GRM155C70J225ME11#

Note: This datasheet may be out of date.

Please download the latest datasheet of GRM155C70J225ME11# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=GRM155C70J225ME11%23

"#" indicates a package specification code.



Specifications

Length	1.0±0.2mm
Width	0.5±0.2mm
Thickness	0.5±0.2mm
Capacitance	2.2µF ±20%
Distance between external terminals g	0.3mm min.
External terminal size e	0.15 to 0.35mm
Operating Temperature Range	-55°C to 125°C
Rated Voltage	6.3Vdc
Size code in inch(mm)	0402 (1005M)
Capacitance change rate	±22.0%
Temperature characteristics (complied standard)	X7S(EIA)
Temperature range of temperature characteristics	-55°C to 125°C

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. Please download the latest datasheet of GRM155C70J225ME11# from the official website of Murata

http://www.murata.com/en-gb/products/productdetail?partno=GRM155C70J225ME11%23


"#" indicates a package specification code.





Characteristic Data


GRM155C70J225ME11#

The charts below may show another part number which shares its characteristics.









GRM155C7OJ225ME11 C-DC bias capchange, 25.0c

AC Voltage[Vrms] GRM155C70J225ME11 C-AC Voltage capchange, D(

1.6

2

AC Voltage Characteristics

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




GRM155C70J225ME11#

Note: This datasheet may be out of date.


Please download the latest datasheet of GRM155C70J225ME11# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=GRM155C70J225ME11%23

"#" indicates a package specification code.



GRM155C70J225ME11 C-Temp. capchange, DCO.OV,



4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

