Note: This datasheet may be out of date.

Please download the latest datasheet of NFL21SP706X1C3# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFL21SP706X1C3%23

"#" indicates a package specification code.

## NFL21SP706X1C3#








< List of part numbers with package codes > NFL21SP706X1C3B NFL21SP706X1C3D



### Appearance & Shape







### **Features**

The chip "EMIFIL" NFL21SP series is a high performance EMI suppression filter in 2.0x1.25mm size for high speed signal lines by using Murata's processing technology.

### Features

- Suppresses noise with little attenuation of the signal itself due to its steep filtering characteristics.
- 2. Murata's original internal structure design enables excellent noise suppression up to high frequencies.
- Available in ten different values of cut-off frequency ranging from 10MHz up to 500MHz.

### **Applications**

Suppression of high magnitude radiated noise generated by high speed digital circuits such as clock and RGB



# **Applications**

Other Usage For general



### Packaging Information

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	1000
D	180mm Paper Tape	4000

1 of 3

### Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



# NFL21SP706X1C3#

Note: This datasheet may be out of date.

Please download the latest datasheet of NFL21SP706X1C3# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFL21SP706X1C3%23

"#" indicates a package specification code.



## **Specifications**

Shape	SMD
Size Code (in inch)	0805
, ,	
Length	2.0mm
Length Tolerance	±0.2mm
Width	1.25mm
Width Tolerance	±0.1mm
Thickness	0.85mm
Thickness Tolerance	±0.1mm
Operating Temperature Range	-55°C to 125°C
Mass(typ.)	0.009g
Number of Circuit	1
Rated Current	150mA
Rated Voltage	16Vdc
Withstanding Voltage	50Vdc
Insulation Resistance(min.)	1000ΜΩ
Nominal Cut-off Frequency	70MHz
Capacitance	76pF
Capacitance Tolerance	±20%
Inductance	185nH
Inductance Tolerance	±20%
Size Code (in mm)	2012

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



NFL21SP706X1C3#

Note: This datasheet may be out of date.


Manufacturing Co., Ltd.


Please download the latest datasheet of NFL21SP706X1C3# from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=NFL21SP706X1C3%23

"#" indicates a package specification code.


# **Product Data**





**Insertion Loss Characteristics** 

Insertion Loss Characteristics (Main Items)



**Equivalent Circuit** 

3 of 3

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.