Note: This datasheet may be out of date.

Please download the latest datasheet of GQM2195C2A8R3CB01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=GQM2195C2A8R3CB01%23

"#" indicates a package specification code.

GQM2195C2A8R3CB01#

















< List of part numbers with package codes > GQM2195C2A8R3CB01D GQM2195C2A8R3CB01D



Appearance & Shape







References

Packaging	Specifications	Standard Packing Quantity
J	330mm Paper Tape	10000
D	180mm Paper Tape	

Mass (t	yp.)	
φ180mi	m Reel	152g

1 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



GQM2195C2A8R3CB01#

Note: This datasheet may be out of date.

 $Please\ download\ the\ latest\ data sheet\ of\ GQM2195C2A8R3CB01\#\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=GQM2195C2A8R3CB01%23

"#" indicates a package specification code.



Specifications

Length	2.0±0.1mm	
Width	1.25±0.1mm	
Thickness	0.85±0.1mm	
Capacitance	8.3pF ±0.25pF	
Distance between external terminals g	0.7mm min.	
External terminal size e	0.2 to 0.7mm	
Operating Temperature Range	-55°C to 125°C	
Rated Voltage	100Vdc	
Size code in inch(mm)	0805 (2012M)	
TC	0±30ppm/°C	
Temperature characteristics	C0G(EIA)	
(complied standard)	000(LIA)	
Temperature range of	25°C to 125°C	
temperature characteristics		

2 of 2

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

