Note: This datasheet may be out of date.

Please download the latest datasheet of GRM31A5C2H220JW01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GRM31A5C2H220JW01%23

"#" indicates a package specification code.

GRM31A5C2H220JW01#
















< List of part numbers with package codes > GRM31A5C2H220JW01J GRM31A5C2H220JW01D



Appearance & Shape







References

Packaging	Specifications	Standard Packing Quantity
J	330mm Paper Tape	10000
D	180mm Paper Tape	4000

Mass (typ.)	
1 piece	27.0mg

1 of 2

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



GRM31A5C2H220JW01#

Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ GRM31A5C2H220JW01\#\ from\ the\ official\ website\ of\ Muratangle and the statest of\ Muratangle and\ Muratangle$ Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GRM31A5C2H220JW01%23

"#" indicates a package specification code.



Specifications

Length	3.2±0.2mm		
Width	1.6±0.2mm		
Thickness	1.0+0/-0.3mm		
Capacitance	22pF ±5%		
Distance between external terminals g	1.5mm min.		
External terminal size e	0.3mm min.		
Operating Temperature Range	-55°C to 125°C		
Rated Voltage	500Vdc		
Size code in inch(mm)	1206 (3216M)		
TC	0±30ppm/°C		
Temperature characteristics (complied standard)	C0G(EIA)		
Temperature range of temperature characteristics	25°C to 125°C		

2 of 2

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

