


Chip Monolithic Ceramic Capacitors



Explanation of Symbols in This Catalog



LxW dimension: products of 0.6x0.3 mm or less



Low dissipation for high frequency By devising ceramic materials and electrode materials, low dissipation is achieved in frequency bands of VHF, UHF and microwave or beyond.



Low inductance
This capacitor is designed so that
the parasitic inductance component (ESL)
that the capacitor has on the high frequency
side becomes lower.



Product suitable for acoustic noise reduction and low distortion This product suppresses acoustic noise, which occurs when a ceramic capacitor is used, by devising the materials and configuration.



Product resistant to deflection cracking
This capacitor is designed to prevent failures as much
as possible by short mode caused by cracking
when there is board deflection.



Product with solder cracking suppression This capacitor is configured with metal terminals and leads connected to the chip.


The metal terminals and leads relieve the stress from expansion and contraction of the solder, to suppress solder cracking.

Deratin

Voltage and temperature derating recommended product This product is suitable when a voltage continuously applied to a capacitor in an operating circuit, is used below (derated) the rated voltage of the capacitor.

This model guarantees the test conditions in the endurance test, at a rated voltage x 100% at the maximum operating temperature. A reliability assurance level equivalent to a common product can be secured, by using this product within the voltage and temperature derated conditions recommended in the figure below.

·Recommended Conditions of the Derating Operating Voltage and Temperature



EU RoHS Compliant

- · All the products in this catalog comply with EU RoHS.
- EU RoHS is "the European Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment."
- · For more details, please refer to our website 'Murata's Approach for EU RoHS' (http://www.murata.com/info/rohs.html).

Contents

Product specifications are as of August 2014.

Part Numbering ·····	p2	
Selection Guide	p5	
Capacitance Table	p6	
For General Purpose GRM Series	p17	separate volume p1-p16
High Frequency High Q Type 1005(in mm)/0402(in inch) Size Max. GJM Series ·····	p87	р7
Top & Bottom Electrode Type for Bonding GMA Series	p109	p8
Product for Bonding/AuSn Soldering GMD Series	p111	р9
High Frequency High Q Type 1608(in mm)/0603(in inch) Size Min. GQM Series ·····	p114	p10
Resin External Electrode Type GRJ Series	p123	p11
High Effective Capacitance & High Allowable Ripple Current GR3 Series	p125	p12
Metal Terminal Type For General Purpose KRM Series ······	p127	p13
Metal Terminal Type High Effective Capacitance & High Allowable Ripple Current KR3 Series	p130	p14
8-Terminal Low ESL Type LLA Series ·····	p133	p14
LW Reversed Low ESL Type LLL Series	p135	p15
10-Terminal Low ESL Type LLM Series	p137	p15
ESR Controlled Low ESL Type LLR Series ·····	p139	p15
Caution/Notice Qualified Standards Introduction of Website SimSurfing Product Information	p163 p165	

Please check the MURATA home page (http://www.murata.com/) if you cannot find the part number in the catalog.

Part Numbering

Chip Monolithic Ceramic Capacitors for General

GR M 18 8 B1 1H 102 K A01 D (Part Number)

1 Product ID 2 Series

Product ID	Code	Series				
GJ	М	High frequency HiQ type 1005(in mm)/0402(in inch) size max.				
GM	Α	Top & bottom electrode type for bonding				
GIVI	D	Product for bonding/AuSn soldering				
GQ	М	High frequency HiQ type 1608(in mm)/0603(in inch) size min.				
0.5	3	High effective capacitance & High allowable ripple current				
GR	J	Resin external electrode type				
	M	General purpose products				
KR	3	Metal terminal type/High effective capacitance & High allowable ripple current				
	M	Metal terminal type				
	Α	8-terminal low ESL type				
LL	L	LW reversed low ESL type				
LL	М	10-terminal low ESL type				
	R	ESR Controlled low ESL type				

$\label{eq:Chip Dimensions}$ (L \times W)

Code	Dimensions (L×W)	Size Code (in inch)
02	0.4×0.2mm	01005
03	0.6×0.3mm	0201
05	0.5×0.5mm	0202
08	0.8×0.8mm	0303
0D	0.38×0.38mm	015015
15	1.0×0.5mm	0402
18	1.6×0.8mm	0603
1U	0.6×1.0mm	02404
21	2.0×1.25mm	0805
22	2.8×2.8mm	1111
31	3.2×1.6mm	1206
32	3.2×2.5mm	1210
42	4.5×2.0mm	1808
43	4.5×3.2mm	1812
55	5.7×5.0mm	2220

$\textbf{4} \textbf{Height Dimension (T) (Except KR} \square)$

Code	Dimension (T)				
2	0.2mm				
3	0.3mm				
4	0.4mm				
5	0.5mm				
6	0.6mm				
7	0.7mm				
8	0.8mm				
9	0.85mm				
Α	1.0mm				
В	1.25mm				
С	1.6mm				
D	2.0mm				
E	2.5mm				
M	1.15mm				
Q	1.5mm				
S	2.8mm				
Х	Depends on individual standards.				

4 Height Dimension (T) (KR□ Only)

	- () (— -))
Code	Dimension (T)
E	1.8mm
F	1.9mm
K	2.7mm
L	2.8mm
Q	3.7mm
Т	4.8mm
W	6.4mm

Continued on the following page.



(Part Number)

GR | M | 18 | 8 | B1 | 1H | 102 | K | A01 | D

Continued from the preceding page.

5Temperature Characteristics

Temperature Characteristic Codes Temperature Characteristics				Operating	Capacitance Change Each Temperature (%)							
Code	Public		blic Reference Temperatur		Capacitance Change	Temperature Range	-55°C		*3		-10°C	
Code	STD Co	de	Temperature	Range	or Temperature Coefficient		Max.	Min.	Max.	Min.	Max.	Min.
1X	SL	JIS	20°C	20 to 85°C +350 to -1000ppm/°C		–55 to 125°C	-	-	-	-	ı	-
2C	СН	JIS	20°C	20 to 125°C	0±60ppm/°C	–55 to 125°C	0.82	-0.45	0.49	-0.27	0.33	-0.18
3C	CJ	JIS	20°C	20 to 125°C	0±120ppm/°C	–55 to 125°C	1.37	-0.9	0.82	-0.54	0.55	-0.36
3U	UJ	JIS	20°C	20 to 85°C	-750±120ppm/°C	–25 to 85°C	-	-	4.94	2.84	3.29	1.89
4C	СК	JIS	20°C	20 to 125°C	0±250ppm/°C	–55 to 125°C	2.56	-1.88	1.54	-1.13	1.02	-0.75
5C	C0G	EIA	25°C	25 to 125°C	0±30ppm/°C	–55 to 125°C	0.58	-0.24	0.4	-0.17	0.25	-0.11
7U	U2J	EIA	25°C	25 to 125°C *2	-750±120ppm/°C	–55 to 125°C	8.78	5.04	6.04	3.47	3.84	2.21
B1	B *1	JIS	20°C	−25 to 85°C	±10%	−25 to 85°C	-	-	-	-	-	-
В3	В	JIS	20°C	−25 to 85°C	±10%	−25 to 85°C	-	-	-	-	-	-
C7	X7S	EIA	25°C	-55 to 125°C	±22%	–55 to 125°C	-	-	-	-	-	-
C8	X6S	EIA	25°C	−55 to 105°C	±22%	–55 to 105°C	-	-	-	-	-	-
D7	X7T	EIA	25°C	-55 to 125°C	+22%, -33%	–55 to 125°C	-	-	-	-	-	-
D8	X6T	EIA	25°C	−55 to 105°C	+22%, -33%	–55 to 105°C	-	-	-	-	-	-
E7	X7U	EIA	25°C	-55 to 125°C	+22%, –56%	−55 to 125°C	-	-	-	-	-	-
R1	R *1	JIS	20°C	-55 to 125°C	±15%	−55 to 125°C	-	-	-	-	-	-
R6	X5R	EIA	25°C	−55 to 85°C	±15%	–55 to 85°C	-	-	-	-	-	-
R7	X7R	EIA	25°C	-55 to 125°C	±15%	–55 to 125°C	-	-	-	-	-	-

^{*1} Capacitance change is specified with 50% rated voltage applied.

6 Rated Voltage

-	
Code	Rated Voltage
0E	DC2.5V
0G	DC4V
0J	DC6.3V
1A	DC10V
1C	DC16V
1E	DC25V
1H	DC50V
1J	DC63V
1K	DC80V
2A	DC100V
2D	DC200V
2E	DC250V
2W	DC450V
2H	DC500V
2J	DC630V
3A	DC1kV
3D	DC2kV
3F	DC3.15kV
YA	DC35V

Capacitance

Expressed by three-digit alphanumerics. The unit is picofarad (pF). The first and second figures are significant digits, and the third figure expresses the number of zeros which follow the two numbers. If there is a decimal point, it is expressed by the capital letter "R." In this case, all figures are significant digits. If any alphabet, other than "R", is included, this indicates the specific part number is a non-standard part.

Ex.)	Code	Capacitance				
	R50	0.50pF				
	1R0	1.0pF				
	100	10pF				
	103	10000pF				

8 Capacitance Tolerance

Code	Capacitance Tolerance					
В	±0.1pF					
С	±0.25pF					
D	±0.5pF (10pF and below)					
, D	±0.5% (10pF and over)					
F	±1%					
G	±2%					
J	±5%					
К	±10%					
М	±20%					
w	±0.05pF					

Continued on the following page.



Please check the MURATA home page (http://www.murata.com/) if you cannot find the part number in the catalog.



^{*2} Rated Voltage 100Vdc max: 25 to 85°C

^{*3 –25°}C (Reference Temperature 20°C) / –30°C (Reference Temperature 25°C)

(Part Number)

									_
GR	M	18	8	B1	1H	102	K	A01	D
								9	

Continued from the preceding page.

Individual Specification Code (Except LLR)

Expressed by three figures.

9ESR (**LLR** Only)

	·
Code	ESR
E01	100mΩ
E03	220mΩ
E05	470mΩ
E07	1000mΩ

Packaging

Code	Packaging
L	ø180mm Embossed Taping
D/E/W	ø180mm Paper Taping
K	ø330mm Embossed Taping
J/F	ø330mm Paper Taping
В	Bulk
Т	Bulk Tray

Please contact us if you find any part number not provided in this table.

Please check the MURATA home page (http://www.murata.com/) if you cannot find the part number in the catalog.

Selection Guide for Chip Monolithic Ceramic Capacitors

	,		/8	Mer tranopolisis Londissi	DaitoruhiO Lowtst			Arti-sold	sind crack	a ation is	nd (pplications Sate of title
	Series		Ultra sm	Low diss	Lowest	Failsate	Artidefly	Antisolo	Anti-nois	s'ortion for bond	Specific 's	Safetytife
Fo	GRM	page p17										
r Ger	GA2											
neral	GA3											
For General Purpose	GJM	p87										
ose	GJ4											
	GJ8											
	GMA	p109										
	GMD	p111										
	GQM	p114										
	GRJ	p123										
	GR3	p125										
	GR4											
	GR7											
	KRM	p127										
	KR3	p130										
	LLA	p133										
	LLL	p135										
	LLM	p137										
	LLR	p139										
	ZRA											
	ZRB											
Fo	GCM											
Aut	GCD											
omo	GCE											
For Automotive (Cat. No. C03)	GCG											
Cat.	GCJ											
No. C	GC3											
03)	КСМ											
	КС3											

Capacitance Table

How to read the Capacitance Table

L×W (mm)	0.4	×0.2	0.6>	×0.3	1.0	7
T max. (mm)	0.:	22	0.3	33	0.	The values can be narrowed down in the order of size,
Rated Voltage (Vdc)	2	:5	2	5	5	rated voltage, and temperature characteristics.
Cap. / TC Code	COG	СΔ	COG	СΔ	C0G	
0.10pF		! ! !			p101	
0.20pF	p88	p91	p94	p97	p101	
1.0pF	p88	p91	p94	p98	p101	Refers to the page of the part number list. Check the part number list for the applicable product number
2.0pF	p88	p91	p95	p98	p101	Since the part includes the the approach product number
3.0pF	p88	p91	p95	p98	p102	

Temperature Characteristics Table

The Table is colored by temperature characteristic codes. Refer to the following Table for the meaning of each code.

EIA:	C0G	U2J	X7R	X7S	X7T	X7U	X6S	X6T	X5R
JIS:	CK	CJ	СН	SL	UJ	R	В		

Temperatur Characteristic C		Те	mperature Chai	racteristics	Operating	Сара	acitance	Change	Each Ter	nperatur	e (%)
Public		Reference	Temperature	Capacitance Change	Temperature Range	-5	5°C	*	2	-10	0°C
STD Code	:	Temperature	Range	or Temperature Coefficient		Max.	Min.	Max.	Min.	Max.	Min.
COG	EIA	25°C	25 to 125°C	0±30ppm/°C	–55 to 125°C	0.58	-0.24	0.4	-0.17	0.25	-0.11
CK	JIS	20°C	20 to 125°C	0±250ppm/°C	–55 to 125°C	2.56	-1.88	1.54	-1.13	1.02	-0.75
CJ	JIS	20°C	20 to 125°C	0±120ppm/°C	–55 to 125°C	1.37	-0.9	0.82	-0.54	0.55	-0.36
СН	JIS	20°C	20 to 125°C	0±60ppm/°C	–55 to 125°C	0.82	-0.45	0.49	-0.27	0.33	-0.18
SL	JIS	20°C	20 to 85°C	+350 to -1000ppm/°C	–55 to 125°C	-	-	-	-	-	-
U2J	EIA	25°C	25 to 125°C *1	-750±120ppm/°C	–55 to 125°C	8.78	5.04	6.04	3.47	3.84	2.21
UJ	JIS	20°C	20 to 85°C	-750±120ppm/°C	–25 to 85°C	-	-	4.94	2.84	3.29	1.89
X7R	EIA	25°C	−55 to 125°C	±15%	–55 to 125°C	-	-	-	-	-	-
X7S	EIA	25°C	−55 to 125°C	±22%	–55 to 125°C	-	-	-	-	-	-
X7T	EIA	25°C	−55 to 125°C	+22%, -33%	–55 to 125°C	-	-	-	-	-	-
X7U	EIA	25°C	−55 to 125°C	+22%, -56%	–55 to 125°C	-	-	-	-	-	-
R	JIS	20°C	−55 to 125°C	±15%	–55 to 125°C	-	-	-	-	-	-
X6S	EIA	25°C	−55 to 105°C	±22%	–55 to 105°C	-	-	-	-	-	-
X6T	EIA	25°C	−55 to 105°C	+22%, -33%	–55 to 105°C	-	-	-	-	-	-
X5R	EIA	25°C	−55 to 85°C	±15%	−55 to 85°C	-	-	-	-	-	-
В	JIS	20°C	–25 to 85°C	±10%	–25 to 85°C	-	-	-	-	-	-

^{*1} Rated Voltage 100Vdc max: 25 to 85° C

^{*2 –25°}C (Reference Temperature 20°C) / –30°C (Reference Temperature 25°C)

P00 ← Part Nur			JIS:						JJ . y	EI/	A: C0	G U:	2J													
L×W (mm)												1.0×0.	5							1	.6×0.	8				
T max. (mm) Rated Voltage (Vdc)	1	6	_	0	1	0.		60	10	00	5	0.55		10			50	0.	.5	10		10	00	0.9	50	
Cap. / TC Code	COG	СΔ	COG	СН	COG	_	COG	СД	COG	СΔ	COG	CΔ	SL	U2J	UJ	SL	U2J	UJ	SL	U2J	UJ	COG	СΔ	COG	CΔ	SL
0.10pF 0.20pF	n18	p21 p22			p26 p26	p29	p32 p32	p36	p39 p39	p43 p43	p46 p46	p49 p49														
0.50pF	p18	p21 p22	-		p26	p29	p32	p36	p39	p43	p46	p50				ation tted fo						p54	p57	p60	p64	
1.0pF	p18	p21 p22	1		p26	p29	p32	p36	p39	p43	p46	p50		Ref	er to t	he Pa						p54	p57	p60	p64	
2.0pF 3.0pF	p18	p22 p23 p22 p23	-		p26 p27	p30	p33 p33	p36	p40 p40	p43	p46 p47	p50		deta	ails.							p54 p54	p57 p58	p61 p61	p64 p64	
4.0pF	p19	p23			p27	p30	p33	p37	p40	p44	p47	p50										p54	p58	p61	p64	
5.0pF	p19	p23			p27	p30	p34	p37	p40	p44	p47	p51										p55	p58	p61	p65	
6.0pF 7.0pF	p19	p24			p28	p31	p34 p34	p37	p41	p44 p45	p48 p48	p51										p55 p56	p58 p59	p62 p62	p65 p65	
8.0pF	p20	p24			p28	p32	p35	p38	p42	p45	p48	p52										p56	p59	p62	p66	
9.0pF	p20	p25			p29 p29	p32	p35 p35	p38 p39	p42 p42	p45 p46	p49	p52										p56	p60	p63	p66 p67	
10pF 10.5pF	p21	p25			pzs	p32	pss	pss	p42	p46	p49	p53										p57	p60	p63	p67	
11pF	p21	p25																								
12pF 12.5pF	p21	p25 p25			p29	p32	p35	p39	p42	p46	p49	p53										p57	p60	p63	p67	
13pF	p21	p25																								
14pF	p21	p25																								
15pF 16pF	p21 p21	p25 p25			p29	p32	p35	p39	p42	p46	p49	p53										p57	p60	p63	p67	
17pF	p21	p25																								
18pF	p21	p25					p35	p39	p42	p46	p49	p53										p57	p60	p63	p67	
19pF 20pF	p21	p25 p25																								
21pF		p25																								
22pF	p21	p25					p35	p39	p42	p46	p49	p53										p57	p60	p63	p67	
24pF 27pF	p21 p21	p25 p25					p36	p39	p42	p46	p49	p53	i									p57	p60	p63	p67	
30pF	p21	p26																								
33pF 36pF	p21 p21	p26					p36	p39	p42	p46	p49	p53										p57	p60	p63	p67	
39pF	p21	p26					p36	p39	p42	p46	p49	p53										p57	p60	p63	p67	
43pF	p21	p26																								
47pF 51pF	p21 p21	p26					p36	p39	p42	p46	p49	p53										p57	p60	p63	p67	
56pF	p21	p26	p26	p26			p36	p39	p42	p46	p49	p53	İ									p57	p60	p63	p67	
62pF	p21	p26																								
68pF 75pF	p21 p21	p26	p26	p26			p36	p39	p42	p46	p49	p53										p57	p60	p63	p67	
82pF	p21	p26	p26	p26			p36	p39	p43	p46	p49	p53										p57	p60	p63	p67	
91pF 94pF	p21 p21	p26																								
96pF	p21																									
100pF	p21	p26	p26	p26			p36	p39	p43	p46	p49	p53										p57	p60	p63	p67	
120pF 150pF							p36 p36	p39			p49 p49	p53										p57 p57	p60	p63 p63	p67	
180pF							p36	p39			p49	p53										p57	p60	p63	p67	
220pF							p36	p39			p49	p53										p57	p60	p63	p67	
270pF 330pF											p49 p49	p53										p57 p57	p60 p60	p63 p63	p67	
390pF											p49	p53										p57	p60	p63	p67	
470pF 560pF											p49 p49	p53										p57 p57	p60 p60	p63 p63	p67	
680pF											p49	p53										p57	p60	p63	p67	
820pF											p49	p53										p57	p60	p63	p67	
1000pF 1200pF											p49	p53	p53	p53	p53							p57	p60 p60	p63 p63	p67	p67
1500pF													p53	p53	p53							p57	p60	p63	p67	p67
1800pF													p53 p53	p53 p53	p53	p53	p53	p53						p63	p67	p67
2200pF 2700pF													p53	p53	p53	p53	p53 p53	p53						p63	p67	p67
3300pF													p53	p53	p53	p53	p53	p53						p63	p67	p67
3900pF 4700pF													p53	p53 p53	p53	p53	p53 p53	p53 p53						p63 p64	p67	p67
5600pF													,,,,,,	,,,,,,	,,,,,,	200	,,,,,,,	200	p53	p53	p54	j		p64	p67	p67
6800pF																			p53	p54	p54			p64	p67	p67
8200pF 10000pF																			p53	p54 p54	p54 p54			p64 p64	p67 p67	p67
12000pF																										
15000pF																										
18000pF 22000pF																										
27000pF																										
33000pF																										
39000pF 47000pF																										
56000pF																										
68000pF 82000pF																										
0.10μF																										
0.12µF																										

Capacitance Table

p00 Each number in the Part Number List refers to the page number printed at the bottom of the page.

<i>p00</i> ← Par	t Nun	nber L	ist	JIS:	СК	CJ	CH	S	L	JJ .	EIA	A: C00	G U	2J													
L×W (_			1.6×0.	8											2	2.0×1.2										
T max. (E	0	0.9	10		7.	00		0.7	50					50	0.	95		10		21	50	1.		50	0
Cap. / TC	-	U2J	UJ	SL	U2J	UJ	COG	_	COG	СН	SL	U2J	UJ	COG	СН	SL	U2J	UJ	SL	U2J	UJ		U2J	_		SL	U2J
0.10	_																										
0.20																											
0.50																											
	0pF 0pF																										
	0pF																										
	0pF																										
5.0	0pF																										
	0pF																										
	0pF 0pF													}													
	0pF																										
	0pF																					p68		p69			
10.5																											
	1pF																										
12.5	2pF													1								p68		p69			
	3pF																										
	4pF																										
	5pF													-								p68		p69			
	6pF																										
	7pF 8pF				1						1	:		1	1							p68		p69			
	9pF																					7.00		, 00			
20	0pF																										
	1pF																										
	2pF 4pF																					p68		p69			
	7pF													į								p68	i	p69			
	0pF																										
	3pF																					p68		p69			
	6pF													1													
	9pF 3pF																					p68		p69			
	7pF													!								p68		p69			
5	1pF																										
	6pF													1								p68		p69			
	2pF 8pF																					p68		p69			
	5pF													1								Poo		poo			
	2pF																					p68		p69			
	1pF																										
	4pF													1													
	6pF 0pF						p67	p68	i													p68	p68	p69	p69		
	0pF						p67	p68														p68	p68	p69	p69		
	0pF						p67	p68														p68	p68	p69	p69		
	0pF						p67	p68						1								p68	p68	p69	p69		
	0pF 0pF						p67	p68						1								p68 p68	p68 p68	p69 p69	p69 p69		
	0pF						p67	p68														p68	p68	p69	p69		
	0pF						p68	p68															p68		p69		
	0pF						p68	p68															p68		p69		
	0pF 0pF						p68	p68															p68 p68		p69 p69		
	0pF						p68	p68															p69		p69		
1000			p67				p68	p68															p69		p69		
1200		p67	p67				p68	p68	p68	p68				1									p69		p69		
1500		p67 p67	p67				p68 p68	p68	p68	p68													p69		p69 p69		
2200	_	p67	p67				p68	p68	p68 p68	p68													p69 p69		p69 p69		
2700	_	p67	p67				p68	p68	p68	p68																	
3300	0pF	p67	p67				p68	p68	p68	p68																	
3900		p67	p67						p68	p68																	
4700 5600		p67 p67	p67						p68	p68				p68	p68												
680	_	p67	p67											p68	p68												
8200	0pF	p67	p67											p68	p68												
1000		p67	p67										p68	p68	p68												
12000				p67	p67 p67	p67					p68	p68 p68	p68	p68 p68	p68												
18000				p67	p67	p67					p68	p68	p68	рьв	pos												
22000				p67	p67	p67										p68	p68	p68	i								
27000	0pF															p68	p68	p68									
33000																										p69	p69
39000 47000																											
56000																			p68	p68	p68						
68000	0pF																										
8200																											
0.10																											
0.12	∠µr								!			!		!	!		!										

p00 ← Part	Num	nber L	ist	JIS:	СК	CJ	СН	S	L	JJ .	EIA	A: C00	G U:	2J													
LxW (n T max. (n	_	1.0					.0×1.2 35	5			1.	45				0.95			;	3.2×1.	6		1	.0			
Rated Voltage (V	_	50			50	•••			10		250	200	10	00		0.00	50			2000	10	00		30	50	00	250
Cap. / TC Co	_	UJ	CoG	СН	SL	U2J	UJ	SL	U2J	UJ	U2J	U2J	COG	СН	COG	СН	SL	U2J	UJ	U2J	CoG	U2J	COG	U2J	COG	U2J	U2J
0.10																											
0.50																											
1.0																											
3.0																											
4.0	_																										
5.0														!													
7.0																											
8.0	рF																										
9.0																				p70	p70	p70	p70	p70	p71	p71	
10.5																				рто	pro	ри	pro	pro	ри	ри	
11																											
12,5	_													į						p70	p70	p70	p70	p70	p71	p71	
13																											
14																											
15																				p70	p70	p70	p70	p70	p71	p71	
17	рF																										
18	_													1						p70	p70	p70	p70	p70	p71	p71	
19																											
21	рF													!													
22	_																			p70	p70	p70	p70	p70	p71	p71	
27	_																			p70	p70	p70	p70	p70	p71	p71	
30																											
33														i						p70	p70	p70	p70	p70	p71	p71	
39																				p70	p70	p70	p70	p70	p71	p71	
43																											
47 51																				p70	p70	p70	p70	p70	p71	p71	
56																				p70	p70	p70	p70	p70	p71	p71	
62	_																			570	570	270	570	570	p.71	p71	
75	_																			p70	p70	p70	p70	p70	p71	PZI	
82														!							p70	p70	p70	p70	p71	p71	
91														i													
96																											
100	_																				p70	p70	p70	p70	p71	p71	
120																					p70	p70 p70	p70	p70 p70	p71	p71 p71	
180																					p70	p70	p70	p70	p71	p71	
220														:							p70	p70 p70	p70	p70 p70	p71	p71 p71	
330	_													!								p70	p70	p70	p71	p71	
390	рF																						p70	p70	p71	p71	
470																							p70 p70	p70 p70	p71 p71	p71 p71	
680														!										p70	,	p71	
820																								p71		p71	
1000																								p71 p71		p71 p71	
1500	рF																							p71		p71	
1800 ₀													p69 p69	p69 p69										p71 p71		p71 p71	
2700											p69	p69	p69	p69													p71
3300	рF										p69	p69	p69	p69													p71
3900											p69 p69	p69 p69	p69 p69	p69 p69													p71
5600	рF										p69	p69	p69	p69													p71
6800													p69	p69													
10000													p69 p69	p69													
12000	рF												p69	p69	p69	p70											
15000	_		p69	p69									p69 p69	p69	p70	p70											
22000			p69	p69									p69	p69	p70 p70	p70											
27000	рF														p70	p70											
33000		p69			p69	p69	p69							:	p70	p70											
47000					p69	p69	p69									,											
56000														1			p70	p70	p70								
68000 ₀								p69 p69	p69 p69	p69 p69																	
0.10	μF							p69	p69	p69																	
0.12	μF											1		1	1												

p00 ← Part Nu	mber l	_ist	JIS:	CK	CJ	СН	S	L	JJ	EIA	A: C00	G U	2J													
L×W (mm)											3	3.2×1.	6											3	1.2×2.5	5
T max. (mm)							_	25										1			_		_		1.0	
Rated Voltage (Vdc) Cap. / TC Code		1000 U2J	COG	30	COG	00	250 U2J	200 U2J	COG	СН	50 SL	U2J	UJ	1000 U2J	630 U2J	500 U2J	250 U2J	COG	0 CH	C0G		COG	6 CH	2000 U2J	630 U2J	500 U2J
0.10pF	020	020	000	020	000	020	020	020	000	011	OL.	020	00	020	020	020	020	000	011	ood	011	000	011	020	020	020
0.20pF																										
0.50pF																										
1.0pF																										
2.0pF													1													
3.0pF																										
4.0pF 5.0pF																										
6.0pF																										
7.0pF																										
8.0pF																										
9.0pF																										
10pF																										
10.5pF 11pF																										
12pF																										
12.5pF																										
13pF																										
14pF																										
15pF																										
16pF													!													
17pF 18pF													1	1												
18pF													!													
20pF																										
21pF																										
22pF																										
24pF													į													
27pF 30pF													1													
33pF																										
36pF																										
39pF																										
43pF																										
47pF																										
51pF																										
56pF 62pF																										
68pF													1													
75pF																										
82pF																								p72		
91pF																										
94pF																										
96pF																										
100pF 120pF																								p72 p72		
150pF																								p72		
180pF																										
220pF																										
270pF																										
330pF																										
390pF 470pF		p71 p71	-																							
560pF		p71											1													
680pF		p71	p71		p71																					
820pF			p71		p71									p71												
1000pF			p71		p71								1	p71												
1200pF																									p72	p72
1500pF 1800pF																									p72 p72	p72 p72
2200pF													1												p72	p72
2700pF	p71			p71		p71																				
3300pF	p71			p71		p71																				
3900pF	p71														p71	p71										
4700pF	p71														p71	p71										
5600pF 6800pF	p71						p71	p71					1													
8200pF							p71	p71					1													
10000pF							p71	p71																		
12000pF							p71																			
15000pF																	p71									
18000pF																	p72									
22000pF																	p72									
27000pF 33000pF																										
39000pF																										
47000pF									p71	p71			1													
56000pF									p71	p71																
68000pF											p71	p71	p71					p72	p72							
82000pF											p71	p71	p71					p72	p72							
0.10µF											p71	p71	p71	ļ				p72	p72							
0.12µF																				p72	p72	p72	p72		1	

<i>p00</i> ←	Part Nu	mber L	ist	JIS:	CK	CJ	СН	SI	L	IJ	EIA	A: C00	G U:	2J													
	×W (mm)			05			3.2>								×2.0			4.5>	<3.2					5.7>	5.0	0.0	
Rated Volt	age (Vdc)	2000		25 630	500	1000	630		250	1000	630	500	250		.0 50	1000	1.5 630	500	1000	2.0 630	500	1000	1.5 630	500	1000	2.0 630	500
	TC Code		U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J		U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J	U2J
	0.10pF																										
	0.20pF 0.50pF																									- 1	
	1.0pF																								- 1		
	2.0pF																										
	3.0pF																								- 1		
	4.0pF																										
	5.0pF 6.0pF													p72											- 1	- 1	
	7.0pF																										
	8.0pF																								Ì		
	9.0pF																								- 1		
	10pF													p72	p72												
	10.5pF 11pF																								- 1	- 1	
	12pF													p72	p72												
	12.5pF																										
	13pF																								- 1		
	14pF 15pF													572	p72												
	16pF													prz	ρ/Z										- 1	- 1	
	17pF																										
	18pF													p72	p72												
	19pF																								- 1	- 1	
	20pF 21pF																								- !		
	22pF													p72	p72										- 1	- 1	
	24pF																										
	27pF													p72	p72										- 1		
	30pF											1		70	70										- 1	- 1	
	33pF 36pF													p72	p72												
	39pF													p72	p72										- 1	- 1	
	43pF																										
	47pF													p72	p72										i		
	51pF 56pF														p72										- 1	- 1	
	62pF														ρ/Z												
	68pF														p72												
	75pF																										
	82pF														p72												
	91pF 94pF																								- 1	- !	
	96pF																								- 1	- 1	
	100pF														p72												
	120pF																								- 1		
	150pF	70																									
	180pF 220pF	p72 p72																							į	- 1	
	270pF																										
	330pF																								- 1		
	390pF																										
	470pF 560pF																								i	i	
	680pF																								i		
	820pF																										
	1000pF																								į		
	1200pF 1500pF		p72			p72																					
	1800pF					<i>β</i> 72				p72																	
	2200pF									p72																	
	2700pF															p72											
	3300pF															p72									i		
	3900pF 4700pF																		p72 p72								
	5600pF			p72	p72														PIZ			p72					
	6800pF						p72	p72														p72					
	8200pF										p72	p72													p72		
	0000pF										p72	p72						5.70							p72		
	2000pF 5000pF																p72	p72		p72	p72						
	8000pF																			p72	p72						
2	2000pF																			p72	p72						
	7000pF								p72														p72	p72			
	3000pF 9000pF												p72														p72
	7000pF												p72 p72													p72 p72	p72 p73
	6000pF																										
6	8000pF																										
	2000pF																										
	0.10μF 0.12μF																								-		
	J. 12µF			!																							

p00 ← Part Nui	mber L	ist	JIS:	R	В		EIA:	X7R	X75	S X	7T X	(7U	X6S	X6T	X5F	3										
L×W (mm)			(0.4×0.	2									(0.6×0.	3								1.0>	<0.5	
T max. (mm)				0.22											0.33									0.:	22	
Rated Voltage (Vdc)	16	1	0	6.3		4	2.5	5	0	35		25			16		1	0		6.3		4	10	6.	.3	4
Cap. / TC Code	X7R	X7R	X5R, B	X5R, B	X6T	X5R	X6T	X7R	В	X5R	X7R, R	X6S	X5R, B	Χ7Δ, R	X6S	X5R, B	Χ7Δ, R	X5R, B	X7R, R	X6S	X5R, B	X6S	X5R, B	X6S	X5R, B	X7T
100pF	p74	p74	p74 p74					p75	p75		p75															
150pF	p74	p74	p74 p74					p75	p75		p75															
220pF	p74		p74 p74					p75	p75		p75															1
330pF	p74	p74	p74 p74					p75	p75		p75															
470pF	p74		p74 p74					p75	p75		p75															
680pF		p74	p74 p74					p75	p75		p75															-
820pF		p74																								1
1000pF	p74	p74	p74 p74		1			p75	p75		p75 <mark>p75</mark>		p75													İ
1500pF			p74 p74	p74 p74				p75	p75		p75 <mark>p75</mark>		p75													
2200pF				p74 p74							p75		p75	p75 <mark>p75</mark>		p76										
3300pF				p74 p74							p75		p75	p75 <mark>p75</mark>		p76										
4700pF				p74 p74	1						p75		p75	p75					p76 <mark>p76</mark>		p76					
6800pF				p74 p74							p75		p75	p75					p76 <mark>p76</mark>		p76					
10000pF			p74 p74	p74 p74							p75		p75 p7 5	p75		p75 p76	p76 <mark>p76</mark>		p76 <mark>p76</mark>							į
15000pF				p74		p74										p75 p76		p76 p76		p76	p76					
22000pF				p74		p74										p75 p7 6		p76 p76		p76	p76					
33000pF				p74		p75										p75 p76		p76 p76		p76	p76					İ
47000pF				p74		p75										p76 p7 6	4	p76 p76	4	p76						
68000pF				p74		p75										p76 p76		p76 p76		p76						
0.10μF				p74	p74	p75	p75			p75		p75	p75	p75	p75	p76 p76	p76	p76 p76		p76			p76 p 77	p77	p77 p77	p77
0.15μF																										
0.22μF																		p76		p76	p76	p76	p76 p77	p77	p77 p77	p77
0.33μF													1													
0.47μF																									p77 p77	
0.68μF																										
1.0µF																									p77	
2.2µF																										
4.7μF																										į
10μF																										
22µF																										
47μF																										
100µF																										-
220µF																										

p00 ← Part Nu	mber l	List	JIS:	R	В		EIA:	X7R	X75	S X	7T 2	X7U	X6S	X6T	X51	R										
L×W (mm)													1.0	×0.5												
T max. (mm)		0.22					0.3					0.	.33							0.	55					
Rated Voltage (Vdc)		4	2.5	5	0	2	5	1	6	10	10	6	5.3	4	100		50		3	5		25			16	
Cap. / TC Code	Х6Δ	X5R	X7T	X7R, R	В	X7R	В	X7R	В	X5R	X5R, E	X6T	X5R, B	X6T	X7R	X7R, R	X6S	X5R, B	X6S	X5R	X7R, R	X6S	X5R, B	X7R, R	X6S	X5R, B
100pF																										
150pF																										
220pF				р77 <mark>р77</mark>	p77										p77	p77 <mark>p78</mark>		p78								
330pF				p77 <mark>p77</mark>	p77										p77	p77 <mark>p78</mark>		p78								
470pF				p77 <mark>p77</mark>	p77										p77	p77 <mark>p78</mark>		p78								
680pF				p77 <mark>p77</mark>	p77										p77	p77 <mark>p78</mark>		p78								
820pF																										
1000pF				p77 <mark>p77</mark>	p77										p77	p77 <mark>p78</mark>		p78								
1500pF				p77 <mark>p77</mark>	p77										p77	p77 <mark>p78</mark>		p78								
2200pF						p77	p77						1		p77	p77 <mark>p78</mark>		p78								
3300pF								p77	p77						p77	p77 <mark>p78</mark>		p78								
4700pF								p77	p77						p77	p78 <mark>p78</mark>		p78								
6800pF								p77	p77							p78 <mark>p78</mark>		p78			p78					
10000pF								p77	p77							p78 <mark>p78</mark>		p78			p78 <mark>p78</mark>		p78			
15000pF										p77						p78		p78			p78 <mark>p78</mark>		p78			
22000pF										p77						p78		p78			p78 <mark>p78</mark>		p78			
33000pF										p77						p78	p78	p78			p78 <mark>p78</mark>		p78			
47000pF																p78	p78	p78			p78 <mark>p78</mark>		p78			
68000pF																p78	p78	p78			p78		p78 p7 9			
0.10µF	p77		p77													p78		p78 p7 8			p78		p78 p7 9			
0.15μF																								p79		
0.22μF	p77		p77																p78	p78		p78	p78	p79		p79
0.33μF																										
0.47μF	p77																			p78			p78		p79	p79
0.68µF																										
1.0µF	p77	p77									p77 p7.	p77	p77 p77	p77									p78 p79			p79 <mark>p79</mark>
2.2µF																										
4.7µF													-													
10µF																										
22µF																										
47µF													1													
100µF													-													
220µF													1													

<i>p00</i> → F	Part Nur	mber L	₋ist	JIS:	R	В		EIA:	X7R	X7S	X7	7T >	(7U	X6S	X6T	X5F	3										
L×	W (mm)											1.0	×0.5												1.6>	×0.8	
T ma	ax. (mm)				0.55						0	.6			0.65				0	.7					0.	.5	
Rated Voltag	ge (Vdc)		10			6.3		4	35	25	16	6.3	4	2.5	6.3	25	1	6	1	0	6.3	4	2.5	25	16	6.3	4
Cap. / T	C Code	X7R	X6S	X5R, B	X7R	X6S	X5R, B	X7R	X5R	X6S	X6S	X5R, B	X5R, B	X6T	X6S	X5R	X6S	X5R	X7S	X6S	X7S	X5R	X5R	X5R, B	X5R, B	X5R	X5R
	100pF																										
	150pF																										
	220pF																										
;	330pF																										
	470pF																										
	680pF																										
	820pF																										
1	000pF																										
1	500pF																										
2:	200pF																										
3	300pF																										
4	700pF																										
6	800pF																										
10	000pF																										
15	000pF																										
22	000pF																										
33	000pF																										
47	000pF																										
68	000pF																										
С	0.10µF																										
С).15µF			p79 p7 9			p79 p79																				
С).22µF	p79		p79 p79			p79 p79																				
С	0.33µF			p79 p79			p79 p79																				
С).47µF	p79		p79 p79			p79 p79																				
C	0.68µF			p79 p7 9			p79 p79																				
	1.0µF		p79		p79			p79	p79	p79	p79													p80 p80	p80 p80		
	2.2µF			p79		p79	p79									p79	p79	p79	p79	p79	p79						
	4.7µF											p79 p79	p79 p79	p79	p79												
	10µF																					p79	p79			p80	p80
	22µF																										
	47µF																										
	100µF																										
	220µF																										

LW (mm)	p00 ← Part Nu	mber l	₋ist	JIS:	R	В		EIA:	X7R	X7S	X7	7T :	X7U	X6S	X6T	X5F	3										
Rated Voltage (Vida) 16	L×W (mm)													1.6>	<0.8												
Cap. TCCCode	T max. (mm)			0.55									0.9									0.95				1.0	
100pF 150pF 220pF 180 p80 p80 p80 p80 p80 p80 p80 p80 p80 p	Rated Voltage (Vdc)	16	1	10	6.	.3	250	200	100	5	0		25		16		1	0	6.3	25	1	6	1	0	50	3	5
150pF 220pF 1330pF 150pF 150pF 150pF 150pF 150pF 1500pF 1500pF 1500pF 1500pF 1500pF 1500pF 1500pF 1500pF 1500pF 15000pF 1500pF 1500pF 1500pF 1500pF 1500pF 1500pF 1500pF 1500pF 15000pF 1500pF	Cap. / TC Code	X5R	X6S	X5R	X7T	X6S	X7R	X7R	X7R	X7R, R	X5R, B	X7R, F	X5R, B	X7∆, R	X6S	X5R, B	Χ7Δ	X5R, B	В	X5R	X6S	X5R, B	X7S	X5R, B	X5R	X6S	X5R
220pF	100pF																										
330pF 470pF 680pF 680pF 680pF 780 p80 p80 p80 p80 p80 p80 780 p80 p80 p80 p80 p80 780 p80 p80 p80 p80 p80 p80 p80 p80 780 p80 p80 p80 p80 p80 p80 p80 p80 p80 p	150pF																										
A 70 P	220pF						p80	p80	p80	p80 <mark>p80</mark>	p80																
820pF 1000pF 820pF 920 p80 p80 p80 p80 p80 p80 p80 p80 p80 p8	330pF						p80	p80	p80	p80 <mark>p80</mark>	p80																
820pF 1000pF 1000pF 10	470pF						p80	p80	p80	p80 <mark>p80</mark>	p80																
1000pF	680pF						p80	p80	p80	p80 <mark>p80</mark>	p80																
1500pF	820pF																										
2200F P80 P80 P80 P80 P80 P80 P80 P80 P80 P80	1000pF						p80	p80	p80	p80 <mark>p80</mark>	p80																
3300pF	1500pF						p80	p80	p80	p80 <mark>p80</mark>	p80																
4700pF	2200pF						p80	p80	p80	p80 <mark>p80</mark>	p80																
B80 p80 p80 p81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81 P81	3300pF								p80	p80 <mark>p80</mark>	p80																
10000pF 15000pF 15000pF 16000pF 17000pF 1700000pF 1700000pF 1700000pF 1700000pF 1700000pF 1700000pF 17000000pF 17000000pF 170000000pF 17000000000pF 17000000000000000000000000000000000000	4700pF								p80	p80 <mark>p80</mark>	p81																
15000pF	6800pF								p80	p80 <mark>p80</mark>	p81																
22000pF	10000pF								p80	p80 <mark>p80</mark>	p81		p81														
33000pF	15000pF								p80	p80 <mark>p80</mark>	p81		p81														
47000pF 68000pF 68000pF 080 p80 p81 p81 p81 p81 p81 0.10µF 0.15µF 0.22µF 0.33µF 0.47µF 0.68µF 0.68µF 0.68µF 0.80 p80 p81 p81 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p81 p80 p80 p81 p81 p81 p81 p81 p81 p81	22000pF								p80	p80 <mark>p80</mark>	p81		p81														
68000pF 0.10µF 0.15µF 0.22µF 0.33µF 0.47µF 0.68µF 0.68µF 0.68µF 0.780 p80 p81 p81 p81 p81 p81 p81 p81 p81 p81 p81	33000pF									p80 <mark>p80</mark>	p81	p81 <mark>p8</mark>	1 p81														
0.10µF	47000pF									p80 <mark>p80</mark>																	
0.15µF	68000pF									p80 <mark>p80</mark>	p81	p81 <mark>p8</mark>	1 p81														
0.22µF	0.10µF								p80	p80 <mark>p80</mark>	p81		p81														
0.33µF	0.15µF																										
0.47µF	0.22µF									p80	p80 p81	p81 <mark>p8</mark>	<mark>1</mark> p81 p81														
0.68µF 081 081 081 081 081 081 081 081 081 081	0.33µF													p81 <mark>p81</mark>		p81	p81	p81 p81									
1.0µF	0.47µF										p80	p81															
	0.68µF															p81 p81	p81										
2 20 2 20 2 20 2 20 2 20 2 20 2 2 2 2 2	1.0µF										p80 p81	p81															
	2.2µF												p81 p81		p81	p81 p81	p81 p81								p82	p82	
4.7μF p80 p80 p80 p80 p80 p80 p80 p80 p80 p80	4.7μF	p80	p80	p80	p80	p80														p81	p81	p82 p82	p82				p82
10μF p82 p82 p82 p82																			p81			p82		p82 p82			
22µF																											
47μF																											
100μF	100µF																										
220μF	220µF																										

p00 ← Part Nu	mber L	ist	JIS:	R	В		EIA:	X7R	X7S	X7	T X	(7U	X6S	X6T	X5F	3										
L×W (mm)					1.6	×0.8												2.0×	1.25							
T max. (mm)					1	.0					0.7								0.95							
Rated Voltage (Vdc)		25		1	6	10	6	.3	4	1	16	100		0		5		25			16			0	6.	
Cap. / TC Code	X7S	X6S	X5R	X7S	X6S	X7T	X7T	X5R, B	X6S	X5R, B	X6S	X7R	X7R, R	X5R, B	X6S	X5R	X7R, R	X6S	X5R, B	X7R, R	X6S	X5R, B	Χ7Δ	X5R, B	X6S	X5R, B
100pF																										
150pF																										
220pF																										
330pF																										
470pF																										
680pF																										
820pF																										
1000pF																										
1500pF																										
2200pF																										
3300pF																										
4700pF																										
6800pF																										
10000pF												p82	p82													
15000pF													p82													
22000pF																										
33000pF													p82 <mark>p82</mark>													
47000pF																										
68000pF																	p82									
0.10µF																	p82									
0.15µF																										
0.22µF																										
0.33µF													p82	p82						p82						
0.47µF																										
0.68µF																	p82			p82						
1.0µF											p82			p82 p82			p82									
2.2µF	p82	p82		p82										p82 p82	p82			p82	p82 p82	p82			p82			
4.7µF		p82														p82			p82		p82	p82 p82	p82			
10µF			p82		p82	p82	p82												p82 p82			p82 p82			p82	
22µF								p82 p82	p82	p82 p82														p82 p82		p82 p82
47µF																										
100µF																										
220µF																										
																										$\overline{\square}$

p00 ← Part Nu	mber L	∟ist	JIS:	R	В		EIA:	X7R	X7S	X7	Τ >	(7U	X6S	X6T	X5F	3										
L×W (mm)													2.0×	1.25												
T max. (mm)		0.95						1.0								1.3	35						1.	.4		
Rated Voltage (Vdc)	4	4	2.5	250	200	100	50	35	25	5	1	16	100	5	0		25		1	6	100	50	2	5	1	6
Cap. / TC Code	X6S	X5R	X6T	X7R	X7R	X7R	X7R	X6S	X7S	X6S	X7S	X5R	X7R	X7R, R	X5R, B	R	X6S	X5R, B	X7R	X5R, B	X7R	X5R, B	X7R, R	X5R, B	X7R	X6S
100pF																										
150pF																										
220pF																										
330pF																										
470pF																										
680pF																										
820pF																										
1000pF				p82	p83																					
1500pF				p83	p83																					!
2200pF				p83	p83																					
3300pF				p83	p83																					
4700pF				p83	p83																					
6800pF				p83	p83																					
10000pF													p83													
15000pF													p83													
22000pF							p83						p83													
33000pF													p83													
47000pF													p83	p83												
68000pF													p83	p83												
0.10μF													p83	p83 <mark>p83</mark>												
0.15μF														p83	p83	p83										
0.22μF						p83								p83	p83											
0.33μF						p83																				
0.47µF														p83	p83						p83					
0.68µF															p83											
1.0µF															p83 <mark>p83</mark>								p83 <mark>p83</mark>			
2.2µF																		p83	p83			p83 p83	p83			
4.7μF								p83	p83	p83	p83						p83	p83 p83				p83 p83	p83		p83	
10μF	p82																			p83 p83				p83 <mark>p83</mark>		p83
22µF												p83														
47μF		p82	p82																							
100μF																										
220µF																										

p00 ← Part Nu	mber L	ist	JIS:	R	В		EIA:	X7R	X75	X7	'T >	(7U	X6S	X6T	X5F	3										
L×W (mm)													2.0×	1.25												
T max. (mm)			1	.4												1.	45									
Rated Voltage (Vdc)	1	0	6	.3		4	250	200	5	0		35			25			16			10		6	.3	4	4
Cap. / TC Code	X7R	В	X7R	X6S	X7U	X6S	X7R	X7R	X7S	X6S	X7S	X6S	X5R	X7S	X6S	X5R	X7S	X6S	X5R	X7T	X6S	X5R	X7T	X5R, B	X6S	X5R, B
100pF																										
150pF																										
220pF																										1
330pF																										
470pF																										
680pF																										
820pF																									:	!
1000pF																										
1500pF																										
2200pF																										}
3300pF																										
4700pF																										
6800pF																										1
10000pF							p83	p83																		
15000pF							p83	p83																		
22000pF							p83	p83																		
33000pF																										
47000pF																										ļ
68000pF																										
0.10µF																										-
0.15µF																										
0.22µF																										
0.33µF																										1
0.47µF																										
0.68µF																										
1.0µF																										
2.2µF																										
4.7µF	p83								p84	p84	p84			p84												į
10µF	p83		p83									p84	p84	p84	p84		p84									
22µF		p83		p83	p83	p83										p84		p84	p84	p84	p84	p84	p84			
47μF																						p84		p84 p84	p84	p84 p84
100µF																										
220µF																										
<u> </u>																										

p00 ← Part Nu	mber L	ist	JIS:	R	В		EIA:	X7R	X78	X7	7T >	(7U	X6S	X6T	X51	R										
L×W (mm)													3.2	×1.6												
T max. (mm)			0.	95			1.0				1.25				1.3						1.8					
Rated Voltage (Vdc)	35	25	16	10	6	6.3	630	1000	630	250	200	5	0	25	100	1000	630	250	200	100	5	50	2	!5	1	6
Cap. / TC Code	X5R	R	X5R, B	X5R, B	X6S	X5R, B	X7R	X7R	X7R	X7R	X7R	X7R	В	X5R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X5R, B	X7R	X5R, B	X7R	X6S
100pF																										
150pF																										
220pF																										
330pF																										
470pF								p84																		
680pF								p84																		
820pF																										
1000pF							p84	p84																		
1500pF							p84	p84																		
2200pF							p84	p84																		
3300pF							p84	p84																		
4700pF							p84	p84																		
6800pF							p84		p84							p84										
10000pF							p84									p84										
15000pF										p84	p84						p84									
22000pF										p84	p84						p84									
33000pF																		p84	p84							!
47000pF																		p84	p84							
68000pF										p84	p84															
0.10µF																		p84	p84							
0.15µF																										
0.22µF																										
0.33µF		p84																								
0.47µF												p84			p84											
0.68µF												p84			p84											
1.0µF												p84	p84							p84						
2.2µF																					p84	p84				
4.7µF																					p84	p84	p84		p84	
10µF	p84		p84 p84											p84								p84 p84	p84	p84		
22µF			p84 p84	p84 p84	p84	p84 p84																		p84 p84		p85
47μF																										
100μF																										
220µF																										

p00 ← Part Nu	mber L	₋ist	JIS:	R	В		EIA:	X7R	X78	X7	T >	(7U	X6S	X6T	X5F	R										
L×W (mm)								3.2>	<1.6												3.2	×2.5				
T max. (mm)				1.	.8							1	.9					1.	.5		1.8		2.	.0		2.2
Rated Voltage (Vdc)	16	1	0		6.3			1	100	25	16	6	.3		4		1000	630	250	200	100	1000	630	250	200	25
Cap. / TC Code	X5R, B	X7R	X5R, B	Χ7Δ	X6S	X5R, B	X7U	X6S	X7R	X6S	X7S	X6T	X5R	X7U	X6T	X5R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R
100pF																										
150pF																										
220pF																										
330pF																										
470pF																										
680pF																										
820pF																										
1000pF																										
1500pF																										
2200pF																										
3300pF																										
4700pF																										
6800pF																	p85									
10000pF																	p85									
15000pF																						p85				
22000pF																		p85				p85				
33000pF																							p85			
47000pF																							p85			
68000pF																			p85	p85						
0.10μF																								p85	p85	
0.15μF																			p85	p85						
0.22µF																								p85	p85	
0.33µF																										
0.47µF																										
0.68µF																										
1.0µF																					p85					
2.2µF									p85																	
4.7µF																										
10μF	_																									p85
22µF	p85 p85			p85						p84	p85															
47μF			p85 p 85	p85	p85	p85 p85	p85	p85																		
100µF												p85	p85	p85	p85	p85										
220µF													<u> </u>			p85										

p00 ← Part N	umber l	₋ist	JIS:	R	В		EIA:	X7R	X7S	X7	T >	(7U	X6S	X6T	X5F	R										
L×W (mr	1)							3	.2×2.5	;										4	4.5×3.2	2			5.7	×5.0
T max. (mr	1)								2.7										1.5			2.	0		2	.0
Rated Voltage (Vd	100	80	63	50			5	25			16		1	0	6	.3	4	630	250	200	1000	630	250	200	1000	630
Cap. / TC Coo	e X7R	X7R	X7R	X7R	X5R, B	X7R	X5R, B	X7R	X5R, B	X7R	X6S	X5R, B	X7R	X5R, B	Χ7Δ	X5R, B	X7U	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R
100p	=																									
150p	=																									
220p	=																									
330p																										
470p	=																									
680p	=																									
820p																										
1000p																										
1500p																										
2200p																										
3300p	_																									
4700p	_																									
6800p	_																									
10000p	_																									
15000p	=																									
22000p																										
33000p																					p85					
47000p	=																				p85					
68000p																		p85							p85	
0.10μ	=																					p85			p85	
0.15µ																			p85	p85						p85 p85
0.22μ																							p85	p85		p85
0.33µ																							p85	p85		
0.47μ	_																						p85	p85		
0.68µ	_																									
1.0µ																										
2.2µ	p85																									
4.7μ	_	p85		p85																						
10µ			p85	p85	p85 p85	p85	p85 p85																			
22µ	_							p85	p85 p85	p85																
47µ											p85	p85 p85	p85	p85 p85												
100μ	_													p85	p85	p85 p85	p85									
220µ	=																									

X6S X6T X5R

p00 ← Part Nu	mher I	ist	JIS:	R	В	FIA:	X7R	, X7S	X7T	X7U
			010.	-11		LIA.	- X/ II	A/S	-7/1	- 7.7 0
L×W (mm)	5.7									
T max. (mm)	2									
Rated Voltage (Vdc)	250	200								
Cap. / TC Code	X7R	X7R								
100pF										
150pF										
220pF										
330pF										
470pF										
680pF										
820pF										
1000pF										
1500pF										
2200pF										
3300pF										
4700pF										
6800pF										
10000pF										
15000pF										
22000pF										
33000pF										
47000pF										
68000pF										
0.10µF										
0.15µF										
0.22µF										
0.33µF	p85	p86								
0.47µF	p86	p86								
0.68µF	p86	p86								
1.0µF	p86	p86								
2.2µF										
4.7µF										
10µF										
22µF										
47µF										
100µF										
220µF										

Capacitance Table



p00 Each number in the Part Number List refers to the page number printed at the bottom of the page.

■ GJM Series Temperature Compensating Type

p00 ← Part Num	ber Lis	st .	JIS: 0	CK	CJ	СН
L×W (mm)	0.4>	<0.2	0.6	×0.3	1.0:	×0.5
T max. (mm)	0.2	22	0.	33	0.	55
Rated Voltage (Vdc)	2	5	2	:5	5	0
Cap. / TC Code	COG	СΔ	COG	СΔ	COG	СΔ
0.10pF					p101	p104
0.20pF	p88	p91	p94	p97	p101	p104
1.0pF	p88	p91	p94	p98	p101	p105
2.0pF	p88	p91	p95	p98	p101	p105
3.0pF	p88	p91	p95	p98	p102	p105
4.0pF	p89	p92	p95	p98	p102	p105
5.0pF	p89	p92	p95	p99	p102	p106
6.0pF	p89	p92	p96	p99	p102	p106
7.0pF	p90	p93	p96	p99	p103	p106
8.0pF	p90	p93	p96	p100	p103	p107
9.0pF	p90	p94	p97	p100	p104	p107
10pF	p91	p94	p97	p101	p104	p107
11pF	p91	p94	p97	p101	p104	p107
12pF	p91	p94	p97	p101	p104	p108
13pF	p91	p94	p97	p101	p104	p108
15pF	p91	p94	p97	p101	p104	p108
16pF	p91	p94	p97	p101	p104	p108
18pF	p91	p94	p97	p101	p104	p108
20pF	p91	p94	p97	p101	p104	p108
22pF	p91	p94	p97	p101	p104	p108
24pF			p97	p101	p104	p108
27pF			p97	p101	p104	p108
30pF			p97	p101	p104	p108
33pF			p97	p101	p104	p108
36pF					p104	p108
39pF					p104	p108
43pF					p104	p108
47pF					p104	p108



The indication for every 0.1 pF has been omitted for less than 10 pF. Refer to the Part Number List for details.

p00	← Part Num	ber Lis	st .	JIS:	R	В	El	A: X7	'R X	5R										
	L×W (mm)	0.	.38×0.3	38				0.5	×0.5							0.8	×0.8			
	T max. (mm)		0.35					0.	.4							0	.6			
Rated	Voltage (Vdc)		10		100	2	5		10		6	.3	100	2	5		10		6.	.3
С	ap. / TC Code	X7R	R	В	X7R	X7R	В	X7R	R	В	X5R	В	X7R	X7R	В	X7R	R	В	X5R	В
	100pF				p110															
	150pF				p110												!			
	220pF				p110															
	330pF				p110															
	470pF				p110												!			
	680pF				p110															
	1000pF	p110	p110	p110	p110															
	1500pF	p110	p110	p110		p110	p110						p110							
	1800pF	p110	p110	p110																
	2200pF					p110	p110						p110							
	3300pF					p110	p110						p110							
	4700pF					p110	p110						p110							
	6800pF							p110	p110	p110			p110							
	10000pF	p110	p110			i ! !		p110	p110	p110				p110	p110		i ! !			
	15000pF							p110	p110	p110				p110	p110					
	22000pF							p110	p110	p110				p110	p110					
	33000pF															p110	p110	p110		
	47000pF															p110	p110	p110		
	68000pF															p110	p110	p110		
	0.10µF										p110	p110				p110	p110	p110		
	0.47µF							1									! !		p110	p110

p00	← Part Num	ber Lis	st .	JIS:	R	В	El	A: X7	'R	5R													
	L×W (mm)						0.6×0.3	3										1.0×0.5	5				
	T max. (mm)						0.33											0.55					
Rated	Voltage (Vdc)		25			16			10		6.	.3		50			25			16		10	0
Ca	ap. / TC Code	X7R	R	В	X7R	R	В	X7R	R	В	X5R	В	X7R	R	В	X7R	R	В	X7R	R	В	X5R	В
	100pF	p112	p112	p112																			
	120pF	p112	p112	p112																			
	150pF	p112	p112	p112																			
	180pF	p112	p112	p112																			
	220pF	p112	p112	p112									p112	p112	p113								
		p112	p112	p112									p112	p113	p113								
	330pF	p112	_										p112		p113								
		p112											p112	p113	p113								
		p112	_										p112	p113	p113								
		p112											p112	p113	p113		i ! !						
		p112				!							p112	-	p113		!						
		p112	_										p112		p113								
	1000pF	p112	_										p112		p113								
		p112	p112	p112									p112	p113	p113								
	1500pF	p112	p112			!							p112		p113		!						
	1800pF	7	P	P2	p112	p112	n112						p112	p113	p113								
	2200pF				p112								p112	-	p113								
	2700pF				p112	p112							p112	p113	p113								
	3300pF				p112		p112						p112	-	p113								
	3900pF				PITE	PITE	PITZ	p112	p112	n112	i		p112	-	p113		!						
	4700pF							p112	-	p112			p112	-	p113								
	5600pF							p112		p112			PITZ	prio	pris	p113	p113	n113					
	6800pF							p112		p112						p113	p113						
	8200pF					-		p112	p112	p112					!	p113	p113						
	10000pF								p112	-						p113	p113						
								μπΖ	priz	priz													
	12000pF															p113	p113 p113						
	15000pF															p113	-	-					
	18000pF														!	p113	-	p113					
	22000pF															p113	-						
	27000pF																p113						
	33000pF																p113						
	39000pF																p113						
	47000pF										140	-440				p113	p113	p113	140	-110	-110		
	56000pF					1					p112				1		1		p113				
	68000pF										p112	-			!		!			p113			
	82000pF										p112									p113			
	0.10µF										p112	p112							p113	p113			
	0.12µF																					p113	
	0.15µF																					p113	
	0.18µF																					p113	
	0.22µF																					p113	
	0.27µF					1									!		1					p113	
	0.33µF																					p113	
	0.39µF																					p113	
	0.47µF																					p113	p113

■ GQM Series Temperature Compensating Type

p00 ← Part Num	nber Lis	st .	IIS:	CK	CJ	СН	E	IA: C	0G		
L×W (mm)			1.6×0.8	3			2	.0×1.2	5		2.8× 2.8
T max. (mm)	0.8		0.	.9			0.9	95		1.0	1.35
Rated Voltage (Vdc)	250	10	00	5	0	10	00	5	0	250	500
Cap. / TC Code	COG	COG	СΔ	COG	СН	COG	СΔ	COG	СН	COG	COG
1.0pF	p115	p115	p116			p117	p118			p120	p121
2.0pF	p115	p116	p116			p118	p118			p120	p121
3.0pF	p115	p116	p116			p118	p118			p120	p121
4.0pF	p115	p116	p116			p118	p118			p120	p121
5.0pF	p115	p116	p116			p118	p118			p120	p121
6.0pF	p115	p116	p116			p118	p119			p120	p121
7.0pF	p115			p116	p117	p118	p119			p120	p121
8.0pF	p115			p116	p117	p118	p119			p120	p121
9.0pF	p115			p116	p117	p118	p119			p120	p121
10pF	p115			p116	p117	p118	p119			p120	p121
11pF	p115			p116	p117	p118	p119			p120	p121
12pF	p115			p116	p117	p118	p119			p120	p121
13pF	p115			p116	p117	p118	p119			p120	p121
15pF	p115			p116	p117	p118	p119			p120	p121
16pF	p115			p116	p117	p118	p119			p120	p121
18pF	p115			p117	p117	p118	p119			p120	p121
20pF	p115			p117	p117			p119	p119	p120	p121
22pF	p115			p117	p117			p119	p119	p120	p121
24pF	p115			p117	p117			p119	p119	p120	p121
27pF	p115			p117	p117			p119	p119	p120	p121
30pF	p115			p117	p117			p119	p119	p120	p121
33pF	p115			p117	p117			p119	p119	p120	p121
36pF	p115			p117	p117			p119	p119	p120	p121
39pF	p115			p117	p117			p119	p119	p120	p121
43pF	p115			p117	p117			p119	p119	p120	p121
47pF	p115			p117	p117			p119	p119	p120	p121
51pF				p117	p117			p119	p119	p120	p121
56pF				p117	p117			p119	p119	p120	p121
62pF				p117	p117			p119	p119	p120	p121
68pF				p117	p117			p119	p119	p120	p122
75pF				p117	p117			p119	p119	p120	p122
82pF				p117	p117			p119	p119	p120	p122
91pF				p117	p117			p119	p119	p120	p122
100pF				p117	p117			p119	p119	p121	p122

The indication for every 0.1 pF has been omitted for less than 10 pF. Refer to the Part Number List for details.

p00 ← Part Num	nber Li	st E	EIA: X	(7R	X7S																
L×W (mm)	2.0×	1.25			3.2	×1.6								;	3.2×2.5	5					
T max. (mm)	1.0	1.45		1.25			1.8			1.5			2.0		2.3			2.	.8		
Rated Voltage (Vdc)	250	250	1000	630	250	1000	630	250	1000	630	250	1000	630	250	100	5	0	25	16	10	6.3
Cap. / TC Code	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7S	X7R	X7R	X7R	X7R
470pF			p124																		
680pF			p124																		
1000pF	p124		p124	p124												!					
1500pF	p124		p124	p124																	
2200pF	p124		p124	p124																	
3300pF	p124		p124	p124																	
4700pF	p124		p124	p124																	
6800pF	p124			p124		p124			p124												
10000pF		p124		p124		p124			p124												
15000pF		p124			p124		p124					p124									
22000pF		p124			p124		p124			p124		p124									
33000pF								p124					p124								
47000pF								p124					p124								
68000pF					p124						p124										
0.10µF								p124						p124							
0.15µF											p124					! !					
0.22µF														p124							
0.33µF																					
0.47µF																					
0.68µF																					
1.0µF																					
2.2µF															p124						
4.7µF																p124					
10µF																	p124				
22µF																			p124	p124	
47μF		1		:												}					p124

L×W (mm)		4	4.5×3.2	2		į	5.7×5.0)
T max. (mm)	1.	.5		2.0			2.0	
Rated Voltage (Vdc)	630	250	1000	630	250	1000	630	250
Cap. / TC Code	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R
33000pF			p124					
47000pF			p124					
68000pF	p124					p124		
0.10µF				p124		p124		
0.15µF		p124					p124	
0.22µF					p124		p124	
0.33µF					p124			p124
0.47µF					p124			p124
0.68µF								p124
1.0µF			! ! !		 			p124

p00 ← Part Number List	EIA:	X7T
------------------------	------	-----

L×W (mm)	2.0×	1.25				3.2	<1.6					3	3.2×2.	5			4.5	<3.2				5.7	<5.0		
T max. (mm)	1.0	1.45	1	.0		1.25			1.8		1	.5		2.0		1.5		2.0			2.0			2.7	
Rated Voltage (Vdc)	250	250	450	250	630	450	250	630	450	250	630	250	630	450	250	250	630	450	250	630	450	250	630	450	250
Cap. / TC Code	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T
10000pF	p126		p126		p126																				
15000pF	p126		p126					p126																	
22000pF		p126				p126					p126														1
33000pF				p126		p126							p126												
47000pF							p126		p126				p126												
68000pF										p126				p126			p126								
0.10µF												p126		p126						p126					!
0.15µF															p126			p126		p126					
0.22µF																p126					p126		p126		
0.27µF																							p126		
0.33µF																			p126		p126				
0.47µF																					p126	p126			
0.56µF																								p126	
0.68µF																						p126			
1.0µF																									p126

p00 ← Part Num	ber Lis	st E	IA: X	K7R	X6S	X5R																
L×W (mm)		;	3.5×1.7	7		3.6× 1.7	3.7× 1.85							(6.1×5.3	3						
T max. (mm)	2.0		2	.9		2.9	2.9				3	.0						3.9			5.	.0
Rated Voltage (Vdc)	25	100	50	35	25	50	100	1000	630	250	100	63	50	35	25	100	63	50	35	25	1000	630
Cap. / TC Code	X5R	X7R	X7R	X6S	X6S	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R
68000pF								p129														
0.10μF								p129														
0.15μF									p129												p129	
0.22μF									p129												p129	
0.33μF					!																	p129
0.47μF																						p129
0.68μF										p129												
1.0µF		p129								p129												
1.5µF																						
2.2µF						p129	p129															
4.7μF			p129		!						p129	p129	p129									
6.8µF																p129						
10µF	p129			p129	p129								p129	p129			p129					
15µF														p129	p129							
17μF																		p129	p129			
22µF																			p129	p129		
33µF																				p129		
47μF																						
68µF			i !		! !				i !					i ! !				i !	i !			

L×W (mm)					6.13	×5.3				
T max. (mm)			5.0					6.7		
Rated Voltage (Vdc)	250	100	50	35	25	100	63	50	35	25
Cap. / TC Code	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R
68000pF										
0.10µF										
0.15µF										
0.22µF										
0.33µF										
0.47µF									!	
0.68µF										
1.0µF										
1.5µF	p129				 					
2.2µF	p129									
4.7µF										
6.8µF									!	
10µF		p129								
15µF						p129				
17µF										
22µF			p129	p129			p129			
33µF				p129	p129			p129		
47µF									p129	p129
68µF										p129

■ KR3 Series High Dielectric Constant Type

p00 ← Part Num	ber Lis	st E	IA: X	(7T							
L×W (mm)					(6.1×5.3	3				
T max. (mm)		3.0			3.9		5	.0		6.7	
Rated Voltage (Vdc)	630	450	250	630	450	250	450	250	630	450	250
Cap. / TC Code	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T	X7T
0.10µF	p132										
0.15µF	p132										
0.22µF		p132		p132							
0.27µF				p132							
0.33µF		p132									
0.47µF		p132	p132						p132		
0.56µF					p132				p132		
0.68µF			p132				p132				
1.0µF						p132	p132				
1.2µF										p132	
1.5µF								p132			
2.2µF											p132

■ LLA Series High Dielectric Constant Type

p00 ← Part Num	nber Lis	st E	EIA: X	(7R	X7S													
L×W (mm)	1.6× 0.8					2.0×	1.25							;	3.2×1.6	6		
T max. (mm)	0.55			0.55					0.95				0.55		0.	95	1.3	25
Rated Voltage (Vdc)	4	25	16	10	6.3	4	25	16	10	6.3	4	16	10	6.3	16	10	16	10
Cap. / TC Code	X7S	X7R	X7R	X7R	X7R	X7S	X7R	X7R	X7R	X7R	X7S	X7R	X7R	X7R	X7R	X7R	X7R	X7R
10000pF		p134					p134											
22000pF		p134					p134											
47000pF			p134				p134											
0.10µF	p134		p134					p134										
0.22µF	p134			p134				p134				p134						
0.47µF	p134				p134				p134				p134		p134			
1.0µF						p134				p134				p134		p134	p134	
2.2µF	p134										p134			p134				p134
4.7µF						p134												

■ LLL Series High Dielectric Constant Type

p00 ← Part Num	ber Lis	st E	EIA: X	(7R	X7S	X6S	X5R															
L×W (mm)	(0.5×1.0)	0.6× 1.0					0.8	×1.6								1.25	×2.0			
T max. (mm)		0.35		0.45		0.	.5		0.55			0.6					0	.5			0.	.7
Rated Voltage (Vdc)	6.3	4	4	4	25	16	10	4	4	50	25	16	10	4	50	25	16	10	6.3	4	50	25
Cap. / TC Code	X6S	X7S	X6S	X5R	X7R	X7R	X7R	X7S	X7S	X7R	X7R	X7R	X7R	X7S	X7R	X7R	X7R	X7R	X7R	X7S	X7R	X7R
2200pF										p136												
4700pF										p136												
10000pF					p136						p136				p136						p136	
22000pF						p136					p136					p136					p136	
47000pF						p136						p136					p136					p136
0.10μF	p136						p136						p136				p136					p136
0.22µF	p136							p136					p136					p136				
0.47µF		p136												p136					p136			
1.0µF			p136																	p136		
2.2µF									p136													
4.3µF				p136																		
4.7µF																						
10µF																						

L×W (mm)		1.25	×2.0									1.6×3.2	2						
T max. (mm)	0.7		0.95			0	.5				0.8					1.3	25		
Rated Voltage (Vdc)	10	16	10	4	50	25	16	10	50	25	16	10	6.3	50	25	16	10	6	.3
Cap. / TC Code	X7R	X7R	X7R	X7S	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X7R	X5R
2200pF																			
4700pF																i ! !			
10000pF					p136				p136										
22000pF					p136				p136										
47000pF						p136			p136										
0.10µF						p136				p136				p136					
0.22µF	p136	p136					p136				p136				p136				
0.47µF			p136					p136			p136				p136				
1.0µF			p136									p136				p136			
2.2µF				p136									p136				p136		
4.3µF							! ! !							i i i					
4.7µF																		p136	
10µF																			p136

■ LLM Series High Dielectric Constant Type


p00 ← Part Num	ber Lis	st E	IA: X	77R	X7S
L×W (mm)	2.0×	1.25	(3.2×1.6	6
T max. (mm)	0.	55		0.55	
Rated Voltage (Vdc)	6.3	4	16	10	6.3
Cap. / TC Code	X7R	X7S	X7R	X7R	X7R
0.10µF			p138		
0.22µF	p138		p138		
0.47µF	p138			p138	
1.0µF		p138			
2.2µF					p138

	9			
p00 ← Part Num	nber Lis	st E	IA: X	77S
L×W (mm)		0.8	<1.6	
T max. (mm)		0.	55	
Rated Voltage (Vdc)		4	1	
TC Code		X	7S	
Cap. / ESR (m Ω)	100	220	470	1000
1.0µF	p140	p140	p140	p140

Search Capacitors

Specifications and Test Methods, Package, Chart of Characteristic Data, please refer to the search web page.

http://www.murata.com/products/capacitor/



Data Sheet

The product details page can be output in PDF.

Status and Features Icons

The status and features of products can be checked at once. When ② is clicked, a description of each icon will be displayed.

Characteristics & Applications

This links to the introduction page of each series.

Detailed Specifications Sheet

- Rated value
- Specifications and Test Methods
- Package
- Caution, Notice (Storage, Soldering and Mounting,etc.)

Characteristics Data

The following characteristics data of the main products can be acquired.

- SPICE Netlist (mod type)
- S parameter (S2P type)
- Reliability Test Data *Typical data
- Shape (Dimensions)
- Rated Values
- Specification by Packaging Code/ Minimum Order Quantity
- Weight (1 pc/ø180mm reel)

Chart of Characteristic Data

The main products published characteristic data.

- Frequency characteristics (ESR, Impedance)
- S parameter (Smith chart S11)
- DC bias characteristics
- AC voltage characteristics
- Capacitance temperature characteristics
- Calorific property by ripple current

Design Tools SimSurfing

The SimSurfing design tools are useful for displaying the graph, downloading CSV data and overwriting the product number graph.

LLR Series

For General Purpose


GRM Series





This is Murata primary products renowned for both small size and large capacitance value with latest advanced technology.


Features

1) Achieves large-capacity and small size in a multilayer structure.









- 2 Sn plating is applied to the external electrodes; excellent solderability.
- 3 High reliability with no polarity.

	Ceramic Capacitor	Tantalum Capacitor	Aluminum Electrolytic Capacitor	Conductive Polymer Capacitor
Price	0	0	0	0
Comparison between Impedance Frequency Characteristics	©	Δ	Δ	0
Capacitance temperature characteristics	0	0	0	0
DC breakdown voltage	0	Δ	Δ	Δ
Polarity	No	Yes	Yes	Yes
Pulse response	0	Δ	Δ	0
Allowable ripple current	0	Δ	Δ	Δ
Reliability	0	0	0	0
DC bias characteristics	Δ	0	©	0

 \bigcirc : Particularly excellent \bigcirc : Excellent \triangle : Inferior

Specifications

Size	0.4×0.2mm to 5.7×5.0mm
Rated Voltage	DC2.5V to 3.15kV
Capacitance	0.1pF to 220μF
Main Applications	Rated voltage 100V Max. High Dielectric Constant Type · · · For decoupling and smoothing circuits Temperature Compensating Type · · · For tuning circuits, oscillating circuits,

This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.



GRM Series Temperature Compensating Type Part Number List

Т	Rated	TC	Cap.	Tol.	Part Number
max.	Voltage			.0.65.5	ODW000504070000
0.22mm 16Vdc	16Vdc	COG	0.20pF	±0.05pF	GRM0225C1CR20WA02#
			0.00.5	±0.1pF	GRM0225C1CR20BA02#
		0.30pF	±0.05pF	GRM0225C1CR30WA02#	
			0.40 5	±0.1pF	GRM0225C1CR30BA02#
		0.40pF	±0.05pF	GRM0225C1CR40WA02#	
				±0.1pF	GRM0225C1CR40BA02#
			0.50pF	±0.05pF	GRM0225C1CR50WA02#
				±0.1pF	GRM0225C1CR50BA02#
			0.60pF	±0.05pF	GRM0225C1CR60WA02#
				±0.1pF	GRM0225C1CR60BA02#
			0.70pF	±0.05pF	GRM0225C1CR70WA02#
				±0.1pF	GRM0225C1CR70BA02#
			0.80pF	±0.05pF	GRM0225C1CR80WA02#
			0.00 -	±0.1pF	GRM0225C1CR80BA02#
			0.90pF	±0.05pF	GRM0225C1CR90WA02#
			10.5	±0.1pF	GRM0225C1CR90BA02#
			1.0pF	±0.05pF	GRM0225C1C1R0WA02#
				±0.1pF	GRM0225C1C1R0BA02#
				±0.25pF	GRM0225C1C1R0CA02#
			1.1pF	±0.05pF	GRM0225C1C1R1WA02#
				±0.1pF	GRM0225C1C1R1BA02#
				±0.25pF	GRM0225C1C1R1CA02#
			1.2pF	±0.05pF	GRM0225C1C1R2WA02#
				±0.1pF	GRM0225C1C1R2BA02#
				±0.25pF	GRM0225C1C1R2CA02#
			1.3pF	±0.05pF	GRM0225C1C1R3WA02#
				±0.1pF	GRM0225C1C1R3BA02#
				±0.25pF	GRM0225C1C1R3CA02#
			1.4pF	±0.05pF	GRM0225C1C1R4WA02#
				±0.1pF	GRM0225C1C1R4BA02#
				±0.25pF	GRM0225C1C1R4CA02#
			1.5pF	±0.05pF	GRM0225C1C1R5WA02#
				±0.1pF	GRM0225C1C1R5BA02#
				±0.25pF	GRM0225C1C1R5CA02#
			1.6pF	±0.05pF	GRM0225C1C1R6WA02#
				±0.1pF	GRM0225C1C1R6BA02#
				±0.25pF	GRM0225C1C1R6CA02#
			1.7pF	±0.05pF	GRM0225C1C1R7WA02#
				±0.1pF	GRM0225C1C1R7BA02#
				±0.25pF	GRM0225C1C1R7CA02#
			1.8pF	±0.05pF	GRM0225C1C1R8WA02#
				±0.1pF	GRM0225C1C1R8BA02#
				±0.25pF	GRM0225C1C1R8CA02#
			1.9pF	±0.05pF	GRM0225C1C1R9WA02#
				±0.1pF	GRM0225C1C1R9BA02#
				±0.25pF	GRM0225C1C1R9CA02#
			2.0pF	±0.05pF	GRM0225C1C2R0WA02#
				±0.1pF	GRM0225C1C2R0BA02#
				±0.25pF	GRM0225C1C2R0CA02#
			2.1pF	±0.05pF	GRM0225C1C2R1WA02#
				±0.1pF	GRM0225C1C2R1BA02#
		1		±0.25pF	GRM0225C1C2R1CA02#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.22mm 16Vdc	16Vdc	COG	2.2pF	±0.05pF	GRM0225C1C2R2WA02#
				±0.1pF	GRM0225C1C2R2BA02#
				±0.25pF	GRM0225C1C2R2CA02#
			2.3pF	±0.05pF	GRM0225C1C2R3WA02#
			±0.1pF	GRM0225C1C2R3BA02#	
			±0.25pF	GRM0225C1C2R3CA02#	
		-	2.4pF	±0.05pF	GRM0225C1C2R4WA02#
			·	±0.1pF	GRM0225C1C2R4BA02#
				±0.25pF	GRM0225C1C2R4CA02#
		-	2.5pF	±0.05pF	GRM0225C1C2R5WA02#
				±0.1pF	GRM0225C1C2R5BA02#
				±0.25pF	GRM0225C1C2R5CA02#
			2.6pF	±0.05pF	GRM0225C1C2R6WA02#
			2.0μι	±0.1pF	GRM0225C1C2R6BA02#
				±0.25pF	GRM0225C1C2R6CA02#
			2.7pF	±0.25pi	GRM0225C1C2R7WA02#
			2.7pr	· '	
				±0.1pF	GRM0225C1C2R7BA02#
				±0.25pF	GRM0225C1C2R7CA02#
			2.8pF	±0.05pF	GRM0225C1C2R8WA02#
				±0.1pF	GRM0225C1C2R8BA02#
				±0.25pF	GRM0225C1C2R8CA02#
			2.9pF	±0.05pF	GRM0225C1C2R9WA02#
				±0.1pF	GRM0225C1C2R9BA02#
				±0.25pF	GRM0225C1C2R9CA02#
			3.0pF	±0.05pF	GRM0225C1C3R0WA02#
				±0.1pF	GRM0225C1C3R0BA02#
				±0.25pF	GRM0225C1C3R0CA02#
			3.1pF	±0.05pF	GRM0225C1C3R1WA02#
				±0.1pF	GRM0225C1C3R1BA02#
				±0.25pF	GRM0225C1C3R1CA02#
			3.2pF	±0.05pF	GRM0225C1C3R2WA02#
			·	±0.1pF	GRM0225C1C3R2BA02#
				±0.25pF	GRM0225C1C3R2CA02#
			3.3pF	±0.05pF	GRM0225C1C3R3WA02#
				±0.1pF	GRM0225C1C3R3BA02#
				±0.25pF	
			3.4pF	±0.05pF	
			3.4рг	±0.1pF	GRM0225C1C3R4BA02#
				±0.25pF	GRM0225C1C3R4CA02#
			2 5 5 5	· ·	GRM0225C1C3R5WA02#
			3.5pF	±0.05pF	
				±0.1pF	GRM0225C1C3R5BA02#
				±0.25pF	GRM0225C1C3R5CA02#
			3.6pF	±0.05pF	GRM0225C1C3R6WA02#
				±0.1pF	GRM0225C1C3R6BA02#
				±0.25pF	GRM0225C1C3R6CA02#
			3.7pF	±0.05pF	GRM0225C1C3R7WA02#
				±0.1pF	GRM0225C1C3R7BA02#
				±0.25pF	GRM0225C1C3R7CA02#
			3.8pF	±0.05pF	GRM0225C1C3R8WA02#
			·	±0.1pF	GRM0225C1C3R8BA02#
				±0.25pF	GRM0225C1C3R8CA02#
			3.9pF	±0.05pF	GRM0225C1C3R9WA02#
				±0.1pF	GRM0225C1C3R9BA02#
	1	1		— <u> </u>	<u> </u>

Part number # indicates the package specification code.

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	16Vdc	COG	4.0pF	±0.05pF	GRM0225C1C4R0WA02#
				±0.1pF	GRM0225C1C4R0BA02#
				±0.25pF	GRM0225C1C4R0CA02#
			4.1pF	±0.05pF	GRM0225C1C4R1WA02#
				±0.1pF	GRM0225C1C4R1BA02#
				±0.25pF	GRM0225C1C4R1CA02#
			4.2pF	±0.05pF	GRM0225C1C4R2WA02#
			·	±0.1pF	GRM0225C1C4R2BA02#
				±0.25pF	GRM0225C1C4R2CA02#
			4.3pF	±0.05pF	GRM0225C1C4R3WA02#
				±0.1pF	GRM0225C1C4R3BA02#
				±0.25pF	GRM0225C1C4R3CA02#
			4.4pF	±0.05pF	GRM0225C1C4R4WA02#
			4.4рі	±0.1pF	GRM0225C1C4R4BA02#
				-	
			4.5-5	±0.25pF	GRM0225C1C4R4CA02#
			4.5pF	±0.05pF	GRM0225C1C4R5WA02#
				±0.1pF	GRM0225C1C4R5BA02#
				±0.25pF	GRM0225C1C4R5CA02#
			4.6pF	±0.05pF	GRM0225C1C4R6WA02#
				±0.1pF	GRM0225C1C4R6BA02#
				±0.25pF	GRM0225C1C4R6CA02#
			4.7pF	±0.05pF	GRM0225C1C4R7WA02#
				±0.1pF	GRM0225C1C4R7BA02#
				±0.25pF	GRM0225C1C4R7CA02#
			4.8pF	±0.05pF	GRM0225C1C4R8WA02#
				±0.1pF	GRM0225C1C4R8BA02#
				±0.25pF	GRM0225C1C4R8CA02#
			4.9pF	±0.05pF	GRM0225C1C4R9WA02#
				±0.1pF	GRM0225C1C4R9BA02#
				±0.25pF	GRM0225C1C4R9CA02#
			5.0pF	±0.05pF	GRM0225C1C5R0WA02#
				±0.1pF	GRM0225C1C5R0BA02#
				±0.25pF	GRM0225C1C5R0CA02#
			5.1pF	±0.05pF	GRM0225C1C5R1WA02#
				±0.1pF	GRM0225C1C5R1BA02#
				±0.25pF	GRM0225C1C5R1CA02#
				±0.5pF	GRM0225C1C5R1DA02#
			5.2pF	±0.05pF	GRM0225C1C5R1DA02#
			υ.∠μΓ		GRM0225C1C5R2WA02#
				±0.1pF	GRM0225C1C5R2BA02#
				±0.25pF	
			F 0 - F	±0.5pF	GRM0225C1C5R2DA02#
			5.3pF	±0.05pF	GRM0225C1C5R3WA02#
				±0.1pF	GRM0225C1C5R3BA02#
				±0.25pF	GRM0225C1C5R3CA02#
				±0.5pF	GRM0225C1C5R3DA02#
			5.4pF	±0.05pF	GRM0225C1C5R4WA02#
				±0.1pF	GRM0225C1C5R4BA02#
				±0.25pF	GRM0225C1C5R4CA02#
				±0.5pF	GRM0225C1C5R4DA02#
			5.5pF	±0.05pF	GRM0225C1C5R5WA02#
				±0.1pF	GRM0225C1C5R5BA02#
				±0.25pF	GRM0225C1C5R5CA02#
				±0.5pF	GRM0225C1C5R5DA02#

Т	Rated	тс				
max.	Voltage		Cap.	Tol.	Part Number	
0.22mm	16Vdc	COG	5.6pF	±0.1pF	GRM0225C1C5R6BA02#	
				±0.25pF	GRM0225C1C5R6CA02#	
				±0.5pF	GRM0225C1C5R6DA02#	
			5.7pF	±0.05pF	GRM0225C1C5R7WA02#	
				±0.1pF	GRM0225C1C5R7BA02#	
				±0.25pF	GRM0225C1C5R7CA02#	
				±0.5pF	GRM0225C1C5R7DA02#	
			5.8pF	±0.05pF	GRM0225C1C5R8WA02#	
				±0.1pF	GRM0225C1C5R8BA02#	
				±0.25pF	GRM0225C1C5R8CA02#	
				±0.5pF	GRM0225C1C5R8DA02#	
			5.9pF	±0.05pF	GRM0225C1C5R9WA02#	
				±0.1pF	GRM0225C1C5R9BA02#	
				±0.25pF	GRM0225C1C5R9CA02#	
				±0.5pF	GRM0225C1C5R9DA02#	
			6.0pF	±0.05pF	GRM0225C1C6R0WA02#	
				±0.1pF	GRM0225C1C6R0BA02#	
				±0.25pF	GRM0225C1C6R0CA02#	
				±0.5pF	GRM0225C1C6R0DA02#	
			6.1pF	±0.05pF	GRM0225C1C6R1WA02#	
				±0.1pF	GRM0225C1C6R1BA02#	
				±0.25pF	GRM0225C1C6R1CA02#	
				±0.5pF	GRM0225C1C6R1DA02#	
			6.2pF	±0.05pF	GRM0225C1C6R2WA02#	
				±0.1pF	GRM0225C1C6R2BA02#	
				±0.25pF	GRM0225C1C6R2CA02#	
				±0.5pF	GRM0225C1C6R2DA02#	
			6.3pF	±0.05pF	GRM0225C1C6R3WA02#	
				±0.1pF	GRM0225C1C6R3BA02#	
				±0.25pF	GRM0225C1C6R3CA02#	
				±0.5pF	GRM0225C1C6R3DA02#	
			6.4pF	±0.05pF	GRM0225C1C6R4WA02#	
				±0.1pF	GRM0225C1C6R4BA02#	
				±0.25pF	GRM0225C1C6R4CA02#	
				±0.5pF	GRM0225C1C6R4DA02#	
			6.5pF	±0.05pF	GRM0225C1C6R5WA02#	
				±0.1pF	GRM0225C1C6R5BA02#	
				±0.25pF		
				±0.5pF	GRM0225C1C6R5DA02#	
			6.6pF	±0.05pF	GRM0225C1C6R6WA02#	
				±0.1pF	GRM0225C1C6R6BA02#	
				±0.25pF	GRM0225C1C6R6CA02#	
			0.7-5	±0.5pF	GRM0225C1C6R6DA02#	
			6.7pF	±0.05pF	GRM0225C1C6R7WA02#	
				±0.1pF	GRM0225C1C6R7BA02#	
				±0.25pF ±0.5pF	GRM0225C1C6R7CA02# GRM0225C1C6R7DA02#	
			6.8pF	±0.05pF	GRM0225C1C6R8WA02#	
			0.0pi	±0.05pi	GRM0225C1C6R8BA02#	
				±0.25pF	GRM0225C1C6R8CA02#	
				±0.5pF	GRM0225C1C6R8DA02#	
			6.9pF	±0.05pF	GRM0225C1C6R9WA02#	
			- 1-1	±0.1pF	GRM0225C1C6R9BA02#	
				±0.25pF	GRM0225C1C6R9CA02#	
	I			<u>'</u>		

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
.22mm	16Vdc	COG	6.9pF	±0.5pF	GRM0225C1C6R9DA02#
			7.0pF	±0.05pF	GRM0225C1C7R0WA02#
				±0.1pF	GRM0225C1C7R0BA02#
				±0.25pF	GRM0225C1C7R0CA02#
				±0.5pF	GRM0225C1C7R0DA02#
			7.1pF	±0.05pF	GRM0225C1C7R1WA02#
				±0.1pF	GRM0225C1C7R1BA02#
				±0.25pF	GRM0225C1C7R1CA02#
				±0.5pF	GRM0225C1C7R1DA02#
			7.2pF	±0.05pF	GRM0225C1C7R2WA02#
				±0.1pF	GRM0225C1C7R2BA02#
				±0.25pF	GRM0225C1C7R2CA02#
				±0.5pF	GRM0225C1C7R2DA02#
			7.3pF	±0.05pF	GRM0225C1C7R3WA02#
				±0.1pF	GRM0225C1C7R3BA02#
				±0.25pF	GRM0225C1C7R3CA02#
				±0.5pF	GRM0225C1C7R3DA02#
			7.4pF	±0.05pF	GRM0225C1C7R4WA02#
				±0.1pF	GRM0225C1C7R4BA02#
				±0.25pF	GRM0225C1C7R4CA02#
				±0.5pF	GRM0225C1C7R4DA02#
			7.5pF	±0.05pF	GRM0225C1C7R5WA02#
				±0.1pF	GRM0225C1C7R5BA02#
				±0.25pF	GRM0225C1C7R5CA02#
				±0.5pF	GRM0225C1C7R5DA02#
			7.6pF	±0.05pF	GRM0225C1C7R6WA02#
			•	±0.1pF	GRM0225C1C7R6BA02#
				±0.25pF	GRM0225C1C7R6CA02#
				±0.5pF	GRM0225C1C7R6DA02#
			7.7pF	±0.05pF	GRM0225C1C7R7WA02#
				±0.1pF	GRM0225C1C7R7BA02#
				±0.25pF	GRM0225C1C7R7CA02#
				±0.5pF	GRM0225C1C7R7DA02#
			7.8pF	±0.05pF	
				±0.1pF	GRM0225C1C7R8BA02#
				±0.25pF	GRM0225C1C7R8CA02#
				±0.5pF	GRM0225C1C7R8DA02#
			7.9pF	±0.05pF	
			7.00.	±0.1pF	GRM0225C1C7R9BA02#
				±0.25pF	
				±0.5pF	GRM0225C1C7R9DA02#
			8.0pF	±0.05pF	
			0.001	±0.1pF	GRM0225C1C8R0BA02#
				-	GRM0225C1C8R0CA02#
				-	
			8.1pF	±0.5pF	GRM0225C1C8R0DA02#
			υ. τρΓ	-	GRM0225C1C8R1WA02#
				±0.1pF	GRM0225C1C8R1BA02#
				-	GRM0225C1C8R1CA02#
			0 0	±0.5pF	GRM0225C1C8R1DA02#
			8.2pF	-	GRM0225C1C8R2WA02#
				±0.1pF	GRM0225C1C8R2BA02#
				±0.25pF	GRM0225C1C8R2CA02#
				±0.5pF	GRM0225C1C8R2DA02#
			8.3pF	±0.05pF	GRM0225C1C8R3WA02#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.22mm	16Vdc	COG	8.3pF	±0.1pF	GRM0225C1C8R3BA02#	
0.22		000	0.00.	±0.25pF	GRM0225C1C8R3CA02#	
				±0.5pF	GRM0225C1C8R3DA02#	
		ļ	8.4pF	±0.05pF	GRM0225C1C8R4WA02#	
			•	±0.1pF	GRM0225C1C8R4BA02#	
				±0.25pF	GRM0225C1C8R4CA02#	
				±0.5pF	GRM0225C1C8R4DA02#	
			8.5pF	±0.05pF	GRM0225C1C8R5WA02#	
				±0.1pF	GRM0225C1C8R5BA02#	
				±0.25pF	GRM0225C1C8R5CA02#	
				±0.5pF	GRM0225C1C8R5DA02#	
			8.6pF	±0.05pF	GRM0225C1C8R6WA02#	
				±0.1pF	GRM0225C1C8R6BA02#	
				±0.25pF	GRM0225C1C8R6CA02#	
				±0.5pF	GRM0225C1C8R6DA02#	
			8.7pF	±0.05pF	GRM0225C1C8R7WA02#	
				±0.1pF	GRM0225C1C8R7BA02#	
				±0.25pF	GRM0225C1C8R7CA02#	
				±0.5pF	GRM0225C1C8R7DA02#	
			8.8pF	±0.05pF	GRM0225C1C8R8WA02#	
				±0.1pF	GRM0225C1C8R8BA02#	
				±0.25pF	GRM0225C1C8R8CA02#	
				±0.5pF	GRM0225C1C8R8DA02#	
			8.9pF	±0.05pF	GRM0225C1C8R9WA02#	
				±0.1pF	GRM0225C1C8R9BA02#	
				±0.25pF	GRM0225C1C8R9CA02#	
				±0.5pF	GRM0225C1C8R9DA02#	
			9.0pF	±0.05pF	GRM0225C1C9R0WA02#	
				±0.1pF	GRM0225C1C9R0BA02#	
				±0.25pF	GRM0225C1C9R0CA02#	
				±0.5pF	GRM0225C1C9R0DA02#	
			9.1pF	±0.05pF	GRM0225C1C9R1WA02#	
				±0.1pF	GRM0225C1C9R1BA02#	
				±0.25pF	GRM0225C1C9R1CA02#	
				±0.5pF	GRM0225C1C9R1DA02#	
			9.2pF	±0.05pF	GRM0225C1C9R2WA02#	
				±0.1pF	GRM0225C1C9R2BA02#	
				±0.25pF	GRM0225C1C9R2CA02#	
				±0.5pF	GRM0225C1C9R2DA02#	
			9.3pF	±0.05pF	GRM0225C1C9R3WA02#	
				±0.1pF	GRM0225C1C9R3BA02#	
				±0.25pF	GRM0225C1C9R3CA02#	
				±0.5pF	GRM0225C1C9R3DA02#	
			9.4pF	±0.05pF	GRM0225C1C9R4WA02#	
				±0.1pF	GRM0225C1C9R4BA02#	
				±0.25pF	GRM0225C1C9R4CA02#	
				±0.5pF	GRM0225C1C9R4DA02#	
			9.5pF	±0.05pF	GRM0225C1C9R5WA02#	
				±0.1pF	GRM0225C1C9R5BA02#	
				±0.25pF	GRM0225C1C9R5CA02#	
				±0.5pF	GRM0225C1C9R5DA02#	
			9.6pF	±0.05pF	GRM0225C1C9R6WA02#	
				±0.1pF	GRM0225C1C9R6BA02#	
				±0.25pF	GRM0225C1C9R6CA02#	

(→ **■** 0.4×0.2mm)

(→ ■ 0	.4×0.2ı	nm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	16Vdc	COG	9.6pF	±0.5pF	GRM0225C1C9R6DA02#
			9.7pF	±0.05pF	GRM0225C1C9R7WA02#
				±0.1pF	GRM0225C1C9R7BA02#
				±0.25pF	GRM0225C1C9R7CA02#
				±0.5pF	GRM0225C1C9R7DA02#
			9.8pF	±0.05pF	GRM0225C1C9R8WA02#
				±0.1pF	GRM0225C1C9R8BA02#
				±0.25pF	GRM0225C1C9R8CA02#
				±0.5pF	GRM0225C1C9R8DA02#
			9.9pF	±0.05pF	GRM0225C1C9R9WA02#
				±0.1pF	GRM0225C1C9R9BA02#
				±0.25pF	GRM0225C1C9R9CA02#
				±0.5pF	GRM0225C1C9R9DA02#
			10pF	±2%	GRM0225C1C100GA02#
				±5%	GRM0225C1C100JA02#
			11pF	±2%	GRM0225C1C110GA02#
			1- 1	±5%	GRM0225C1C110JA02#
			12pF	±2%	GRM0225C1C120GA02#
			· - P'	±5%	GRM0225C1C120JA02#
			13pF	±2%	GRM0225C1C130GA02#
			. 00.	±5%	GRM0225C1C130JA02#
			14pF	±2%	GRM0225C1C140GA02#
				±5%	GRM0225C1C140JA02#
			15pF	±2%	GRM0225C1C150GA02#
			. 00.	±5%	GRM0225C1C150JA02#
			16pF	±2%	GRM0225C1C160GA02#
			iopi	±5%	GRM0225C1C160JA02#
			17pF	±5%	GRM0225C1C170JA02#
			18pF	±2%	GRM0225C1C180GA02#
			iopi	±5%	GRM0225C1C180JA02#
			20pF	±2%	GRM0225C1C200GA02#
			Zopi	±5%	GRM0225C1C200JA02#
			22pF	±2%	GRM0225C1C220GA02#
			ΖΖΡΙ	±5%	GRM0225C1C220JA02#
			24pF	±2%	GRM0225C1C240GA02#
			∠4µг	±5%	
			27pF	±5%	GRM0225C1C240JA02# GRM0225C1C270GA02#
			21 pr		GRM0225C1C270GA02#
			2025	±5% ±2%	GRM0225C1C270JA02#
			30pF		GRM0225C1C300GA02#
			32n⊑	±5%	GRM0225C1C300JA02#
			33pF	±2%	
			20-5	±5%	GRM0225C1C330JA02#
			36pF	±2%	GRM0225C1C360GA02#
			00.7	±5%	GRM0225C1C360JA02#
			39pF	±2%	GRM0225C1C390GA02#
			40.5	±5%	GRM0225C1C390JA02#
			43pF	±2%	GRM0225C1C430GA02#
			 -	±5%	GRM0225C1C430JA02#
			47pF	±2%	GRM0225C1C470GA02#
				±5%	GRM0225C1C470JA02#
			51pF	±2%	GRM0225C1C510GA02#
				±5%	GRM0225C1C510JA02#
			56pF	±2%	GRM0225C1C560GA02#
				±5%	GRM0225C1C560JA02#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.22mm	16Vdc	COG	62pF	±2%	GRM0225C1C620GA02#	
				±5%	GRM0225C1C620JA02#	
			68pF	±2%	GRM0225C1C680GA02#	
				±5%	GRM0225C1C680JA02#	
			75pF	±2%	GRM0225C1C750GA02#	
				±5%	GRM0225C1C750JA02#	
			82pF	±2%	GRM0225C1C820GA02#	
				±5%	GRM0225C1C820JA02#	
			91pF	±2%	GRM0225C1C910GA02#	
				±5%	GRM0225C1C910JA02#	
			94pF	±5%	GRM0225C1C940JA02#	
			96pF	±5%	GRM0225C1C960JA02#	
			100pF	±2%	GRM0225C1C101GA02#	
				±5%	GRM0225C1C101JA02#	
		CK	0.20pF	±0.05pF	GRM0224C1CR20WA02#	
				±0.1pF	GRM0224C1CR20BA02#	
			0.30pF	±0.05pF	GRM0224C1CR30WA02#	
				±0.1pF	GRM0224C1CR30BA02#	
			0.40pF	±0.05pF	GRM0224C1CR40WA02#	
				±0.1pF	GRM0224C1CR40BA02#	
			0.50pF	±0.05pF	GRM0224C1CR50WA02#	
				±0.1pF	GRM0224C1CR50BA02#	
			0.60pF	±0.05pF	GRM0224C1CR60WA02#	
				±0.1pF	GRM0224C1CR60BA02#	
			0.70pF	±0.05pF	GRM0224C1CR70WA02#	
				±0.1pF	GRM0224C1CR70BA02#	
			0.80pF	±0.05pF	GRM0224C1CR80WA02#	
				±0.1pF	GRM0224C1CR80BA02#	
			0.90pF	±0.05pF	GRM0224C1CR90WA02#	
				±0.1pF	GRM0224C1CR90BA02#	
			1.0pF	±0.05pF	GRM0224C1C1R0WA02#	
				±0.1pF	GRM0224C1C1R0BA02#	
			1.15	±0.25pF	GRM0224C1C1R0CA02# GRM0224C1C1R1WA02#	
			1.1pF	±0.05pF		
				±0.1pF ±0.25pF	GRM0224C1C1R1BA02# GRM0224C1C1R1CA02#	
			1.2pF	±0.25pi	GRM0224C1C1R1CA02#	
			1.201	±0.1pF	GRM0224C1C1R2BA02#	
				±0.25pF	GRM0224C1C1R2CA02#	
			1.3pF	±0.05pF	GRM0224C1C1R3WA02#	
				±0.1pF	GRM0224C1C1R3BA02#	
				±0.25pF	GRM0224C1C1R3CA02#	
			1.4pF	±0.05pF	GRM0224C1C1R4WA02#	
				±0.1pF	GRM0224C1C1R4BA02#	
				±0.25pF	GRM0224C1C1R4CA02#	
			1.5pF	±0.05pF	GRM0224C1C1R5WA02#	
				±0.1pF	GRM0224C1C1R5BA02#	
				±0.25pF	GRM0224C1C1R5CA02#	
			1.6pF	±0.05pF	GRM0224C1C1R6WA02#	
				±0.1pF	GRM0224C1C1R6BA02#	
				±0.25pF	GRM0224C1C1R6CA02#	
			1.7pF	±0.05pF	GRM0224C1C1R7WA02#	
				±0.1pF	GRM0224C1C1R7BA02#	
				±0.25pF	GRM0224C1C1R7CA02#	

Part number # indicates the package specification code.

(→ **■** 0.4×0.2mm)

<u> </u>	.4×0.2ı				
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.22mm	16Vdc	CK	1.8pF	±0.05pF	GRM0224C1C1R8WA02#
				±0.1pF	GRM0224C1C1R8BA02#
				±0.25pF	GRM0224C1C1R8CA02#
			1.9pF	±0.05pF	GRM0224C1C1R9WA02#
				±0.1pF	GRM0224C1C1R9BA02#
				±0.25pF	GRM0224C1C1R9CA02#
			2.0pF	±0.05pF	GRM0224C1C2R0WA02#
				±0.1pF	GRM0224C1C2R0BA02#
				±0.25pF	GRM0224C1C2R0CA02#
		CJ	2.1pF	±0.05pF	GRM0223C1C2R1WA02#
				±0.1pF	GRM0223C1C2R1BA02#
				±0.25pF	GRM0223C1C2R1CA02#
			2.2pF	±0.05pF	GRM0223C1C2R2WA02#
			•	±0.1pF	GRM0223C1C2R2BA02#
				±0.25pF	GRM0223C1C2R2CA02#
			2.3pF	±0.05pF	GRM0223C1C2R3WA02#
			- I-:	±0.1pF	GRM0223C1C2R3BA02#
				±0.25pF	GRM0223C1C2R3CA02#
			2.4pF	±0.05pF	GRM0223C1C2R4WA02#
			2. ipi	±0.1pF	GRM0223C1C2R4BA02#
				±0.25pF	GRM0223C1C2R4CA02#
			2.5pF	±0.05pF	GRM0223C1C2R5WA02#
			2.501	±0.1pF	GRM0223C1C2R5BA02#
				±0.1pi	GRM0223C1C2R5CA02#
			2.6pF	±0.25pi	GRM0223C1C2R6WA02#
			2.0pr		
				±0.1pF	GRM0223C1C2R6BA02#
			0.755	±0.25pF	GRM0223C1C2R6CA02#
			2.7pF	±0.05pF	GRM0223C1C2R7WA02#
				±0.1pF	GRM0223C1C2R7BA02#
			00.5	±0.25pF	GRM0223C1C2R7CA02#
			2.8pF	±0.05pF	GRM0223C1C2R8WA02#
				±0.1pF	GRM0223C1C2R8BA02#
				±0.25pF	GRM0223C1C2R8CA02#
			2.9pF	±0.05pF	GRM0223C1C2R9WA02#
				±0.1pF	GRM0223C1C2R9BA02#
				±0.25pF	GRM0223C1C2R9CA02#
			3.0pF	±0.05pF	GRM0223C1C3R0WA02#
				±0.1pF	GRM0223C1C3R0BA02#
				±0.25pF	GRM0223C1C3R0CA02#
			3.1pF	±0.05pF	GRM0223C1C3R1WA02#
				±0.1pF	GRM0223C1C3R1BA02#
				±0.25pF	GRM0223C1C3R1CA02#
			3.2pF	±0.05pF	GRM0223C1C3R2WA02#
				±0.1pF	GRM0223C1C3R2BA02#
				±0.25pF	GRM0223C1C3R2CA02#
			3.3pF	±0.05pF	GRM0223C1C3R3WA02#
				±0.1pF	GRM0223C1C3R3BA02#
				±0.25pF	GRM0223C1C3R3CA02#
			3.4pF	±0.05pF	GRM0223C1C3R4WA02#
				±0.1pF	GRM0223C1C3R4BA02#
				±0.25pF	GRM0223C1C3R4CA02#
			3.5pF	±0.05pF	GRM0223C1C3R5WA02#
			•	±0.1pF	GRM0223C1C3R5BA02#
				±0.25pF	GRM0223C1C3R5CA02#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.22mm	16Vdc	CJ	3.6pF	±0.05pF	GRM0223C1C3R6WA02#	
				±0.1pF	GRM0223C1C3R6BA02#	
				±0.25pF	GRM0223C1C3R6CA02#	
			3.7pF	±0.05pF	GRM0223C1C3R7WA02#	
				±0.1pF	GRM0223C1C3R7BA02#	
				±0.25pF	GRM0223C1C3R7CA02#	
			3.8pF	±0.05pF	GRM0223C1C3R8WA02#	
				±0.1pF	GRM0223C1C3R8BA02#	
				±0.25pF	GRM0223C1C3R8CA02#	
			3.9pF	±0.05pF	GRM0223C1C3R9WA02#	
				±0.1pF	GRM0223C1C3R9BA02#	
				±0.25pF	GRM0223C1C3R9CA02#	
		СН	0.20pF	±0.05pF	GRM0222C1CR20WA02#	
				±0.1pF	GRM0222C1CR20BA02#	
			0.30pF	±0.05pF	GRM0222C1CR30WA02#	
				±0.1pF	GRM0222C1CR30BA02#	
			0.40pF	±0.05pF	GRM0222C1CR40WA02#	
				±0.1pF	GRM0222C1CR40BA02#	
			0.50pF	±0.05pF	GRM0222C1CR50WA02#	
				±0.1pF	GRM0222C1CR50BA02#	
			0.60pF	±0.05pF	GRM0222C1CR60WA02#	
				±0.1pF	GRM0222C1CR60BA02#	
			0.70pF	±0.05pF	GRM0222C1CR70WA02#	
				±0.1pF	GRM0222C1CR70BA02#	
			0.80pF	±0.05pF	GRM0222C1CR80WA02#	
				±0.1pF	GRM0222C1CR80BA02#	
			0.90pF	±0.05pF	GRM0222C1CR90WA02#	
				±0.1pF	GRM0222C1CR90BA02#	
			1.0pF	±0.05pF	GRM0222C1C1R0WA02#	
				±0.1pF	GRM0222C1C1R0BA02#	
				±0.25pF	GRM0222C1C1R0CA02#	
			1.1pF	±0.05pF	GRM0222C1C1R1WA02#	
				±0.1pF	GRM0222C1C1R1BA02#	
				±0.25pF	GRM0222C1C1R1CA02#	
			1.2pF	±0.05pF	GRM0222C1C1R2WA02#	
				±0.1pF	GRM0222C1C1R2BA02#	
				±0.25pF	GRM0222C1C1R2CA02#	
			1.3pF	±0.05pF	GRM0222C1C1R3WA02#	
				±0.1pF	GRM0222C1C1R3BA02#	
				±0.25pF	GRM0222C1C1R3CA02#	
			1.4pF	±0.05pF	GRM0222C1C1R4WA02#	
				±0.1pF	GRM0222C1C1R4BA02#	
				±0.25pF	GRM0222C1C1R4CA02#	
			1.5pF	±0.05pF	GRM0222C1C1R5WA02#	
				±0.1pF	GRM0222C1C1R5BA02#	
				±0.25pF	GRM0222C1C1R5CA02#	
			1.6pF	±0.05pF	GRM0222C1C1R6WA02#	
				±0.1pF	GRM0222C1C1R6BA02#	
				±0.25pF	GRM0222C1C1R6CA02#	
			1.7pF	±0.05pF	GRM0222C1C1R7WA02#	
				±0.1pF	GRM0222C1C1R7BA02#	
				±0.25pF	GRM0222C1C1R7CA02#	
			1.8pF	±0.05pF	GRM0222C1C1R8WA02#	
				±0.1pF	GRM0222C1C1R8BA02#	

Downloaded from Arrow.com.

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	16Vdc	СН	1.8pF	±0.25pF	GRM0222C1C1R8CA02#
			1.9pF	±0.05pF	GRM0222C1C1R9WA02#
				±0.1pF	GRM0222C1C1R9BA02#
				±0.25pF	GRM0222C1C1R9CA02#
			2.0pF	±0.05pF	GRM0222C1C2R0WA02#
				±0.1pF	GRM0222C1C2R0BA02#
				±0.25pF	GRM0222C1C2R0CA02#
			2.1pF	±0.05pF	GRM0222C1C2R1WA02#
				±0.1pF	GRM0222C1C2R1BA02#
				±0.25pF	
			2.2pF	±0.05pF	GRM0222C1C2R2WA02#
			p.	±0.1pF	GRM0222C1C2R2BA02#
				±0.25pF	GRM0222C1C2R2CA02#
			2.3pF	±0.05pF	
			2.5pi	±0.03pi	GRM0222C1C2R3BA02#
				-	
			0 4= =	±0.25pF	
			2.4pF	±0.05pF	
				±0.1pF	GRM0222C1C2R4BA02#
				±0.25pF	
			2.5pF	±0.05pF	GRM0222C1C2R5WA02#
				±0.1pF	GRM0222C1C2R5BA02#
				±0.25pF	GRM0222C1C2R5CA02#
			2.6pF	±0.05pF	GRM0222C1C2R6WA02#
				±0.1pF	GRM0222C1C2R6BA02#
				±0.25pF	GRM0222C1C2R6CA02#
			2.7pF	±0.05pF	GRM0222C1C2R7WA02#
				±0.1pF	GRM0222C1C2R7BA02#
				±0.25pF	GRM0222C1C2R7CA02#
			2.8pF	±0.05pF	GRM0222C1C2R8WA02#
				±0.1pF	GRM0222C1C2R8BA02#
				±0.25pF	GRM0222C1C2R8CA02#
			2.9pF	±0.05pF	GRM0222C1C2R9WA02#
			•	±0.1pF	GRM0222C1C2R9BA02#
				±0.25pF	
			3.0pF	±0.05pF	
			0.001	±0.1pF	GRM0222C1C3R0BA02#
				-	
			215	±0.25pF	
			3.1pF	±0.05pF	
				±0.1pF	GRM0222C1C3R1BA02#
			00-	±0.25pF	
			3.2pF	±0.05pF	
				±0.1pF	GRM0222C1C3R2BA02#
				±0.25pF	
			3.3pF	±0.05pF	GRM0222C1C3R3WA02#
				±0.1pF	GRM0222C1C3R3BA02#
				±0.25pF	GRM0222C1C3R3CA02#
			3.4pF	±0.05pF	GRM0222C1C3R4WA02#
				±0.1pF	GRM0222C1C3R4BA02#
				±0.25pF	GRM0222C1C3R4CA02#
			3.5pF	±0.05pF	GRM0222C1C3R5WA02#
				±0.1pF	GRM0222C1C3R5BA02#
				±0.25pF	GRM0222C1C3R5CA02#
		!			
			3.6pF	±0.05pF	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.22mm	16Vdc	СН	3.6pF	±0.25pF	GRM0222C1C3R6CA02#	
			3.7pF	±0.05pF	GRM0222C1C3R7WA02#	_
				±0.1pF	GRM0222C1C3R7BA02#	
				±0.25pF	GRM0222C1C3R7CA02#	
			3.8pF	±0.05pF	GRM0222C1C3R8WA02#	
				±0.1pF	GRM0222C1C3R8BA02#	
				±0.25pF	GRM0222C1C3R8CA02#	
			3.9pF	±0.05pF	GRM0222C1C3R9WA02#	
				±0.1pF	GRM0222C1C3R9BA02#	
				±0.25pF	GRM0222C1C3R9CA02#	
			4.0pF	±0.05pF	GRM0222C1C4R0WA02#	
				±0.1pF	GRM0222C1C4R0BA02#	
				±0.25pF	GRM0222C1C4R0CA02#	
			4.1pF	±0.05pF	GRM0222C1C4R1WA02#	
				±0.1pF	GRM0222C1C4R1BA02#	
				±0.25pF	GRM0222C1C4R1CA02#	
			4.2pF	±0.05pF	GRM0222C1C4R2WA02#	
				±0.1pF	GRM0222C1C4R2BA02#	
				±0.25pF	GRM0222C1C4R2CA02#	
			4.3pF	±0.05pF	GRM0222C1C4R3WA02#	
				±0.1pF	GRM0222C1C4R3BA02#	
				±0.25pF	GRM0222C1C4R3CA02#	
			4.4pF	±0.05pF	GRM0222C1C4R4WA02#	
				±0.1pF	GRM0222C1C4R4BA02#	
				±0.25pF	GRM0222C1C4R4CA02#	
			4.5pF	±0.05pF	GRM0222C1C4R5WA02#	
				±0.1pF	GRM0222C1C4R5BA02#	
				±0.25pF	GRM0222C1C4R5CA02#	
			4.6pF	±0.05pF	GRM0222C1C4R6WA02#	
				±0.1pF	GRM0222C1C4R6BA02#	
			4 7- 5	±0.25pF	GRM0222C1C4R6CA02#	
			4.7pF	±0.05pF	GRM0222C1C4R7WA02#	
				±0.1pF	GRM0222C1C4R7BA02#	
			4 9nE	±0.25pF ±0.05pF	GRM0222C1C4R7CA02# GRM0222C1C4R8WA02#	
			4.8pF	±0.05pi	GRM0222C1C4R8BA02#	
				±0.1pi	GRM0222C1C4R8CA02#	—
			4.9pF	±0.05pF	GRM0222C1C4R9WA02#	
			4.501	±0.1pF	GRM0222C1C4R9BA02#	
				±0.25pF		—
			5.0pF	±0.05pF		—
			0.001	±0.1pF	GRM0222C1C5R0BA02#	—
				±0.25pF	GRM0222C1C5R0CA02#	—
			5.1pF	±0.05pF	GRM0222C1C5R1WA02#	
			- 1	±0.1pF	GRM0222C1C5R1BA02#	_
				±0.25pF	GRM0222C1C5R1CA02#	_
				±0.5pF	GRM0222C1C5R1DA02#	_
			5.2pF	±0.05pF	GRM0222C1C5R2WA02#	_
				±0.1pF	GRM0222C1C5R2BA02#	_
				±0.25pF	GRM0222C1C5R2CA02#	_
				±0.5pF	GRM0222C1C5R2DA02#	_
			5.3pF	±0.05pF	GRM0222C1C5R3WA02#	_
				±0.1pF	GRM0222C1C5R3BA02#	_
				±0.25pF	GRM0222C1C5R3CA02#	

(→ ■ 0	.4×0.2r	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	16Vdc	СН	5.3pF	±0.5pF	GRM0222C1C5R3DA02#
			5.4pF	±0.05pF	GRM0222C1C5R4WA02#
				±0.1pF	GRM0222C1C5R4BA02#
				±0.25pF	GRM0222C1C5R4CA02#
				±0.5pF	GRM0222C1C5R4DA02#
			5.5pF	±0.05pF	GRM0222C1C5R5WA02#
				±0.1pF	GRM0222C1C5R5BA02#
				±0.25pF	GRM0222C1C5R5CA02#
				±0.5pF	GRM0222C1C5R5DA02#
			5.6pF	±0.05pF	GRM0222C1C5R6WA02#
				±0.1pF	GRM0222C1C5R6BA02#
				±0.25pF	GRM0222C1C5R6CA02#
				±0.5pF	GRM0222C1C5R6DA02#
			5.7pF	±0.05pF	GRM0222C1C5R7WA02#
				±0.1pF	GRM0222C1C5R7BA02#
				±0.25pF	GRM0222C1C5R7CA02#
				±0.5pF	GRM0222C1C5R7DA02#
			5.8pF	±0.05pF	GRM0222C1C5R8WA02#
				±0.1pF	GRM0222C1C5R8BA02#
				±0.25pF	GRM0222C1C5R8CA02#
				±0.5pF	GRM0222C1C5R8DA02#
			5.9pF	±0.05pF	GRM0222C1C5R9WA02#
				±0.1pF	GRM0222C1C5R9BA02#
				±0.25pF	GRM0222C1C5R9CA02#
				±0.5pF	GRM0222C1C5R9DA02#
			6.0pF	±0.05pF	GRM0222C1C6R0WA02#
				±0.1pF	GRM0222C1C6R0BA02#
				±0.25pF	GRM0222C1C6R0CA02#
				±0.5pF	GRM0222C1C6R0DA02#
			6.1pF	±0.05pF	GRM0222C1C6R1WA02#
				±0.1pF	GRM0222C1C6R1BA02#
				±0.25pF	GRM0222C1C6R1CA02#
				±0.5pF	GRM0222C1C6R1DA02#
			6.2pF	±0.05pF	GRM0222C1C6R2WA02#
				±0.1pF	GRM0222C1C6R2BA02#
				±0.25pF	GRM0222C1C6R2CA02#
				±0.5pF	GRM0222C1C6R2DA02#
			6.3pF	±0.05pF	GRM0222C1C6R3WA02#
				±0.1pF	GRM0222C1C6R3BA02#
				±0.25pF	GRM0222C1C6R3CA02#
				±0.5pF	GRM0222C1C6R3DA02#
			6.4pF	±0.05pF	GRM0222C1C6R4WA02#
				±0.1pF	GRM0222C1C6R4BA02#
				±0.25pF	GRM0222C1C6R4CA02#
				±0.5pF	GRM0222C1C6R4DA02#
			6.5pF	±0.05pF	GRM0222C1C6R5WA02#
				±0.1pF	GRM0222C1C6R5BA02#
				±0.25pF	GRM0222C1C6R5CA02#
				±0.5pF	GRM0222C1C6R5DA02#
			6.6pF	±0.05pF	GRM0222C1C6R6WA02#
				±0.1pF	GRM0222C1C6R6BA02#
				±0.25pF	GRM0222C1C6R6CA02#
				±0.5pF	GRM0222C1C6R6DA02#
			6.7pF	±0.05pF	GRM0222C1C6R7WA02#

Т	Rated	тс	_		_	
max.	Voltage		Cap.	Tol.	Part Number	
0.22mm	16Vdc	СН	6.7pF	±0.1pF	GRM0222C1C6R7BA02#	
				±0.25pF	GRM0222C1C6R7CA02#	
				±0.5pF	GRM0222C1C6R7DA02#	
			6.8pF	±0.05pF	GRM0222C1C6R8WA02#	
				±0.1pF	GRM0222C1C6R8BA02#	
				±0.25pF	GRM0222C1C6R8CA02#	
				±0.5pF	GRM0222C1C6R8DA02#	
			6.9pF	±0.05pF	GRM0222C1C6R9WA02#	
				±0.1pF	GRM0222C1C6R9BA02#	
				±0.25pF	GRM0222C1C6R9CA02#	
				±0.5pF	GRM0222C1C6R9DA02#	
			7.0pF	±0.05pF	GRM0222C1C7R0WA02#	
				±0.1pF	GRM0222C1C7R0BA02#	
				±0.25pF	GRM0222C1C7R0CA02#	
				±0.5pF	GRM0222C1C7R0DA02#	
			7.1pF	±0.05pF	GRM0222C1C7R1WA02#	
				±0.1pF	GRM0222C1C7R1BA02#	
				±0.25pF	GRM0222C1C7R1CA02#	
				±0.5pF	GRM0222C1C7R1DA02#	
			7.2pF	±0.05pF	GRM0222C1C7R2WA02#	
			70.5	±0.1pF	GRM0222C1C7R2BA02#	
				±0.25pF	GRM0222C1C7R2CA02#	
				±0.5pF	GRM0222C1C7R2DA02#	
			7.3pF	±0.05pF	GRM0222C1C7R3WA02#	
				±0.1pF	GRM0222C1C7R3BA02#	
				±0.25pF	GRM0222C1C7R3CA02#	
			7.4pF	±0.5pF	GRM0222C1C7R3DA02#	
				±0.05pF	GRM0222C1C7R4WA02#	
				±0.1pF	GRM0222C1C7R4BA02#	
				±0.25pF	GRM0222C1C7R4CA02#	
			7.5pF	±0.5pF	GRM0222C1C7R4DA02# GRM0222C1C7R5WA02#	
			7.5pi	±0.05pF ±0.1pF	GRM0222C1C7R5BA02#	
				±0.25pF	GRM0222C1C7R5CA02#	
				±0.5pF	GRM0222C1C7R5DA02#	
			7.6pF	±0.05pF	GRM0222C1C7R6WA02#	
			7.001	±0.1pF	GRM0222C1C7R6BA02#	
				±0.25pF	GRM0222C1C7R6CA02#	
				±0.5pF	GRM0222C1C7R6DA02#	
			7.7pF	±0.05pF	GRM0222C1C7R7WA02#	
			· · · · • ·	±0.1pF	GRM0222C1C7R7BA02#	
				±0.25pF	GRM0222C1C7R7CA02#	
				±0.5pF	GRM0222C1C7R7DA02#	
			7.8pF	±0.05pF	GRM0222C1C7R8WA02#	
			•	±0.1pF	GRM0222C1C7R8BA02#	
				±0.25pF	GRM0222C1C7R8CA02#	
				±0.5pF	GRM0222C1C7R8DA02#	
			7.9pF	±0.05pF	GRM0222C1C7R9WA02#	
				±0.1pF	GRM0222C1C7R9BA02#	
				±0.25pF	GRM0222C1C7R9CA02#	
				±0.5pF	GRM0222C1C7R9DA02#	
			8.0pF	±0.05pF	GRM0222C1C8R0WA02#	
				±0.1pF	GRM0222C1C8R0BA02#	
				±0.25pF	GRM0222C1C8R0CA02#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	16Vdc	СН	8.0pF	±0.5pF	GRM0222C1C8R0DA02#
			8.1pF	±0.05pF	GRM0222C1C8R1WA02#
				±0.1pF	GRM0222C1C8R1BA02#
				±0.25pF	GRM0222C1C8R1CA02#
				±0.5pF	GRM0222C1C8R1DA02#
			8.2pF	±0.05pF	GRM0222C1C8R2WA02#
				±0.1pF	GRM0222C1C8R2BA02#
				±0.25pF	GRM0222C1C8R2CA02#
				±0.5pF	GRM0222C1C8R2DA02#
			8.3pF	±0.05pF	GRM0222C1C8R3WA02#
			о.ор.	±0.1pF	GRM0222C1C8R3BA02#
				±0.25pF	GRM0222C1C8R3CA02#
				±0.5pF	GRM0222C1C8R3DA02#
			0.455	-	
			8.4pF	±0.05pF	GRM0222C1C8R4WA02#
				±0.1pF	GRM0222C1C8R4BA02#
				±0.25pF	
				±0.5pF	GRM0222C1C8R4DA02#
			8.5pF	±0.05pF	GRM0222C1C8R5WA02#
				±0.1pF	GRM0222C1C8R5BA02#
				±0.25pF	GRM0222C1C8R5CA02#
				±0.5pF	GRM0222C1C8R5DA02#
			8.6pF	±0.05pF	GRM0222C1C8R6WA02#
				±0.1pF	GRM0222C1C8R6BA02#
				±0.25pF	GRM0222C1C8R6CA02#
				±0.5pF	GRM0222C1C8R6DA02#
			8.7pF	±0.05pF	GRM0222C1C8R7WA02#
				±0.1pF	GRM0222C1C8R7BA02#
				±0.25pF	GRM0222C1C8R7CA02#
				±0.5pF	GRM0222C1C8R7DA02#
			8.8pF	±0.05pF	GRM0222C1C8R8WA02#
				±0.1pF	GRM0222C1C8R8BA02#
				±0.25pF	GRM0222C1C8R8CA02#
				±0.5pF	GRM0222C1C8R8DA02#
			0.05	-	
			8.9pF	±0.05pF	GRM0222C1C8R9WA02#
				±0.1pF	GRM0222C1C8R9BA02#
				±0.25pF	GRM0222C1C8R9CA02#
			0	±0.5pF	GRM0222C1C8R9DA02#
			9.0pF	±0.05pF	
				±0.1pF	GRM0222C1C9R0BA02#
				±0.25pF	GRM0222C1C9R0CA02#
				±0.5pF	GRM0222C1C9R0DA02#
			9.1pF	±0.05pF	GRM0222C1C9R1WA02#
				±0.1pF	GRM0222C1C9R1BA02#
				±0.25pF	GRM0222C1C9R1CA02#
				±0.5pF	GRM0222C1C9R1DA02#
			9.2pF	±0.05pF	GRM0222C1C9R2WA02#
				±0.1pF	GRM0222C1C9R2BA02#
				±0.25pF	GRM0222C1C9R2CA02#
				±0.5pF	GRM0222C1C9R2DA02#
			9.3pF	±0.05pF	GRM0222C1C9R3WA02#
			0.0pi	±0.1pF	GRM0222C1C9R3BA02#
				-	GRM0222C1C9R3CA02#
				±0.25pF	
			0.4.5	±0.5pF	GRM0222C1C9R3DA02#
			9.4pF	±0.05pF	GRM0222C1C9R4WA02#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.22mm	16Vdc	CH	9.4pF	±0.1pF	GRM0222C1C9R4BA02#
0.22	10100	011	0. ipi	±0.25pF	
				±0.5pF	GRM0222C1C9R4DA02#
			9.5pF	±0.05pF	
			0.00.	±0.1pF	GRM0222C1C9R5BA02#
				±0.25pF	GRM0222C1C9R5CA02#
				±0.5pF	GRM0222C1C9R5DA02#
			9.6pF	±0.05pF	GRM0222C1C9R6WA02#
				±0.1pF	GRM0222C1C9R6BA02#
				±0.25pF	GRM0222C1C9R6CA02#
				±0.5pF	GRM0222C1C9R6DA02#
			9.7pF	±0.05pF	
				±0.1pF	GRM0222C1C9R7BA02#
				±0.25pF	GRM0222C1C9R7CA02#
				±0.5pF	GRM0222C1C9R7DA02#
			9.8pF	±0.05pF	GRM0222C1C9R8WA02#
			•	±0.1pF	GRM0222C1C9R8BA02#
				±0.25pF	
				±0.5pF	GRM0222C1C9R8DA02#
			9.9pF	±0.05pF	GRM0222C1C9R9WA02#
				±0.1pF	GRM0222C1C9R9BA02#
				±0.25pF	GRM0222C1C9R9CA02#
				±0.5pF	GRM0222C1C9R9DA02#
			10pF	±2%	GRM0222C1C100GA02#
				±5%	GRM0222C1C100JA02#
			10.5pF	±2%	GRM0222C1C10EGA02#
			11pF	±2%	GRM0222C1C110GA02#
				±5%	GRM0222C1C110JA02#
			12pF	±2%	GRM0222C1C120GA02#
				±5%	GRM0222C1C120JA02#
			12.5pF	±2%	GRM0222C1C12EGA02#
			13pF	±2%	GRM0222C1C130GA02#
				±5%	GRM0222C1C130JA02#
			14pF	±2%	GRM0222C1C140GA02#
				±5%	GRM0222C1C140JA02#
			15pF	±2%	GRM0222C1C150GA02#
				±5%	GRM0222C1C150JA02#
			16pF	±2%	GRM0222C1C160GA02#
				±5%	GRM0222C1C160JA02#
			17pF	±2%	GRM0222C1C170GA02#
				±5%	GRM0222C1C170JA02#
			18pF	±2%	GRM0222C1C180GA02#
				±5%	GRM0222C1C180JA02#
			19pF	±2%	GRM0222C1C190GA02#
				±5%	GRM0222C1C190JA02#
			20pF	±2%	GRM0222C1C200GA02#
				±5%	GRM0222C1C200JA02#
			21pF	±2%	GRM0222C1C210GA02#
				±5%	GRM0222C1C210JA02#
			22pF	±2%	GRM0222C1C220GA02#
				±5%	GRM0222C1C220JA02#
			24pF	±2%	GRM0222C1C240GA02#
				±5%	GRM0222C1C240JA02#
			27pF	±2%	GRM0222C1C270GA02#
			Part nur	nber#indio	cates the package specification code

(→ **■** 0.4×0.2mm)

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.22mm	16Vdc	СН	27pF	±5%	GRM0222C1C270JA02#
			30pF	±2%	GRM0222C1C300GA02#
				±5%	GRM0222C1C300JA02#
			33pF	±2%	GRM0222C1C330GA02#
				±5%	GRM0222C1C330JA02#
			36pF	±2%	GRM0222C1C360GA02#
				±5%	GRM0222C1C360JA02#
			39pF	±2%	GRM0222C1C390GA02#
				±5%	GRM0222C1C390JA02#
			43pF	±2%	GRM0222C1C430GA02#
				±5%	GRM0222C1C430JA02#
			47pF	±2%	GRM0222C1C470GA02#
				±5%	GRM0222C1C470JA02#
			51pF	±2%	GRM0222C1C510GA02#
			I ⁻	±5%	GRM0222C1C510JA02#
			56pF	±2%	GRM0222C1C560GA02#
				±5%	GRM0222C1C560JA02#
			62pF	±2%	GRM0222C1C620GA02#
				±5%	GRM0222C1C620JA02#
			68pF	±2%	GRM0222C1C680GA02#
		oop.	±5%	GRM0222C1C680JA02#	
			75pF	±2%	GRM0222C1C750GA02#
			. ор.	±5%	GRM0222C1C750JA02#
			82pF 91pF	±2%	GRM0222C1C820GA02#
				±5%	GRM0222C1C820JA02#
				±2%	GRM0222C1C910GA02#
			этрі	±5%	GRM0222C1C910JA02#
			100pF	±2%	GRM0222C1C101GA02#
			тоорі	±5%	GRM0222C1C101JA02#
	10Vdc	COG	EenE		
	TOVAC	CoG	56pF	±2%	GRM0225C1A560GD05#
			CO F	±5%	GRM0225C1A560JD05#
			68pF	±2%	GRM0225C1A680GD05#
			00.5	±5%	GRM0225C1A680JD05#
			82pF	±2%	GRM0225C1A820GD05#
			100 -	±5%	GRM0225C1A820JD05#
			100pF	±2%	GRM0225C1A101GD05#
				±5%	GRM0225C1A101JD05#
		СН	56pF	±2%	GRM0222C1A560GD05#
				±5%	GRM0222C1A560JD05#
			68pF	±2%	GRM0222C1A680GD05#
				±5%	GRM0222C1A680JD05#
			82pF	±2%	GRM0222C1A820GD05#
				±5%	GRM0222C1A820JD05#
			100pF	±2%	GRM0222C1A101GD05#
				±5%	GRM0222C1A101JD05#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	100Vdc	COG	0.30pF	±0.1pF	GRM0335C2AR30BA01#
0.0011111	100 4 00	000	0.40pF	±0.05pF	GRM0335C2AR40WA01#
			0. 10pi	±0.1pF	GRM0335C2AR40BA01#
			0.50pF	±0.05pF	GRM0335C2AR50WA01#
			0.50pi	±0.05pi	GRM0335C2AR50BA01#
			0.60pF	·	GRM0335C2AR60WA01#
			0.00pi	±0.05pF	GRM0335C2AR60BA01#
			0.70pF	±0.1pF ±0.05pF	GRM0335C2AR70WA01#
			0.7001	±0.05pi	GRM0335C2AR70BA01#
			0.005	-	GRM0335C2AR80WA01#
			0.80pF	±0.05pF	GRM0335C2AR80BA01#
			0.90pF	±0.1pF ±0.05pF	GRM0335C2AR90WA01#
			0.90pi	±0.05pi	GRM0335C2AR90BA01#
			1.0pF	±0.05pF	
			1.001	±0.05pi	GRM0335C2A1R0BA01#
				· ·	GRM0335C2A1R0CA01#
			1.1pF	±0.25pF	GRM0335C2A1R1WA01#
			1.1pr	±0.05pF	GRM0335C2A1R1BA01#
				±0.1pF ±0.25pF	
			1.2pF	±0.25pi	GRM0335C2A1R1CA01# GRM0335C2A1R2WA01#
			1.2рг	· ·	GRM0335C2A1R2BA01#
				±0.1pF ±0.25pF	GRM0335C2A1R2CA01#
			1.3pF	±0.05pF	
			1.001	±0.1pF	GRM0335C2A1R3BA01#
				±0.25pF	GRM0335C2A1R3CA01#
			1.4pF	±0.05pF	GRM0335C2A1R4WA01#
				±0.1pF	GRM0335C2A1R4BA01#
				±0.25pF	GRM0335C2A1R4CA01#
			1.5pF	±0.05pF	GRM0335C2A1R5WA01#
			,	±0.1pF	GRM0335C2A1R5BA01#
				±0.25pF	GRM0335C2A1R5CA01#
			1.6pF	±0.05pF	GRM0335C2A1R6WA01#
				±0.1pF	GRM0335C2A1R6BA01#
				±0.25pF	GRM0335C2A1R6CA01#
			1.7pF	±0.05pF	GRM0335C2A1R7WA01#
				±0.1pF	GRM0335C2A1R7BA01#
				±0.25pF	GRM0335C2A1R7CA01#
			1.8pF	±0.05pF	GRM0335C2A1R8WA01#
				±0.1pF	GRM0335C2A1R8BA01#
				±0.25pF	GRM0335C2A1R8CA01#
			1.9pF	±0.05pF	GRM0335C2A1R9WA01#
				±0.1pF	GRM0335C2A1R9BA01#
				±0.25pF	GRM0335C2A1R9CA01#
			2.0pF	±0.05pF	GRM0335C2A2R0WA01#
				±0.1pF	GRM0335C2A2R0BA01#
				±0.25pF	GRM0335C2A2R0CA01#
			2.1pF	±0.05pF	GRM0335C2A2R1WA01#
				±0.1pF	GRM0335C2A2R1BA01#
				±0.25pF	GRM0335C2A2R1CA01#
			2.2pF	±0.05pF	GRM0335C2A2R2WA01#
				±0.1pF	GRM0335C2A2R2BA01#
				±0.25pF	GRM0335C2A2R2CA01#
			2.3pF	±0.05pF	GRM0335C2A2R3WA01#
				±0.1pF	GRM0335C2A2R3BA01#

■ 0.6×0.3mm Ultra-



T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	100Vdc	COG	0.10pF	±0.05pF	GRM0335C2AR10WA01#
			0.20pF	±0.05pF	GRM0335C2AR20WA01#
				±0.1pF	GRM0335C2AR20BA01#
			0.30pF	±0.05pF	GRM0335C2AR30WA01#

$\rightarrow \blacksquare 0.6 \times 0.3 \text{mm}$

(→ ■ 0	18.0×6.	mm)		1	
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	100Vdc	COG	2.3pF	±0.25pF	GRM0335C2A2R3CA01#
			2.4pF	±0.05pF	GRM0335C2A2R4WA01#
				±0.1pF	GRM0335C2A2R4BA01#
				±0.25pF	GRM0335C2A2R4CA01#
			2.5pF	±0.05pF	GRM0335C2A2R5WA01#
				±0.1pF	GRM0335C2A2R5BA01#
				±0.25pF	GRM0335C2A2R5CA01#
			2.6pF	±0.05pF	GRM0335C2A2R6WA01#
				±0.1pF	GRM0335C2A2R6BA01#
				±0.25pF	GRM0335C2A2R6CA01#
			2.7pF	±0.05pF	GRM0335C2A2R7WA01#
				±0.1pF	GRM0335C2A2R7BA01#
				±0.25pF	GRM0335C2A2R7CA01#
			2.8pF	±0.05pF	GRM0335C2A2R8WA01#
			•	±0.1pF	GRM0335C2A2R8BA01#
				±0.25pF	GRM0335C2A2R8CA01#
			2.9pF	±0.05pF	GRM0335C2A2R9WA01#
			2.001	±0.1pF	GRM0335C2A2R9BA01#
				±0.25pF	GRM0335C2A2R9CA01#
			3.0pF		GRM0335C2A3R0WA01#
			3.0pi	±0.05pF	
				±0.1pF	GRM0335C2A3R0BA01#
			0.4.5	±0.25pF	GRM0335C2A3R0CA01#
			3.1pF	±0.05pF	GRM0335C2A3R1WA01#
				±0.1pF	GRM0335C2A3R1BA01#
			3.2pF 3.3pF	±0.25pF	GRM0335C2A3R1CA01#
				±0.05pF	GRM0335C2A3R2WA01#
				±0.1pF	GRM0335C2A3R2BA01#
				±0.25pF	GRM0335C2A3R2CA01#
				±0.05pF	GRM0335C2A3R3WA01#
				±0.1pF	GRM0335C2A3R3BA01#
				±0.25pF	GRM0335C2A3R3CA01#
			3.4pF	±0.05pF	GRM0335C2A3R4WA01#
				±0.1pF	GRM0335C2A3R4BA01#
				±0.25pF	GRM0335C2A3R4CA01#
			3.5pF	±0.05pF	GRM0335C2A3R5WA01#
				±0.1pF	GRM0335C2A3R5BA01#
				±0.25pF	GRM0335C2A3R5CA01#
			3.6pF	±0.05pF	GRM0335C2A3R6WA01#
			•	±0.1pF	GRM0335C2A3R6BA01#
				±0.25pF	GRM0335C2A3R6CA01#
			3.7pF	±0.05pF	GRM0335C2A3R7WA01#
			о р.	±0.1pF	GRM0335C2A3R7BA01#
				±0.25pF	GRM0335C2A3R7CA01#
			3.8pF	±0.05pF	GRM0335C2A3R8WA01#
			o.opi	±0.05pF	GRM0335C2A3R8BA01#
				±0.25pF	GRM0335C2A3R8CA01#
			3.9pF	±0.05pF	GRM0335C2A3R9WA01#
			- 14.5	±0.1pF	GRM0335C2A3R9BA01#
				±0.25pF	GRM0335C2A3R9CA01#
			4.0pF	±0.05pF	GRM0335C2A4R0WA01#
			1.0pi	±0.05pi	GRM0335C2A4R0BA01#
				-	
			/ 1 n F	±0.25pF	GRM0335C2A4R0CA01#
		4.1pF	±0.05pF	GRM0335C2A4R1WA01#	
			±0.1pF	GRM0335C2A4R1BA01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	100Vdc	COG	4.1pF	±0.25pF	GRM0335C2A4R1CA01#	
			4.2pF	±0.05pF	GRM0335C2A4R2WA01#	
				±0.1pF	GRM0335C2A4R2BA01#	
				±0.25pF	GRM0335C2A4R2CA01#	
			4.3pF	±0.05pF	GRM0335C2A4R3WA01#	
				±0.1pF	GRM0335C2A4R3BA01#	
				±0.25pF	GRM0335C2A4R3CA01#	
			4.4pF	±0.05pF	GRM0335C2A4R4WA01#	
				±0.1pF	GRM0335C2A4R4BA01#	
				±0.25pF	GRM0335C2A4R4CA01#	
			4.5pF	±0.05pF	GRM0335C2A4R5WA01#	
				±0.1pF	GRM0335C2A4R5BA01#	
				±0.25pF	GRM0335C2A4R5CA01#	
			4.6pF	±0.05pF	GRM0335C2A4R6WA01#	
				±0.1pF	GRM0335C2A4R6BA01#	
				±0.25pF	GRM0335C2A4R6CA01#	
			4.7pF	±0.05pF	GRM0335C2A4R7WA01#	
				±0.1pF	GRM0335C2A4R7BA01#	
				±0.25pF	GRM0335C2A4R7CA01#	
			4.8pF	±0.05pF	GRM0335C2A4R8WA01#	
				±0.1pF	GRM0335C2A4R8BA01#	
				±0.25pF	GRM0335C2A4R8CA01#	
			4.9pF	±0.05pF	GRM0335C2A4R9WA01#	
				±0.1pF	GRM0335C2A4R9BA01#	
				±0.25pF	GRM0335C2A4R9CA01#	
			5.0pF	±0.05pF	GRM0335C2A5R0WA01#	
				±0.1pF	GRM0335C2A5R0BA01#	
				±0.25pF	GRM0335C2A5R0CA01#	
			5.1pF	±0.05pF	GRM0335C2A5R1WA01#	
				±0.1pF	GRM0335C2A5R1BA01#	
				±0.25pF	GRM0335C2A5R1CA01#	
			F On F	±0.5pF	GRM0335C2A5R1DA01#	
			5.2pF	±0.05pF	GRM0335C2A5R2WA01#	
				±0.1pF ±0.25pF	GRM0335C2A5R2BA01# GRM0335C2A5R2CA01#	
				±0.25pi	GRM0335C2A5R2DA01#	
			5.3pF	±0.05pF	GRM0335C2A5R3WA01#	-
			0.0pi	±0.1pF	GRM0335C2A5R3BA01#	-
				±0.25pF	GRM0335C2A5R3CA01#	
				±0.5pF	GRM0335C2A5R3DA01#	
			5.4pF	±0.05pF	GRM0335C2A5R4WA01#	
			υμι	±0.05pi	GRM0335C2A5R4WA01#	
				±0.25pF	GRM0335C2A5R4CA01#	
				±0.5pF	GRM0335C2A5R4DA01#	
			5.5pF	±0.05pF	GRM0335C2A5R5WA01#	
			J.Jp.	±0.1pF	GRM0335C2A5R5BA01#	
				±0.25pF	GRM0335C2A5R5CA01#	
				±0.5pF	GRM0335C2A5R5DA01#	
			5.6pF	±0.05pF	GRM0335C2A5R6WA01#	
				±0.1pF	GRM0335C2A5R6BA01#	
				±0.25pF	GRM0335C2A5R6CA01#	
				±0.5pF	GRM0335C2A5R6DA01#	
			5.7pF	±0.05pF	GRM0335C2A5R7WA01#	
				±0.1pF	GRM0335C2A5R7BA01#	
	I		Part nur		cates the package specification	code

т	.6×0.3r				
max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	100Vdc	COG	5.7pF	±0.25pF	GRM0335C2A5R7CA01#
				±0.5pF	GRM0335C2A5R7DA01#
			5.8pF	±0.05pF	GRM0335C2A5R8WA01#
				±0.1pF	GRM0335C2A5R8BA01#
				±0.25pF	GRM0335C2A5R8CA01#
				±0.5pF	GRM0335C2A5R8DA01#
			5.9pF	±0.05pF	GRM0335C2A5R9WA01#
				±0.1pF	GRM0335C2A5R9BA01#
				±0.25pF	GRM0335C2A5R9CA01#
				±0.5pF	GRM0335C2A5R9DA01#
			6.0pF	±0.05pF	GRM0335C2A6R0WA01#
			•	±0.1pF	GRM0335C2A6R0BA01#
				±0.25pF	GRM0335C2A6R0CA01#
				±0.5pF	GRM0335C2A6R0DA01#
			6.1pF	±0.05pF	GRM0335C2A6R1WA01#
			0.101	±0.1pF	GRM0335C2A6R1BA01#
					GRM0335C2A6R1CA01#
				±0.25pF ±0.5pF	GRM0335C2A6R1DA01#
			C 0=F		
			6.2pF	±0.05pF	GRM0335C2A6R2WA01#
				±0.1pF	GRM0335C2A6R2BA01#
				±0.25pF	GRM0335C2A6R2CA01#
				±0.5pF	GRM0335C2A6R2DA01#
			6.3pF	±0.05pF	GRM0335C2A6R3WA01#
				±0.1pF	GRM0335C2A6R3BA01#
				±0.25pF	GRM0335C2A6R3CA01#
				±0.5pF	GRM0335C2A6R3DA01#
			6.4pF	±0.05pF	GRM0335C2A6R4WA01#
				±0.1pF	GRM0335C2A6R4BA01#
				±0.25pF	GRM0335C2A6R4CA01#
				±0.5pF	GRM0335C2A6R4DA01#
			6.5pF	±0.05pF	GRM0335C2A6R5WA01#
				±0.1pF	GRM0335C2A6R5BA01#
				±0.25pF	GRM0335C2A6R5CA01#
				±0.5pF	GRM0335C2A6R5DA01#
			6.6pF	±0.05pF	GRM0335C2A6R6WA01#
			•	±0.1pF	GRM0335C2A6R6BA01#
				±0.25pF	GRM0335C2A6R6CA01#
				±0.5pF	GRM0335C2A6R6DA01#
			6.7pF	±0.05pF	GRM0335C2A6R7WA01#
			5.7 Pi	±0.05pi	GRM0335C2A6R7BA01#
				±0.25pF	GRM0335C2A6R7CA01#
				±0.25pF	GRM0335C2A6R7DA01#
			605		
			6.8pF	±0.05pF	GRM0335C2A6R8WA01#
				±0.1pF	GRM0335C2A6R8BA01#
				±0.25pF	GRM0335C2A6R8CA01#
			•	±0.5pF	GRM0335C2A6R8DA01#
			6.9pF	±0.05pF	GRM0335C2A6R9WA01#
				±0.1pF	GRM0335C2A6R9BA01#
				±0.25pF	GRM0335C2A6R9CA01#
				±0.5pF	GRM0335C2A6R9DA01#
			7.0pF	±0.05pF	GRM0335C2A7R0WA01#
				±0.1pF	GRM0335C2A7R0BA01#
				±0.25pF	GRM0335C2A7R0CA01#
				±0.5pF	GRM0335C2A7R0DA01#

0.33mm 100Vdo COG 7.1pF	T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
#0.25pF GRM0335C2A7R1CA01# #0.5pF GRM0335C2A7R2M01# #0.1pF GRM0335C2A7R2M01# #0.1pF GRM0335C2A7R2M01# #0.5pF GRM0335C2A7R2M01# #0.5pF GRM0335C2A7R2M01# #0.5pF GRM0335C2A7R2M01# #0.5pF GRM0335C2A7R3M01# #0.1pF GRM0335C2A7R3M01# #0.1pF GRM0335C2A7R3M01# #0.5pF GRM0335C2A7R3M01# #0.5pF GRM0335C2A7R3M01# #0.5pF GRM0335C2A7R3M01# #0.5pF GRM0335C2A7R4M01# #0.5pF GRM0335C2A7R4M01# #0.5pF GRM0335C2A7R4M01# #0.5pF GRM0335C2A7R4M01# #0.5pF GRM0335C2A7R4M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R6M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R5M01# #0.5pF GRM0335C2A7R8M01# #0.5pF GRM0335C2A7R9M01# #0.5pF GRM0335C2A7R9M01# #0.5pF GRM0335C2A7R9M01# #0.5pF GRM0335C2A7R9M01# #0.5pF GRM0335C2A7R9M01# #0.5pF GRM0335C2AR8M001# #0.5pF GRM0335C2AR8D001#	0.33mm	100Vdc	COG	7.1pF	±0.05pF	GRM0335C2A7R1WA01#	
#0.5pF GRM0335C2A7R2WA01# #0.1pF GRM0335C2A7R2MA01# #0.5pF GRM0335C2A7R2MA01# #0.5pF GRM0335C2A7R2MA01# #0.5pF GRM0335C2A7R2MA01# #0.5pF GRM0335C2A7R3MA01# #0.5pF GRM0335C2A7R5MA01# #0.5pF GRM0335C2A7R5MA01# #0.5pF GRM0335C2A7R5MA01# #0.5pF GRM0335C2A7R5MA01# #0.5pF GRM0335C2A7R5MA01# #0.5pF GRM0335C2A7R6MA01# #0.5pF GRM0335C2A7R5MA01# #0.5pF GRM0335C2A7R3MA01# #0.5pF GRM0335C2AR3MA01#					±0.1pF	GRM0335C2A7R1BA01#	
7.2pF ±0.05pF GRM0335C2A7R2WA01# ±0.1pF GRM0335C2A7R2BA01# ±0.5pF GRM0335C2A7R3WA01# ±0.5pF GRM0335C2A7R3WA01# ±0.1pF GRM0335C2A7R3WA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7BACA01# ±0.5pF GRM0					±0.25pF	GRM0335C2A7R1CA01#	
### 10.15F GRM0335C2A7R2BA01# ### 10.5pF GRM0335C2A7R3WA01# ### 10.1pF GRM0335C2A7R3WA01# ### 10.5pF GRM0335C2A7R3CA01# ### 10.5pF GRM0335C2A8R0A01# ### 10.5pF GRM0335C2A8R3BA01# ### 10.					±0.5pF	GRM0335C2A7R1DA01#	
#0.25pF GRM0335C2A7R2CA01# #0.5pF GRM0335C2A7R3WA01# #0.1pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3CA01# #0.25pF GRM0335C2A7R3CA01# #0.25pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R5CA01# #0.5pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2AR3CA01#				7.2pF	±0.05pF	GRM0335C2A7R2WA01#	
### 10.5pF GRM0335C2A7R2DA01# ### 10.1pF GRM0335C2A7R3DA01# ### 10.5pF GRM0335C2A7R5DA01# ### 10.5pF GRM0335C2A7R5DA01# ### 10.5pF GRM0335C2A7R6WA01# ### 10.5pF GRM0335C2A7R3DA01# ### 10.5pF GRM0335C2AR8WA01# ### 10.5pF GRM0335C2ARBWA01# ### 10.5pF GRM0335C2ABRUA01# ### 10.5pF GRM0335C2ABRUA001# ### 10.5pF GRM0335C2ABRUA001# ### 10.5pF GRM0335C2ABRUA001# ### 10.5pF GRM0335C2ABRUA001#					±0.1pF	GRM0335C2A7R2BA01#	
7.3pF ±0.05pF GRM0335C2A7R3WA01# ±0.1pF GRM0335C2A7R3BA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.1pF GRM0335C2A7R4CA01# ±0.5pF GRM0335C2A7R4CA01# ±0.5pF GRM0335C2A7R4CA01# ±0.5pF GRM0335C2A7R4DA01# ±0.5pF GRM0335C2A7R5WA01# ±0.5pF GRM0335C2A7R5WA01# ±0.5pF GRM0335C2A7R5WA01# ±0.5pF GRM0335C2A7R5WA01# ±0.5pF GRM0335C2A7R5DA01# ±0.5pF GRM0335C2A7R6DA01# ±0.5pF GRM0335C2A7R6DA01# ±0.5pF GRM0335C2A7R6DA01# ±0.5pF GRM0335C2A7R6DA01# ±0.5pF GRM0335C2A7R6DA01# ±0.5pF GRM0335C2A7R6DA01# ±0.5pF GRM0335C2A7R7WA01# ±0.5pF GRM0335C2A7R7DA01# ±0.5pF GRM0335C2A7R7DA01# ±0.5pF GRM0335C2A7R7DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3WA01# ±0.5pF GRM0335C2A7R3WA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A7R3DA01# ±0.5pF GRM0335C2A8R0A01# ±0.5pF GRM0335C2A8R1BA01# ±0.5pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R0A01# ±0.5pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R2W01# ±0.5pF GRM0335C2A8R2W01# ±0.5pF GRM0335C2A8R2W01# ±0.5pF GRM0335C2A8R2W01# ±0.5pF GRM0335C2A8R2W01# ±0.5pF GRM0335C2A8R2W01# ±0.5pF GRM0335C2A8R3W01# ±0.5pF GRM0335					±0.25pF	GRM0335C2A7R2CA01#	
#0.1pF GRM0335C2A7R3BA01# #0.5pF GRM0335C2A7R3DA01# #0.5pF GRM0335C2A7R4WA01# #0.25pF GRM0335C2A7R4WA01# #0.5pF GRM0335C2A7R4WA01# #0.5pF GRM0335C2A7R4WA01# #0.5pF GRM0335C2A7R5BA01# #0.5pF GRM0335C2A7R5BA01# #0.5pF GRM0335C2A7R5BA01# #0.5pF GRM0335C2A7R5DA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R3DA01# #0.5pF GRM0335C2AR3DA01# #0.5pF GRM03					±0.5pF	GRM0335C2A7R2DA01#	
#0.25pF GRM0335C2A7R3CA01# #0.5pF GRM0335C2A7R3DA01# #0.1pF GRM035C2A7R4WA01# #0.5pF GRM035C2A7R4WA01# #0.5pF GRM035C2A7R4WA01# #0.5pF GRM035C2A7R4WA01# #0.5pF GRM035C2A7R5WA01# #0.5pF GRM0335C2A7R5WA01# #0.5pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R7WA01# #0.5pF GRM0335C2A7R7WA01# #0.5pF GRM0335C2A7R7WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R9WA01# #0.5pF GRM0335C2A7R9WA01# #0.5pF GRM0335C2A7R9WA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2AR80WA01# #0.5pF GRM0335C2AR80WA				7.3pF	±0.05pF	GRM0335C2A7R3WA01#	
### 10.5pF GRM0335C2A7R3DA01# ### 10.5pF GRM0335C2A7R4WA01# ### 10.5pF GRM035C2A7R4WA01# ### 10.5pF GRM035C2A7R4WA01# ### 10.5pF GRM035C2A7R5DA01# ### 10.5pF GRM035C2AR5DA01# ### 10.5pF GRM035C2ABR1DA01# #### 10.5pF GRM035C2ABR1DA01# #### 10.5pF GRM035C2ABR1DA01# ###################################					±0.1pF	GRM0335C2A7R3BA01#	
7.4pF					±0.25pF	GRM0335C2A7R3CA01#	
7.4pF					±0.5pF	GRM0335C2A7R3DA01#	
### 10.1pF GRM0335C2A7R4BA01# ### 10.5pF GRM0335C2A7R4CA01# ### 10.5pF GRM0335C2A7R5BA01# ### 10.5pF GRM0335C2A7R6BA01# ### 10.5pF GRM0335C2A7R7BA01# ### 10.5pF GRM0335C2A7R8BA01# ### 10.5pF GRM0335C2A7R8BA01# ### 10.5pF GRM0335C2A7R8BA01# ### 10.5pF GRM0335C2A7R9BA01# ### 10				7.4pF	-	GRM0335C2A7R4WA01#	
#0.25pF GRM0335C2A7R4CA01# #0.5pF GRM0335C2A7R4DA01# #0.1pF GRM0335C2A7R5BA01# #0.25pF GRM0335C2A7R5DA01# #0.5pF GRM0335C2A7R5DA01# #0.5pF GRM0335C2A7R6BA01# #0.25pF GRM0335C2A7R6BA01# #0.5pF GRM0335C2A7R6BA01# #0.5pF GRM0335C2A7R6BA01# #0.5pF GRM0335C2A7R6DA01# #0.5pF GRM0335C2A7R6DA01# #0.5pF GRM0335C2A7R6DA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2AR8DA01# #0.5pF GRM0335C2AR8DA01# #0.5pF GRM0335C2AR8DA01# #0.5pF GRM0335C2AR8DA01# #0.5pF GRM0335C2ARRDA01# #0.5pF GRM0335C2ARRDA001# #0.5pF GRM0335C2ARRDA001# #0.5pF GRM0335C2ARRDA001# #0.5pF GRM033					±0.1pF	GRM0335C2A7R4BA01#	
## 10.5pF GRM0335C2A7R4DA01# ## 10.1pF GRM0335C2A7R5WA01# ## 10.5pF GRM0335C2A7R5BA01# ## 10.5pF GRM0335C2A7R5DA01# ## 10.5pF GRM0335C2A7R5DA01# ## 10.5pF GRM0335C2A7R6WA01# ## 10.1pF GRM0335C2A7R6WA01# ## 10.5pF GRM0335C2A7R6CA01# ## 10.5pF GRM0335C2A7R6CA01# ## 10.5pF GRM0335C2A7R6CA01# ## 10.5pF GRM0335C2A7R7WA01# ## 10.5pF GRM0335C2A7R8WA01# ## 10.5pF GRM0335C2A7R8WA01# ## 10.5pF GRM0335C2A7R8WA01# ## 10.5pF GRM0335C2A7R8WA01# ## 10.5pF GRM0335C2A7R9WA01# ## 10.5pF GRM0335C2A7R9WA01# ## 10.5pF GRM0335C2A7R9WA01# ## 10.5pF GRM0335C2A7R9WA01# ## 10.5pF GRM0335C2A8R0WA01# ## 10.5pF GRM0335C2A8R0WA01# ## 10.5pF GRM0335C2A8R0WA01# ## 10.5pF GRM0335C2A8R1WA01# ## 10.5pF GRM0335C2A8R1WA01# ## 10.5pF GRM0335C2A8R1WA01# ## 10.5pF GRM0335C2A8R2WA01# ## 10.5pF GRM0335C2A8R3BA01# ## 10.5pF GRM0335CABR3BA01# #							
7.5pF ±0.05pF GRM0335C2A7R5WA01# ±0.1pF GRM0335C2A7R5BA01# ±0.25pF GRM0335C2A7R5DA01# ±0.5pF GRM0335C2A7R6WA01# ±0.5pF GRM0335C2A7R6WA01# ±0.25pF GRM0335C2A7R6CA01# ±0.5pF GRM0335C2A7R6CA01# ±0.5pF GRM0335C2A7R6CA01# ±0.5pF GRM0335C2A7R6DA01# ±0.25pF GRM0335C2A7R7WA01# ±0.5pF GRM0335C2A7R7WA01# ±0.5pF GRM0335C2A7R7WA01# ±0.5pF GRM0335C2A7R7WA01# ±0.5pF GRM0335C2A7R7WA01# ±0.5pF GRM0335C2A7R7WA01# ±0.5pF GRM0335C2A7R8WA01# ±0.5pF GRM0335C2A7R8WA01# ±0.5pF GRM0335C2A7R8WA01# ±0.5pF GRM0335C2A7R9WA01# ±0.5pF GRM0335C2A7R9WA01# ±0.5pF GRM0335C2A7R9WA01# ±0.5pF GRM0335C2A7R9WA01# ±0.5pF GRM0335C2A8R0WA01# ±0.5pF GRM0335C2A8R0WA01# ±0.5pF GRM0335C2A8R0WA01# ±0.5pF GRM0335C2A8R0A01# ±0.5pF GRM0335C2A8R1BA01# ±0.5pF GRM0335C2A8R1BA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2A01# ±0.5pF GRM0335C2A8R2A01# ±0.5pF GRM0335C2A8R3A01#							
#0.1pF GRM0335C2A7R5BA01# #0.5pF GRM0335C2A7R5CA01# #0.5pF GRM0335C2A7R5CA01# #0.1pF GRM0335C2A7R6WA01# #0.25pF GRM0335C2A7R6BA01# #0.25pF GRM0335C2A7R6CA01# #0.5pF GRM0335C2A7R6DA01# #0.5pF GRM0335C2A7R6DA01# #0.5pF GRM0335C2A7R7WA01# #0.5pF GRM0335C2A7R7WA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8BA01# #0.5pF GRM0335C2A7R8BA01# #0.1pF GRM0335C2A7R8DA01# #0.1pF GRM0335C2A7R9BA01# #0.1pF GRM0335C2A7R9BA01# #0.5pF GRM0335C2A7R9BA01# #0.5pF GRM0335C2A7R9BA01# #0.5pF GRM0335C2AR9BA01# #0.1pF GRM0335C2AR9DA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R3DA01# #0.5pF GRM0335C2A8R3DA01# #0.5pF GRM0335C2A8R3BA01#				7.5pF	-		
#0.5pF GRM0335C2A7R5CA01# #0.5pF GRM0335C2A7R5DA01# #0.1pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R7WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2AR80WA01# #0.5pF GRM0335C2AR80WA01# #0.5pF GRM0335C2A8R0WA01# #0.5pF GRM0335C2A8R0WA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF							
#0.5pF GRM0335C2A7R5DA01# #0.1pF GRM0335C2A7R6WA01# #0.5pF GRM0335C2A7R6CA01# #0.5pF GRM0335C2A7R6CA01# #0.5pF GRM0335C2A7R6DA01# #0.1pF GRM0335C2A7R6DA01# #0.1pF GRM0335C2A7R7A01# #0.5pF GRM0335C2A7R7A01# #0.5pF GRM0335C2A7R7A01# #0.5pF GRM0335C2A7R8A01# #0.5pF GRM0335C2A7R8A01# #0.5pF GRM0335C2A7R8A01# #0.5pF GRM0335C2A7R8A01# #0.5pF GRM0335C2A7R8A01# #0.5pF GRM0335C2A7R8A01# #0.1pF GRM0335C2A7R9A01# #0.1pF GRM0335C2A7R9A01# #0.5pF GRM0335C2A7R9A001# #0.5pF GRM0335C2A7A7A001# #0.5pF					· ·		
7.6pF							
### ### ##############################				7.6pF			
#0.25pF GRM0335C2A7R6CA01# #0.5pF GRM0335C2A7R6DA01# #0.1pF GRM0335C2A7R7WA01# #0.1pF GRM0335C2A7R7BA01# #0.25pF GRM0335C2A7R7CA01# #0.5pF GRM0335C2A7R7CA01# #0.5pF GRM0335C2A7R7DA01# #0.5pF GRM0335C2A7R8WA01# #0.1pF GRM0335C2A7R8WA01# #0.25pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.1pF GRM0335C2A7R9WA01# #0.1pF GRM0335C2A7R9WA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.1pF GRM0335C2AR80WA01# #0.1pF GRM0335C2AR80WA01# #0.1pF GRM0335C2A8R0WA01# #0.5pF GRM035C2A8R0CA01# #0.5pF GRM0335C2A8R0CA01# #0.5pF GRM0335C2A8R0CA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R1WA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3DA01#				7.6pF	· ·		
### ### ##############################					-		
7.7pF ±0.05pF GRM0335C2A7R7WA01# ±0.1pF GRM0335C2A7R7BA01# ±0.25pF GRM0335C2A7R7DA01# ±0.5pF GRM0335C2A7R7DA01# ±0.05pF GRM0335C2A7R8WA01# ±0.1pF GRM0335C2A7R8WA01# ±0.25pF GRM0335C2A7R8DA01# ±0.5pF GRM0335C2A7R8DA01# ±0.1pF GRM0335C2A7R9WA01# ±0.1pF GRM0335C2A7R9WA01# ±0.25pF GRM0335C2A7R9DA01# ±0.5pF GRM0335C2A7R9DA01# ±0.5pF GRM0335C2A7R9DA01# ±0.1pF GRM0335C2A8R0WA01# ±0.25pF GRM0335C2A8R0BA01# ±0.5pF GRM0335C2A8R0BA01# ±0.5pF GRM0335C2A8R0BA01# ±0.5pF GRM0335C2A8R1WA01# ±0.5pF GRM0335C2A8R1BA01# ±0.25pF GRM0335C2A8R1DA01# ±0.25pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2BA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3BA01#							
#0.1pF GRM0335C2A7R7BA01# #0.25pF GRM0335C2A7R7CA01# #0.5pF GRM0335C2A7R7DA01# #0.1pF GRM0335C2A7R8WA01# #0.1pF GRM0335C2A7R8WA01# #0.25pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R8DA01# #0.1pF GRM0335C2A7R9WA01# #0.1pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2AR8DA01# #0.1pF GRM0335C2A8R0WA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R3DA01# #0.5pF GRM0335C2A8R3BA01#				7.7pF			
#0.5pF GRM0335C2A7R7CA01# #0.5pF GRM0335C2A7R7DA01# #0.1pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8WA01# #0.5pF GRM0335C2A7R8DA01# #0.1pF GRM0335C2A7R9WA01# #0.5pF GRM0335C2A7R9WA01# #0.5pF GRM0335C2A7R9BA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.1pF GRM0335C2A7R9DA01# #0.1pF GRM0335C2A8R0WA01# #0.5pF GRM0335C2A8R0WA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R0DA01# #0.1pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R3DA01# #0.5pF				7.7 Pi			
#0.5pF GRM0335C2A7R7DA01# #0.1pF GRM0335C2A7R8WA01# #0.25pF GRM0335C2A7R8BA01# #0.25pF GRM0335C2A7R8CA01# #0.5pF GRM0335C2A7R8DA01# #0.5pF GRM0335C2A7R9WA01# #0.1pF GRM0335C2A7R9WA01# #0.1pF GRM0335C2A7R9BA01# #0.25pF GRM0335C2A7R9CA01# #0.25pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2AR8DA01# #0.5pF GRM0335C2A8R0WA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R1WA01# #0.25pF GRM0335C2A8R1WA01# #0.25pF GRM0335C2A8R1DA01# #0.25pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2BA01# #0.25pF GRM0335C2A8R2DA01# #0.25pF GRM0335C2A8R2DA01# #0.25pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3BA01# #0.25pF GRM0335C2A8R3BA01# #0.5pF GRM0335C2A8R3BA01# #0.5pF GRM0335C2A8R3BA01# #0.5pF GRM0335C2A8R3BA01# #0.5pF GRM0335C2A8R3BA01#							
7.8pF ±0.05pF GRM0335C2A7R8WA01# ±0.1pF GRM0335C2A7R8BA01# ±0.25pF GRM0335C2A7R8CA01# ±0.5pF GRM0335C2A7R9WA01# ±0.1pF GRM0335C2A7R9BA01# ±0.25pF GRM0335C2A7R9DA01# ±0.5pF GRM0335C2A7R9DA01# ±0.5pF GRM0335C2A7R9DA01# ±0.1pF GRM0335C2A8R0WA01# ±0.1pF GRM0335C2A8R0BA01# ±0.25pF GRM0335C2A8R0BA01# ±0.25pF GRM0335C2A8R0DA01# ±0.5pF GRM0335C2A8R0DA01# ±0.5pF GRM0335C2A8R1WA01# ±0.1pF GRM0335C2A8R1WA01# ±0.25pF GRM0335C2A8R1DA01# ±0.25pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2WA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01#							
#0.1pF GRM0335C2A7R8BA01# #0.25pF GRM0335C2A7R8CA01# #0.5pF GRM0335C2A7R8DA01# #0.1pF GRM0335C2A7R9WA01# #0.1pF GRM0335C2A7R9BA01# #0.25pF GRM0335C2A7R9CA01# #0.5pF GRM0335C2A7R9DA01# #0.5pF GRM0335C2A7R9DA01# #0.1pF GRM0335C2A8R0WA01# #0.1pF GRM0335C2A8R0BA01# #0.25pF GRM0335C2A8R0CA01# #0.5pF GRM0335C2A8R0CA01# #0.5pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1CA01# #0.25pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01#				7 8nF	-		
# ±0.25pF GRM0335C2A7R8CA01# # ±0.5pF GRM0335C2A7R8DA01# # ±0.1pF GRM0335C2A7R9WA01# # ±0.25pF GRM0335C2A7R9CA01# # ±0.5pF GRM0335C2A7R9CA01# # ±0.5pF GRM0335C2A7R9DA01# # ±0.1pF GRM0335C2A8R0WA01# # ±0.25pF GRM0335C2A8R0CA01# # ±0.5pF GRM0335C2A8R0CA01# # ±0.5pF GRM0335C2A8R0DA01# # ±0.5pF GRM0335C2A8R1WA01# # ±0.1pF GRM0335C2A8R1WA01# # ±0.25pF GRM0335C2A8R1CA01# # ±0.5pF GRM0335C2A8R1DA01# # ±0.5pF GRM0335C2A8R1DA01# # ±0.5pF GRM0335C2A8R1DA01# # ±0.5pF GRM0335C2A8R2WA01# # ±0.5pF GRM0335C2A8R2WA01# # ±0.5pF GRM0335C2A8R2DA01# # ±0.5pF GRM0335C2A8R2DA01# # ±0.5pF GRM0335C2A8R3WA01# # ±0.5pF GRM0335C2A8R3WA01# # ±0.5pF GRM0335C2A8R3WA01# # ±0.5pF GRM0335C2A8R3WA01# # ±0.5pF GRM0335C2A8R3CA01# # ±0.5pF GRM0335C2A8R3CA01# # ±0.5pF GRM0335C2A8R3CA01# # ±0.5pF GRM0335C2A8R3CA01#				7.001	· ·		
#0.5pF GRM0335C2A7R8DA01# 7.9pF #0.05pF GRM0335C2A7R9WA01# #0.1pF GRM0335C2A7R9BA01# #0.25pF GRM0335C2A7R9CA01# #0.5pF GRM0335C2A7R9DA01# #0.1pF GRM0335C2A8R0WA01# #0.1pF GRM0335C2A8R0BA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2WA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3BA01# #0.25pF GRM0335C2A8R3BA01# #0.5pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01#							
7.9pF ±0.05pF GRM0335C2A7R9WA01# ±0.1pF GRM0335C2A7R9DA01# ±0.5pF GRM0335C2A7R9DA01# ±0.5pF GRM0335C2A8R0WA01# ±0.1pF GRM0335C2A8R0BA01# ±0.25pF GRM0335C2A8R0DA01# ±0.5pF GRM0335C2A8R0DA01# ±0.1pF GRM0335C2A8R0DA01# ±0.1pF GRM0335C2A8R1WA01# ±0.25pF GRM0335C2A8R1CA01# ±0.5pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R1DA01# ±0.1pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3CA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01#							
#0.1pF GRM0335C2A7R9BA01# #0.25pF GRM0335C2A7R9CA01# #0.5pF GRM0335C2A7R9DA01# #0.1pF GRM0335C2A8R0WA01# #0.1pF GRM0335C2A8R0BA01# #0.25pF GRM0335C2A8R0CA01# #0.5pF GRM0335C2A8R0DA01# #0.1pF GRM0335C2A8R0DA01# #0.1pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1BA01# #0.25pF GRM0335C2A8R1CA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.1pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2WA01# #0.25pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3CA01# #0.25pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01#				7 9nF			
#0.25pF GRM0335C2A7R9CA01# #0.5pF GRM0335C2A7R9DA01# #0.1pF GRM0335C2A8R0WA01# #0.25pF GRM0335C2A8R0BA01# #0.25pF GRM0335C2A8R0CA01# #0.5pF GRM0335C2A8R0DA01# #0.1pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1WA01# #0.25pF GRM0335C2A8R1CA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3CA01# #0.25pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01#				7.501			
#0.5pF GRM0335C2A7R9DA01# #0.05pF GRM0335C2A8R0WA01# #0.1pF GRM0335C2A8R0BA01# #0.25pF GRM0335C2A8R0DA01# #0.5pF GRM0335C2A8R0DA01# #0.1pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1BA01# #0.25pF GRM0335C2A8R1CA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2BA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.5pF GRM0335C2A8R3BA01# #0.5pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01#							
8.0pF ±0.05pF GRM0335C2A8R0WA01# ±0.1pF GRM0335C2A8R0CA01# ±0.5pF GRM0335C2A8R0CA01# ±0.5pF GRM0335C2A8R1WA01# ±0.1pF GRM0335C2A8R1BA01# ±0.25pF GRM0335C2A8R1CA01# ±0.5pF GRM0335C2A8R1DA01# ±0.5pF GRM0335C2A8R1DA01# ±0.1pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2WA01# ±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.5pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01#							
#0.1pF GRM0335C2A8R0BA01# #0.25pF GRM0335C2A8R0CA01# #0.5pF GRM0335C2A8R0DA01# #0.1pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1BA01# #0.25pF GRM0335C2A8R1CA01# #0.5pF GRM0335C2A8R1DA01# #0.5pF GRM0335C2A8R1DA01# #0.1pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2BA01# #0.25pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3CA01# #0.25pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01#				8 OnF			
±0.25pF GRM0335C2A8R0CA01# ±0.5pF GRM0335C2A8R0DA01# 8.1pF ±0.05pF GRM0335C2A8R1WA01# ±0.1pF GRM0335C2A8R1BA01# ±0.25pF GRM0335C2A8R1CA01# ±0.5pF GRM0335C2A8R1DA01# 8.2pF ±0.05pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2WA01# ±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.25pF GRM0335C2A8R3CA01# ±0.25pF GRM0335C2A8R3CA01#				0.001			
#0.5pF GRM0335C2A8R0DA01# 8.1pF #0.05pF GRM0335C2A8R1WA01# #0.1pF GRM0335C2A8R1BA01# #0.25pF GRM0335C2A8R1CA01# #0.5pF GRM0335C2A8R1DA01# #0.1pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2WA01# #0.25pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R2DA01# #0.5pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.25pF GRM0335C2A8R3CA01# #0.25pF GRM0335C2A8R3CA01# #0.25pF GRM0335C2A8R3CA01#							
8.1pF ±0.05pF GRM0335C2A8R1WA01# ±0.1pF GRM0335C2A8R1BA01# ±0.25pF GRM0335C2A8R1CA01# ±0.5pF GRM0335C2A8R1DA01# ±0.05pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2BA01# ±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# ±0.1pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3CA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01#							
±0.1pF GRM0335C2A8R1BA01# ±0.25pF GRM0335C2A8R1CA01# ±0.5pF GRM0335C2A8R1DA01# ±0.05pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2BA01# ±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# ±0.5pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.25pF GRM0335C2A8R3CA01# ±0.25pF GRM0335C2A8R3CA01#				8 1nF	-		
±0.25pF GRM0335C2A8R1CA01# ±0.5pF GRM0335C2A8R1DA01# 8.2pF ±0.05pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2BA01# ±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# 8.3pF ±0.05pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3WA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3CA01#				0.1pi			
#0.5pF GRM0335C2A8R1DA01# 8.2pF #0.05pF GRM0335C2A8R2WA01# #0.1pF GRM0335C2A8R2BA01# #0.25pF GRM0335C2A8R2CA01# #0.5pF GRM0335C2A8R2DA01# #0.05pF GRM0335C2A8R3WA01# #0.1pF GRM0335C2A8R3WA01# #0.25pF GRM0335C2A8R3CA01# #0.5pF GRM0335C2A8R3CA01#							
8.2pF ±0.05pF GRM0335C2A8R2WA01# ±0.1pF GRM0335C2A8R2BA01# ±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# 8.3pF ±0.05pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3BA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3DA01#							
±0.1pF GRM0335C2A8R2BA01# ±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# 8.3pF ±0.05pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3BA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3DA01#				8 2nF	-		
±0.25pF GRM0335C2A8R2CA01# ±0.5pF GRM0335C2A8R2DA01# 8.3pF ±0.05pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3BA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3DA01#				υ.Ζμι			
±0.5pF GRM0335C2A8R2DA01# 8.3pF ±0.05pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3BA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3DA01#							
8.3pF ±0.05pF GRM0335C2A8R3WA01# ±0.1pF GRM0335C2A8R3BA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3DA01#							
±0.1pF GRM0335C2A8R3BA01# ±0.25pF GRM0335C2A8R3CA01# ±0.5pF GRM0335C2A8R3DA01#				8 3nF	-		
±0.25pF				0.0pi			
±0.5pF							
0.4pi ±0.00pi Ghivi033502A6n4WA01#				8 /n=			
±0.1pF GRM0335C2A8R4BA01#				0. 4 pF	-		

(→ ■ 0	.6×0.3ı	mm)				
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	100Vdc	COG	8.4pF	±0.25pF	GRM0335C2A8R4CA01#	
				±0.5pF	GRM0335C2A8R4DA01#	
			8.5pF	±0.05pF	GRM0335C2A8R5WA01#	
				±0.1pF	GRM0335C2A8R5BA01#	
				±0.25pF	GRM0335C2A8R5CA01#	
				±0.5pF	GRM0335C2A8R5DA01#	
			8.6pF	±0.05pF	GRM0335C2A8R6WA01#	
				±0.1pF	GRM0335C2A8R6BA01#	
				±0.25pF	GRM0335C2A8R6CA01#	
				±0.5pF	GRM0335C2A8R6DA01#	
			8.7pF	±0.05pF	GRM0335C2A8R7WA01#	
				±0.1pF	GRM0335C2A8R7BA01#	
				±0.25pF	GRM0335C2A8R7CA01#	
				±0.5pF	GRM0335C2A8R7DA01#	
			8.8pF	±0.05pF	GRM0335C2A8R8WA01#	
				±0.1pF	GRM0335C2A8R8BA01#	
				±0.25pF	GRM0335C2A8R8CA01#	
				±0.5pF	GRM0335C2A8R8DA01#	
			8.9pF	±0.05pF	GRM0335C2A8R9WA01#	
				±0.1pF	GRM0335C2A8R9BA01#	
				±0.25pF	GRM0335C2A8R9CA01#	
				±0.5pF	GRM0335C2A8R9DA01#	
			9.0pF	±0.05pF	GRM0335C2A9R0WA01#	
				±0.1pF	GRM0335C2A9R0BA01#	
				±0.25pF	GRM0335C2A9R0CA01#	
				±0.5pF	GRM0335C2A9R0DA01#	
			9.1pF	±0.05pF	GRM0335C2A9R1WA01#	
				±0.1pF	GRM0335C2A9R1BA01#	
				±0.25pF	GRM0335C2A9R1CA01#	
				±0.5pF	GRM0335C2A9R1DA01#	
				9.2pF	±0.05pF	GRM0335C2A9R2WA01#
				±0.1pF	GRM0335C2A9R2BA01#	
				±0.25pF	GRM0335C2A9R2CA01#	
				±0.5pF	GRM0335C2A9R2DA01#	
			9.3pF	±0.05pF	GRM0335C2A9R3WA01#	
				±0.1pF	GRM0335C2A9R3BA01#	
				±0.25pF	GRM0335C2A9R3CA01#	
				±0.5pF	GRM0335C2A9R3DA01#	
			9.4pF	±0.05pF	GRM0335C2A9R4WA01#	
				±0.1pF	GRM0335C2A9R4BA01#	
				±0.25pF	GRM0335C2A9R4CA01#	
				±0.5pF	GRM0335C2A9R4DA01#	
			9.5pF	±0.05pF	GRM0335C2A9R5WA01#	
				±0.1pF	GRM0335C2A9R5BA01#	
				±0.25pF	GRM0335C2A9R5CA01#	
				±0.5pF	GRM0335C2A9R5DA01#	
			9.6pF	±0.05pF	GRM0335C2A9R6WA01#	
				±0.1pF	GRM0335C2A9R6BA01#	
				±0.25pF		
				±0.5pF	GRM0335C2A9R6DA01#	
			9.7pF	±0.05pF	GRM0335C2A9R7WA01#	
				±0.1pF	GRM0335C2A9R7BA01#	
				±0.25pF	GRM0335C2A9R7CA01#	
			±0.5pF	GRM0335C2A9R7DA01#		

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	100Vdc	COG	9.8pF	±0.05pF	GRM0335C2A9R8WA01#	
				±0.1pF	GRM0335C2A9R8BA01#	
				±0.25pF	GRM0335C2A9R8CA01#	
				±0.5pF	GRM0335C2A9R8DA01#	
			9.9pF	±0.05pF	GRM0335C2A9R9WA01#	
				±0.1pF	GRM0335C2A9R9BA01#	
				±0.25pF	GRM0335C2A9R9CA01#	
				±0.5pF	GRM0335C2A9R9DA01#	
			10pF	±2%	GRM0335C2A100GA01#	
				±5%	GRM0335C2A100JA01#	
			12pF	±2%	GRM0335C2A120GA01#	
				±5%	GRM0335C2A120JA01#	
			15pF	±2%	GRM0335C2A150GA01#	
				±5%	GRM0335C2A150JA01#	
		СК	0.10pF	±0.05pF	GRM0334C2AR10WA01#	
			0.20pF	±0.05pF	GRM0334C2AR20WA01#	
				±0.1pF	GRM0334C2AR20BA01#	
			0.30pF	±0.05pF	GRM0334C2AR30WA01#	
				±0.1pF	GRM0334C2AR30BA01#	
			0.40pF	±0.05pF	GRM0334C2AR40WA01#	
				±0.1pF	GRM0334C2AR40BA01#	
			0.50pF	±0.05pF	GRM0334C2AR50WA01#	
				±0.1pF	GRM0334C2AR50BA01#	
			0.60pF	±0.05pF	GRM0334C2AR60WA01#	
					±0.1pF	GRM0334C2AR60BA01#
				0.70pF	±0.05pF	GRM0334C2AR70WA01#
				±0.1pF	GRM0334C2AR70BA01#	
			0.80pF	±0.05pF	GRM0334C2AR80WA01#	
				±0.1pF	GRM0334C2AR80BA01#	
			0.90pF	±0.05pF	GRM0334C2AR90WA01#	
				±0.1pF	GRM0334C2AR90BA01#	
			1.0pF	±0.05pF	GRM0334C2A1R0WA01#	
				±0.1pF	GRM0334C2A1R0BA01#	
				±0.25pF	GRM0334C2A1R0CA01#	
			1.1pF	±0.05pF	GRM0334C2A1R1WA01#	
				±0.1pF	GRM0334C2A1R1BA01#	
				±0.25pF	GRM0334C2A1R1CA01#	
			1.2pF	±0.05pF	GRM0334C2A1R2WA01#	
				±0.1pF	GRM0334C2A1R2BA01#	
				±0.25pF	GRM0334C2A1R2CA01#	
			1.3pF	±0.05pF	GRM0334C2A1R3WA01#	
				±0.1pF	GRM0334C2A1R3BA01#	
				±0.25pF	GRM0334C2A1R3CA01#	
			1.4pF	±0.05pF	GRM0334C2A1R4WA01#	
				±0.1pF	GRM0334C2A1R4BA01#	
				±0.25pF	GRM0334C2A1R4CA01#	
			1.5pF	±0.05pF	GRM0334C2A1R5WA01#	
				±0.1pF	GRM0334C2A1R5BA01#	
				±0.25pF	GRM0334C2A1R5CA01#	
			1.6pF	±0.05pF	GRM0334C2A1R6WA01#	
				±0.1pF	GRM0334C2A1R6BA01#	
				±0.25pF	GRM0334C2A1R6CA01#	
			1.7pF	±0.05pF	GRM0334C2A1R7WA01#	
				±0.1pF	GRM0334C2A1R7BA01#	

	Code	Cap.	Tol.	Part Number
100Vdc	CK	1.7pF	±0.25pF	GRM0334C2A1R7CA01#
		1.8pF	±0.05pF	GRM0334C2A1R8WA01#
			±0.1pF	GRM0334C2A1R8BA01#
			±0.25pF	GRM0334C2A1R8CA01#
		1.9pF	±0.05pF	GRM0334C2A1R9WA01#
			±0.1pF	GRM0334C2A1R9BA01#
			±0.25pF	GRM0334C2A1R9CA01#
		2.0pF	±0.05pF	GRM0334C2A2R0WA01#
			±0.1pF	GRM0334C2A2R0BA01#
			±0.25pF	GRM0334C2A2R0CA01#
	CJ	2.1pF	±0.05pF	GRM0333C2A2R1WA01#
			±0.1pF	GRM0333C2A2R1BA01#
			±0.25pF	GRM0333C2A2R1CA01#
		2.2pF	±0.05pF	GRM0333C2A2R2WA01#
		•	· ·	GRM0333C2A2R2BA01#
			-	GRM0333C2A2R2CA01#
		2.3pF		GRM0333C2A2R3WA01#
			-	GRM0333C2A2R3BA01#
			-	GRM0333C2A2R3CA01#
		2.4nF		GRM0333C2A2R4WA01#
		2.461	-	GRM0333C2A2R4BA01#
			-	GRM0333C2A2R4CA01#
		0.555	-	
		z.spr	-	GRM0333C2A2R5WA01#
				GRM0333C2A2R5BA01#
		00.5		GRM0333C2A2R5CA01#
		2.6pF	-	GRM0333C2A2R6WA01#
				GRM0333C2A2R6BA01#
			-	GRM0333C2A2R6CA01#
		2.7pF		GRM0333C2A2R7WA01#
			±0.1pF	GRM0333C2A2R7BA01#
			±0.25pF	GRM0333C2A2R7CA01#
		2.8pF	±0.05pF	GRM0333C2A2R8WA01#
			±0.1pF	GRM0333C2A2R8BA01#
			±0.25pF	GRM0333C2A2R8CA01#
		2.9pF	±0.05pF	GRM0333C2A2R9WA01#
			±0.1pF	GRM0333C2A2R9BA01#
			±0.25pF	GRM0333C2A2R9CA01#
		3.0pF	±0.05pF	GRM0333C2A3R0WA01#
			±0.1pF	GRM0333C2A3R0BA01#
			±0.25pF	GRM0333C2A3R0CA01#
		3.1pF	±0.05pF	GRM0333C2A3R1WA01#
			±0.1pF	GRM0333C2A3R1BA01#
			±0.25pF	GRM0333C2A3R1CA01#
		3.2pF	±0.05pF	GRM0333C2A3R2WA01#
		•	±0.1pF	GRM0333C2A3R2BA01#
				GRM0333C2A3R2CA01#
		3.3pF	-	GRM0333C2A3R3WA01#
		/	-	GRM0333C2A3R3BA01#
				GRM0333C2A3R3CA01#
		3 4 n F	-	GRM0333C2A3R4WA01#
		υ. - μι	-	GRM0333C2A3R4BA01#
			-	
		25-5		GRM0333C2A3R4CA01#
		3.5pF	±0.05pF	GRM0333C2A3R5WA01#
		3	1.9pF 2.0pF CJ 2.1pF 2.2pF 2.3pF 2.4pF 2.5pF 2.6pF 2.7pF 2.8pF 3.0pF 3.1pF	#0.1pF #0.25pF #0.25pF #0.1pF #0.25pF

Max. Voltage Code Cap. Tol. Part Number		Datad	то				
3.6pF	T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
### 10.1pF GRM0333C2A3R6A01# ### 20.25pF GRM0333C2A3R7WA01# ### 20.1pF GRM0333C2A3R7WA01# ### 20.25pF GRM0333C2A3R8WA01# ### 20.25pF GRM033C2A4R0MA01# ### 20.25pF GRM033C2A4R0MA01# ### 20.25pF GRM033C2A4R0MA01# ### 20.25pF GRM033C2A4R1WA01# ### 20.25pF GRM033C2A4R2WA01# ### 20.25pF GRM033C2A4R2WA01# ### 20.25pF GRM033C2A4R2WA01# ### 20.25pF GRM033C2A4R2WA01# ### 20.25pF GRM033C2A4R3WA01# ### 20.25pF GRM033CCAAR3WA01# ### 20.25pF GRM033CCAAR3WA01	0.33mm	100Vdc	CJ	3.5pF	±0.25pF	GRM0333C2A3R5CA01#	
### 10.25pF GRM0333C2A3R3CA01# ### 20.5pF GRM033CCAAR3CA01# ### 20.5pF GRM033C				3.6pF	±0.05pF	GRM0333C2A3R6WA01#	
3.7pF					±0.1pF	GRM0333C2A3R6BA01#	
#0.1pF GRM0333C2A3R7RA01# ±0.25pF GRM0333C2A3R8WA01# ±0.1pF GRM0333C2A3R8WA01# ±0.25pF GRM0333C2A3R8WA01# ±0.25pF GRM0333C2A3R9WA01# ±0.25pF GRM0333C2A3R9WA01# ±0.25pF GRM0333C2A3R9WA01# ±0.25pF GRM033C2CA4R0WA01# ±0.25pF GRM033C2CA5R0WA01# ±0					±0.25pF	GRM0333C2A3R6CA01#	
#0.25pF GRM0333C2A3RRWA01# #0.1pF GRM033C2A3RRWA01# #0.1pF GRM033C2A3RRWA01# #0.1pF GRM033C2A3RRWA01# #0.1pF GRM033C2A3RRWA01# #0.1pF GRM033C2A3RRWA01# #0.1pF GRM033C2A3RRWA01# #0.1pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R0WA01# #0.25pF GRM033C2A4R0WA01# #0.25pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R1WA01# #0.25pF GRM033C2A4R1WA01# #0.25pF GRM033C2A4R1BA01# #0.25pF GRM033C2A4R1BA01# #0.25pF GRM033C2A4R1BA01# #0.25pF GRM033C2A4R3CA01# #0.1pF GRM033C2A4R4WA01# #0.1pF GRM033C2A4R4WA01# #0.25pF GRM033C2A4R3CA01# #0.1pF GRM033C2A4R6WA01# #0.25pF GRM033C2A4R6WA01# #0.25pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.25pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.25pF GRM033C2A4R6BA01# #0.1pF GRM033C2A4R6BA01# #0.25pF GRM033C2AAR6BA01# #0.25pF GRM033C2AAR6A01# #0				3.7pF	±0.05pF	GRM0333C2A3R7WA01#	
3.8pF ±0.05pF GRM0333C2A3R8WA01# ±0.1pF GRM033C2A3R8BA01# ±0.25pF GRM033C2A3R8CA01# ±0.25pF GRM0333C2A3R9BA01# ±0.25pF GRM033C2A3R9BA01# ±0.25pF GRM0332C2A4R0WA01# ±0.25pF GRM0332C2A4R0CA01# ±0.25pF GRM033C2CA4R0CA01# ±0.25pF GRM033C2CAAR0CA01# ±0.25pF GRM033C2CAA					±0.1pF	GRM0333C2A3R7BA01#	
#0.1pF GRM0333C2A3R8BA01# #0.25pF GRM0333C2A3R9WA01# #0.1pF GRM033C2A3R9WA01# #0.1pF GRM033C2A3R9WA01# #0.1pF GRM033C2A3R9WA01# #0.1pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R1WA01# #0.25pF GRM033C2A4R1WA01# #0.25pF GRM033C2A4R1BA01# #0.25pF GRM033C2A4R1BA01# #0.25pF GRM033C2A4R2BA01# #0.1pF GRM033C2A4R2BA01# #0.1pF GRM033C2A4R2BA01# #0.1pF GRM033C2A4R3WA01# #0.1pF GRM033C2A4R5WA01# #0.1pF GRM033C2A4R5WA01# #0.1pF GRM033C2A4R5WA01# #0.1pF GRM033C2A4R5WA01# #0.1pF GRM033C2A4R5WA01# #0.25pF GRM033C2A4R6WA01# #0.25pF GRM033C2A4R6WA01# #0.25pF GRM033C2A4R6WA01# #0.25pF GRM033C2A4R6WA01# #0.25pF GRM033C2A4R6WA01# #0.25pF GRM033C2A4R8WA01# #0.25pF GRM033C2A4R8WA01# #0.25pF GRM033C2A4R8WA01# #0.1pF GRM033C2A4R8BA01# #0.25pF GRM033C2A4R8BA01# #0.25pF GRM033C2A4R8BA01# #0.1pF GRM033C2A5R1BA01# #0.1pF GRM033C2A5A5R2A01# #0.1pF GRM033C2A5A5R2A01# #0					±0.25pF	GRM0333C2A3R7CA01#	
#0.25pF GRM0333C2A3R8CA01# #0.1pF GRM033C2A3R9WA01# #0.1pF GRM033C2A3R9WA01# #0.25pF GRM033C2A3R9CA01# #0.1pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R0WA01# #0.25pF GRM033C2A4R0WA01# #0.25pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R0WA01# #0.25pF GRM033C2A4R0WA01# #0.1pF GRM033C2A4R0WA01# #0.25pF GRM033C2A5R0WA01# #0.5pF GRM03				3.8pF	±0.05pF	GRM0333C2A3R8WA01#	
3.9pF					±0.1pF	GRM0333C2A3R8BA01#	
#0.1pF GRM0332C2A4R0MA01# #0.25pF GRM0332C2A4R0MA01# #0.25pF GRM0332C2A4R0MA01# #0.25pF GRM0332C2A4R0MA01# #0.25pF GRM0332C2A4R0MA01# #0.25pF GRM0332C2A4R0MA01# #0.25pF GRM0332C2A4R1MA01# #0.25pF GRM0332C2A4R1MA01# #0.25pF GRM0332C2A4R2MA01# #0.25pF GRM0332C2A4R2MA01# #0.25pF GRM0332C2A4R2MA01# #0.1pF GRM0332C2A4R3MA01# #0.1pF GRM0332C2A4R4MA01# #0.1pF GRM0332C2A4R4MA01# #0.1pF GRM0332C2A4R3MA01# #0.1pF GRM0332C2A4R3MA01# #0.1pF GRM0332C2A4R3MA01# #0.1pF GRM0332C2A4R6MA01# #0.1pF GRM0332C2A4R6MA01# #0.1pF GRM0332C2A4R6MA01# #0.1pF GRM033C2A4R6MA01# #0.1pF GRM033C2A4R8MA01# #0.1pF GRM033C2A4R8A01# #0.1pF GRM0					±0.25pF	GRM0333C2A3R8CA01#	
#0.25pF GRM0332C2A4R0WA01# #0.1pF GRM0332C2A4R1WA01# #0.25pF GRM0332C2A4R1WA01# #0.25pF GRM0332C2A4R1WA01# #0.25pF GRM0332C2A4R1WA01# #0.25pF GRM0332C2A4R2WA01# #0.1pF GRM0332C2A4R2WA01# #0.1pF GRM0332C2A4R2WA01# #0.1pF GRM0332C2A4R2WA01# #0.25pF GRM033C2CA4R3WA01# #0.25pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R4WA01# #0.1pF GRM0332C2A4R4WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R6WA01# #0.1pF GRM033C2A4R8WA01# #0.1pF GRM033C2AAR8WA01# #0.1pF GRM033				3.9pF	±0.05pF	GRM0333C2A3R9WA01#	
CH 4.0pF					±0.1pF	GRM0333C2A3R9BA01#	
#0.1pF					±0.25pF	GRM0333C2A3R9CA01#	
#0.25pF GRM0332C2A4R0CA01# #0.1pF #0.05pF GRM0332C2A4R1WA01# #0.1pF GRM0332C2A4R1CA01# #0.1pF GRM0332C2A4R1CA01# #0.1pF GRM0332C2A4R2WA01# #0.1pF GRM0332C2A4R2WA01# #0.25pF GRM0332C2A4R2WA01# #0.1pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3BA01# #0.25pF GRM0332C2A5R0WA01# #0.1pF GRM033C2A5R0WA01#			CH	4.0pF	±0.05pF	GRM0332C2A4R0WA01#	
4.1pF ±0.05pF GRM0332C2A4R1WA01# ±0.25pF GRM0332C2A4R1BA01# ±0.25pF GRM0332C2A4R2WA01# ±0.05pF GRM0332C2A4R2WA01# ±0.05pF GRM0332C2A4R3WA01# ±0.05pF GRM0332C2A4R3WA01# ±0.05pF GRM0332C2A4R3WA01# ±0.1pF GRM0332C2A4R3WA01# ±0.1pF GRM0332C2A4R3WA01# ±0.1pF GRM0332C2A4R3WA01# ±0.1pF GRM0332C2A4R3WA01# ±0.25pF GRM0332C2A4R3WA01# ±0.1pF GRM0332C2A4R3WA01# ±0.25pF GRM0332C2A4R3WA01# ±0.1pF GRM0332C2A4R3WA01# ±0.25pF GRM0332C2A5R3WA01# ±0.25pF GRM0332C2A5R3Z2A5R3WA01# ±0.25pF GRM0332C2A5R3Z2A5R3WA01# ±0.25pF GRM0332C2A5R3Z2A5R3WA01# ±0.25pF GRM033					±0.1pF	GRM0332C2A4R0BA01#	
#0.1pF GRM0332C2A4R1BA01# #0.25pF GRM0332C2A4R1CA01# #0.1pF GRM0332C2A4R2WA01# #0.1pF GRM0332C2A4R2WA01# #0.25pF GRM0332C2A4R3WA01# #0.25pF GRM0332C2A4R3WA01# #0.25pF GRM0332C2A4R3WA01# #0.25pF GRM0332C2A4R3WA01# #0.25pF GRM0332C2A4R3WA01# #0.25pF GRM0332C2A4R4WA01# #0.25pF GRM0332C2A4R4WA01# #0.25pF GRM0332C2A4R4WA01# #0.25pF GRM0332C2A4R4WA01# #0.25pF GRM0332C2A4R4WA01# #0.25pF GRM0332C2A4R5WA01# #0.25pF GRM0332C2A4R5WA01# #0.25pF GRM0332C2A4R6WA01# #0.25pF GRM0332C2A4R6WA01# #0.25pF GRM0332C2A4R6WA01# #0.25pF GRM0332C2A4R6WA01# #0.25pF GRM0332C2A4R6WA01# #0.25pF GRM0332C2A4R7WA01# #0.25pF GRM0332C2A4R8WA01# #0.25pF GRM0332C2A4R8WA01# #0.25pF GRM0332C2A4R8WA01# #0.25pF GRM0332C2A4R8WA01# #0.25pF GRM0332C2A4R8WA01# #0.25pF GRM0332C2A4R9WA01# #0.25pF GRM0332C2A4R9WA01# #0.25pF GRM0332C2A4R9WA01# #0.25pF GRM0332C2A5R0WA01# #0.5pF				±0.25pF	GRM0332C2A4R0CA01#		
### ##################################				4.1pF	±0.05pF	GRM0332C2A4R1WA01#	
### ### ##############################					±0.1pF	GRM0332C2A4R1BA01#	
### ### ##############################					±0.25pF	GRM0332C2A4R1CA01#	
#0.25pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R3WA01# #0.25pF GRM0332C2A4R3WA01# #0.25pF GRM0332C2A4R3WA01# #0.1pF GRM0332C2A4R4WA01# #0.1pF GRM0332C2A4R4WA01# #0.25pF GRM0332C2A4R4WA01# #0.25pF GRM0332C2A4R4WA01# #0.1pF GRM0332C2A4R5WA01# #0.1pF GRM0332C2A4R5WA01# #0.25pF GRM0332C2A4R5WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R6WA01# #0.1pF GRM0332C2A4R7WA01# #0.1pF GRM0332C2A4R7WA01# #0.1pF GRM0332C2A4R8WA01# #0.1pF GRM0332C2A4R8WA01# #0.1pF GRM0332C2A4R8WA01# #0.1pF GRM0332C2A4R8WA01# #0.1pF GRM0332C2A4R9WA01# #0.1pF GRM0332C2A4R9WA01# #0.1pF GRM0332C2A4R9WA01# #0.1pF GRM0332C2A4R9WA01# #0.1pF GRM0332C2A5R0WA01# #0.1pF GRM0332C2A5R0WA01# #0.25pF GRM0332C2A5R0WA01# #0.1pF GRM033C2A5R0WA01# #0.1pF GRM033C2A5R1WA01# #0.1pF GRM033C2A5R1WA01# #0.1pF GRM033C2A5R1WA01# #0.25pF GRM033C2A5R1WA01# #0.25pF GRM033C2A5R1WA01# #0.25pF GRM033C2A5R1DA01# #0.1pF GRM033C2A5R2BA01#				4.2pF	±0.05pF	GRM0332C2A4R2WA01#	
### ### ##############################					±0.1pF	GRM0332C2A4R2BA01#	
### ### ##############################					±0.25pF	GRM0332C2A4R2CA01#	
### ### ##############################				4.3pF	±0.05pF	GRM0332C2A4R3WA01#	
4.4pF ±0.05pF GRM0332C2A4R4WA01# ±0.25pF GRM0332C2A4R4CA01# ±0.25pF GRM0332C2A4R5WA01# ±0.1pF GRM0332C2A4R5WA01# ±0.25pF GRM0332C2A4R5WA01# ±0.25pF GRM0332C2A4R5CA01# ±0.05pF GRM0332C2A4R6WA01# ±0.1pF GRM0332C2A4R6WA01# ±0.25pF GRM0332C2A4R6WA01# ±0.1pF GRM0332C2A4R7WA01# ±0.1pF GRM0332C2A4R7WA01# ±0.1pF GRM0332C2A4R7WA01# ±0.25pF GRM0332C2A4R7CA01# 4.8pF ±0.05pF GRM0332C2A4R8WA01# ±0.25pF GRM0332C2A4R8WA01# ±0.25pF GRM0332C2A4R8WA01# ±0.25pF GRM0332C2A4R8WA01# ±0.25pF GRM0332C2A4R9WA01# ±0.1pF GRM0332C2A4R9CA01# ±0.25pF GRM0332C2A4R9CA01# ±0.25pF GRM0332C2A4R9CA01# ±0.25pF GRM0332C2A5R0WA01# ±0.1pF GRM0332C2A5R0WA01# ±0.1pF GRM0332C2A5R0WA01# ±0.25pF GRM0332C2A5R0WA01# ±0.25pF GRM0332C2A5R0CA01# ±0.5pF GRM0332C2A5R1WA01# ±0.5pF GRM0332C2A5R1WA01# ±0.5pF GRM0332C2A5R1WA01# ±0.5pF GRM0332C2A5R2WA01#					±0.1pF		
### ### ##############################					· ·		
### ### ##############################				4.4p⊦	-		
4.5pF					<u> </u>		
### ### ##############################					· ·		
### ### ##############################				4.5pF	<u> </u>		
4.6pF					<u> </u>		
### ### ##############################				4.0-5	· ·		
# ±0.25pF GRM0332C2A4R6CA01# # ±0.1pF GRM0332C2A4R7WA01# # ±0.25pF GRM0332C2A4R7CA01# # ±0.25pF GRM0332C2A4R8WA01# # ±0.25pF GRM0332C2A4R8WA01# # ±0.25pF GRM0332C2A4R8CA01# # ±0.25pF GRM0332C2A4R8CA01# # ±0.25pF GRM0332C2A4R9WA01# # ±0.25pF GRM0332C2A4R9WA01# # ±0.25pF GRM0332C2A4R9CA01# # ±0.25pF GRM0332C2A4R9CA01# # ±0.25pF GRM0332C2A5R0WA01# # ±0.1pF GRM0332C2A5R0WA01# # ±0.25pF GRM0332C2A5R0CA01# # ±0.25pF GRM0332C2A5R1WA01# # ±0.25pF GRM0332C2A5R1WA01# # ±0.25pF GRM0332C2A5R1CA01# # ±0.5pF GRM0332C2A5R1CA01# # ±0.5pF GRM0332C2A5R2WA01# # ±0.5pF GRM0332C2A5R2WA01# # ±0.5pF GRM0332C2A5R2WA01# # ±0.5pF GRM0332C2A5R2WA01# # ±0.25pF GRM0332C2A5R2WA01# # ±0.25pF GRM0332C2A5R2WA01# # ±0.25pF GRM0332C2A5R2WA01# # ±0.25pF GRM0332C2A5R2CA01#				4.6pr	<u> </u>		
4.7pF					<u> </u>		
### ### ##############################				4.7nE	· ·		
#0.25pF GRM0332C2A4R7CA01# #0.05pF GRM0332C2A4R8WA01# #0.1pF GRM0332C2A4R8BA01# #0.25pF GRM0332C2A4R8CA01# #0.1pF GRM0332C2A4R9WA01# #0.1pF GRM0332C2A4R9BA01# #0.25pF GRM0332C2A4R9CA01# #0.25pF GRM0332C2A5R0WA01# #0.1pF GRM0332C2A5R0WA01# #0.1pF GRM0332C2A5R0BA01# #0.25pF GRM0332C2A5R0CA01# #0.1pF GRM0332C2A5R1WA01# #0.1pF GRM0332C2A5R1WA01# #0.25pF GRM0332C2A5R1CA01# #0.25pF GRM0332C2A5R1CA01# #0.25pF GRM0332C2A5R1CA01# #0.5pF GRM0332C2A5R1CA01# #0.5pF GRM0332C2A5R2BA01# #0.1pF GRM0332C2A5R2WA01# #0.1pF GRM0332C2A5R2BA01# #0.1pF GRM0332C2A5R2BA01#				4.7 pi	-		
4.8pF					<u> </u>		
#0.1pF GRM0332C2A4R8BA01# #0.25pF GRM0332C2A4R8CA01# #0.05pF GRM0332C2A4R9WA01# #0.1pF GRM0332C2A4R9BA01# #0.25pF GRM0332C2A4R9CA01# #0.05pF GRM0332C2A5R0WA01# #0.1pF GRM0332C2A5R0WA01# #0.1pF GRM0332C2A5R0BA01# #0.25pF GRM0332C2A5R0CA01# #0.1pF GRM0332C2A5R1WA01# #0.1pF GRM0332C2A5R1CA01# #0.5pF GRM0332C2A5R1CA01# #0.5pF GRM0332C2A5R1DA01# #0.5pF GRM0332C2A5R2BA01# #0.1pF GRM0332C2A5R2BA01# #0.1pF GRM0332C2A5R2BA01# #0.1pF GRM0332C2A5R2BA01# #0.25pF GRM0332C2A5R2BA01#				4 9nE	-		
# ±0.25pF GRM0332C2A4R8CA01# # ±0.05pF GRM0332C2A4R9WA01# # ±0.1pF GRM0332C2A4R9BA01# # ±0.25pF GRM0332C2A4R9CA01# # ±0.05pF GRM0332C2A5R0WA01# # ±0.1pF GRM0332C2A5R0BA01# # ±0.25pF GRM0332C2A5R0CA01# # ±0.05pF GRM0332C2A5R1WA01# # ±0.1pF GRM0332C2A5R1WA01# # ±0.25pF GRM0332C2A5R1CA01# # ±0.5pF GRM0332C2A5R1CA01# # ±0.5pF GRM0332C2A5R2WA01# # ±0.1pF GRM0332C2A5R2WA01# # ±0.1pF GRM0332C2A5R2BA01# # ±0.25pF GRM0332C2A5R2CA01#				4.0pi			
4.9pF ±0.05pF GRM0332C2A4R9WA01# ±0.1pF GRM0332C2A4R9BA01# ±0.25pF GRM0332C2A4R9CA01# ±0.05pF GRM0332C2A5R0WA01# ±0.1pF GRM0332C2A5R0BA01# ±0.25pF GRM0332C2A5R0CA01# ±0.1pF GRM0332C2A5R1WA01# ±0.1pF GRM0332C2A5R1WA01# ±0.25pF GRM0332C2A5R1CA01# ±0.5pF GRM0332C2A5R1CA01# ±0.5pF GRM0332C2A5R1DA01# ±0.5pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2BA01#							
#0.1pF GRM0332C2A4R9BA01# #0.25pF GRM0332C2A4R9CA01# 5.0pF #0.05pF GRM0332C2A5R0WA01# #0.1pF GRM0332C2A5R0BA01# #0.25pF GRM0332C2A5R0CA01# 5.1pF #0.05pF GRM0332C2A5R1WA01# #0.1pF GRM0332C2A5R1BA01# #0.25pF GRM0332C2A5R1CA01# #0.5pF GRM0332C2A5R1DA01# #0.5pF GRM0332C2A5R1DA01# #0.1pF GRM0332C2A5R2BA01# #0.1pF GRM0332C2A5R2BA01# #0.1pF GRM0332C2A5R2BA01#				4 9nF			
# ±0.25pF GRM0332C2A4R9CA01# # ±0.05pF GRM0332C2A5R0WA01# # ±0.1pF GRM0332C2A5R0BA01# # ±0.25pF GRM0332C2A5R0CA01# # ±0.05pF GRM0332C2A5R1WA01# # ±0.1pF GRM0332C2A5R1BA01# # ±0.25pF GRM0332C2A5R1CA01# # ±0.5pF GRM0332C2A5R1DA01# # ±0.5pF GRM0332C2A5R1DA01# # ±0.1pF GRM0332C2A5R2WA01# # ±0.1pF GRM0332C2A5R2BA01# # ±0.25pF GRM0332C2A5R2CA01#				₃ μΓ			
5.0pF ±0.05pF GRM0332C2A5R0WA01# ±0.1pF GRM0332C2A5R0BA01# ±0.25pF GRM0332C2A5R0CA01# ±0.05pF GRM0332C2A5R1WA01# ±0.1pF GRM0332C2A5R1BA01# ±0.25pF GRM0332C2A5R1CA01# ±0.5pF GRM0332C2A5R1DA01# ±0.5pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2CA01#					<u> </u>		
#0.1pF GRM0332C2A5R0BA01# #0.25pF GRM0332C2A5R0CA01# \$5.1pF				5.0nF			
±0.25pF GRM0332C2A5R0CA01# 5.1pF ±0.05pF GRM0332C2A5R1WA01# ±0.1pF GRM0332C2A5R1BA01# ±0.25pF GRM0332C2A5R1CA01# ±0.5pF GRM0332C2A5R1DA01# 5.2pF ±0.05pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2CA01#				J.0pi	<u> </u>		
5.1pF ±0.05pF GRM0332C2A5R1WA01# ±0.1pF GRM0332C2A5R1BA01# ±0.25pF GRM0332C2A5R1CA01# ±0.5pF GRM0332C2A5R1DA01# 5.2pF ±0.05pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2CA01#					<u> </u>		
±0.1pF GRM0332C2A5R1BA01# ±0.25pF GRM0332C2A5R1CA01# ±0.5pF GRM0332C2A5R1DA01# 5.2pF ±0.05pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2CA01#				5.1pF			
±0.25pF GRM0332C2A5R1CA01# ±0.5pF GRM0332C2A5R1DA01# 5.2pF ±0.05pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2CA01#				14.5	-		
±0.5pF					-		
5.2pF ±0.05pF GRM0332C2A5R2WA01# ±0.1pF GRM0332C2A5R2BA01# ±0.25pF GRM0332C2A5R2CA01#					-		
±0.1pF				5.2pF			
±0.25pF GRM0332C2A5R2CA01#					-		
					-		

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
33mm	100Vdc	СН	5.3pF	±0.05pF	GRM0332C2A5R3WA01#
				±0.1pF	GRM0332C2A5R3BA01#
				±0.25pF	GRM0332C2A5R3CA01#
				±0.5pF	GRM0332C2A5R3DA01#
		5.4pF	±0.05pF	GRM0332C2A5R4WA01#	
				±0.1pF	GRM0332C2A5R4BA01#
				±0.25pF	GRM0332C2A5R4CA01#
			±0.5pF	GRM0332C2A5R4DA01#	
			5.5pF	±0.05pF	GRM0332C2A5R5WA01#
			•	±0.1pF	GRM0332C2A5R5BA01#
				±0.25pF	GRM0332C2A5R5CA01#
			±0.5pF	GRM0332C2A5R5DA01#	
			5.6pF	±0.05pF	GRM0332C2A5R6WA01#
			0.00.	±0.1pF	GRM0332C2A5R6BA01#
				±0.25pF	GRM0332C2A5R6CA01#
			5.7pF		
				±0.5pF	GRM0332C2A5R6DA01#
				±0.05pF	
				±0.1pF	GRM0332C2A5R7BA01#
				±0.25pF	GRM0332C2A5R7CA01#
				±0.5pF	GRM0332C2A5R7DA01#
			5.8pF	±0.05pF	GRM0332C2A5R8WA01#
				±0.1pF	GRM0332C2A5R8BA01#
				±0.25pF	GRM0332C2A5R8CA01#
				±0.5pF	GRM0332C2A5R8DA01#
			5.9pF	±0.05pF	GRM0332C2A5R9WA01#
				±0.1pF	GRM0332C2A5R9BA01#
			6.0pF	±0.25pF	GRM0332C2A5R9CA01#
				±0.5pF	GRM0332C2A5R9DA01#
				±0.05pF	GRM0332C2A6R0WA01#
				±0.1pF	GRM0332C2A6R0BA01#
				±0.25pF	GRM0332C2A6R0CA01#
				±0.5pF	GRM0332C2A6R0DA01#
			6.1pF	±0.05pF	GRM0332C2A6R1WA01#
			- 1	±0.1pF	GRM0332C2A6R1BA01#
				±0.25pF	GRM0332C2A6R1CA01#
				±0.5pF	GRM0332C2A6R1DA01#
			6.2pF	±0.05pF	GRM0332C2A6R2WA01#
			υ.Ζμι		GRM0332C2A6R2BA01#
				±0.1pF	
				±0.25pF	
			00 -	±0.5pF	GRM0332C2A6R2DA01#
			6.3pF	±0.05pF	
				±0.1pF	GRM0332C2A6R3BA01#
				±0.25pF	GRM0332C2A6R3CA01#
				±0.5pF	GRM0332C2A6R3DA01#
			6.4pF	±0.05pF	GRM0332C2A6R4WA01#
				±0.1pF	GRM0332C2A6R4BA01#
				±0.25pF	GRM0332C2A6R4CA01#
				±0.5pF	GRM0332C2A6R4DA01#
			6.5pF	±0.05pF	GRM0332C2A6R5WA01#
				±0.1pF	GRM0332C2A6R5BA01#
				±0.25pF	GRM0332C2A6R5CA01#
				±0.5pF	GRM0332C2A6R5DA01#
			6.6pF	±0.05pF	GRM0332C2A6R6WA01#
- 1					

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.33mm	100Vdc	СН	6.6pF	±0.25pF	GRM0332C2A6R6CA01#	
				±0.5pF	GRM0332C2A6R6DA01#	
			6.7pF	±0.05pF	GRM0332C2A6R7WA01#	
				±0.1pF	GRM0332C2A6R7BA01#	
				±0.25pF	GRM0332C2A6R7CA01#	
				±0.5pF	GRM0332C2A6R7DA01#	
			6.8pF	±0.05pF	GRM0332C2A6R8WA01#	
				±0.1pF	GRM0332C2A6R8BA01#	
				±0.25pF	GRM0332C2A6R8CA01#	
				±0.5pF	GRM0332C2A6R8DA01#	
			6.9pF	±0.05pF	GRM0332C2A6R9WA01#	
				±0.1pF	GRM0332C2A6R9BA01#	
				±0.25pF	GRM0332C2A6R9CA01#	
				±0.5pF	GRM0332C2A6R9DA01#	
			7.0pF	±0.05pF	GRM0332C2A7R0WA01#	
				±0.1pF	GRM0332C2A7R0BA01#	
				±0.25pF	GRM0332C2A7R0CA01#	
				±0.5pF	GRM0332C2A7R0DA01#	
			7.1pF	±0.05pF	GRM0332C2A7R1WA01#	
				±0.1pF	GRM0332C2A7R1BA01#	
				±0.25pF	GRM0332C2A7R1CA01#	
				±0.5pF	GRM0332C2A7R1DA01#	
			7.2pF	±0.05pF	GRM0332C2A7R2WA01#	
				±0.1pF	GRM0332C2A7R2BA01#	
				±0.25pF	GRM0332C2A7R2CA01#	
				±0.5pF	GRM0332C2A7R2DA01#	
			7.3pF	±0.05pF	GRM0332C2A7R3WA01#	
				±0.1pF	GRM0332C2A7R3BA01#	
				±0.25pF	GRM0332C2A7R3CA01#	
				±0.5pF	GRM0332C2A7R3DA01#	
			7.4pF	±0.05pF	GRM0332C2A7R4WA01#	
				±0.1pF	GRM0332C2A7R4BA01#	
				±0.25pF	GRM0332C2A7R4CA01#	
			7.5-5	±0.5pF	GRM0332C2A7R4DA01#	
			7.5pF	±0.05pF	GRM0332C2A7R5WA01#	
				±0.1pF	GRM0332C2A7R5BA01#	
				±0.25pF	GRM0332C2A7R5CA01#	
			70.5	±0.5pF	GRM0332C2A7R5DA01#	
			7.6pF	±0.05pF	GRM0332C2A7R6WA01#	
				±0.1pF	GRM0332C2A7R6BA01#	
				±0.25pF	GRM0332C2A7R6CA01#	
			7 7- 5	±0.5pF	GRM0332C2A7R6DA01#	
			7.7pF	±0.05pF	GRM0332C2A7R7WA01#	
				±0.1pF	GRM0332C2A7R7BA01#	
				±0.25pF	GRM0332C2A7R7CA01#	
			7 9nE	±0.5pF	GRM0332C2A7R7DA01#	
			7.8pF	±0.05pF ±0.1pF	GRM0332C2A7R8WA01# GRM0332C2A7R8BA01#	
				±0.1pF ±0.25pF	GRM0332C2A7R8CA01#	
				±0.25pF	GRM0332C2A7R8DA01#	
			7.9pF	±0.05pF	GRM0332C2A7R9WA01#	
				±0.1pF	GRM0332C2A7R9BA01#	
				±0.25pF	GRM0332C2A7R9CA01#	
				±0.5pF	GRM0332C2A7R9DA01#	
	<u> </u>		Part nur		cates the package specification	code.

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm 100Vdc	100Vdc	СН	8.0pF	±0.05pF	GRM0332C2A8R0WA01#
				±0.1pF	GRM0332C2A8R0BA01#
				±0.25pF	GRM0332C2A8R0CA01#
			±0.5pF	GRM0332C2A8R0DA01#	
			8.1pF	±0.05pF	GRM0332C2A8R1WA01#
				±0.1pF	GRM0332C2A8R1BA01#
				±0.25pF	GRM0332C2A8R1CA01#
				±0.5pF	GRM0332C2A8R1DA01#
			8.2pF	±0.05pF	GRM0332C2A8R2WA01#
				±0.1pF	GRM0332C2A8R2BA01#
				±0.25pF	GRM0332C2A8R2CA01#
				±0.5pF	GRM0332C2A8R2DA01#
			8.3pF	±0.05pF	GRM0332C2A8R3WA01#
			•	±0.1pF	GRM0332C2A8R3BA01#
				±0.25pF	GRM0332C2A8R3CA01#
				±0.5pF	GRM0332C2A8R3DA01#
			8.4pF	±0.05pF	GRM0332C2A8R4WA01#
			I-	±0.1pF	GRM0332C2A8R4BA01#
				±0.25pF	GRM0332C2A8R4CA01#
				±0.5pF	GRM0332C2A8R4DA01#
			8.5pF	±0.05pF	
			0.5рі	±0.1pF	GRM0332C2A8R5BA01#
				±0.25pF	
				±0.5pF	GRM0332C2A8R5DA01#
			8.6pF	±0.05pF	GRM0332C2A8R6WA01#
				±0.1pF	GRM0332C2A8R6BA01#
				±0.25pF	GRM0332C2A8R6CA01#
				±0.5pF	GRM0332C2A8R6DA01#
			8.7pF	±0.05pF	GRM0332C2A8R7WA01#
				±0.1pF	GRM0332C2A8R7BA01#
				±0.25pF	GRM0332C2A8R7CA01#
				±0.5pF	GRM0332C2A8R7DA01#
			9 9nE	±0.05pF	
			8.8pF	-	GRM0332C2A8R8WA01#
				±0.1pF ±0.25pF	GRM0332C2A8R8BA01# GRM0332C2A8R8CA01#
				±0.5pF	GRM0332C2A8R8DA01#
			9 0nE		
			8.9pF	±0.05pF	
				±0.1pF	GRM0332C2A8R9BA01#
				±0.25pF	
			0.0-5	±0.5pF	GRM0332C2A8R9DA01#
			9.0pF	±0.05pF	
				±0.1pF	GRM0332C2A9R0BA01#
				-	GRM0332C2A9R0CA01#
			0	±0.5pF	GRM0332C2A9R0DA01#
			9.1pF	-	GRM0332C2A9R1WA01#
				±0.1pF	GRM0332C2A9R1BA01#
				-	GRM0332C2A9R1CA01#
				±0.5pF	GRM0332C2A9R1DA01#
			9.2pF	±0.05pF	GRM0332C2A9R2WA01#
				±0.1pF	GRM0332C2A9R2BA01#
				±0.25pF	GRM0332C2A9R2CA01#
				±0.5pF	GRM0332C2A9R2DA01#
			9.3pF	±0.05pF	GRM0332C2A9R3WA01#
				±0.1pF	GRM0332C2A9R3BA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	100Vdc	СН	9.3pF	±0.25pF	GRM0332C2A9R3CA01#	
				±0.5pF	GRM0332C2A9R3DA01#	
			9.4pF	±0.05pF	GRM0332C2A9R4WA01#	
				±0.1pF	GRM0332C2A9R4BA01#	
				±0.25pF	GRM0332C2A9R4CA01#	
				±0.5pF	GRM0332C2A9R4DA01#	
			9.5pF	±0.05pF	GRM0332C2A9R5WA01#	
				±0.1pF	GRM0332C2A9R5BA01#	
				±0.25pF	GRM0332C2A9R5CA01#	
				±0.5pF	GRM0332C2A9R5DA01#	
			9.6pF	±0.05pF	GRM0332C2A9R6WA01#	
				±0.1pF	GRM0332C2A9R6BA01#	
				±0.25pF	GRM0332C2A9R6CA01#	
				±0.5pF	GRM0332C2A9R6DA01#	
			9.7pF	±0.05pF	GRM0332C2A9R7WA01#	
				±0.1pF	GRM0332C2A9R7BA01#	
				±0.25pF	GRM0332C2A9R7CA01#	
				±0.5pF	GRM0332C2A9R7DA01#	
			9.8pF	±0.05pF	GRM0332C2A9R8WA01#	
				±0.1pF	GRM0332C2A9R8BA01#	
				±0.25pF	GRM0332C2A9R8CA01#	
				±0.5pF	GRM0332C2A9R8DA01#	
			9.9pF	±0.05pF	GRM0332C2A9R9WA01#	
				±0.1pF	GRM0332C2A9R9BA01#	
				±0.25pF	GRM0332C2A9R9CA01#	
				±0.5pF	GRM0332C2A9R9DA01#	
			10pF	±2%	GRM0332C2A100GA01#	
				±5%	GRM0332C2A100JA01#	
			12pF	±2%	GRM0332C2A120GA01#	
			15pF	±5%	GRM0332C2A120JA01#	
				±2%	GRM0332C2A150GA01#	
				±5%	GRM0332C2A150JA01#	
	50Vdc	COG	0.10pF	±0.05pF	GRM0335C1HR10WA01#	
			0.20pF	±0.05pF	GRM0335C1HR20WA01#	
				±0.1pF	GRM0335C1HR20BA01#	
			0.30pF	±0.05pF	GRM0335C1HR30WA01#	
				±0.1pF	GRM0335C1HR30BA01#	
			0.40pF	±0.05pF	GRM0335C1HR40WA01#	
				±0.1pF	GRM0335C1HR40BA01#	
			0.50pF	±0.05pF	GRM0335C1HR50WA01#	
				±0.1pF	GRM0335C1HR50BA01#	
			0.60pF	±0.05pF	GRM0335C1HR60WA01#	
				±0.1pF	GRM0335C1HR60BA01#	
		0.70pF	±0.05pF	GRM0335C1HR70WA01#		
			±0.1pF	GRM0335C1HR70BA01#		
		0.80pF	±0.05pF	GRM0335C1HR80WA01#		
			±0.1pF	GRM0335C1HR80BA01#		
			0.90pF	±0.05pF	GRM0335C1HR90WA01#	
				±0.1pF	GRM0335C1HR90BA01#	
			1.0pF	±0.05pF	GRM0335C1H1R0WA01#	
				±0.1pF	GRM0335C1H1R0BA01#	
				±0.25pF	GRM0335C1H1R0CA01#	
			1.1pF	±0.05pF	GRM0335C1H1R1WA01#	
				±0.1pF	GRM0335C1H1R1BA01#	
			Part nun	nber # indic	cates the package specification of	code.

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
).33mm	50Vdc	COG	1.1pF	±0.25pF	GRM0335C1H1R1CA01#
			1.2pF	±0.05pF	GRM0335C1H1R2WA01#
				±0.1pF	GRM0335C1H1R2BA01#
				±0.25pF	GRM0335C1H1R2CA01#
			1.3pF	±0.05pF	GRM0335C1H1R3WA01#
				±0.1pF	GRM0335C1H1R3BA01#
				±0.25pF	GRM0335C1H1R3CA01#
			1.4pF	±0.05pF	
				±0.1pF	GRM0335C1H1R4BA01#
				±0.25pF	GRM0335C1H1R4CA01#
			1.5pF	±0.05pF	GRM0335C1H1R5WA01#
				±0.1pF	GRM0335C1H1R5BA01#
				±0.25pF	GRM0335C1H1R5CA01#
			1.6pF	±0.05pF	GRM0335C1H1R6WA01#
			1.001		
				±0.1pF	GRM0335C1H1R6BA01#
			4 7- 5	±0.25pF	GRM0335C1H1R6CA01#
			1.7pF	±0.05pF	
				±0.1pF	GRM0335C1H1R7BA01#
			=	±0.25pF	GRM0335C1H1R7CA01#
			1.8pF	±0.05pF	GRM0335C1H1R8WA01#
				±0.1pF	GRM0335C1H1R8BA01#
				±0.25pF	GRM0335C1H1R8CA01#
			1.9pF	±0.05pF	GRM0335C1H1R9WA01#
				±0.1pF	GRM0335C1H1R9BA01#
				±0.25pF	GRM0335C1H1R9CA01#
			2.0pF	±0.05pF	GRM0335C1H2R0WA01#
				±0.1pF	GRM0335C1H2R0BA01#
				±0.25pF	GRM0335C1H2R0CA01#
			2.1pF	±0.05pF	GRM0335C1H2R1WA01#
				±0.1pF	GRM0335C1H2R1BA01#
				±0.25pF	GRM0335C1H2R1CA01#
			2.2pF	±0.05pF	GRM0335C1H2R2WA01#
				±0.1pF	GRM0335C1H2R2BA01#
				±0.25pF	
			2.3pF	±0.05pF	
				±0.1pF	GRM0335C1H2R3BA01#
				±0.25pF	GRM0335C1H2R3CA01#
			2.4pF	±0.05pF	
			∠. - pi	±0.05pF	GRM0335C1H2R4BA01#
			2555	±0.25pF	
			2.5pF	±0.05pF	
				±0.1pF	GRM0335C1H2R5BA01#
				±0.25pF	GRM0335C1H2R5CA01#
			2.6pF	±0.05pF	GRM0335C1H2R6WA01#
				±0.1pF	GRM0335C1H2R6BA01#
				±0.25pF	GRM0335C1H2R6CA01#
			2.7pF	±0.05pF	GRM0335C1H2R7WA01#
				±0.1pF	GRM0335C1H2R7BA01#
				±0.25pF	GRM0335C1H2R7CA01#
			2.8pF	±0.05pF	GRM0335C1H2R8WA01#
				±0.1pF	GRM0335C1H2R8BA01#
				±0.25pF	GRM0335C1H2R8CA01#
			2.9pF	±0.05pF	GRM0335C1H2R9WA01#
	I	1		±0.1pF	GRM0335C1H2R9BA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	50Vdc	C0G	2.9pF	±0.25pF	GRM0335C1H2R9CA01#	
			3.0pF	±0.05pF	GRM0335C1H3R0WA01#	
				±0.1pF	GRM0335C1H3R0BA01#	
				±0.25pF	GRM0335C1H3R0CA01#	
			3.1pF	±0.05pF	GRM0335C1H3R1WA01#	
				±0.1pF	GRM0335C1H3R1BA01#	
				±0.25pF	GRM0335C1H3R1CA01#	
			3.2pF	±0.05pF	GRM0335C1H3R2WA01#	
				±0.1pF	GRM0335C1H3R2BA01#	
				±0.25pF	GRM0335C1H3R2CA01#	
			3.3pF	±0.05pF	GRM0335C1H3R3WA01#	
				±0.1pF	GRM0335C1H3R3BA01#	
				±0.25pF	GRM0335C1H3R3CA01#	
			3.4pF	±0.05pF	GRM0335C1H3R4WA01#	
				±0.1pF	GRM0335C1H3R4BA01#	
				±0.25pF	GRM0335C1H3R4CA01#	
			3.5pF	±0.05pF	GRM0335C1H3R5WA01#	
				±0.1pF	GRM0335C1H3R5BA01#	
				±0.25pF	GRM0335C1H3R5CA01#	
			3.6pF	±0.05pF	GRM0335C1H3R6WA01#	
				±0.1pF	GRM0335C1H3R6BA01#	
				±0.25pF	GRM0335C1H3R6CA01#	
			3.7pF	±0.05pF	GRM0335C1H3R7WA01#	
				±0.1pF	GRM0335C1H3R7BA01#	
				±0.25pF	GRM0335C1H3R7CA01#	
			3.8pF	±0.05pF	GRM0335C1H3R8WA01#	
				±0.1pF	GRM0335C1H3R8BA01#	
				±0.25pF	GRM0335C1H3R8CA01#	
			3.9pF	±0.05pF	GRM0335C1H3R9WA01#	
				±0.1pF	GRM0335C1H3R9BA01#	
				±0.25pF	GRM0335C1H3R9CA01#	
			4.0pF	±0.05pF	GRM0335C1H4R0WA01#	
				±0.1pF	GRM0335C1H4R0BA01#	
				±0.25pF	GRM0335C1H4R0CA01#	
			4.1pF	±0.05pF	GRM0335C1H4R1WA01#	
				±0.1pF	GRM0335C1H4R1BA01#	
				±0.25pF	GRM0335C1H4R1CA01#	
			4.2pF	±0.05pF	GRM0335C1H4R2WA01#	
				±0.1pF	GRM0335C1H4R2BA01#	
				±0.25pF	GRM0335C1H4R2CA01#	
			4.3pF	±0.05pF	GRM0335C1H4R3WA01#	
				±0.1pF	GRM0335C1H4R3BA01#	
				±0.25pF	GRM0335C1H4R3CA01#	
			4.4pF	±0.05pF	GRM0335C1H4R4WA01#	
				±0.1pF	GRM0335C1H4R4BA01#	
				±0.25pF	GRM0335C1H4R4CA01#	
			4.5pF	±0.05pF	GRM0335C1H4R5WA01#	
				±0.1pF	GRM0335C1H4R5BA01#	
				±0.25pF	GRM0335C1H4R5CA01#	
			4.6pF	±0.05pF	GRM0335C1H4R6WA01#	
				±0.1pF	GRM0335C1H4R6BA01#	
				±0.25pF	GRM0335C1H4R6CA01#	
			4.7pF	±0.05pF	GRM0335C1H4R7WA01#	
				±0.1pF	GRM0335C1H4R7BA01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
.33mm	_	COG	4.7pF	±0.25pF	GRM0335C1H4R7CA01#
			4.8pF	±0.05pF	GRM0335C1H4R8WA01#
			•	±0.1pF	GRM0335C1H4R8BA01#
				±0.25pF	GRM0335C1H4R8CA01#
			4.9pF	±0.05pF	GRM0335C1H4R9WA01#
				±0.1pF	GRM0335C1H4R9BA01#
				±0.25pF	GRM0335C1H4R9CA01#
			5.0pF	±0.05pF	GRM0335C1H5R0WA01#
			0.00.	±0.1pF	GRM0335C1H5R0BA01#
				±0.25pF	GRM0335C1H5R0CA01#
			5.1pF	±0.05pF	GRM0335C1H5R1WA01#
			J. 1 pi	±0.1pF	GRM0335C1H5R1BA01#
				±0.25pF	GRM0335C1H5R1CA01#
					GRM0335C1H5R1DA01#
			E On E	±0.5pF	GRM0335C1H5R2WA01#
			5.2pF	±0.05pF	
				±0.1pF	GRM0335C1H5R2BA01#
				±0.25pF	GRM0335C1H5R2CA01#
				±0.5pF	GRM0335C1H5R2DA01#
			5.3pF	±0.05pF	GRM0335C1H5R3WA01#
				±0.1pF	GRM0335C1H5R3BA01#
				±0.25pF	GRM0335C1H5R3CA01#
				±0.5pF	GRM0335C1H5R3DA01#
			5.4pF	±0.05pF	GRM0335C1H5R4WA01#
				±0.1pF	GRM0335C1H5R4BA01#
				±0.25pF	GRM0335C1H5R4CA01#
				±0.5pF	GRM0335C1H5R4DA01#
			5.5pF	±0.05pF	GRM0335C1H5R5WA01#
				±0.1pF	GRM0335C1H5R5BA01#
				±0.25pF	GRM0335C1H5R5CA01#
				±0.5pF	GRM0335C1H5R5DA01#
			5.6pF	±0.05pF	GRM0335C1H5R6WA01#
				±0.1pF	GRM0335C1H5R6BA01#
				±0.25pF	GRM0335C1H5R6CA01#
				±0.5pF	GRM0335C1H5R6DA01#
			5.7pF	±0.05pF	GRM0335C1H5R7WA01#
				±0.1pF	GRM0335C1H5R7BA01#
				±0.25pF	GRM0335C1H5R7CA01#
				±0.5pF	GRM0335C1H5R7DA01#
			5.8pF	±0.05pF	GRM0335C1H5R8WA01#
				±0.1pF	GRM0335C1H5R8BA01#
				±0.25pF	GRM0335C1H5R8CA01#
				±0.5pF	GRM0335C1H5R8DA01#
			5.9pF	±0.05pF	GRM0335C1H5R9WA01#
				±0.1pF	GRM0335C1H5R9BA01#
				±0.25pF	GRM0335C1H5R9CA01#
				±0.5pF	GRM0335C1H5R9DA01#
			6.0pF	±0.05pF	GRM0335C1H6R0WA01#
			-	±0.1pF	GRM0335C1H6R0BA01#
				±0.25pF	GRM0335C1H6R0CA01#
				±0.5pF	GRM0335C1H6R0DA01#
			6.1pF	±0.05pF	GRM0335C1H6R1WA01#
				±0.1pF	GRM0335C1H6R1BA01#
				±0.25pF	GRM0335C1H6R1CA01#
				±0.25pi	

Max. Voltage Code Cop. Tol. Part Number	_	D	то.				
### ### ##############################	T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
#.0.25pF GRM0335C1H6R2CA01# #.0.5pF GRM0335C1H6R3MA01# #.0.25pF GRM0335C1H6R3CA01# #.0.5pF GRM0335C1H6R3CA01# #.0.5pF GRM0335C1H6R3CA01# #.0.5pF GRM0335C1H6R3CA01# #.0.5pF GRM0335C1H6R4WA01# #.0.5pF GRM0335C1H6R4WA01# #.0.5pF GRM0335C1H6R5WA01# #.0.5pF GRM0335C1H6R5WA01# #.0.5pF GRM0335C1H6R5WA01# #.0.5pF GRM0335C1H6R5WA01# #.0.5pF GRM0335C1H6R5WA01# #.0.5pF GRM0335C1H6R5WA01# #.0.5pF GRM0335C1H6R6DA01# #.0.5pF GRM0335C1H6R7WA01# #.0.5pF GRM0335C1H6R7WA01# #.0.5pF GRM0335C1H6R8WA01# #.0.5pF GRM0335C1H6R8WA01# #.0.5pF GRM0335C1H6R8WA01# #.0.5pF GRM0335C1H6R8WA01# #.0.5pF GRM0335C1H6R8DA01# #.0.5pF GRM0335C1H6R8DA01# #.0.5pF GRM0335C1H6R9DA01# #.0.5pF GRM0335C1H7R0DA01# #.0.5pF GRM0335C1H7	0.33mm	50Vdc	COG	6.2pF	±0.05pF	GRM0335C1H6R2WA01#	
### ### ##############################					±0.1pF	GRM0335C1H6R2BA01#	
6.3pF					±0.25pF	GRM0335C1H6R2CA01#	
#0.1pF GRM0335C1H6R3BA01# ±0.5pF GRM0335C1H6R4WA01# ±0.5pF GRM0335C1H6R4WA01# ±0.1pF GRM0335C1H6R4BA01# ±0.5pF GRM0335C1H6R4BA01# ±0.5pF GRM0335C1H6R5WA01# ±0.5pF GRM0335C1H6R6WA01# ±0.5pF GRM0335C1H6R6WA01# ±0.5pF GRM0335C1H6R6WA01# ±0.5pF GRM0335C1H6R6WA01# ±0.5pF GRM0335C1H6R6WA01# ±0.5pF GRM0335C1H6R7WA01# ±0.5pF GRM0335C1H6R7WA01# ±0.5pF GRM0335C1H6R7WA01# ±0.5pF GRM0335C1H6R8WA01# ±0.5pF GRM0335C1H6R8WA01# ±0.5pF GRM0335C1H6R8WA01# ±0.5pF GRM0335C1H6R8WA01# ±0.5pF GRM0335C1H6RBA01# ±0.5pF GRM0335C1H6RBA01# ±0.5pF GRM0335C1H6RBA01# ±0.5pF GRM0335C1H6RBA01# ±0.5pF GRM0335C1H7R0WA01# ±0.5pF GRM0335C1H7R0WA01# ±0.5pF GRM0335C1H7R0A01# ±0.5pF GRM0335C1					±0.5pF	GRM0335C1H6R2DA01#	
#0.5pF GRM0335C1H6R3CA01# #0.5pF GRM0335C1H6R4WA01# #0.1pF GRM0335C1H6R4WA01# #0.5pF GRM0335C1H6R4CA01# #0.5pF GRM0335C1H6R4CA01# #0.5pF GRM0335C1H6R4DA01# #0.5pF GRM0335C1H6R5DA01# #0.5pF GRM0335C1H6R5DA01# #0.5pF GRM0335C1H6R5DA01# #0.5pF GRM0335C1H6R5DA01# #0.5pF GRM0335C1H6R5DA01# #0.5pF GRM0335C1H6R6BA01# #0.5pF GRM0335C1H6R6DA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7				6.3pF	±0.05pF	GRM0335C1H6R3WA01#	
## 10.5pF GRM0335C1H6R4WA01# # 10.5pF GRM0335C1H6R4WA01# # 10.5pF GRM0335C1H6R4CA01# # 10.5pF GRM0335C1H6R4DA01# # 10.5pF GRM0335C1H6R4DA01# # 10.5pF GRM0335C1H6R5WA01# # 10.5pF GRM0335C1H6R5DA01# # 10.5pF GRM0335C1H6R5DA01# # 10.5pF GRM0335C1H6R6BA01# # 10.5pF GRM0335C1H6R7BA01# # 10.5pF GRM0335C1H6R7BA01# # 10.5pF GRM0335C1H6R8WA01# # 10.5pF GRM0335C1H6R8WA01# # 10.5pF GRM0335C1H6R8BA01# # 10.5pF GRM0335C1H6R8BA01# # 10.5pF GRM0335C1H6R8BA01# # 10.5pF GRM0335C1H6RBA01# # 10.5pF GRM0335C1H6R9WA01# # 10.5pF GRM0335C1H6R9BA01# # 10.5pF GRM0335C1H6R9BA01# # 10.5pF GRM0335C1H7R0WA01# # 10.5pF GRM0335C1H7R0WA01# # 10.5pF GRM0335C1H7R0WA01# # 10.5pF GRM0335C1H7R0BA01# # 10.5pF GRM0335C1H7R1DA01# # 10.5pF GRM0335C1H7R3A01# # 10.5pF GRM0					±0.1pF	GRM0335C1H6R3BA01#	
6.4pF					±0.25pF	GRM0335C1H6R3CA01#	
### 10.1pF GRM0335C1H6R4BA01# ### 10.5pF GRM0335C1H6R5WA01# ### 10.5pF GRM0335C1H6R5WA01# ### 10.5pF GRM0335C1H6R5BA01# ### 10.5pF GRM0335C1H6R5BA01# ### 10.5pF GRM0335C1H6R6BA01# ### 10.5pF GRM0335C1H6R7BA01# ### 10.5pF GRM0335C1H6R7BA01# ### 10.5pF GRM0335C1H6R7BA01# ### 10.5pF GRM0335C1H6R8BA01# ### 10.5pF GRM0335C1H6R9BA01# ### 10.5pF GRM0335C1H6R9BA01# ### 10.5pF GRM0335C1H7R0WA01# ### 10.5pF GRM0335C1H7R0DA01# ### 10					±0.5pF	GRM0335C1H6R3DA01#	
#0.25pF GRM0335C1H6R4CA01# #0.5pF GRM0335C1H6R5WA01# #0.1pF GRM0335C1H6R5WA01# #0.5pF GRM0335C1H6R5WA01# #0.5pF GRM0335C1H6R5WA01# #0.5pF GRM0335C1H6R5WA01# #0.5pF GRM0335C1H6R5WA01# #0.5pF GRM0335C1H6R5WA01# #0.5pF GRM0335C1H6R6WA01# #0.5pF GRM0335C1H6R6WA01# #0.5pF GRM0335C1H6R6WA01# #0.5pF GRM0335C1H6R6WA01# #0.5pF GRM0335C1H6R6WA01# #0.5pF GRM0335C1H6R0WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H				6.4pF	±0.05pF	GRM0335C1H6R4WA01#	
### 10.5pF GRM0335C1H6R4DA01# #0.1pF GRM0335C1H6R5WA01# #0.25pF GRM0335C1H6R5WA01# #0.5pF GRM0335C1H6R5DA01# #0.5pF GRM0335C1H6R5DA01# #0.5pF GRM0335C1H6R6WA01# #0.1pF GRM0335C1H6R6WA01# #0.25pF GRM0335C1H6R6WA01# #0.25pF GRM0335C1H6R6BA01# #0.25pF GRM0335C1H6R6BA01# #0.25pF GRM0335C1H6R7WA01# #0.5pF GRM0335C1H6R7WA01# #0.5pF GRM0335C1H6R7DA01# #0.5pF GRM0335C1H6R7DA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3BA01# #0.5pF GRM0335C1H7R3BA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM035C1H7R3DA01# #0.5pF GRM035C1H7R3DA01# #0.5pF GRM035C1H7R3DA01# #0.5pF GRM035C1H7R4DA01# #0.5pF GRM035C1H7R4DA01# #0.5pF GRM035C1H7R4DA01# #0.5pF GRM035C1H7R4DA01# #0.5					±0.1pF	GRM0335C1H6R4BA01#	
6.5pF					±0.25pF	GRM0335C1H6R4CA01#	
#0.1pF GRM0335C1H6R5BA01# ±0.25pF GRM0335C1H6R6CA01# ±0.05pF GRM0335C1H6R6MA01# ±0.1pF GRM0335C1H6R6MA01# ±0.25pF GRM0335C1H6R6MA01# ±0.5pF GRM0335C1H6R6MA01# ±0.5pF GRM0335C1H6R6MA01# ±0.1pF GRM0335C1H6R6MA01# ±0.25pF GRM0335C1H6R7MA01# ±0.5pF GRM0335C1H6R7MA01# ±0.5pF GRM0335C1H6R8MA01# ±0.5pF GRM0335C1H6R8MA01# ±0.5pF GRM0335C1H6R8MA01# ±0.5pF GRM0335C1H6R8MA01# ±0.5pF GRM0335C1H6R8MA01# ±0.5pF GRM0335C1H6R9MA01# ±0.5pF GRM0335C1H6R9MA01# ±0.5pF GRM0335C1H6R9MA01# ±0.5pF GRM0335C1H6R9MA01# ±0.5pF GRM0335C1H6R9MA01# ±0.5pF GRM0335C1H6R9MA01# ±0.5pF GRM0335C1H7R0MA01# ±0.5pF GRM0335C1H7R0MA01# ±0.5pF GRM0335C1H7R0MA01# ±0.5pF GRM0335C1H7R0MA01# ±0.5pF GRM0335C1H7R1MA01# ±0.5pF GRM0335C1H7R2MA01# ±0.5pF GRM0335C1H7R2MA01# ±0.5pF GRM0335C1H7R2MA01# ±0.5pF GRM0335C1H7R2MA01# ±0.5pF GRM0335C1H7R2MA01# ±0.5pF GRM0335C1H7R3MA01# ±0					±0.5pF	GRM0335C1H6R4DA01#	
#0.25pF GRM0335C1H6R5CA01# #0.5pF GRM0335C1H6R6MA01# #0.25pF GRM0335C1H6R6MA01# #0.25pF GRM0335C1H6R6MA01# #0.5pF GRM0335C1H6R6MA01# #0.5pF GRM0335C1H6R6MA01# #0.25pF GRM0335C1H6R7WA01# #0.5pF GRM0335C1H6R7MA01# #0.5pF GRM0335C1H6R7MA01# #0.5pF GRM0335C1H6R7MA01# #0.5pF GRM0335C1H6R7MA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R9MA01# #0.5pF GRM0335C1H6R9MA01# #0.5pF GRM0335C1H7R0MA01# #0.5pF GRM0335C1H7R0MA01# #0.5pF GRM0335C1H7R0MA01# #0.5pF GRM0335C1H7R0MA01# #0.5pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R2MA01# #0.5pF GRM0335C1H7R2MA01# #0.5pF GRM0335C1H7R2MA01# #0.5pF GRM0335C1H7R2MA01# #0.5pF GRM0335C1H7R2MA01# #0.5pF GRM0335C1H7R2MA01# #0.5pF GRM0335C1H7R3MA01#				6.5pF	±0.05pF	GRM0335C1H6R5WA01#	
### 10.5pF GRM0335C1H6R6DA01# # 10.1pF GRM0335C1H6R6BA01# # 10.25pF GRM0335C1H6R6BA01# # 10.5pF GRM0335C1H6R6BA01# # 10.5pF GRM0335C1H6R6DA01# # 10.5pF GRM0335C1H6R6DA01# # 10.25pF GRM0335C1H6R7DA01# # 10.5pF GRM0335C1H6R7DA01# # 10.5pF GRM0335C1H6R8DA01# # 10.5pF GRM0335C1H6R9DA01# # 10.5pF GRM0335C1H6R9DA01# # 10.5pF GRM0335C1H6R9DA01# # 10.5pF GRM0335C1H7R0WA01# # 10.5pF GRM0335C1H7R1WA01# # 10.5pF GRM0335C1H7R1WA01# # 10.5pF GRM0335C1H7R1CA01# # 10.5pF GRM0335C1H7R3A01# # 10.5pF GRM0335C1H7R4WA01# # 10.5pF GRM0335C1H7R5WA01#					±0.1pF	GRM0335C1H6R5BA01#	
6.6pF					±0.25pF	GRM0335C1H6R5CA01#	
#0.1pF GRM0335C1H6R6BA01# #0.2pp GRM0335C1H6R6CA01# #0.5pF GRM0335C1H6R6DA01# #0.1pF GRM0335C1H6R7WA01# #0.1pF GRM0335C1H6R7DA01# #0.2pp GRM0335C1H6R7DA01# #0.5pF GRM0335C1H6R7DA01# #0.1pF GRM0335C1H6R8WA01# #0.1pF GRM0335C1H6R8WA01# #0.2pp GRM0335C1H6R8DA01# #0.2pp GRM0335C1H6R8DA01# #0.2pp GRM0335C1H6R8DA01# #0.1pF GRM0335C1H6R8DA01# #0.2pp GRM0335C1H6R9DA01# #0.2pp GRM0335C1H6R9DA01# #0.2pp GRM0335C1H6R9DA01# #0.2pp GRM0335C1H7R0WA01# #0.2pp GRM0335C1H7R0WA01# #0.2pp GRM0335C1H7R0WA01# #0.2pp GRM0335C1H7R0DA01# #0.2pp GRM0335C1H7R0DA01# #0.2pp GRM0335C1H7R1WA01# #0.2pp GRM0335C1H7R1WA01# #0.2pp GRM0335C1H7R1WA01# #0.2pp GRM0335C1H7R1DA01# #0.2pp GRM0335C1H7R2WA01# #0.5pp GRM0335C1H7R2WA01# #0.5pp GRM0335C1H7R2WA01# #0.5pp GRM0335C1H7R2WA01# #0.5pp GRM0335C1H7R3WA01# #0.5pp GRM0335C1H7R4WA01#					±0.5pF	GRM0335C1H6R5DA01#	
#0.25pF GRM0335C1H6R6CA01# #0.5pF GRM0335C1H6R7WA01# #0.25pF GRM0335C1H6R7DA01# #0.25pF GRM0335C1H6R8WA01# #0.25pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R5WA01# #0.5pF GRM0335C1H7R5WA01#				6.6pF	±0.05pF	GRM0335C1H6R6WA01#	
#0.5pF GRM0335C1H6R6DA01# #0.1pF GRM0335C1H6R7WA01# #0.25pF GRM0335C1H6R7DA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R8WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H6R9WA01# #0.5pF GRM0335C1H7R0WA01# #0.5pF GRM0335C1H					±0.1pF	GRM0335C1H6R6BA01#	
6.7pF ±0.05pF GRM0335C1H6R7WA01# ±0.1pF GRM0335C1H6R7BA01# ±0.25pF GRM0335C1H6R7DA01# ±0.5pF GRM0335C1H6R8BA01# ±0.5pF GRM0335C1H6R8BA01# ±0.25pF GRM0335C1H6R8BA01# ±0.5pF GRM0335C1H6R8BA01# ±0.5pF GRM0335C1H6R9BA01# ±0.5pF GRM0335C1H6R9BA01# ±0.5pF GRM0335C1H6R9BA01# ±0.5pF GRM0335C1H6R9BA01# ±0.5pF GRM0335C1H7R0BA01# ±0.5pF GR					±0.25pF	GRM0335C1H6R6CA01#	
#0.1pF GRM0335C1H6R7BA01# #0.5pF GRM0335C1H6R7BA01# #0.5pF GRM0335C1H6R8BA01# #0.5pF GRM0335C1H6R8BA01# #0.5pF GRM0335C1H6R8BA01# #0.5pF GRM0335C1H6R8BA01# #0.5pF GRM0335C1H6R8BA01# #0.5pF GRM0335C1H6R8BA01# #0.5pF GRM0335C1H6R9BA01# #0.5pF GRM0335C1H6R9BA01# #0.5pF GRM0335C1H6R9BA01# #0.5pF GRM0335C1H6R9BA01# #0.5pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R1BA01# #0.5pF GRM0335C1H7R1BA01# #0.5pF GRM0335C1H7R1BA01# #0.5pF GRM0335C1H7R2BA01# #0.5pF GRM0335C1H7R2BA01# #0.5pF GRM0335C1H7R2BA01# #0.5pF GRM0335C1H7R3BA01# #0.5pF GRM0335C1H7R4BA01#					±0.5pF	GRM0335C1H6R6DA01#	
#0.25pF GRM0335C1H6R7CA01# #0.5pF GRM0335C1H6R8WA01# #0.1pF GRM0335C1H6R8BA01# #0.25pF GRM0335C1H6R8BA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R8DA01# #0.5pF GRM0335C1H6R8DA01# #0.1pF GRM0335C1H6R9WA01# #0.1pF GRM0335C1H6R9BA01# #0.25pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.1pF GRM0335C1H7R0WA01# #0.1pF GRM0335C1H7R0DA01# #0.25pF GRM0335C1H7R0DA01# #0.25pF GRM0335C1H7R0DA01# #0.25pF GRM0335C1H7R1WA01# #0.25pF GRM0335C1H7R1WA01# #0.25pF GRM0335C1H7R1DA01# #0.25pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3BA01# #0.5pF GRM0335C1H7R3BA01# #0.5pF GRM0335C1H7R3BA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4BA01# #0.5pF GRM0335C1H7R4BA01# #0.5pF GRM0335C1H7R4BA01# #0.5pF GRM0335C1H7R4BA01# #0.5pF GRM0335C1H7R4BA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01#				6.7pF	±0.05pF	GRM0335C1H6R7WA01#	
### ### ##############################					±0.1pF	GRM0335C1H6R7BA01#	
6.8pF ±0.05pF GRM0335C1H6R8WA01# ±0.25pF GRM0335C1H6R8BA01# ±0.25pF GRM0335C1H6R8DA01# ±0.5pF GRM0335C1H6R8DA01# ±0.5pF GRM0335C1H6R9WA01# ±0.25pF GRM0335C1H6R9DA01# ±0.25pF GRM0335C1H6R9DA01# ±0.25pF GRM0335C1H6R9DA01# ±0.25pF GRM0335C1H7R0DA01# ±0.25pF GRM0335C1H7R0DA01# ±0.5pF GRM0335C1H7R0DA01# ±0.5pF GRM0335C1H7R0DA01# ±0.5pF GRM0335C1H7R1DA01# ±0.25pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R4DA01#					±0.25pF	GRM0335C1H6R7CA01#	
#0.1pF GRM0335C1H6R8BA01# #0.25pF GRM0335C1H6R8CA01# #0.5pF GRM0335C1H6R8DA01# #0.1pF GRM0335C1H6R9WA01# #0.1pF GRM0335C1H6R9BA01# #0.25pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H7R0WA01# #0.1pF GRM0335C1H7R0BA01# #0.25pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R1WA01# #0.1pF GRM0335C1H7R1WA01# #0.25pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4DA01#					±0.5pF	GRM0335C1H6R7DA01#	
#0.25pF GRM0335C1H6R8CA01# #0.5pF GRM0335C1H6R8DA01# #0.1pF GRM0335C1H6R9BA01# #0.25pF GRM0335C1H6R9BA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H7R0WA01# #0.1pF GRM0335C1H7R0BA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.1pF GRM0335C1H7R1WA01# #0.1pF GRM0335C1H7R1WA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4DA01#				6.8pF	±0.05pF	GRM0335C1H6R8WA01#	
### ### ##############################					±0.1pF	GRM0335C1H6R8BA01#	
6.9pF ±0.05pF GRM0335C1H6R9WA01# ±0.25pF GRM0335C1H6R9BA01# ±0.25pF GRM0335C1H6R9DA01# ±0.5pF GRM0335C1H7R0WA01# ±0.05pF GRM0335C1H7R0WA01# ±0.25pF GRM0335C1H7R0DA01# ±0.5pF GRM0335C1H7R0DA01# ±0.5pF GRM0335C1H7R0DA01# ±0.25pF GRM0335C1H7R1WA01# ±0.25pF GRM0335C1H7R1WA01# ±0.25pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R2WA01# ±0.5pF GRM0335C1H7R2WA01# ±0.5pF GRM0335C1H7R2DA01# ±0.25pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R3WA01# ±0.5pF GRM0335C1H7R3WA01# ±0.5pF GRM0335C1H7R3WA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R4WA01# ±0.5pF GRM0335C1H7R4WA01# ±0.5pF GRM0335C1H7R4DA01# ±0.5pF GRM0335C1H7R4DA01# ±0.5pF GRM0335C1H7R4DA01# ±0.5pF GRM0335C1H7R4DA01# ±0.5pF GRM0335C1H7R4DA01#					±0.25pF	GRM0335C1H6R8CA01#	
#0.1pF GRM0335C1H6R9BA01# #0.25pF GRM0335C1H6R9DA01# #0.5pF GRM0335C1H7R0WA01# #0.1pF GRM0335C1H7R0WA01# #0.25pF GRM0335C1H7R0BA01# #0.25pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R1WA01# #0.1pF GRM0335C1H7R1WA01# #0.25pF GRM0335C1H7R1DA01# #0.25pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2WA01# #0.25pF GRM0335C1H7R2DA01# #0.25pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.25pF GRM0335C1H7R4DA01# #0.25pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01#					±0.5pF	GRM0335C1H6R8DA01#	
# ±0.25pF GRM0335C1H6R9CA01# # ±0.5pF GRM0335C1H7R0WA01# # ±0.1pF GRM0335C1H7R0DA01# # ±0.25pF GRM0335C1H7R0DA01# # ±0.5pF GRM0335C1H7R0DA01# # ±0.5pF GRM0335C1H7R0DA01# # ±0.5pF GRM0335C1H7R1WA01# # ±0.25pF GRM0335C1H7R1DA01# # ±0.5pF GRM0335C1H7R1DA01# # ±0.5pF GRM0335C1H7R1DA01# # ±0.5pF GRM0335C1H7R2WA01# # ±0.5pF GRM0335C1H7R2WA01# # ±0.5pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R3WA01# # ±0.5pF GRM0335C1H7R3WA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R4WA01# # ±0.5pF GRM0335C1H7R4WA01# # ±0.5pF GRM0335C1H7R4WA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4DA01# # ±0.5pF GRM0335C1H7R5WA01# # ±0.5pF GRM0335C1H7R4DA01# # ±0.5pF GRM0335C1H7R5WA01#				6.9pF	±0.05pF	GRM0335C1H6R9WA01#	
#0.5pF GRM0335C1H6R9DA01# #0.05pF GRM0335C1H7R0WA01# #0.1pF GRM0335C1H7R0CA01# #0.5pF GRM0335C1H7R0DA01# #0.5pF GRM0335C1H7R0DA01# #0.1pF GRM0335C1H7R1WA01# #0.1pF GRM0335C1H7R1BA01# #0.25pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01#					±0.1pF	GRM0335C1H6R9BA01#	
7.0pF ±0.05pF GRM0335C1H7R0WA01# ±0.1pF GRM0335C1H7R0BA01# ±0.25pF GRM0335C1H7R0DA01# ±0.5pF GRM0335C1H7R1WA01# ±0.1pF GRM0335C1H7R1BA01# ±0.5pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R2WA01# ±0.1pF GRM0335C1H7R2WA01# ±0.5pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R3WA01# ±0.1pF GRM0335C1H7R3WA01# ±0.1pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R4WA01# ±0.5pF GRM0335C1H7R4WA01# ±0.5pF GRM0335C1H7R4WA01# ±0.5pF GRM0335C1H7R4DA01#					±0.25pF	GRM0335C1H6R9CA01#	
#0.1pF GRM0335C1H7R0BA01# #0.25pF GRM0335C1H7R0CA01# #0.5pF GRM0335C1H7R1WA01# #0.1pF GRM0335C1H7R1WA01# #0.25pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.1pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2WA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3WA01# #0.5pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4DA01#					±0.5pF	GRM0335C1H6R9DA01#	
# ±0.25pF GRM0335C1H7R0CA01# # ±0.5pF GRM0335C1H7R1WA01# # ±0.1pF GRM0335C1H7R1DA01# # ±0.25pF GRM0335C1H7R1DA01# # ±0.5pF GRM0335C1H7R1DA01# # ±0.5pF GRM0335C1H7R2WA01# # ±0.1pF GRM0335C1H7R2WA01# # ±0.25pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R3WA01# # ±0.5pF GRM0335C1H7R3WA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R4WA01# # ±0.5pF GRM0335C1H7R4WA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4DA01# # ±0.5pF GRM0335C1H7R5WA01# # ±0.5pF GRM035C1H7R5WA01# # ±0.5pF GRM035C1H7R5WA01# # ±0.5pF GRM035C1H7R5WA01# # ±0.5pF GRM035C1H7R5WA01# # ±				7.0pF	±0.05pF	GRM0335C1H7R0WA01#	
#0.5pF GRM0335C1H7R0DA01# 7.1pF #0.05pF GRM0335C1H7R1WA01# #0.1pF GRM0335C1H7R1BA01# #0.25pF GRM0335C1H7R1DA01# #0.5pF GRM0335C1H7R1DA01# #0.1pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2BA01# #0.25pF GRM0335C1H7R2CA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3BA01# #0.25pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01#					±0.1pF	GRM0335C1H7R0BA01#	
7.1pF ±0.05pF GRM0335C1H7R1WA01# ±0.1pF GRM0335C1H7R1BA01# ±0.25pF GRM0335C1H7R1DA01# ±0.5pF GRM0335C1H7R1DA01# 7.2pF ±0.05pF GRM0335C1H7R2WA01# ±0.1pF GRM0335C1H7R2BA01# ±0.25pF GRM0335C1H7R2DA01# ±0.5pF GRM0335C1H7R3WA01# ±0.1pF GRM0335C1H7R3WA01# ±0.1pF GRM0335C1H7R3WA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4WA01# ±0.5pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4DA01#					±0.25pF	GRM0335C1H7R0CA01#	
#0.1pF GRM0335C1H7R1BA01# #0.25pF GRM0335C1H7R1CA01# #0.5pF GRM0335C1H7R1DA01# 7.2pF #0.05pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2BA01# #0.5pF GRM0335C1H7R2CA01# #0.5pF GRM0335C1H7R2DA01# #0.5pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3BA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4DA01#					±0.5pF	GRM0335C1H7R0DA01#	
# ±0.25pF GRM0335C1H7R1CA01# # ±0.5pF GRM0335C1H7R1DA01# # ±0.05pF GRM0335C1H7R2WA01# # ±0.1pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R2DA01# # ±0.5pF GRM0335C1H7R3WA01# # ±0.1pF GRM0335C1H7R3DA01# # ±0.25pF GRM0335C1H7R3DA01# # ±0.5pF GRM0335C1H7R3DA01# # ±0.05pF GRM0335C1H7R4WA01# # ±0.1pF GRM0335C1H7R4WA01# # ±0.25pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4CA01# # ±0.5pF GRM0335C1H7R4DA01# # ±0.05pF GRM0335C1H7R5WA01#				7.1pF	±0.05pF	GRM0335C1H7R1WA01#	
#0.5pF GRM0335C1H7R1DA01# 7.2pF #0.05pF GRM0335C1H7R2WA01# #0.1pF GRM0335C1H7R2BA01# #0.25pF GRM0335C1H7R2CA01# #0.5pF GRM0335C1H7R2DA01# #0.1pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3BA01# #0.25pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R3DA01# #0.5pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4WA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01#					±0.1pF	GRM0335C1H7R1BA01#	
7.2pF ±0.05pF GRM0335C1H7R2WA01# ±0.1pF GRM0335C1H7R2BA01# ±0.25pF GRM0335C1H7R2CA01# ±0.5pF GRM0335C1H7R2DA01# ±0.05pF GRM0335C1H7R3WA01# ±0.1pF GRM0335C1H7R3BA01# ±0.25pF GRM0335C1H7R3CA01# ±0.5pF GRM0335C1H7R3DA01# ±0.5pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4WA01# ±0.25pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4DA01# ±0.5pF GRM0335C1H7R4DA01#					±0.25pF	GRM0335C1H7R1CA01#	
#0.1pF GRM0335C1H7R2BA01# #0.25pF GRM0335C1H7R2CA01# #0.5pF GRM0335C1H7R2DA01# 7.3pF #0.05pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3BA01# #0.25pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R3DA01# 7.4pF #0.05pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4BA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01#					±0.5pF	GRM0335C1H7R1DA01#	
±0.25pF GRM0335C1H7R2CA01# ±0.5pF GRM0335C1H7R2DA01# 7.3pF ±0.05pF GRM0335C1H7R3WA01# ±0.1pF GRM0335C1H7R3BA01# ±0.25pF GRM0335C1H7R3CA01# ±0.5pF GRM0335C1H7R3DA01# 7.4pF ±0.05pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4BA01# ±0.25pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4DA01# ±0.5pF GRM0335C1H7R4DA01#				7.2pF	±0.05pF	GRM0335C1H7R2WA01#	
#0.5pF GRM0335C1H7R2DA01# 7.3pF #0.05pF GRM0335C1H7R3WA01# #0.1pF GRM0335C1H7R3BA01# #0.25pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R3DA01# #0.05pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4BA01# #0.25pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01# #0.5pF GRM0335C1H7R4DA01#					±0.1pF	GRM0335C1H7R2BA01#	
7.3pF ±0.05pF GRM0335C1H7R3WA01# ±0.1pF GRM0335C1H7R3BA01# ±0.25pF GRM0335C1H7R3CA01# ±0.5pF GRM0335C1H7R3DA01# 7.4pF ±0.05pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4BA01# ±0.25pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4DA01#					±0.25pF	GRM0335C1H7R2CA01#	
#0.1pF GRM0335C1H7R3BA01# #0.25pF GRM0335C1H7R3CA01# #0.5pF GRM0335C1H7R3DA01# 7.4pF #0.05pF GRM0335C1H7R4WA01# #0.1pF GRM0335C1H7R4BA01# #0.25pF GRM0335C1H7R4CA01# #0.5pF GRM0335C1H7R4DA01# 7.5pF #0.05pF GRM0335C1H7R5WA01#					±0.5pF	GRM0335C1H7R2DA01#	
±0.25pF GRM0335C1H7R3CA01# ±0.5pF GRM0335C1H7R3DA01# 7.4pF ±0.05pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4BA01# ±0.25pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4DA01# 7.5pF ±0.05pF GRM0335C1H7R5WA01#				7.3pF	±0.05pF	GRM0335C1H7R3WA01#	
# ±0.5pF GRM0335C1H7R3DA01# 7.4pF					±0.1pF	GRM0335C1H7R3BA01#	
7.4pF ±0.05pF GRM0335C1H7R4WA01# ±0.1pF GRM0335C1H7R4BA01# ±0.25pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4DA01# 7.5pF ±0.05pF GRM0335C1H7R5WA01#					±0.25pF	GRM0335C1H7R3CA01#	
±0.1pF					±0.5pF	GRM0335C1H7R3DA01#	
±0.25pF GRM0335C1H7R4CA01# ±0.5pF GRM0335C1H7R4DA01# 7.5pF ±0.05pF GRM0335C1H7R5WA01#				7.4pF	±0.05pF	GRM0335C1H7R4WA01#	
±0.5pF GRM0335C1H7R4DA01# 7.5pF ±0.05pF GRM0335C1H7R5WA01#					±0.1pF	GRM0335C1H7R4BA01#	
7.5pF ±0.05pF GRM0335C1H7R5WA01#					±0.25pF	GRM0335C1H7R4CA01#	
					±0.5pF	GRM0335C1H7R4DA01#	
±0.1pF GRM0335C1H7R5BA01#				7.5pF	±0.05pF	GRM0335C1H7R5WA01#	
					±0.1pF	GRM0335C1H7R5BA01#	

0.33mm 50Vdc

max.

Rated

Voltage

<u>(→</u> ■ 0	.6×0.3ı	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	50Vdc	COG	7.5pF	±0.25pF	GRM0335C1H7R5CA01#
				±0.5pF	GRM0335C1H7R5DA01#
			7.6pF	±0.05pF	GRM0335C1H7R6WA01#
				±0.1pF	GRM0335C1H7R6BA01#
				±0.25pF	GRM0335C1H7R6CA01#
				±0.5pF	GRM0335C1H7R6DA01#
			7.7pF	±0.05pF	GRM0335C1H7R7WA01#
				±0.1pF	GRM0335C1H7R7BA01#
				±0.25pF	GRM0335C1H7R7CA01#
				±0.5pF	GRM0335C1H7R7DA01#
			7.8pF	±0.05pF	GRM0335C1H7R8WA01#
				±0.1pF	GRM0335C1H7R8BA01#
				±0.25pF	GRM0335C1H7R8CA01#
				±0.5pF	GRM0335C1H7R8DA01#
			7.9pF	±0.05pF	GRM0335C1H7R9WA01#
				±0.1pF	GRM0335C1H7R9BA01#
				±0.25pF	GRM0335C1H7R9CA01#
				±0.5pF	GRM0335C1H7R9DA01#
			8.0pF	±0.05pF	GRM0335C1H8R0WA01#
				±0.1pF	GRM0335C1H8R0BA01#
				±0.25pF	GRM0335C1H8R0CA01#
				±0.5pF	GRM0335C1H8R0DA01#
			8.1pF	±0.05pF	GRM0335C1H8R1WA01#
				±0.1pF	GRM0335C1H8R1BA01#
				±0.25pF	GRM0335C1H8R1CA01#
				±0.5pF	GRM0335C1H8R1DA01#
			8.2pF	±0.05pF	GRM0335C1H8R2WA01#
				±0.1pF	GRM0335C1H8R2BA01#
				±0.25pF	GRM0335C1H8R2CA01#
				±0.5pF	GRM0335C1H8R2DA01#
			8.3pF	±0.05pF	GRM0335C1H8R3WA01#
				±0.1pF	GRM0335C1H8R3BA01#
				±0.25pF	GRM0335C1H8R3CA01#
				±0.5pF	GRM0335C1H8R3DA01#
			8.4pF	±0.05pF	GRM0335C1H8R4WA01#
				±0.1pF	GRM0335C1H8R4BA01#
				±0.25pF	GRM0335C1H8R4CA01#
				±0.5pF	GRM0335C1H8R4DA01#
			8.5pF	±0.05pF	GRM0335C1H8R5WA01#
				±0.1pF	GRM0335C1H8R5BA01#
				±0.25pF	GRM0335C1H8R5CA01#
				±0.5pF	GRM0335C1H8R5DA01#
			8.6pF	±0.05pF	GRM0335C1H8R6WA01#
				±0.1pF	GRM0335C1H8R6BA01#
				±0.25pF	
			.	±0.5pF	GRM0335C1H8R6DA01#
			8.7pF	±0.05pF	GRM0335C1H8R7WA01#
				±0.1pF	GRM0335C1H8R7BA01#
				±0.25pF	GRM0335C1H8R7CA01#
			00.5	±0.5pF	GRM0335C1H8R7DA01#
			8.8pF	±0.05pF	GRM0335C1H8R8WA01#
				±0.1pF	GRM0335C1H8R8BA01#
				±0.25pF	GRM0335C1H8R8CA01#
				±0.5pF	GRM0335C1H8R8DA01#

TC Code	Cap.	Tol.	Part Number
COG	8.9pF	±0.05pF	GRM0335C1H8R9WA01#
		±0.1pF	GRM0335C1H8R9BA01#
		±0.25pF	GRM0335C1H8R9CA01#
		±0.5pF	GRM0335C1H8R9DA01#
	9.0pF	±0.05pF	GRM0335C1H9R0WA01#
		±0.1pF	GRM0335C1H9R0BA01#
		±0.25pF	GRM0335C1H9R0CA01#
		±0.5pF	GRM0335C1H9R0DA01#
	9.1pF	±0.05pF	GRM0335C1H9R1WA01#
		±0.1pF	GRM0335C1H9R1BA01#
		±0.25pF	GRM0335C1H9R1CA01#
		±0.5pF	GRM0335C1H9R1DA01#
	9.2pF	±0.05pF	GRM0335C1H9R2WA01#
		±0.1pF	GRM0335C1H9R2BA01#
		±0.25pF	GRM0335C1H9R2CA01#
		±0.5pF	GRM0335C1H9R2DA01#
	9.3pF	±0.05pF	GRM0335C1H9R3WA01#
		±0.1pF	GRM0335C1H9R3BA01#
		±0.25pF	GRM0335C1H9R3CA01#
		±0.5pF	GRM0335C1H9R3DA01#
	9.4pF	±0.05pF	GRM0335C1H9R4WA01#
		±0.1pF	GRM0335C1H9R4BA01#
		±0.25pF	GRM0335C1H9R4CA01#
		±0.5pF	GRM0335C1H9R4DA01#
	9.5pF	±0.05pF	GRM0335C1H9R5WA01#
		±0.1pF	GRM0335C1H9R5BA01#
		±0.25pF	GRM0335C1H9R5CA01#
		±0.5pF	GRM0335C1H9R5DA01#
	9.6pF	±0.05pF	GRM0335C1H9R6WA01#
	•	±0.1pF	GRM0335C1H9R6BA01#
		±0.25pF	GRM0335C1H9R6CA01#
		±0.5pF	GRM0335C1H9R6DA01#
	9.7pF	±0.05pF	GRM0335C1H9R7WA01#
	•	±0.1pF	GRM0335C1H9R7BA01#
		±0.25pF	GRM0335C1H9R7CA01#
		±0.5pF	GRM0335C1H9R7DA01#
	9.8pF	±0.05pF	GRM0335C1H9R8WA01#
	·	±0.1pF	GRM0335C1H9R8BA01#
		±0.25pF	GRM0335C1H9R8CA01#
		±0.5pF	GRM0335C1H9R8DA01#
	9.9pF	±0.05pF	GRM0335C1H9R9WA01#
	-	±0.1pF	GRM0335C1H9R9BA01#
		±0.25pF	GRM0335C1H9R9CA01#
		±0.5pF	GRM0335C1H9R9DA01#
	10pF	±2%	GRM0335C1H100GA01#
	-1-1	±5%	GRM0335C1H100JA01#
	12pF	±2%	GRM0335C1H120GA01#
		±5%	GRM0335C1H120JA01#
	15pF	±2%	GRM0335C1H150GA01#
	.001	±5%	GRM0335C1H150JA01#
	18pF	±2%	GRM0335C1H180GA01#
	iopi	±5%	GRM0335C1H180JA01#
	22pF	±2%	GRM0335C1H180JA01#
	ZZPF	±5%	GRM0335C1H220JA01#
	Dort nur	l .	cates the package specification code

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
.33mm	50Vdc	COG	27pF	±2%	GRM0335C1H270GA01#
				±5%	GRM0335C1H270JA01#
			33pF	±2%	GRM0335C1H330GA01#
				±5%	GRM0335C1H330JA01#
			39pF	±2%	GRM0335C1H390GA01#
				±5%	GRM0335C1H390JA01#
			47pF	±2%	GRM0335C1H470GA01#
				±5%	GRM0335C1H470JA01#
			56pF	±2%	GRM0335C1H560GA01#
				±5%	GRM0335C1H560JA01#
			68pF	±2%	GRM0335C1H680GA01#
				±5%	GRM0335C1H680JA01#
			82pF	±2%	GRM0335C1H820GA01#
			J-pi	±5%	GRM0335C1H820JA01#
			100pF	±2%	GRM0335C1H101GA01#
				±5%	GRM0335C1H101JA01#
			120pF	±2%	GRM0335C1H121GA01#
			12001	±5%	GRM0335C1H121JA01#
			150pF	±2%	GRM0335C1H151GA01#
			ТООРТ	±5%	GRM0335C1H151JA01#
			180pF	±2%	GRM0335C1H181GA01#
			Тоорг	±5%	GRM0335C1H181JA01#
			22055	±2%	GRM0335C1H221GA01#
			220pF		
		CK	0.105	±5%	GRM0335C1H221JA01#
		CK	0.10pF	±0.05pF	GRM0334C1HR10WA01#
			0.20pF	±0.05pF	GRM0334C1HR20WA01#
			0.30pF	±0.1pF	GRM0334C1HR20BA01#
			0.30pF	±0.05pF	GRM0334C1HR30WA01#
				±0.1pF	GRM0334C1HR30BA01#
			0.40pF	±0.05pF	GRM0334C1HR40WA01#
				±0.1pF	GRM0334C1HR40BA01#
			0.50pF	±0.05pF	GRM0334C1HR50WA01#
				±0.1pF	GRM0334C1HR50BA01#
			0.60pF	±0.05pF	GRM0334C1HR60WA01#
				±0.1pF	GRM0334C1HR60BA01#
			0.70pF	±0.05pF	GRM0334C1HR70WA01#
				±0.1pF	GRM0334C1HR70BA01#
			0.80pF	±0.05pF	GRM0334C1HR80WA01#
				±0.1pF	GRM0334C1HR80BA01#
			0.90pF	±0.05pF	GRM0334C1HR90WA01#
				±0.1pF	GRM0334C1HR90BA01#
			1.0pF	±0.05pF	GRM0334C1H1R0WA01#
				±0.1pF	GRM0334C1H1R0BA01#
				±0.25pF	GRM0334C1H1R0CA01#
			1.1pF	±0.05pF	GRM0334C1H1R1WA01#
				±0.1pF	GRM0334C1H1R1BA01#
				±0.25pF	GRM0334C1H1R1CA01#
			1.2pF	±0.05pF	GRM0334C1H1R2WA01#
			-	±0.1pF	GRM0334C1H1R2BA01#
				±0.25pF	GRM0334C1H1R2CA01#
			1.3pF	±0.05pF	GRM0334C1H1R3WA01#
			- 14.	±0.1pF	GRM0334C1H1R3BA01#
				±0.25pF	GRM0334C1H1R3CA01#
			1.4pF	±0.05pF	GRM0334C1H1R4WA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	50Vdc	СК	1.4pF	±0.1pF	GRM0334C1H1R4BA01#	
				±0.25pF	GRM0334C1H1R4CA01#	
			1.5pF	±0.05pF	GRM0334C1H1R5WA01#	
				±0.1pF	GRM0334C1H1R5BA01#	
				±0.25pF	GRM0334C1H1R5CA01#	
			1.6pF	±0.05pF	GRM0334C1H1R6WA01#	
				±0.1pF	GRM0334C1H1R6BA01#	
				±0.25pF	GRM0334C1H1R6CA01#	
			1.7pF	±0.05pF	GRM0334C1H1R7WA01#	
				±0.1pF	GRM0334C1H1R7BA01#	
				±0.25pF	GRM0334C1H1R7CA01#	
			1.8pF	±0.05pF	GRM0334C1H1R8WA01#	
				±0.1pF	GRM0334C1H1R8BA01#	
				±0.25pF	GRM0334C1H1R8CA01#	
			1.9pF	±0.05pF	GRM0334C1H1R9WA01#	
				±0.1pF	GRM0334C1H1R9BA01#	
				±0.25pF	GRM0334C1H1R9CA01#	
			2.0pF	±0.05pF	GRM0334C1H2R0WA01#	
				±0.1pF	GRM0334C1H2R0BA01#	
			- · -	±0.25pF	GRM0334C1H2R0CA01#	
		CJ	2.1pF	±0.05pF	GRM0333C1H2R1WA01#	
				±0.1pF	GRM0333C1H2R1BA01#	
			0.0-5	±0.25pF	GRM0333C1H2R1CA01#	
			2.2pF	±0.05pF	GRM0333C1H2R2WA01#	
				±0.1pF	GRM0333C1H2R2BA01#	
			2 2nE	±0.25pF	GRM0333C1H2R2CA01# GRM0333C1H2R3WA01#	
			2.3pF	±0.05pF ±0.1pF	GRM0333C1H2R3BA01#	
				±0.1pi	GRM0333C1H2R3CA01#	
			2.4pF	±0.05pF	GRM0333C1H2R4WA01#	
			2. ipi	±0.1pF	GRM0333C1H2R4BA01#	
				±0.25pF	GRM0333C1H2R4CA01#	
			2.5pF	±0.05pF	GRM0333C1H2R5WA01#	
				±0.1pF	GRM0333C1H2R5BA01#	
				±0.25pF	GRM0333C1H2R5CA01#	
			2.6pF	±0.05pF	GRM0333C1H2R6WA01#	
				±0.1pF	GRM0333C1H2R6BA01#	
				±0.25pF	GRM0333C1H2R6CA01#	
			2.7pF	±0.05pF	GRM0333C1H2R7WA01#	
				±0.1pF	GRM0333C1H2R7BA01#	
				±0.25pF	GRM0333C1H2R7CA01#	
			2.8pF	±0.05pF	GRM0333C1H2R8WA01#	
				±0.1pF	GRM0333C1H2R8BA01#	
				±0.25pF	GRM0333C1H2R8CA01#	
			2.9pF	±0.05pF	GRM0333C1H2R9WA01#	
				±0.1pF	GRM0333C1H2R9BA01#	
				±0.25pF	GRM0333C1H2R9CA01#	
			3.0pF	±0.05pF	GRM0333C1H3R0WA01#	
				±0.1pF	GRM0333C1H3R0BA01#	
				±0.25pF	GRM0333C1H3R0CA01#	
			3.1pF	±0.05pF	GRM0333C1H3R1WA01#	
				±0.1pF	GRM0333C1H3R1BA01#	
				±0.25pF	GRM0333C1H3R1CA01#	
			3.2pF	±0.05pF	GRM0333C1H3R2WA01#	

GRM Series

GJM Series

GMA Series

GMD Series GQM Series

GRJ Series

GRM Series Temperature Compensating Type Part Number List

0.33mm 50Vdc

max.

Rated

Voltage

$(\rightarrow \blacksquare 0.6 \times 0.3 \text{mm})$

(→ ■ 0	.6×0.3ı	nm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.33mm	50Vdc	CJ	3.2pF	±0.1pF	GRM0333C1H3R2BA01#
				±0.25pF	GRM0333C1H3R2CA01#
			3.3pF	±0.05pF	GRM0333C1H3R3WA01#
				±0.1pF	GRM0333C1H3R3BA01#
				±0.25pF	GRM0333C1H3R3CA01#
			3.4pF	±0.05pF	GRM0333C1H3R4WA01#
				±0.1pF	GRM0333C1H3R4BA01#
				±0.25pF	GRM0333C1H3R4CA01#
			3.5pF	±0.05pF	GRM0333C1H3R5WA01#
				±0.1pF	GRM0333C1H3R5BA01#
				±0.25pF	GRM0333C1H3R5CA01#
			3.6pF	±0.05pF	GRM0333C1H3R6WA01#
				±0.1pF	GRM0333C1H3R6BA01#
				±0.25pF	GRM0333C1H3R6CA01#
			3.7pF	±0.05pF	GRM0333C1H3R7WA01#
				±0.1pF	GRM0333C1H3R7BA01#
				±0.25pF	GRM0333C1H3R7CA01#
			3.8pF	±0.05pF	GRM0333C1H3R8WA01#
				±0.1pF	GRM0333C1H3R8BA01#
				±0.25pF	GRM0333C1H3R8CA01#
			3.9pF	±0.05pF	GRM0333C1H3R9WA01#
				±0.1pF	GRM0333C1H3R9BA01#
				±0.25pF	GRM0333C1H3R9CA01#
		СН	4.0pF	±0.05pF	GRM0332C1H4R0WA01#
				±0.1pF	GRM0332C1H4R0BA01#
				±0.25pF	GRM0332C1H4R0CA01#
			4.1pF	±0.05pF	GRM0332C1H4R1WA01#
				±0.1pF	GRM0332C1H4R1BA01#
				±0.25pF	GRM0332C1H4R1CA01#
			4.2pF	±0.05pF	GRM0332C1H4R2WA01#
				±0.1pF	GRM0332C1H4R2BA01#
				±0.25pF	GRM0332C1H4R2CA01#
			4.3pF	±0.05pF	GRM0332C1H4R3WA01#
				±0.1pF	GRM0332C1H4R3BA01#
				±0.25pF	GRM0332C1H4R3CA01#
			4.4pF	±0.05pF	GRM0332C1H4R4WA01#
				±0.1pF	GRM0332C1H4R4BA01#
				±0.25pF	GRM0332C1H4R4CA01#
			4.5pF	±0.05pF	
				±0.1pF	GRM0332C1H4R5BA01#
				±0.25pF	GRM0332C1H4R5CA01#
			4.6pF	±0.05pF	GRM0332C1H4R6WA01#
				±0.1pF	GRM0332C1H4R6BA01#
				-	GRM0332C1H4R6CA01#
			4.7pF	±0.05pF	
				±0.1pF	GRM0332C1H4R7BA01#
			1 0 r F	±0.25pF	
			4.8pF	±0.05pF	
				±0.1pF	GRM0332C1H4R8BA01#
			4.9pF	±0.25pF ±0.05pF	GRM0332C1H4R8CA01# GRM0332C1H4R9WA01#
			4.5pr	±0.05pF	GRM0332C1H4R9WA01#
				±0.1pF	GRM0332C1H4R9CA01#
			5.0pF	±0.25pF	GRM0332C1H5R0WA01#
			J.0pi	_0.00pi	

TC Code	Cap.	Tol.	Part Number	
СН	5.0pF	±0.1pF	GRM0332C1H5R0BA01#	
		±0.25pF	GRM0332C1H5R0CA01#	
	5.1pF	±0.05pF	GRM0332C1H5R1WA01#	
		±0.1pF	GRM0332C1H5R1BA01#	
		±0.25pF	GRM0332C1H5R1CA01#	
		±0.5pF	GRM0332C1H5R1DA01#	
	5.2pF	±0.05pF	GRM0332C1H5R2WA01#	
		±0.1pF	GRM0332C1H5R2BA01#	
		±0.25pF	GRM0332C1H5R2CA01#	
		±0.5pF	GRM0332C1H5R2DA01#	
	5.3pF	±0.05pF	GRM0332C1H5R3WA01#	
		±0.1pF	GRM0332C1H5R3BA01#	
		±0.25pF	GRM0332C1H5R3CA01#	
		±0.5pF	GRM0332C1H5R3DA01#	
	5.4pF	±0.05pF	GRM0332C1H5R4WA01#	
		±0.1pF	GRM0332C1H5R4BA01#	
		±0.25pF	GRM0332C1H5R4CA01#	
		±0.5pF	GRM0332C1H5R4DA01#	
	5.5pF	±0.05pF	GRM0332C1H5R5WA01#	
		±0.1pF	GRM0332C1H5R5BA01#	
		±0.25pF	GRM0332C1H5R5CA01#	
		±0.5pF	GRM0332C1H5R5DA01#	
	5.6pF	±0.05pF	GRM0332C1H5R6WA01#	
		±0.1pF	GRM0332C1H5R6BA01#	
		±0.25pF	GRM0332C1H5R6CA01#	
		±0.5pF	GRM0332C1H5R6DA01#	
	5.7pF	±0.05pF	GRM0332C1H5R7WA01#	
		±0.1pF	GRM0332C1H5R7BA01#	
		±0.25pF	GRM0332C1H5R7CA01#	
		±0.5pF	GRM0332C1H5R7DA01#	
	5.8pF	±0.05pF	GRM0332C1H5R8WA01#	
	·	±0.1pF	GRM0332C1H5R8BA01#	
		±0.25pF	GRM0332C1H5R8CA01#	
		±0.5pF	GRM0332C1H5R8DA01#	
	5.9pF	±0.05pF	GRM0332C1H5R9WA01#	
		±0.1pF	GRM0332C1H5R9BA01#	
		±0.25pF	GRM0332C1H5R9CA01#	
		±0.5pF	GRM0332C1H5R9DA01#	
	6.0pF	±0.05pF	GRM0332C1H6R0WA01#	
	·	±0.1pF	GRM0332C1H6R0BA01#	
		±0.25pF	GRM0332C1H6R0CA01#	
		±0.5pF	GRM0332C1H6R0DA01#	
	6.1pF	±0.05pF	GRM0332C1H6R1WA01#	
		±0.1pF	GRM0332C1H6R1BA01#	
		±0.25pF	GRM0332C1H6R1CA01#	
		±0.5pF	GRM0332C1H6R1DA01#	
	6.2pF	±0.05pF	GRM0332C1H6R2WA01#	
		±0.1pF	GRM0332C1H6R2BA01#	
		±0.25pF	GRM0332C1H6R2CA01#	
		±0.5pF	GRM0332C1H6R2DA01#	
	6.3pF	±0.05pF	GRM0332C1H6R3WA01#	
		±0.1pF	GRM0332C1H6R3BA01#	
		±0.25pF	GRM0332C1H6R3CA01#	
		±0.5pF	GRM0332C1H6R3DA01#	
	Part nun		cates the package specification	code.

max. Voltage Code Cap. 101. Part number	Т	.6×0.3	тс	_		
### ### ### ### ### ### ### ### ### ##			l	Сар.	Tol.	Part Number
#0.25pF GRM0332C1H6R4CA01# #0.5pF GRM0332C1H6R5BA01# #0.25pF GRM0332C1H6R5DA01# #0.25pF GRM0332C1H6R5DA01# #0.25pF GRM0332C1H6R6DA01# #0.25pF GRM0332C1H6R7DA01# #0.25pF GRM0332C1H6R7DA01# #0.25pF GRM0332C1H6R8DA01# #0.25pF GRM0332C1H6R9DA01# #0.25pF GRM0332C1H6R9DA01# #0.25pF GRM0332C1H6R9DA01# #0.25pF GRM0332C1H6R9DA01# #0.25pF GRM0332C1H7R0DA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R2DA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R5DA01# #0.25pF GRM0332C1H7R5DA01# #0.25pF GRM0332C1H7R5DA01# #0.25pF GRM0332C1H7R6DA01# #0.25pF GRM0332C1H7R6DA01# #0.25pF GRM0332C1H7R6D	0.33mm	50Vdc	СН	6.4pF	±0.05pF	GRM0332C1H6R4WA01#
#0.5pF #0.05pF				±0.1pF	GRM0332C1H6R4BA01#	
6.5pF					±0.25pF	GRM0332C1H6R4CA01#
#0.1pF GRM0332C1H6R5DA01# #0.5pF GRM0332C1H6R5DA01# #0.5pF GRM0332C1H6R6DA01# #0.5pF GRM0332C1H6R6DA01# #0.5pF GRM0332C1H6R6DA01# #0.5pF GRM0332C1H6R6DA01# #0.5pF GRM0332C1H6R6DA01# #0.5pF GRM0332C1H6R7DA01# #0.5pF GRM0332C1H6R7DA01# #0.5pF GRM0332C1H6R7CA01# #0.5pF GRM0332C1H6R7DA01# #0.5pF GRM0332C1H6R7DA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7					±0.5pF	GRM0332C1H6R4DA01#
#0.25pF GRM0332C1H6R5CA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R7BA01# #0.5pF GRM0332C1H6R7BA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R6BA01# #0.5pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R9BA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H				6.5pF	±0.05pF	GRM0332C1H6R5WA01#
#0.5pF GRM0332C1H6R6DA01# #0.1pF GRM0332C1H6R6CA01# #0.5pF GRM0332C1H6R6CA01# #0.5pF GRM0332C1H6R6CA01# #0.5pF GRM0332C1H6R7A01# #0.5pF GRM0332C1H6R7CA01# #0.5pF GRM0332C1H6R7CA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0WA01# #0.1pF GRM0332C1H7R0WA01# #0.1pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF					±0.1pF	GRM0332C1H6R5BA01#
6.6pF ±0.05pF dRM0332C1H6R6WA01# ±0.25pF dRM0332C1H6R6DA01# ±0.5pF dRM0332C1H6R6DA01# ±0.05pF dRM0332C1H6R6DA01# ±0.05pF dRM0332C1H6R7A001# ±0.05pF dRM0332C1H6R8DA01# ±0.05pF dRM0332C1H6R9DA01# ±0.05pF dRM0332C1H6R9DA01# ±0.05pF dRM0332C1H6R9DA01# ±0.05pF dRM0332C1H7R0DA01# ±0.05pF dRM0332C1H7R0DA01# ±0.05pF dRM0332C1H7R0DA01# ±0.05pF dRM0332C1H7R0DA01# ±0.05pF dRM0332C1H7R0DA01# ±0.05pF dRM0332C1H7R0DA01# ±0.05pF dRM0332C1H7R1BA01# ±0.05pF dRM0332C1H7R1BA01# ±0.05pF dRM0332C1H7R1BA01# ±0.05pF dRM0332C1H7R1BA01# ±0.05pF dRM0332C1H7R2DA01# ±0.05pF dRM0332C1H7R2DA01# ±0.05pF dRM0332C1H7R3DA01# ±0.05pF dRM0332					±0.25pF	GRM0332C1H6R5CA01#
#0.1pF GRM0332C1H6R6BA01# #0.25pF GRM0332C1H6R6CA01# #0.5pF GRM0332C1H6R7DA01# #0.5pF GRM0332C1H6R7DA01# #0.5pF GRM0332C1H6R7DA01# #0.5pF GRM0332C1H6R8DA01# #0.25pF GRM0332C1H6R8DA01# #0.25pF GRM0332C1H6R8DA01# #0.25pF GRM0332C1H6R8DA01# #0.25pF GRM0332C1H6R8DA01# #0.25pF GRM0332C1H6R8DA01# #0.25pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0					±0.5pF	GRM0332C1H6R5DA01#
#0.25pF GRM0332C1H6R6CA01# #0.5pF GRM0332C1H6R6DA01# #0.25pF GRM0332C1H6R7WA01# #0.25pF GRM0332C1H6R7WA01# #0.25pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332				6.6pF	±0.05pF	GRM0332C1H6R6WA01#
#0.5pF GRM0332C1H6R6DA01# #0.25pF GRM0332C1H6R7WA01# #0.25pF GRM0332C1H6R8WA01# #0.25pF GRM0332C1H6R9WA01# #0.25pF GRM0332C1H6R9WA01# #0.25pF GRM0332C1H6R9WA01# #0.25pF GRM0332C1H6R9WA01# #0.25pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R6WA01#					±0.1pF	GRM0332C1H6R6BA01#
6.7pF ±0.05pF GRM0332C1H6R7WA01# ±0.25pF GRM0332C1H6R8WA01# ±0.5pF GRM0332C1H6R8WA01# ±0.25pF GRM0332C1H6R8WA01# ±0.25pF GRM0332C1H6R8WA01# ±0.25pF GRM0332C1H6R8WA01# ±0.25pF GRM0332C1H6R8WA01# ±0.25pF GRM0332C1H6R9WA01# ±0.25pF GRM0332C1H6R9WA01# ±0.5pF GRM0332C1H6R9WA01# ±0.5pF GRM0332C1H6R9WA01# ±0.5pF GRM0332C1H6R9WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.1pF GRM0332C1H7R0WA01# ±0.1pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R2WA01# ±0.5pF GRM0332C1H7R2WA01# ±0.5pF GRM0332C1H7R2WA01# ±0.5pF GRM0332C1H7R3CA01# ±0.5pF GRM0332C1H7R3WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5					±0.25pF	GRM0332C1H6R6CA01#
#0.1pF GRM0332C1H6R7BA01# #0.25pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R3MA01# #0.5pF GRM0332C1H7R3MA01# #0.5pF GRM0332C1H7R3MA01# #0.5pF GRM0332C1H7R3MA01# #0.5pF GRM0332C1H7R3MA01# #0.5pF GRM0332C1H7R3MA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H					±0.5pF	GRM0332C1H6R6DA01#
#0.25pF GRM0332C1H6R7CA01# #0.5pF GRM0332C1H6R8WA01# #0.1pF GRM0332C1H6R8WA01# #0.25pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R8WA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H6R9WA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0WA01# #0.25pF GRM0332C1H7R0WA01# #0.25pF GRM0332C1H7R0WA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R1WA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R3WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R6DA01#				6.7pF	±0.05pF	GRM0332C1H6R7WA01#
#0.5pF GRM0332C1H6R7DA01# #0.1pF GRM0332C1H6R8BA01# #0.25pF GRM0332C1H6R8BA01# #0.5pF GRM0332C1H6R8DA01# #0.5pF GRM0332C1H6R8DA01# #0.1pF GRM0332C1H6R9WA01# #0.25pF GRM0332C1H6R9WA01# #0.25pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0WA01# #0.1pF GRM0332C1H7R0WA01# #0.25pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.1pF GRM0332C1H7R1DA01# #0.1pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R0DA01#					±0.1pF	GRM0332C1H6R7BA01#
6.8pF ±0.05pF GRM0332C1H6R8WA01# ±0.1pF GRM0332C1H6R8DA01# ±0.5pF GRM0332C1H6R8DA01# ±0.5pF GRM0332C1H6R9WA01# ±0.25pF GRM0332C1H6R9WA01# ±0.5pF GRM0332C1H6R9WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.1pF GRM0332C1H7R0WA01# ±0.25pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R0WA01# ±0.5pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R2WA01# ±0.5pF GRM0332C1H7R2WA01# ±0.5pF GRM0332C1H7R2WA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4DA01# ±0.5pF GRM0332C1H7R4DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R6DA01# ±0.5pF GR					±0.25pF	GRM0332C1H6R7CA01#
#0.1pF GRM0332C1H6R8BA01# ±0.25pF GRM0332C1H6R8CA01# ±0.5pF GRM0332C1H6R8DA01# ±0.1pF GRM0332C1H6R9WA01# ±0.25pF GRM0332C1H6R9DA01# ±0.25pF GRM0332C1H6R9DA01# ±0.25pF GRM0332C1H7R0WA01# ±0.25pF GRM0332C1H7R0WA01# ±0.25pF GRM0332C1H7R0DA01# ±0.25pF GRM0332C1H7R0DA01# ±0.25pF GRM0332C1H7R0DA01# ±0.25pF GRM0332C1H7R1WA01# ±0.25pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.5pF GRM0332C1H7R3WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R0MA01# ±0.5pF GRM0332C1H					±0.5pF	GRM0332C1H6R7DA01#
#0.1pF GRM0332C1H6R8BA01# ±0.25pF GRM0332C1H6R8CA01# ±0.5pF GRM0332C1H6R8DA01# ±0.1pF GRM0332C1H6R9WA01# ±0.25pF GRM0332C1H6R9DA01# ±0.25pF GRM0332C1H6R9DA01# ±0.25pF GRM0332C1H7R0WA01# ±0.25pF GRM0332C1H7R0WA01# ±0.25pF GRM0332C1H7R0DA01# ±0.25pF GRM0332C1H7R0DA01# ±0.25pF GRM0332C1H7R0DA01# ±0.25pF GRM0332C1H7R1WA01# ±0.25pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R1WA01# ±0.5pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.5pF GRM0332C1H7R3WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R0MA01# ±0.5pF GRM0332C1H				6.8pF		
#0.25pF GRM0332C1H6R8CA01# #0.5pF GRM0332C1H6R9WA01# #0.1pF GRM0332C1H6R9BA01# #0.25pF GRM0332C1H6R9BA01# #0.25pF GRM0332C1H6R9CA01# #0.5pF GRM0332C1H6R9DA01# #0.5pF GRM0332C1H7R0WA01# #0.25pF GRM0332C1H7R0WA01# #0.25pF GRM0332C1H7R0BA01# #0.25pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.1pF GRM0332C1H7R0A01# #0.25pF GRM0332C1H7R1WA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R2WA01# #0.1pF GRM0332C1H7R2WA01# #0.25pF GRM0332C1H7R2DA01# #0.25pF GRM0332C1H7R2DA01# #0.25pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R4WA01# #0.25pF GRM0332C1H7R4WA01# #0.25pF GRM0332C1H7R4DA01# #0.25pF GRM0332C1H7R4DA01# #0.25pF GRM0332C1H7R5BA01# #0.25pF GRM0332C1H7R5BA01# #0.25pF GRM0332C1H7R5BA01# #0.25pF GRM0332C1H7R5DA01# #0.25pF GRM0332C1H7R6BA01#				•		
#0.5pF GRM0332C1H6R8DA01# #0.1pF GRM0332C1H6R9WA01# #0.25pF GRM0332C1H6R9BA01# #0.25pF GRM0332C1H6R9DA01# #0.05pF GRM0332C1H7R0WA01# #0.1pF GRM0332C1H7R0WA01# #0.25pF GRM0332C1H7R0BA01# #0.25pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.1pF GRM0332C1H7R1WA01# #0.1pF GRM0332C1H7R1WA01# #0.25pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.1pF GRM0332C1H7R2WA01# #0.25pF GRM0332C1H7R2WA01# #0.25pF GRM0332C1H7R2DA01# #0.25pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3BA01# #0.25pF GRM0332C1H7R3WA01# #0.5pF GRM0332C1H7R3WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R5BA01# #0.5pF GRM0332C1H7R5BA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6DA01#					-	
6.9pF					-	
#0.1pF GRM0332C1H6R9BA01# #0.25pF GRM0332C1H6R9DA01# #0.05pF GRM0332C1H7R0WA01# #0.1pF GRM0332C1H7R0BA01# #0.25pF GRM0332C1H7R0BA01# #0.25pF GRM0332C1H7R0DA01# #0.25pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R0DA01# #0.1pF GRM0332C1H7R1WA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R2WA01# #0.25pF GRM0332C1H7R2DA01# #0.25pF GRM0332C1H7R2DA01# #0.25pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R4WA01# #0.25pF GRM0332C1H7R4WA01# #0.25pF GRM0332C1H7R4DA01# #0.25pF GRM0332C1H7R4DA01# #0.25pF GRM0332C1H7R4DA01# #0.25pF GRM0332C1H7R5DA01# #0.25pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6DA01#				6.9pF	-	
#0.25pF GRM0332C1H6R9CA01# #0.5pF GRM0332C1H7R0WA01# #0.1pF GRM0332C1H7R0EA01# #0.25pF GRM0332C1H7R0EA01# #0.25pF GRM0332C1H7R0EA01# #0.5pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R1WA01# #0.25pF GRM0332C1H7R1BA01# #0.25pF GRM0332C1H7R1EA01# #0.5pF GRM0332C1H7R1EA01# #0.5pF GRM0332C1H7R1EA01# #0.1pF GRM0332C1H7R1DA01# #0.1pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2BA01# #0.5pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3DA01# #0.25pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM033C1H7R5WA01# #0.5pF GRM033C1H7R5WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6A01#						
#0.5pF GRM0332C1H7R0WA01# #0.05pF GRM033C1H7R0WA01# #0.25pF GRM033C1H7R0CA01# #0.5pF GRM033C1H7R0DA01# #0.5pF GRM033C1H7R0DA01# #0.1pF GRM033C1H7R1WA01# #0.1pF GRM033C1H7R1WA01# #0.25pF GRM033C1H7R1DA01# #0.5pF GRM033C1H7R1DA01# #0.5pF GRM033C1H7R1DA01# #0.5pF GRM033C1H7R1DA01# #0.1pF GRM033C1H7R2WA01# #0.25pF GRM033C1H7R2DA01# #0.5pF GRM033C1H7R2DA01# #0.5pF GRM033C1H7R3WA01# #0.5pF GRM033C1H7R3WA01# #0.5pF GRM033C1H7R3CA01# #0.5pF GRM033C1H7R3CA01# #0.5pF GRM033C1H7R3CA01# #0.5pF GRM033C1H7R3DA01# #0.5pF GRM033C1H7R4WA01# #0.5pF GRM033C1H7R4WA01# #0.5pF GRM033C1H7R4WA01# #0.5pF GRM033C1H7R4WA01# #0.5pF GRM033C1H7R5WA01# #0.5pF GRM033C1H7R5WA01# #0.5pF GRM033C1H7R5WA01# #0.5pF GRM033C1H7R5DA01# #0.5pF GRM033C1H7R5DA01# #0.5pF GRM033C1H7R5DA01# #0.5pF GRM033C1H7R5DA01# #0.5pF GRM033C1H7R5DA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6WA01# #0.5pF GRM033C1H7R6CA01# #0.5pF GRM033C1H7R6CA01# #0.5pF GRM033C1H7R6DA01#						
### ### ##############################					-	
#0.1pF GRM0332C1H7R0BA01# #0.25pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R1WA01# #0.1pF GRM0332C1H7R1WA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R2WA01# #0.1pF GRM0332C1H7R2WA01# #0.1pF GRM0332C1H7R2WA01# #0.25pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3CA01# #0.25pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.1pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01#				7 0nF	-	
#0.25pF GRM0332C1H7R0DA01# #0.5pF GRM0332C1H7R1WA01# #0.1pF GRM0332C1H7R1BA01# #0.25pF GRM0332C1H7R1DA01# #0.25pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6DA01#				7.0pi	-	
#0.5pF GRM0332C1H7R0DA01# #0.1pF GRM0332C1H7R1BA01# #0.25pF GRM0332C1H7R1BA01# #0.5pF GRM0332C1H7R1DA01# #0.5pF GRM0332C1H7R2WA01# #0.1pF GRM0332C1H7R2WA01# #0.25pF GRM0332C1H7R2WA01# #0.5pF GRM0332C1H7R2CA01# #0.5pF GRM0332C1H7R2CA01# #0.5pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3WA01# #0.5pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3CA01# #0.1pF GRM0332C1H7R4WA01# #0.1pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4CA01# #0.5pF GRM0332C1H7R4CA01# #0.5pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R6DA01# #0.1pF GRM0332C1H7R6DA01# #0.1pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01#						
7.1pF ±0.05pF GRM0332C1H7R1WA01# ±0.25pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R2WA01# ±0.1pF GRM0332C1H7R2WA01# ±0.25pF GRM0332C1H7R2DA01# ±0.5pF GRM0332C1H7R2DA01# ±0.5pF GRM0332C1H7R2DA01# ±0.1pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R6DA01#					-	
#0.1pF GRM0332C1H7R1BA01# ±0.25pF GRM0332C1H7R1DA01# ±0.5pF GRM0332C1H7R2WA01# ±0.1pF GRM0332C1H7R2BA01# ±0.25pF GRM0332C1H7R2DA01# ±0.5pF GRM0332C1H7R3WA01# ±0.1pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3WA01# ±0.25pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.1pF GRM0332C1H7R4WA01# ±0.1pF GRM0332C1H7R4WA01# ±0.1pF GRM0332C1H7R4DA01# ±0.25pF GRM0332C1H7R4DA01# ±0.5pF GRM0332C1H7R4DA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R6DA01# ±				7.1nE	-	
#0.25pF GRM0332C1H7R1CA01# #0.5pF GRM0332C1H7R1DA01# 7.2pF #0.05pF GRM0332C1H7R2WA01# #0.1pF GRM0332C1H7R2BA01# #0.5pF GRM0332C1H7R2CA01# #0.5pF GRM0332C1H7R2DA01# 7.3pF #0.05pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3WA01# #0.25pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3DA01# 7.4pF #0.05pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01#				7.1pr		
#0.5pF GRM0332C1H7R1DA01# #0.05pF GRM0332C1H7R2WA01# #0.1pF GRM0332C1H7R2BA01# #0.5pF GRM0332C1H7R2DA01# #0.5pF GRM0332C1H7R3WA01# #0.05pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3WA01# #0.5pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4WA01# #0.1pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4WA01# #0.5pF GRM0332C1H7R4CA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6DA01#					-	
7.2pF ±0.05pF GRM0332C1H7R2WA01# ±0.1pF GRM0332C1H7R2CA01# ±0.5pF GRM0332C1H7R2DA01# ±0.5pF GRM0332C1H7R3WA01# ±0.1pF GRM0332C1H7R3WA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.5pF GRM0332C1H7R3DA01# ±0.1pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4WA01# ±0.5pF GRM0332C1H7R4DA01# ±0.5pF GRM0332C1H7R4DA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5WA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R6BA01# ±0.5pF GRM0332C1H7R6DA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01#					-	
#0.1pF GRM0332C1H7R2BA01# #0.25pF GRM0332C1H7R2CA01# #0.5pF GRM0332C1H7R2DA01# #0.1pF GRM0332C1H7R3BA01# #0.25pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R4DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R7WA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5				70.5	-	
#0.25pF GRM0332C1H7R2CA01# #0.5pF GRM0332C1H7R2DA01# 7.3pF #0.05pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3BA01# #0.25pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3DA01# 7.4pF #0.05pF GRM0332C1H7R4WA01# #0.1pF GRM0332C1H7R4BA01# #0.25pF GRM0332C1H7R4CA01# #0.5pF GRM0332C1H7R4DA01# 7.5pF #0.05pF GRM0332C1H7R5WA01# #0.1pF GRM0332C1H7R5WA01# #0.25pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R6CA01#				7.2pF	-	
#0.5pF GRM0332C1H7R2DA01# #0.05pF GRM0332C1H7R3WA01# #0.1pF GRM0332C1H7R3BA01# #0.5pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3DA01# #0.5pF GRM0332C1H7R4WA01# #0.1pF GRM0332C1H7R4BA01# #0.5pF GRM0332C1H7R4CA01# #0.5pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5WA01# #0.1pF GRM0332C1H7R5WA01# #0.5pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R6DA01#					-	
7.3pF ±0.05pF GRM0332C1H7R3WA01# ±0.1pF GRM0332C1H7R3BA01# ±0.25pF GRM0332C1H7R3CA01# ±0.5pF GRM0332C1H7R3DA01# 7.4pF ±0.05pF GRM0332C1H7R4WA01# ±0.1pF GRM0332C1H7R4BA01# ±0.25pF GRM0332C1H7R4CA01# ±0.5pF GRM0332C1H7R4DA01# 7.5pF ±0.05pF GRM0332C1H7R5WA01# ±0.1pF GRM0332C1H7R5WA01# ±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R6WA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01#					-	
#0.1pF GRM0332C1H7R3BA01# #0.25pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3DA01# #0.1pF GRM0332C1H7R4WA01# #0.1pF GRM0332C1H7R4BA01# #0.25pF GRM0332C1H7R4CA01# #0.5pF GRM0332C1H7R4DA01# #0.1pF GRM0332C1H7R5WA01# #0.1pF GRM0332C1H7R5WA01# #0.1pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R5DA01# #0.5pF GRM0332C1H7R6WA01# #0.1pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6WA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6DA01# #0.5pF GRM0332C1H7R7WA01#					-	
#0.25pF GRM0332C1H7R3CA01# #0.5pF GRM0332C1H7R3DA01# 7.4pF #0.05pF GRM0332C1H7R4WA01# #0.1pF GRM0332C1H7R4BA01# #0.25pF GRM0332C1H7R4CA01# #0.5pF GRM0332C1H7R4DA01# 7.5pF #0.05pF GRM0332C1H7R5WA01# #0.1pF GRM0332C1H7R5BA01# #0.25pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R5CA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6BA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01# #0.5pF GRM0332C1H7R6CA01#				7.3pF		
#0.5pF GRM0332C1H7R3DA01# 7.4pF ±0.05pF GRM0332C1H7R4WA01# ±0.1pF GRM0332C1H7R4BA01# ±0.25pF GRM0332C1H7R4CA01# ±0.5pF GRM0332C1H7R4DA01# 7.5pF ±0.05pF GRM0332C1H7R5WA01# ±0.1pF GRM0332C1H7R5WA01# ±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6WA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# ±0.5pF GRM0332C1H7R6DA01# ±0.5pF GRM0332C1H7R6DA01#						
7.4pF ±0.05pF GRM0332C1H7R4WA01# ±0.1pF GRM0332C1H7R4BA01# ±0.25pF GRM0332C1H7R4CA01# ±0.5pF GRM0332C1H7R4DA01# 7.5pF ±0.05pF GRM0332C1H7R5WA01# ±0.1pF GRM0332C1H7R5BA01# ±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R5DA01# 7.6pF ±0.05pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6WA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# 7.7pF ±0.05pF GRM0332C1H7R7WA01#					-	
±0.1pF GRM0332C1H7R4BA01# ±0.25pF GRM0332C1H7R4CA01# ±0.5pF GRM0332C1H7R4DA01# 7.5pF ±0.05pF GRM0332C1H7R5WA01# ±0.1pF GRM0332C1H7R5BA01# ±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R5DA01# ±0.5pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6BA01# ±0.1pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01#					-	
±0.25pF GRM0332C1H7R4CA01# ±0.5pF GRM0332C1H7R4DA01# 7.5pF ±0.05pF GRM0332C1H7R5WA01# ±0.1pF GRM0332C1H7R5BA01# ±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R5DA01# 7.6pF ±0.05pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6BA01# ±0.25pF GRM0332C1H7R6BA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01#				7.4pF	-	
#0.5pF GRM0332C1H7R4DA01#					±0.1pF	GRM0332C1H7R4BA01#
7.5pF ±0.05pF GRM0332C1H7R5WA01# ±0.1pF GRM0332C1H7R5BA01# ±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R5DA01# 7.6pF ±0.05pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6BA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# 7.7pF ±0.05pF GRM0332C1H7R7WA01#					±0.25pF	GRM0332C1H7R4CA01#
±0.1pF GRM0332C1H7R5BA01# ±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R5DA01# 7.6pF ±0.05pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6BA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# ±0.5pF GRM0332C1H7R7WA01#					±0.5pF	GRM0332C1H7R4DA01#
±0.25pF GRM0332C1H7R5CA01# ±0.5pF GRM0332C1H7R5DA01# 7.6pF ±0.05pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6BA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# 7.7pF ±0.05pF GRM0332C1H7R7WA01#				7.5pF	±0.05pF	GRM0332C1H7R5WA01#
±0.5pF GRM0332C1H7R5DA01# 7.6pF ±0.05pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6BA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# 7.7pF ±0.05pF GRM0332C1H7R7WA01#					±0.1pF	GRM0332C1H7R5BA01#
7.6pF ±0.05pF GRM0332C1H7R6WA01# ±0.1pF GRM0332C1H7R6BA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# 7.7pF ±0.05pF GRM0332C1H7R7WA01#					±0.25pF	GRM0332C1H7R5CA01#
±0.1pF GRM0332C1H7R6BA01# ±0.25pF GRM0332C1H7R6CA01# ±0.5pF GRM0332C1H7R6DA01# 7.7pF ±0.05pF GRM0332C1H7R7WA01#					±0.5pF	GRM0332C1H7R5DA01#
±0.25pF				7.6pF	±0.05pF	GRM0332C1H7R6WA01#
±0.5pF GRM0332C1H7R6DA01# 7.7pF ±0.05pF GRM0332C1H7R7WA01#					±0.1pF	GRM0332C1H7R6BA01#
7.7pF ±0.05pF GRM0332C1H7R7WA01#					±0.25pF	GRM0332C1H7R6CA01#
					±0.5pF	GRM0332C1H7R6DA01#
±0.1pF GRM0332C1H7R7BA01 #				7.7pF	±0.05pF	GRM0332C1H7R7WA01#
					±0.1pF	GRM0332C1H7R7BA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	50Vdc	СН	7.7pF	±0.25pF	GRM0332C1H7R7CA01#	
				±0.5pF	GRM0332C1H7R7DA01#	
			7.8pF	±0.05pF	GRM0332C1H7R8WA01#	
				±0.1pF	GRM0332C1H7R8BA01#	
				±0.25pF	GRM0332C1H7R8CA01#	
				±0.5pF	GRM0332C1H7R8DA01#	
			7.9pF	±0.05pF	GRM0332C1H7R9WA01#	
				±0.1pF	GRM0332C1H7R9BA01#	
				±0.25pF	GRM0332C1H7R9CA01#	
				±0.5pF	GRM0332C1H7R9DA01#	
			8.0pF	±0.05pF	GRM0332C1H8R0WA01#	
				±0.1pF	GRM0332C1H8R0BA01#	
				±0.25pF	GRM0332C1H8R0CA01#	
				±0.5pF	GRM0332C1H8R0DA01#	
			8.1pF	±0.05pF	GRM0332C1H8R1WA01#	
			- 1	±0.1pF	GRM0332C1H8R1BA01#	
				±0.25pF	GRM0332C1H8R1CA01#	
				±0.5pF	GRM0332C1H8R1DA01#	
			8.2pF	±0.05pF	GRM0332C1H8R2WA01#	
			0.201	±0.1pF	GRM0332C1H8R2BA01#	
				±0.25pF	GRM0332C1H8R2CA01#	
				±0.5pF	GRM0332C1H8R2DA01#	
			8.3pF	±0.05pF	GRM0332C1H8R3WA01#	
			0.5pi	±0.05pi	GRM0332C1H8R3BA01#	
				-	GRM0332C1H8R3CA01#	
				±0.25pF	GRM0332C1H8R3DA01#	
			8.4pF	±0.5pF	GRM0332C1H8R4WA01#	
			0.4pr	±0.05pF		
				±0.1pF	GRM0332C1H8R4BA01#	
				±0.25pF	GRM0332C1H8R4CA01#	
			0.555	±0.5pF	GRM0332C1H8R4DA01#	
			8.5pF	±0.05pF	GRM0332C1H8R5WA01#	
				±0.1pF	GRM0332C1H8R5BA01#	
				±0.25pF		
				±0.5pF	GRM0332C1H8R5DA01#	
			8.6pF	±0.05pF		
				±0.1pF	GRM0332C1H8R6BA01#	
				±0.25pF		
			0 = =	±0.5pF	GRM0332C1H8R6DA01#	
			8.7pF	±0.05pF	GRM0332C1H8R7WA01#	
				±0.1pF	GRM0332C1H8R7BA01#	
				±0.25pF	GRM0332C1H8R7CA01#	
				±0.5pF	GRM0332C1H8R7DA01#	
			8.8pF	±0.05pF	GRM0332C1H8R8WA01#	
				±0.1pF	GRM0332C1H8R8BA01#	
				±0.25pF	GRM0332C1H8R8CA01#	
				±0.5pF	GRM0332C1H8R8DA01#	
			8.9pF	±0.05pF	GRM0332C1H8R9WA01#	
				±0.1pF	GRM0332C1H8R9BA01#	
				±0.25pF	GRM0332C1H8R9CA01#	
				±0.5pF	GRM0332C1H8R9DA01#	
			9.0pF	±0.05pF	GRM0332C1H9R0WA01#	
				±0.1pF	GRM0332C1H9R0BA01#	
				±0.25pF	GRM0332C1H9R0CA01#	
				1	1	

(→ **■** 0.6×0.3mm)

т	Rated	TC	Cap.	Tol.	Part Number	
max.	Voltage					
0.33mm	50Vdc	СН	9.1pF	±0.05pF	GRM0332C1H9R1WA01#	
				±0.1pF	GRM0332C1H9R1BA01#	
				· '	GRM0332C1H9R1CA01#	
				±0.5pF	GRM0332C1H9R1DA01#	
			9.2pF	-	GRM0332C1H9R2WA01#	
				±0.1pF	GRM0332C1H9R2BA01#	
					GRM0332C1H9R2CA01#	
				±0.5pF	GRM0332C1H9R2DA01#	
			9.3pF	-	GRM0332C1H9R3WA01#	
				±0.1pF	GRM0332C1H9R3BA01#	
				•	GRM0332C1H9R3CA01#	
				±0.5pF	GRM0332C1H9R3DA01#	
			9.4pF	±0.05pF	GRM0332C1H9R4WA01#	
				±0.1pF	GRM0332C1H9R4BA01#	
					GRM0332C1H9R4CA01#	_
				±0.5pF	GRM0332C1H9R4DA01#	_
			9.5pF		GRM0332C1H9R5WA01#	_
				±0.1pF	GRM0332C1H9R5BA01#	_
				•	GRM0332C1H9R5CA01#	_
			0.0.5	±0.5pF	GRM0332C1H9R5DA01#	_
			9.6pF	±0.05pF	GRM0332C1H9R6WA01#	
				±0.1pF	GRM0332C1H9R6BA01#	_
				±0.25pF	GRM0332C1H9R6CA01#	_
			0.755	±0.5pF	GRM0332C1H9R6DA01#	_
			9.7pF	•	GRM0332C1H9R7WA01#	_
				±0.1pF	GRM0332C1H9R7BA01# GRM0332C1H9R7CA01#	—
				±0.25pF	GRM0332C1H9R7DA01#	_
			9.8pF	±0.05pF	GRM0332C1H9R8WA01#	_
			9.0pi	±0.03pi	GRM0332C1H9R8BA01#	_
				· ·	GRM0332C1H9R8CA01#	—
				±0.5pF	GRM0332C1H9R8DA01#	_
			9.9pF	±0.05pF	GRM0332C1H9R9WA01#	—
			0.001	±0.1pF	GRM0332C1H9R9BA01#	_
				±0.25pF	GRM0332C1H9R9CA01#	_
				±0.5pF	GRM0332C1H9R9DA01#	_
			10pF	±2%	GRM0332C1H100GA01#	_
			-1	±5%	GRM0332C1H100JA01#	_
			12pF	±2%	GRM0332C1H120GA01#	_
			1	±5%	GRM0332C1H120JA01#	_
			15pF	±2%	GRM0332C1H150GA01#	_
				±5%	GRM0332C1H150JA01#	_
			18pF	±2%	GRM0332C1H180GA01#	_
				±5%	GRM0332C1H180JA01#	_
			22pF	±2%	GRM0332C1H220GA01#	_
			·	±5%	GRM0332C1H220JA01#	_
			27pF	±2%	GRM0332C1H270GA01#	_
				±5%	GRM0332C1H270JA01#	_
			33pF	±2%	GRM0332C1H330GA01#	_
			-	±5%	GRM0332C1H330JA01#	_
			39pF	±2%	GRM0332C1H390GA01#	_
			·	±5%	GRM0332C1H390JA01#	_
			47pF	±2%	GRM0332C1H470GA01#	_
				±5%	GRM0332C1H470JA01#	_

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.33mm	50Vdc	СН	56pF	±2%	GRM0332C1H560GA01#
				±5%	GRM0332C1H560JA01#
			68pF	±2%	GRM0332C1H680GA01#
				±5%	GRM0332C1H680JA01#
			82pF	±2%	GRM0332C1H820GA01#
				±5%	GRM0332C1H820JA01#
			100pF	±2%	GRM0332C1H101GA01#
				±5%	GRM0332C1H101JA01#
			120pF	±2%	GRM0332C1H121GA01#
				±5%	GRM0332C1H121JA01#
			150pF	±2%	GRM0332C1H151GA01#
				±5%	GRM0332C1H151JA01#
			180pF	±2%	GRM0332C1H181GA01#
				±5%	GRM0332C1H181JA01#
			220pF	±2%	GRM0332C1H221GA01#
				±5%	GRM0332C1H221JA01#

■ 1.0×0.5mm

Rated

Cap.

Part Number

max.	Voltage	Code	Сар.	101.	Part Number	
0.55mm	100Vdc	COG	0.10pF	±0.05pF	GRM1555C2AR10WA01#	
			0.20pF	±0.05pF	GRM1555C2AR20WA01#	
				±0.1pF	GRM1555C2AR20BA01#	
			0.30pF	±0.05pF	GRM1555C2AR30WA01#	
				±0.1pF	GRM1555C2AR30BA01#	
			0.40pF	±0.05pF	GRM1555C2AR40WA01#	
				±0.1pF	GRM1555C2AR40BA01#	
			0.50pF	±0.05pF	GRM1555C2AR50WA01#	
				±0.1pF	GRM1555C2AR50BA01#	
			0.60pF	±0.05pF	GRM1555C2AR60WA01#	
				±0.1pF	GRM1555C2AR60BA01#	
			0.70pF	±0.05pF	GRM1555C2AR70WA01#	
				±0.1pF	GRM1555C2AR70BA01#	
		0.80pF	±0.05pF	GRM1555C2AR80WA01#		
			±0.1pF	GRM1555C2AR80BA01#		
		0.90pF	±0.05pF	GRM1555C2AR90WA01#		
				±0.1pF	GRM1555C2AR90BA01#	
			1.0pF	±0.05pF	GRM1555C2A1R0WA01#	
				±0.1pF	GRM1555C2A1R0BA01#	
				±0.25pF	GRM1555C2A1R0CA01#	
			1.1pF	±0.05pF	GRM1555C2A1R1WA01#	
				±0.1pF	GRM1555C2A1R1BA01#	
				±0.25pF	GRM1555C2A1R1CA01#	
			1.2pF	±0.05pF	GRM1555C2A1R2WA01#	
				±0.1pF	GRM1555C2A1R2BA01#	
				±0.25pF	GRM1555C2A1R2CA01#	
			1.3pF	±0.05pF	GRM1555C2A1R3WA01#	
				±0.1pF	GRM1555C2A1R3BA01#	
				±0.25pF	GRM1555C2A1R3CA01#	
			1.4pF	±0.05pF	GRM1555C2A1R4WA01#	
				±0.1pF	GRM1555C2A1R4BA01#	
				±0.25pF	GRM1555C2A1R4CA01#	
			1.5pF	±0.05pF	GRM1555C2A1R5WA01#	

Part number # indicates the package specification

(→ ■ 1	.0×0.5r	mm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.55mm	100Vdc	COG	1.5pF	±0.1pF	GRM1555C2A1R5BA01#
		_		±0.25pF	GRM1555C2A1R5CA01#
			1.6pF	±0.05pF	GRM1555C2A1R6WA01#
				±0.1pF	GRM1555C2A1R6BA01#
		_		±0.25pF	GRM1555C2A1R6CA01#
			1.7pF	±0.05pF	GRM1555C2A1R7WA01#
				±0.1pF	GRM1555C2A1R7BA01#
				±0.25pF	GRM1555C2A1R7CA01#
			1.8pF	±0.05pF	GRM1555C2A1R8WA01#
				±0.1pF	GRM1555C2A1R8BA01#
				±0.25pF	GRM1555C2A1R8CA01#
			1.9pF	±0.05pF	GRM1555C2A1R9WA01#
				±0.1pF	GRM1555C2A1R9BA01#
				±0.25pF	GRM1555C2A1R9CA01#
			2.0pF	±0.05pF	GRM1555C2A2R0WA01#
				±0.1pF	GRM1555C2A2R0BA01#
				±0.25pF	GRM1555C2A2R0CA01#
			2.1pF	±0.05pF	GRM1555C2A2R1WA01#
				±0.1pF	GRM1555C2A2R1BA01#
				±0.25pF	GRM1555C2A2R1CA01#
			2.2pF	±0.05pF	GRM1555C2A2R2WA01#
				±0.1pF	GRM1555C2A2R2BA01#
				±0.25pF	GRM1555C2A2R2CA01#
			2.3pF	±0.05pF	GRM1555C2A2R3WA01#
				±0.1pF	GRM1555C2A2R3BA01#
				±0.25pF	GRM1555C2A2R3CA01#
			2.4pF	±0.05pF	GRM1555C2A2R4WA01#
				±0.1pF	GRM1555C2A2R4BA01#
				±0.25pF	GRM1555C2A2R4CA01#
			2.5pF	±0.05pF	GRM1555C2A2R5WA01#
				±0.1pF	GRM1555C2A2R5BA01#
		_		±0.25pF	GRM1555C2A2R5CA01#
			2.6pF	±0.05pF	GRM1555C2A2R6WA01#
				±0.1pF	GRM1555C2A2R6BA01#
		_		±0.25pF	GRM1555C2A2R6CA01#
			2.7pF	±0.05pF	GRM1555C2A2R7WA01#
				±0.1pF	GRM1555C2A2R7BA01#
				±0.25pF	GRM1555C2A2R7CA01#
			2.8pF	±0.05pF	GRM1555C2A2R8WA01#
				±0.1pF	GRM1555C2A2R8BA01#
				±0.25pF	GRM1555C2A2R8CA01#
			2.9pF	±0.05pF	GRM1555C2A2R9WA01#
				±0.1pF	GRM1555C2A2R9BA01#
				±0.25pF	GRM1555C2A2R9CA01#
			3.0pF	±0.05pF	GRM1555C2A3R0WA01#
				±0.1pF	GRM1555C2A3R0BA01#
				±0.25pF	GRM1555C2A3R0CA01#
			3.1pF	±0.05pF	GRM1555C2A3R1WA01#
				±0.1pF	GRM1555C2A3R1BA01#
				±0.25pF	GRM1555C2A3R1CA01#
			3.2pF	±0.05pF	GRM1555C2A3R2WA01#
				±0.1pF	GRM1555C2A3R2BA01#
				±0.25pF	GRM1555C2A3R2CA01#
			3.3pF	±0.05pF	GRM1555C2A3R3WA01#

Table Tol. Part Number	_						
### 10.55pG GRM1555C2A3RAWA01# ### 10.15pG GRM1555C2A3RAWA01# ### 10.15pG GRM1555C2A3RAWA01# ### 10.15pG GRM1555C2A3RSWA01# ### 10.15pG GRM1555C2A4ROWA01# #### 10.15pG GRM1555C2A4ROWA01# #### 10.15pG GRM1555C2A4ROWA01# #### 10.15pG GRM1555C2A4ROWA0	T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
3.4pF	0.55mm	100Vdc	COG	3.3pF	±0.1pF	GRM1555C2A3R3BA01#	
### ### ##############################					±0.25pF	GRM1555C2A3R3CA01#	
### 10.25pF GRM1555C2A3R4CA01# ### 10.1pF GRM1555C2A3R5BA01# ### 10.25pF GRM1555C2A3R5CA01# ### 10.25pF GRM1555C2A3R5CA01# ### 10.25pF GRM1555C2A3R5CA01# ### 10.1pF GRM1555C2A3R6CA01# ### 10.1pF GRM1555C2A3R6BA01# ### 10.25pF GRM1555C2A3R6BA01# ### 10.1pF GRM1555C2A4R0WA01# ### 10.1pF GRM1555C2A4R0WA01# ### 10.1pF GRM1555C2A4R0BA01# ### 10.25pF GRM1555C2A4R0BA01# ### 10.1pF GRM1555C2A4R0BA01# ### 10.1pF GRM1555C2A4R0BA01# ### 10.1pF GRM1555C2A4R0BA01# ### 10.25pF GRM1555C2A4R0BA01# ### 10.25pF GRM1555C2A4R0BA01# ### 10.25pF GRM155SC2A4R0BA01# ####			3.4pF	±0.05pF	GRM1555C2A3R4WA01#		
3.5pF					±0.1pF	GRM1555C2A3R4BA01#	
### ### ##############################					±0.25pF	GRM1555C2A3R4CA01#	
#0.25pF GRM1555C2A3R5CA01# #0.1pF GRM1555C2A3R6WA01# #0.1pF GRM1555C2A3R6WA01# #0.25pF GRM1555C2A3R6WA01# #0.25pF GRM1555C2A3R7WA01# #0.1pF GRM1555C2A3R7WA01# #0.1pF GRM1555C2A3R7WA01# #0.1pF GRM1555C2A3R7WA01# #0.1pF GRM1555C2A3R7WA01# #0.1pF GRM1555C2A3R8WA01# #0.25pF GRM1555C2A3R8WA01# #0.1pF GRM1555C2A3R8WA01# #0.1pF GRM1555C2A3R8WA01# #0.1pF GRM1555C2A3R8WA01# #0.1pF GRM1555C2A3R9WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R1WA01# #0.25pF GRM1555C2A4R1WA01# #0.25pF GRM1555C2A4R1WA01# #0.25pF GRM1555C2A4R1CA01# #0.1pF GRM1555C2A4R1CA01# #0.1pF GRM1555C2A4R1CA01# #0.1pF GRM1555C2A4R1CA01# #0.25pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A4R3WA01# #0.1pF GRM1555C2A4R3WA01# #0.1pF GRM1555C2A4R3WA01# #0.1pF GRM1555C2A4R3WA01# #0.1pF GRM1555C2A4R3WA01# #0.1pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A4R3WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2				3.5pF	±0.05pF	GRM1555C2A3R5WA01#	
3.6pF ±0.05pF GRM1555C2A3R6WA01# ±0.1pF GRM1555C2A3R6BA01# ±0.25pF GRM155SC2A3R7WA01# ±0.1pF GRM155SC2A3R7WA01# ±0.25pF GRM155SC2A3R7CA01# ±0.25pF GRM155SC2A3R7CA01# ±0.25pF GRM155SC2A3R8WA01# ±0.25pF GRM155SC2A3R8WA01# ±0.25pF GRM155SC2A3R8WA01# ±0.25pF GRM155SC2A3R8WA01# ±0.25pF GRM155SC2A3R8WA01# ±0.25pF GRM155SC2A4R0WA01# ±0.25pF GRM155SC2A4R3WA01# ±0.25pF GRM155SC2A4R3BA01# ±0.25pF GRM155SC2A4R5BA01# ±0.25pF GRM155SC2A4R5BA01# ±0.25pF GRM155SC2A4R5BA01# ±0.25pF GRM155SC2A4R5BA01# ±0.25pF GRM155SC2A4R5BA01# ±0.25pF GRM155SC2A4R6WA01# ±0.25pF GRM155SC2A4R8WA01# ±0.25pF GRM155SC2A4R8BA01# ±0.25pF GRM155SC2A4R8BA01# ±0.25pF GRM155SC2A4R8BA01# ±0.25pF GRM155SC2A4R8BA01# ±0.25pF GRM155SC2A5R0A01# ±0.25pF GRM155SC2A5R0A01# ±0.25pF GRM155SC2A5					±0.1pF	GRM1555C2A3R5BA01#	
### 1.0.1pF ### 1.0.5pF ##					±0.25pF	GRM1555C2A3R5CA01#	
### 10.25pF GRM1555C2A3R6CA01# ### 10.05pF GRM1555C2A3R7WA01# ### 10.1pF GRM1555C2A3R8WA01# ### 10.1pF GRM1555C2A3R8WA01# ### 10.1pF GRM1555C2A3R8WA01# ### 10.25pF GRM1555C2A3R8WA01# ### 10.25pF GRM1555C2A3R8WA01# ### 10.25pF GRM1555C2A3R8WA01# ### 10.25pF GRM1555C2A3R9WA01# ### 10.25pF GRM1555C2A3R9WA01# ### 10.25pF GRM1555C2A3R9WA01# ### 10.25pF GRM1555C2A3R9WA01# ### 10.25pF GRM1555C2A4R0WA01# ### 10.1pF GRM1555C2A4R0WA01# ### 10.1pF GRM1555C2A4R0WA01# ### 10.1pF GRM1555C2A4R0WA01# ### 10.1pF GRM1555C2A4R0WA01# ### 10.25pF GRM1555C2A4R0WA01# ### 10.				3.6pF	±0.05pF	GRM1555C2A3R6WA01#	
3.7pF					±0.1pF	GRM1555C2A3R6BA01#	
### 10.1pF GRM1555C2A3R7BA01# ### 10.25pF GRM1555C2A3R8WA01# ### 10.1pF GRM1555C2A3R8WA01# ### 10.1pF GRM1555C2A3R8WA01# ### 10.1pF GRM1555C2A3R9WA01# ### 10.1pF GRM1555C2A4R0WA01# ### 10.1pF GRM1555C2A4R0CA01# ### 10.1pF GRM1555C2A4R0CA01# ### 10.1pF GRM1555C2A4R0CA01# ### 10.1pF GRM1555C2A4R0CA01# ### 10.1pF GRM1555C2A4R0WA01# ### 1					±0.25pF	GRM1555C2A3R6CA01#	
### ### ##############################				3.7pF	±0.05pF	GRM1555C2A3R7WA01#	
3.8pF ±0.05pF GRM1555C2A3R8WA01# ±0.1pF GRM1555C2A3R8BA01# ±0.25pF GRM1555C2A3R8BA01# ±0.25pF GRM1555C2A3R9WA01# ±0.25pF GRM1555C2A3R9WA01# ±0.25pF GRM1555C2A3R9CA01# ±0.1pF GRM1555C2A4R0WA01# ±0.1pF GRM1555C2A4R0WA01# ±0.1pF GRM1555C2A4R0WA01# ±0.1pF GRM1555C2A4R0WA01# ±0.1pF GRM1555C2A4R1WA01# ±0.1pF GRM1555C2A4R1WA01# ±0.05pF GRM1555C2A4R1WA01# ±0.05pF GRM1555C2A4R2WA01# ±0.25pF GRM1555C2A4R2WA01# ±0.25pF GRM1555C2A4R2WA01# ±0.25pF GRM1555C2A4R3WA01# ±0.1pF GRM1555C2A4R3WA01# ±0.1pF GRM1555C2A4R3WA01# ±0.1pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A5R3WA01# ±0.25pF GRM1555C2A5R3WA01# ±0.25pF GRM1555C2A5R3WA01# ±0.25pF GRM1555C2A5R3WA01# ±0.25pF GRM1555C2A5R3WA01					±0.1pF	GRM1555C2A3R7BA01#	
#0.1pF GRM1555C2A3R8BA01# #0.25pF GRM1555C2A3R8CA01# #0.1pF GRM1555C2A3R9CA01# #0.1pF GRM1555C2A3R9CA01# #0.1pF GRM1555C2A3R9CA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM155C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A5CAAR0WA01# #0.25pF GRM1555C2					±0.25pF	GRM1555C2A3R7CA01#	
#0.25pF GRM1555C2A3R8CA01# #0.1pF GRM1555C2A3R9WA01# #0.1pF GRM1555C2A3R9BA01# #0.25pF GRM1555C2A3R9CA01# #0.25pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A5CAAR0WA01# #0.25pF GRM155				3.8pF	±0.05pF	GRM1555C2A3R8WA01#	
3.9pF ±0.05pF GRM1555C2A3R9WA01# ±0.1pF GRM1555C2A3R9BA01# ±0.25pF GRM1555C2A3R9BA01# ±0.25pF GRM1555C2A4R0WA01# ±0.25pF GRM1555C2A4R0WA01# ±0.25pF GRM1555C2A4R0WA01# ±0.25pF GRM1555C2A4R1WA01# ±0.25pF GRM1555C2A4R1WA01# ±0.25pF GRM1555C2A4R1WA01# ±0.25pF GRM1555C2A4R1WA01# ±0.25pF GRM1555C2A4R1WA01# ±0.25pF GRM1555C2A4R2WA01# ±0.25pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C					±0.1pF	GRM1555C2A3R8BA01#	
#0.1pF GRM1555C2A3R9BA01# #0.25pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R1WA01# #0.1pF GRM1555C2A4R1WA01# #0.1pF GRM1555C2A4R2WA01# #0.1pF GRM1555C2A4R2WA01# #0.1pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A5R3WA01#					±0.25pF	GRM1555C2A3R8CA01#	
#0.25pF GRM1555C2A3R9CA01# #0.1pF GRM1555C2A4R0WA01# #0.1pF GRM1555C2A4R0WA01# #0.25pF GRM1555C2A4R1WA01# #0.25pF GRM1555C2A4R1BA01# #0.25pF GRM1555C2A4R2WA01# #0.25pF GRM1555C2A4R2WA01# #0.25pF GRM1555C2A4R2WA01# #0.25pF GRM1555C2A4R2WA01# #0.25pF GRM1555C2A4R2WA01# #0.25pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A5R3WA01# #0.25pF GRM1555C2A5R3WA				3.9pF	±0.05pF	GRM1555C2A3R9WA01#	
4.0pF					±0.1pF	GRM1555C2A3R9BA01#	
#0.1pF GRM1555C2A4R0BA01# #0.25pF GRM1555C2A4R1WA01# #0.1pF GRM1555C2A4R1WA01# #0.25pF GRM1555C2A4R1WA01# #0.25pF GRM1555C2A4R1BA01# #0.25pF GRM1555C2A4R2WA01# #0.1pF GRM1555C2A4R2WA01# #0.1pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A5R3WA01# #0.25pF GRM1555C2A					±0.25pF	GRM1555C2A3R9CA01#	
### ### ##############################				4.0pF	±0.05pF	GRM1555C2A4R0WA01#	
4.1pF ±0.05pF GRM1555C2A4R1WA01# ±0.25pF GRM1555C2A4R1BA01# ±0.25pF GRM1555C2A4R2WA01# ±0.1pF GRM1555C2A4R2WA01# ±0.25pF GRM1555C2A4R2BA01# ±0.25pF GRM1555C2A4R2CA01# 4.3pF ±0.05pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A4R5WA01# ±0.25pF GRM1555C2A4R5WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R7WA01# ±0.25pF GRM1555C2A4R7WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01#					±0.1pF	GRM1555C2A4R0BA01#	
## ## ## ## ## ## ## ## ## ## ## ## ##					±0.25pF	GRM1555C2A4R0CA01#	
#0.25pF GRM1555C2A4R2WA01# #0.1pF GRM1555C2A4R2WA01# #0.25pF GRM1555C2A4R2CA01# #0.25pF GRM1555C2A4R2CA01# #0.25pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A4R3WA01# #0.25pF GRM1555C2A4R3BA01# #0.25pF GRM1555C2A4R3CA01# #0.1pF GRM1555C2A4R4WA01# #0.1pF GRM1555C2A4R4WA01# #0.25pF GRM1555C2A4R4CA01# #0.1pF GRM1555C2A4R3EA01# #0.1pF GRM1555C2A4R3EA01# #0.1pF GRM1555C2A4R5EA01# #0.1pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6EA01# #0.25pF GRM1555C2A4R6EA01# #0.25pF GRM1555C2A4R7WA01# #0.25pF GRM1555C2A4R7CA01# #0.25pF GRM1555C2A4R7CA01# #0.1pF GRM1555C2A4R8WA01# #0.25pF GRM1555C2A4R8WA01# #0.25pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8BA01# #0.25pF GRM1555C2A4R8BA01# #0.25pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9BA01# #0.25pF GRM1555C2A4R9BA01# #0.25pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.25pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0BA01#				4.1pF	±0.05pF	GRM1555C2A4R1WA01#	
4.2pF ±0.05pF GRM1555C2A4R2WA01# ±0.25pF GRM1555C2A4R2CA01# ±0.25pF GRM1555C2A4R3WA01# ±0.1pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A4R3CA01# 4.4pF ±0.05pF GRM1555C2A4R4WA01# ±0.25pF GRM1555C2A4R4WA01# ±0.25pF GRM1555C2A4R3WA01# ±0.1pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A4R5WA01# ±0.25pF GRM1555C2A4R5WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R7WA01# ±0.25pF GRM1555C2A4R7WA01# ±0.25pF GRM1555C2A4R7CA01# 4.8pF ±0.05pF GRM1555C2A4R7CA01# ±0.1pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A5R0WA01#					±0.1pF	GRM1555C2A4R1BA01#	
#0.1pF GRM1555C2A4R2BA01# #0.25pF GRM1555C2A4R3WA01# #0.05pF GRM1555C2A4R3BA01# #0.25pF GRM1555C2A4R3BA01# #0.25pF GRM1555C2A4R3BA01# #0.25pF GRM1555C2A4R3CA01# 4.4pF #0.05pF GRM1555C2A4R4WA01# #0.25pF GRM1555C2A4R4BA01# #0.25pF GRM1555C2A4R4CA01# 4.5pF #0.05pF GRM1555C2A4R4CA01# #0.25pF GRM1555C2A4R5BA01# #0.25pF GRM1555C2A4R5BA01# #0.25pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6WA01# #0.25pF GRM1555C2A4R6BA01# #0.25pF GRM1555C2A4R6CA01# 4.7pF #0.05pF GRM1555C2A4R6CA01# 4.7pF #0.05pF GRM1555C2A4R7WA01# #0.25pF GRM1555C2A4R7BA01# #0.25pF GRM1555C2A4R8WA01# #0.25pF GRM1555C2A4R8BA01# #0.25pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0BA01#					±0.25pF	GRM1555C2A4R1CA01#	
### ### ##############################				4.2pF	±0.05pF	GRM1555C2A4R2WA01#	
4.3pF ±0.05pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A4R3WA01# ±0.25pF GRM1555C2A4R4WA01# ±0.25pF GRM1555C2A4R4WA01# ±0.25pF GRM1555C2A4R4WA01# ±0.25pF GRM1555C2A4R5WA01# ±0.1pF GRM1555C2A4R5WA01# ±0.1pF GRM1555C2A4R5WA01# ±0.25pF GRM1555C2A4R5WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.1pF GRM1555C2A4R6WA01# ±0.1pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7WA01# ±0.25pF GRM1555C2A4R7WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01#					±0.1pF	GRM1555C2A4R2BA01#	
#0.1pF GRM1555C2A4R3BA01# #0.25pF GRM1555C2A4R3CA01# #0.1pF GRM1555C2A4R4WA01# #0.1pF GRM1555C2A4R4BA01# #0.25pF GRM1555C2A4R4CA01# #0.1pF GRM1555C2A4R5WA01# #0.1pF GRM1555C2A4R5WA01# #0.1pF GRM1555C2A4R5BA01# #0.25pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6CA01# #0.1pF GRM1555C2A4R6CA01# #0.1pF GRM1555C2A4R7WA01# #0.1pF GRM1555C2A4R7WA01# #0.1pF GRM1555C2A4R7WA01# #0.25pF GRM1555C2A4R7WA01# #0.25pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0CA01#					±0.25pF	GRM1555C2A4R2CA01#	
### ### ##############################				4.3pF	±0.05pF	GRM1555C2A4R3WA01#	
4.4pF ±0.05pF GRM1555C2A4R4WA01# ±0.25pF GRM1555C2A4R4BA01# ±0.25pF GRM1555C2A4R5BA01# ±0.25pF GRM1555C2A4R5BA01# ±0.25pF GRM1555C2A4R5CA01# ±0.05pF GRM1555C2A4R6WA01# ±0.1pF GRM1555C2A4R6WA01# ±0.25pF GRM1555C2A4R6BA01# ±0.25pF GRM1555C2A4R6CA01# ±0.25pF GRM1555C2A4R6CA01# ±0.05pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7BA01# ±0.25pF GRM1555C2A4R7CA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.05pF GRM1555C2A4R9WA01# ±0.05pF GRM1555C2A4R9WA01# ±0.05pF GRM1555C2A4R9WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01#					±0.1pF	GRM1555C2A4R3BA01#	
#0.1pF GRM1555C2A4R4BA01# #0.25pF GRM1555C2A4R4CA01# #0.1pF GRM1555C2A4R5WA01# #0.25pF GRM1555C2A4R5BA01# #0.25pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6BA01# #0.25pF GRM1555C2A4R6BA01# #0.25pF GRM1555C2A4R6CA01# #0.1pF GRM1555C2A4R7WA01# #0.1pF GRM1555C2A4R7WA01# #0.25pF GRM1555C2A4R7WA01# #0.25pF GRM1555C2A4R7WA01# #0.25pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.25pF GRM1555C2A4R8WA01# #0.25pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A5R0WA01# #0.25pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0CA01#					±0.25pF	GRM1555C2A4R3CA01#	
# ±0.25pF GRM1555C2A4R4CA01# # ±0.1pF GRM1555C2A4R5WA01# # ±0.25pF GRM1555C2A4R5WA01# # ±0.25pF GRM1555C2A4R6WA01# # ±0.25pF GRM1555C2A4R6WA01# # ±0.25pF GRM1555C2A4R6WA01# # ±0.25pF GRM1555C2A4R6CA01# # ±0.1pF GRM1555C2A4R7WA01# # ±0.25pF GRM1555C2A4R7WA01# # ±0.25pF GRM1555C2A4R7WA01# # ±0.25pF GRM1555C2A4R7WA01# # ±0.25pF GRM1555C2A4R8WA01# # ±0.25pF GRM1555C2A4R8WA01# # ±0.25pF GRM1555C2A4R8WA01# # ±0.25pF GRM1555C2A4R8WA01# # ±0.25pF GRM1555C2A4R9WA01# # ±0.1pF GRM1555C2A4R9WA01# # ±0.25pF GRM1555C2A4R9WA01# # ±0.25pF GRM1555C2A4R9WA01# # ±0.25pF GRM1555C2A5R0WA01# # ±0.25pF GRM1555C2A5R0CA01#				4.4pF	±0.05pF	GRM1555C2A4R4WA01#	
4.5pF ±0.05pF GRM1555C2A4R5WA01# ±0.1pF GRM1555C2A4R5BA01# ±0.25pF GRM1555C2A4R6WA01# ±0.1pF GRM1555C2A4R6BA01# ±0.25pF GRM1555C2A4R6CA01# ±0.05pF GRM1555C2A4R6CA01# ±0.1pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7WA01# ±0.25pF GRM1555C2A4R7CA01# ±0.05pF GRM1555C2A4R7CA01# ±0.05pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01# ±0.25pF GRM1555C2A5R0WA01#					±0.1pF	GRM1555C2A4R4BA01#	
#0.1pF GRM1555C2A4R5BA01# #0.25pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6WA01# #0.1pF GRM1555C2A4R6BA01# #0.25pF GRM1555C2A4R6CA01# #0.1pF GRM1555C2A4R7WA01# #0.1pF GRM1555C2A4R7WA01# #0.1pF GRM1555C2A4R7BA01# #0.25pF GRM1555C2A4R7CA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8WA01# #0.25pF GRM1555C2A4R8WA01# #0.25pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9CA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0CA01#					±0.25pF	GRM1555C2A4R4CA01#	
# ±0.25pF GRM1555C2A4R5CA01# # ±0.05pF GRM1555C2A4R6WA01# # ±0.25pF GRM1555C2A4R6CA01# # ±0.25pF GRM1555C2A4R7WA01# # ±0.1pF GRM1555C2A4R7WA01# # ±0.25pF GRM1555C2A4R7CA01# # ±0.25pF GRM1555C2A4R7CA01# # ±0.05pF GRM1555C2A4R8WA01# # ±0.1pF GRM1555C2A4R8WA01# # ±0.25pF GRM1555C2A4R8WA01# # ±0.25pF GRM1555C2A4R8WA01# # ±0.25pF GRM1555C2A4R9WA01# # ±0.1pF GRM1555C2A4R9WA01# # ±0.25pF GRM1555C2A4R9CA01# # ±0.25pF GRM1555C2A4R9CA01# # ±0.25pF GRM1555C2A5R0WA01# # ±0.25pF GRM1555C2A5R0WA01# # ±0.25pF GRM1555C2A5R0WA01# # ±0.25pF GRM1555C2A5R0CA01#				4.5pF	±0.05pF	GRM1555C2A4R5WA01#	
4.6pF ±0.05pF GRM1555C2A4R6WA01# ±0.1pF GRM1555C2A4R6BA01# ±0.25pF GRM1555C2A4R6CA01# ±0.05pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7CA01# ±0.25pF GRM1555C2A4R7CA01# ±0.05pF GRM1555C2A4R8WA01# ±0.05pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8CA01# ±0.05pF GRM1555C2A4R8CA01# ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0WA01# ±0.05pF GRM1555C2A5R0BA01# ±0.05pF GRM1555C2A5R0CA01#					±0.1pF	GRM1555C2A4R5BA01#	
#0.1pF GRM1555C2A4R6BA01# #0.25pF GRM1555C2A4R6CA01# 4.7pF #0.05pF GRM1555C2A4R7WA01# #0.1pF GRM1555C2A4R7BA01# #0.25pF GRM1555C2A4R7CA01# 4.8pF #0.05pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8BA01# #0.25pF GRM1555C2A4R8BA01# #0.25pF GRM1555C2A4R8CA01# 4.9pF #0.05pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9BA01# #0.1pF GRM1555C2A4R9CA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0CA01#					±0.25pF	GRM1555C2A4R5CA01#	
±0.25pF GRM1555C2A4R6CA01# 4.7pF ±0.05pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7BA01# ±0.25pF GRM1555C2A4R7CA01# 4.8pF ±0.05pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8WA01# ±0.25pF GRM1555C2A4R8BA01# ±0.25pF GRM1555C2A4R8CA01# 4.9pF ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#				4.6pF	±0.05pF	GRM1555C2A4R6WA01#	
4.7pF ±0.05pF GRM1555C2A4R7WA01# ±0.1pF GRM1555C2A4R7BA01# ±0.25pF GRM1555C2A4R7CA01# 4.8pF ±0.05pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8BA01# ±0.25pF GRM1555C2A4R8CA01# 4.9pF ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A4R9CA01# ±0.1pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#					±0.1pF	GRM1555C2A4R6BA01#	
#0.1pF GRM1555C2A4R7BA01# #0.25pF GRM1555C2A4R7CA01# 4.8pF #0.05pF GRM1555C2A4R8WA01# #0.1pF GRM1555C2A4R8BA01# #0.25pF GRM1555C2A4R8CA01# 4.9pF #0.05pF GRM1555C2A4R9WA01# #0.1pF GRM1555C2A4R9BA01# #0.25pF GRM1555C2A4R9BA01# #0.25pF GRM1555C2A4R9CA01# #0.25pF GRM1555C2A5R0WA01# #0.1pF GRM1555C2A5R0BA01# #0.25pF GRM1555C2A5R0CA01#					±0.25pF	GRM1555C2A4R6CA01#	
±0.25pF GRM1555C2A4R7CA01# 4.8pF ±0.05pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8BA01# ±0.25pF GRM1555C2A4R8CA01# 4.9pF ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#				4.7pF	±0.05pF	GRM1555C2A4R7WA01#	
4.8pF ±0.05pF GRM1555C2A4R8WA01# ±0.1pF GRM1555C2A4R8BA01# ±0.25pF GRM1555C2A4R8CA01# 4.9pF ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#					±0.1pF	GRM1555C2A4R7BA01#	
±0.1pF GRM1555C2A4R8BA01# ±0.25pF GRM1555C2A4R8CA01# 4.9pF ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#					±0.25pF	GRM1555C2A4R7CA01#	
# ±0.25pF GRM1555C2A4R8CA01# 4.9pF ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#				4.8pF	±0.05pF	GRM1555C2A4R8WA01#	
4.9pF ±0.05pF GRM1555C2A4R9WA01# ±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#					±0.1pF	GRM1555C2A4R8BA01#	
±0.1pF GRM1555C2A4R9BA01# ±0.25pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#					±0.25pF	GRM1555C2A4R8CA01#	
±0.25pF GRM1555C2A4R9CA01# 5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#				4.9pF	±0.05pF	GRM1555C2A4R9WA01#	
5.0pF ±0.05pF GRM1555C2A5R0WA01# ±0.1pF GRM1555C2A5R0BA01# ±0.25pF GRM1555C2A5R0CA01#					±0.1pF	GRM1555C2A4R9BA01#	
±0.1pF					±0.25pF	GRM1555C2A4R9CA01#	
±0.25pF GRM1555C2A5R0CA01#				5.0pF	±0.05pF	GRM1555C2A5R0WA01#	
					±0.1pF	GRM1555C2A5R0BA01#	
5.1pF ±0.05pF GRM1555C2A5R1WA01#					±0.25pF	GRM1555C2A5R0CA01#	
				5.1pF	±0.05pF	GRM1555C2A5R1WA01#	

<u>(→ ■ 1</u>	.0×0.5r	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	100Vdc	COG	5.1pF	±0.1pF	GRM1555C2A5R1BA01#
				±0.25pF	GRM1555C2A5R1CA01#
				±0.5pF	GRM1555C2A5R1DA01#
			5.2pF	±0.05pF	GRM1555C2A5R2WA01#
				±0.1pF	GRM1555C2A5R2BA01#
				±0.25pF	GRM1555C2A5R2CA01#
				±0.5pF	GRM1555C2A5R2DA01#
			5.3pF	±0.05pF	GRM1555C2A5R3WA01#
				±0.1pF	GRM1555C2A5R3BA01#
				±0.25pF	GRM1555C2A5R3CA01#
				±0.5pF	GRM1555C2A5R3DA01#
			5.4pF	±0.05pF	GRM1555C2A5R4WA01#
				±0.1pF	GRM1555C2A5R4BA01#
				±0.25pF	GRM1555C2A5R4CA01#
				±0.5pF	GRM1555C2A5R4DA01#
			5.5pF	±0.05pF	GRM1555C2A5R5WA01#
				±0.1pF	GRM1555C2A5R5BA01#
				±0.25pF	GRM1555C2A5R5CA01#
				±0.5pF	GRM1555C2A5R5DA01#
			5.6pF	±0.05pF	GRM1555C2A5R6WA01#
				±0.1pF	GRM1555C2A5R6BA01#
				±0.25pF	GRM1555C2A5R6CA01#
				±0.5pF	GRM1555C2A5R6DA01#
			5.7pF	±0.05pF	GRM1555C2A5R7WA01#
				±0.1pF	GRM1555C2A5R7BA01#
				±0.25pF	GRM1555C2A5R7CA01#
				±0.5pF	GRM1555C2A5R7DA01#
			5.8pF	±0.05pF	GRM1555C2A5R8WA01#
				±0.1pF	GRM1555C2A5R8BA01#
				±0.25pF	GRM1555C2A5R8CA01#
				±0.5pF	GRM1555C2A5R8DA01#
			5.9pF	±0.05pF	GRM1555C2A5R9WA01#
				±0.1pF	GRM1555C2A5R9BA01#
				±0.25pF	GRM1555C2A5R9CA01#
				±0.5pF	GRM1555C2A5R9DA01#
			6.0pF	±0.05pF	GRM1555C2A6R0WA01#
				±0.1pF	GRM1555C2A6R0BA01#
				±0.25pF	GRM1555C2A6R0CA01#
				±0.5pF	GRM1555C2A6R0DA01#
			6.1pF	±0.05pF	GRM1555C2A6R1WA01#
				±0.1pF	GRM1555C2A6R1BA01#
				±0.25pF	GRM1555C2A6R1CA01#
				±0.5pF	GRM1555C2A6R1DA01#
			6.2pF	±0.05pF	GRM1555C2A6R2WA01#
				±0.1pF	GRM1555C2A6R2BA01#
				±0.25pF	GRM1555C2A6R2CA01#
				±0.5pF	GRM1555C2A6R2DA01#
			6.3pF	±0.05pF	GRM1555C2A6R3WA01#
				±0.1pF	GRM1555C2A6R3BA01#
				±0.25pF	GRM1555C2A6R3CA01#
				±0.5pF	GRM1555C2A6R3DA01#
			6.4pF	±0.05pF	GRM1555C2A6R4WA01#
				±0.1pF	GRM1555C2A6R4BA01#
				±0.25pF	GRM1555C2A6R4CA01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.55mm	100Vdc	COG	6.4pF	±0.5pF	GRM1555C2A6R4DA01#
			6.5pF	±0.05pF	GRM1555C2A6R5WA01#
				±0.1pF	GRM1555C2A6R5BA01#
				±0.25pF	GRM1555C2A6R5CA01#
				±0.5pF	GRM1555C2A6R5DA01#
			6.6pF	±0.05pF	GRM1555C2A6R6WA01#
				±0.1pF	GRM1555C2A6R6BA01#
				±0.25pF	GRM1555C2A6R6CA01#
				±0.5pF	GRM1555C2A6R6DA01#
			6.7pF	±0.05pF	GRM1555C2A6R7WA01#
				±0.1pF	GRM1555C2A6R7BA01#
				±0.25pF	GRM1555C2A6R7CA01#
				±0.5pF	GRM1555C2A6R7DA01#
			6.8pF	±0.05pF	GRM1555C2A6R8WA01#
				±0.1pF	GRM1555C2A6R8BA01#
				±0.25pF	GRM1555C2A6R8CA01#
				±0.5pF	GRM1555C2A6R8DA01#
			6.9pF	±0.05pF	GRM1555C2A6R9WA01#
				±0.1pF	GRM1555C2A6R9BA01#
				±0.25pF	GRM1555C2A6R9CA01#
				±0.5pF	GRM1555C2A6R9DA01#
			7.0pF	±0.05pF	GRM1555C2A7R0WA01#
				±0.1pF	GRM1555C2A7R0BA01#
				±0.25pF	GRM1555C2A7R0CA01#
				±0.5pF	GRM1555C2A7R0DA01#
			7.1pF	±0.05pF	
				±0.1pF	GRM1555C2A7R1BA01#
				±0.25pF	
			70.5	±0.5pF	GRM1555C2A7R1DA01#
			7.2pF	±0.05pF	GRM1555C2A7R2WA01#
				±0.1pF	GRM1555C2A7R2BA01#
				±0.25pF ±0.5pF	GRM1555C2A7R2CA01# GRM1555C2A7R2DA01#
			7.3pF	±0.05pF	GRM1555C2A7R3WA01#
			7.5pi	±0.05pi	GRM1555C2A7R3BA01#
				±0.25pF	
				±0.5pF	GRM1555C2A7R3DA01#
			7.4pF	-	GRM1555C2A7R4WA01#
			اط∓. ،	±0.05pF ±0.1pF	GRM1555C2A7R4WA01#
				±0.25pF	
				±0.5pF	GRM1555C2A7R4DA01#
			7.5pF	±0.05pF	
				±0.1pF	GRM1555C2A7R5BA01#
				±0.25pF	GRM1555C2A7R5CA01#
				±0.5pF	GRM1555C2A7R5DA01#
			7.6pF	±0.05pF	GRM1555C2A7R6WA01#
			- 1-1	±0.1pF	GRM1555C2A7R6BA01#
				±0.25pF	GRM1555C2A7R6CA01#
				±0.5pF	GRM1555C2A7R6DA01#
			7.7pF	±0.05pF	
				±0.1pF	GRM1555C2A7R7BA01#
				±0.25pF	
				±0.5pF	GRM1555C2A7R7DA01#
			7.8pF	±0.05pF	GRM1555C2A7R8WA01#
			Part nur	mber # indic	cates the package specification code

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
).55mm	_	C0G	7.8pF	±0.1pF	GRM1555C2A7R8BA01#
			•	±0.25pF	GRM1555C2A7R8CA01#
				±0.5pF	GRM1555C2A7R8DA01#
		•	7.9pF	±0.05pF	GRM1555C2A7R9WA01#
				±0.1pF	GRM1555C2A7R9BA01#
				±0.25pF	GRM1555C2A7R9CA01#
				±0.5pF	GRM1555C2A7R9DA01#
		-	8.0pF	±0.05pF	GRM1555C2A8R0WA01#
			о.ор.	±0.1pF	GRM1555C2A8R0BA01#
				±0.25pF	GRM1555C2A8R0CA01#
				-	GRM1555C2A8R0DA01#
			0.1-5	±0.5pF	
			8.1pF	±0.05pF	GRM1555C2A8R1WA01#
				±0.1pF	GRM1555C2A8R1BA01#
				±0.25pF	GRM1555C2A8R1CA01#
				±0.5pF	GRM1555C2A8R1DA01#
			8.2pF	±0.05pF	GRM1555C2A8R2WA01#
				±0.1pF	GRM1555C2A8R2BA01#
				±0.25pF	GRM1555C2A8R2CA01#
				±0.5pF	GRM1555C2A8R2DA01#
			8.3pF	±0.05pF	GRM1555C2A8R3WA01#
				±0.1pF	GRM1555C2A8R3BA01#
				±0.25pF	GRM1555C2A8R3CA01#
				±0.5pF	GRM1555C2A8R3DA01#
			8.4pF	±0.05pF	GRM1555C2A8R4WA01#
				±0.1pF	GRM1555C2A8R4BA01#
				±0.25pF	GRM1555C2A8R4CA01#
				±0.5pF	GRM1555C2A8R4DA01#
			8.5pF	±0.05pF	GRM1555C2A8R5WA01#
				±0.1pF	GRM1555C2A8R5BA01#
				±0.25pF	GRM1555C2A8R5CA01#
				±0.5pF	GRM1555C2A8R5DA01#
			8.6pF	±0.05pF	GRM1555C2A8R6WA01#
			о.ор.	±0.1pF	GRM1555C2A8R6BA01#
				±0.25pF	GRM1555C2A8R6CA01#
				±0.25pF	GRM1555C2A8R6DA01#
			0 7nE	-	
			8.7pF	±0.05pF	GRM1555C2A8R7WA01#
				±0.1pF	GRM1555C2A8R7BA01#
				±0.25pF	GRM1555C2A8R7CA01#
				±0.5pF	GRM1555C2A8R7DA01#
			8.8pF	±0.05pF	GRM1555C2A8R8WA01#
				±0.1pF	GRM1555C2A8R8BA01#
				±0.25pF	GRM1555C2A8R8CA01#
				±0.5pF	GRM1555C2A8R8DA01#
			8.9pF	±0.05pF	GRM1555C2A8R9WA01#
				±0.1pF	GRM1555C2A8R9BA01#
				±0.25pF	GRM1555C2A8R9CA01#
				±0.5pF	GRM1555C2A8R9DA01#
			9.0pF	±0.05pF	GRM1555C2A9R0WA01#
				±0.1pF	GRM1555C2A9R0BA01#
				±0.25pF	GRM1555C2A9R0CA01#
				±0.5pF	GRM1555C2A9R0DA01#
			9.1pF	±0.05pF	GRM1555C2A9R1WA01#
			IT.	±0.1pF	GRM1555C2A9R1BA01#
					,

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	100Vdc	Code	0 1nE	+0.555	GRM1555C2A9R1DA01#
0.5511111	100 vac	Cod	9.1pF	±0.5pF ±0.05pF	GRM1555C2A9R1DA01#
			9.2pF	±0.05pF	GRM1555C2A9R2BA01#
				±0.1pi	GRM1555C2A9R2CA01#
				±0.5pF	GRM1555C2A9R2DA01#
			9.3pF	±0.05pF	GRM1555C2A9R3WA01#
			J.0pi	±0.1pF	GRM1555C2A9R3BA01#
				<u> </u>	GRM1555C2A9R3CA01#
				±0.5pF	GRM1555C2A9R3DA01#
			9.4pF	±0.05pF	GRM1555C2A9R4WA01#
			0	±0.1pF	GRM1555C2A9R4BA01#
				±0.25pF	GRM1555C2A9R4CA01#
				±0.5pF	GRM1555C2A9R4DA01#
			9.5pF	±0.05pF	
				±0.1pF	GRM1555C2A9R5BA01#
				±0.25pF	GRM1555C2A9R5CA01#
				±0.5pF	GRM1555C2A9R5DA01#
			9.6pF	±0.05pF	GRM1555C2A9R6WA01#
			1-	±0.1pF	GRM1555C2A9R6BA01#
				±0.25pF	GRM1555C2A9R6CA01#
				±0.5pF	GRM1555C2A9R6DA01#
			9.7pF	±0.05pF	GRM1555C2A9R7WA01#
			'	±0.1pF	GRM1555C2A9R7BA01#
				±0.25pF	GRM1555C2A9R7CA01#
				±0.5pF	GRM1555C2A9R7DA01#
			9.8pF	±0.05pF	GRM1555C2A9R8WA01#
				±0.1pF	GRM1555C2A9R8BA01#
				±0.25pF	GRM1555C2A9R8CA01#
				±0.5pF	GRM1555C2A9R8DA01#
			9.9pF	±0.05pF	GRM1555C2A9R9WA01#
				±0.1pF	GRM1555C2A9R9BA01#
				±0.25pF	GRM1555C2A9R9CA01#
				±0.5pF	GRM1555C2A9R9DA01#
			10pF	±2%	GRM1555C2A100GA01#
				±5%	GRM1555C2A100JA01#
			12pF	±2%	GRM1555C2A120GA01#
				±5%	GRM1555C2A120JA01#
			15pF	±2%	GRM1555C2A150GA01#
				±5%	GRM1555C2A150JA01#
			18pF	±2%	GRM1555C2A180GA01#
				±5%	GRM1555C2A180JA01#
			22pF	±2%	GRM1555C2A220GA01#
				±5%	GRM1555C2A220JA01#
			27pF	±2%	GRM1555C2A270GA01#
				±5%	GRM1555C2A270JA01#
			33pF	±2%	GRM1555C2A330GA01#
				±5%	GRM1555C2A330JA01#
			39pF	±2%	GRM1555C2A390GA01#
			47pF	±5%	GRM1555C2A390JA01#
				±2%	GRM1555C2A470GA01#
				±5%	GRM1555C2A470JA01#
			56pF	±2%	GRM1555C2A560GA01#
				±5%	GRM1555C2A560JA01#
			68pF	±2%	GRM1555C2A680GA01#
			Part nur	nher # indic	cates the package specification code.

GRM Series

GJM Series

GMA Series

GMD Series GQM Series

GRM Series Temperature Compensating Type Part Number List

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
).55mm	100Vdc	C0G	68pF	±5%	GRM1555C2A680JA01#
			82pF	±2%	GRM1555C2A820GA01#
				±5%	GRM1555C2A820JA01#
			100pF	±2%	GRM1555C2A101GA01#
				±5%	GRM1555C2A101JA01#
		CK	0.10pF	±0.05pF	GRM1554C2AR10WA01#
			0.20pF	±0.05pF	GRM1554C2AR20WA01#
				±0.1pF	GRM1554C2AR20BA01#
			0.30pF	±0.05pF	GRM1554C2AR30WA01#
				±0.1pF	GRM1554C2AR30BA01#
			0.40pF	±0.05pF	GRM1554C2AR40WA01#
			•	±0.1pF	GRM1554C2AR40BA01#
			0.50pF	±0.05pF	GRM1554C2AR50WA01#
				±0.1pF	GRM1554C2AR50BA01#
			0.60pF	±0.05pF	GRM1554C2AR60WA01#
				±0.1pF	GRM1554C2AR60BA01#
			0.70pF	±0.05pF	GRM1554C2AR70WA01#
				±0.1pF	GRM1554C2AR70BA01#
			0.80pF	±0.05pF	GRM1554C2AR80WA01#
				±0.1pF	GRM1554C2AR80BA01#
			0.90pF	±0.05pF	GRM1554C2AR90WA01#
				±0.1pF	GRM1554C2AR90BA01#
			1.0pF	±0.05pF	GRM1554C2A1R0WA01#
			1.001	±0.1pF	GRM1554C2A1R0BA01#
				±0.25pF	GRM1554C2A1R0CA01#
			1.1pF	±0.05pF	GRM1554C2A1R1WA01#
			1.101	±0.1pF	GRM1554C2A1R1BA01#
				±0.25pF	GRM1554C2A1R1CA01#
			1.2pF	±0.25pi	GRM1554C2A1R2WA01#
			1.201	±0.05pi	GRM1554C2A1R2BA01#
				±0.1pi	GRM1554C2A1R2CA01#
			1.3pF	±0.25pi	
			1.5pr	· ·	GRM1554C2A1R3WA01# GRM1554C2A1R3BA01#
				±0.1pF	
			1 /nE	±0.25pF	GRM1554C2A1R3CA01#
			1.4pF	±0.05pF	GRM1554C2A1R4WA01# GRM1554C2A1R4BA01#
				±0.1pF	GRM1554C2A1R4CA01#
			150	±0.25pF	
			1.5pF	±0.05pF	GRM1554C2A1R5BA01#
				±0.1pF	GRM1554C2A1R5CA01#
			1655	±0.25pF	
			1.6pF	±0.05pF	
				±0.1pF	GRM1554C2A1R6BA01#
			1 7~ 「	±0.25pF	GRM1554C2A1R6CA01#
			1.7pF	±0.05pF	GRM1554C2A1R7WA01#
				±0.1pF	GRM1554C2A1R7BA01#
			10.5	±0.25pF	GRM1554C2A1R7CA01#
			1.8pF	±0.05pF	
				±0.1pF	GRM1554C2A1R8BA01#
				±0.25pF	GRM1554C2A1R8CA01#
			1.9pF	±0.05pF	GRM1554C2A1R9WA01#
				±0.1pF	GRM1554C2A1R9BA01#
				±0.25pF	GRM1554C2A1R9CA01#
			2.0pF	±0.05pF	GRM1554C2A2R0WA01#
				±0.1pF	GRM1554C2A2R0BA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.55mm	100Vdc	CK	2.0pF	±0.25pF	GRM1554C2A2R0CA01#	
		CJ	2.1pF	±0.05pF	GRM1553C2A2R1WA01#	
				±0.1pF	GRM1553C2A2R1BA01#	
				±0.25pF	GRM1553C2A2R1CA01#	
			2.2pF	±0.05pF	GRM1553C2A2R2WA01#	
				±0.1pF	GRM1553C2A2R2BA01#	
				±0.25pF	GRM1553C2A2R2CA01#	
			2.3pF	±0.05pF	GRM1553C2A2R3WA01#	
				±0.1pF	GRM1553C2A2R3BA01#	
				±0.25pF	GRM1553C2A2R3CA01#	
			2.4pF	±0.05pF	GRM1553C2A2R4WA01#	
				±0.1pF	GRM1553C2A2R4BA01#	
				±0.25pF	GRM1553C2A2R4CA01#	
			2.5pF	±0.05pF	GRM1553C2A2R5WA01#	
				±0.1pF	GRM1553C2A2R5BA01#	
				±0.25pF	GRM1553C2A2R5CA01#	
			2.6pF	±0.05pF		
				±0.1pF	GRM1553C2A2R6BA01#	
			0.7.5	±0.25pF	GRM1553C2A2R6CA01#	
			2.7pF	±0.05pF	GRM1553C2A2R7WA01#	
				±0.1pF	GRM1553C2A2R7BA01# GRM1553C2A2R7CA01#	
			2.8pF	±0.25pF ±0.05pF	GRM1553C2A2R7CA01#	
			2.001	±0.03pi	GRM1553C2A2R8BA01#	
				±0.25pF	GRM1553C2A2R8CA01#	
			2.9pF	±0.05pF		
				±0.1pF	GRM1553C2A2R9BA01#	
				±0.25pF	GRM1553C2A2R9CA01#	
			3.0pF	±0.05pF	GRM1553C2A3R0WA01#	
			·	±0.1pF	GRM1553C2A3R0BA01#	
				±0.25pF	GRM1553C2A3R0CA01#	
			3.1pF	±0.05pF	GRM1553C2A3R1WA01#	
				±0.1pF	GRM1553C2A3R1BA01#	
				±0.25pF	GRM1553C2A3R1CA01#	
			3.2pF	±0.05pF	GRM1553C2A3R2WA01#	
				±0.1pF	GRM1553C2A3R2BA01#	
				±0.25pF	GRM1553C2A3R2CA01#	
			3.3pF	±0.05pF	GRM1553C2A3R3WA01#	
				±0.1pF	GRM1553C2A3R3BA01#	
				±0.25pF	GRM1553C2A3R3CA01#	
			3.4pF	±0.05pF		
				±0.1pF	GRM1553C2A3R4BA01#	
				±0.25pF	GRM1553C2A3R4CA01#	
			3.5pF	±0.05pF	GRM1553C2A3R5WA01#	
				±0.1pF	GRM1553C2A3R5BA01#	
			0.0.5	±0.25pF	GRM1553C2A3R5CA01#	
			3.6pF	±0.05pF	GRM1553C2A3R6WA01#	
				±0.1pF	GRM1553C2A3R6BA01#	
			2 7nE	±0.25pF		
			3.7pF	±0.05pF ±0.1pF	GRM1553C2A3R7WA01# GRM1553C2A3R7BA01#	
				±0.1pF ±0.25pF	GRM1553C2A3R7CA01#	
			3.8pF	±0.25pF	GRM1553C2A3R8WA01#	
			0.0pi	±0.05pi	GRM1553C2A3R8BA01#	
		<u> </u>	Dort r		eates the package specification	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
).55mm	100Vdc	CJ	3.8pF	±0.25pF	GRM1553C2A3R8CA01#
			3.9pF	±0.05pF	GRM1553C2A3R9WA01#
				±0.1pF	GRM1553C2A3R9BA01#
				±0.25pF	GRM1553C2A3R9CA01#
		СН	4.0pF	±0.05pF	GRM1552C2A4R0WA01#
				±0.1pF	GRM1552C2A4R0BA01#
				±0.25pF	GRM1552C2A4R0CA01#
			4.1pF	±0.05pF	GRM1552C2A4R1WA01#
			·	±0.1pF	GRM1552C2A4R1BA01#
				±0.25pF	GRM1552C2A4R1CA01#
		-	4.2pF	±0.05pF	GRM1552C2A4R2WA01#
			p.	±0.1pF	GRM1552C2A4R2BA01#
				±0.25pF	GRM1552C2A4R2CA01#
			4.3pF	±0.05pF	GRM1552C2A4R3WA01#
			4.0pi	-	GRM1552C2A4R3BA01#
				±0.1pF	
			4 4 5 5	±0.25pF	GRM1552C2A4R3CA01#
			4.4pF	±0.05pF	GRM1552C2A4R4WA01#
				±0.1pF	GRM1552C2A4R4BA01#
				±0.25pF	GRM1552C2A4R4CA01#
			4.5pF	±0.05pF	GRM1552C2A4R5WA01#
				±0.1pF	GRM1552C2A4R5BA01#
				±0.25pF	GRM1552C2A4R5CA01#
			4.6pF	±0.05pF	GRM1552C2A4R6WA01#
				±0.1pF	GRM1552C2A4R6BA01#
				±0.25pF	GRM1552C2A4R6CA01#
			4.7pF	±0.05pF	GRM1552C2A4R7WA01#
				±0.1pF	GRM1552C2A4R7BA01#
				±0.25pF	GRM1552C2A4R7CA01#
			4.8pF	±0.05pF	GRM1552C2A4R8WA01#
				±0.1pF	GRM1552C2A4R8BA01#
				±0.25pF	GRM1552C2A4R8CA01#
			4.9pF	±0.05pF	GRM1552C2A4R9WA01#
				±0.1pF	GRM1552C2A4R9BA01#
				±0.25pF	GRM1552C2A4R9CA01#
		-	5.0pF	±0.05pF	GRM1552C2A5R0WA01#
			P.	±0.1pF	GRM1552C2A5R0BA01#
				±0.25pF	GRM1552C2A5R0CA01#
			5.1pF	±0.25pi	GRM1552C2A5R1WA01#
			υ. τρι	-	GRM1552C2A5R1BA01#
				±0.1pF	
				±0.25pF	GRM1552C2A5R1CA01#
			F 0 F	±0.5pF	GRM1552C2A5R1DA01#
			5.2pF	±0.05pF	GRM1552C2A5R2WA01#
				±0.1pF	GRM1552C2A5R2BA01#
				±0.25pF	GRM1552C2A5R2CA01#
				±0.5pF	GRM1552C2A5R2DA01#
			5.3pF	±0.05pF	GRM1552C2A5R3WA01#
				±0.1pF	GRM1552C2A5R3BA01#
				±0.25pF	GRM1552C2A5R3CA01#
				±0.5pF	GRM1552C2A5R3DA01#
			5.4pF	±0.05pF	GRM1552C2A5R4WA01#
				±0.1pF	GRM1552C2A5R4BA01#
				±0.25pF	GRM1552C2A5R4CA01#
				±0.5pF	GRM1552C2A5R4DA01#
			5.5pF	±0.05pF	GRM1552C2A5R5WA01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.55mm	100Vdc	СН	5.5pF	±0.1pF	GRM1552C2A5R5BA01#	
				±0.25pF	GRM1552C2A5R5CA01#	
				±0.5pF	GRM1552C2A5R5DA01#	
			5.6pF	±0.05pF	GRM1552C2A5R6WA01#	
				±0.1pF	GRM1552C2A5R6BA01#	
				±0.25pF	GRM1552C2A5R6CA01#	
				±0.5pF	GRM1552C2A5R6DA01#	
			5.7pF	±0.05pF	GRM1552C2A5R7WA01#	
				±0.1pF	GRM1552C2A5R7BA01#	
				±0.25pF	GRM1552C2A5R7CA01#	
				±0.5pF	GRM1552C2A5R7DA01#	
			5.8pF	±0.05pF	GRM1552C2A5R8WA01#	
				±0.1pF	GRM1552C2A5R8BA01#	
				±0.25pF	GRM1552C2A5R8CA01#	
				±0.5pF	GRM1552C2A5R8DA01#	
			5.9pF	±0.05pF	GRM1552C2A5R9WA01#	
				±0.1pF	GRM1552C2A5R9BA01#	
				±0.25pF	GRM1552C2A5R9CA01#	
				±0.5pF	GRM1552C2A5R9DA01#	
			6.0pF	±0.05pF	GRM1552C2A6R0WA01#	
			0.0pi	±0.1pF	GRM1552C2A6R0BA01#	
				±0.25pF	GRM1552C2A6R0CA01#	
				±0.5pF	GRM1552C2A6R0DA01#	
			6.1pF	±0.05pF	GRM1552C2A6R1WA01#	
				±0.1pF	GRM1552C2A6R1BA01#	
				±0.25pF	GRM1552C2A6R1CA01#	
				±0.5pF	GRM1552C2A6R1DA01#	
			6.2pF	±0.05pF	GRM1552C2A6R2WA01#	
				±0.1pF	GRM1552C2A6R2BA01#	
				±0.25pF	GRM1552C2A6R2CA01#	
				±0.5pF	GRM1552C2A6R2DA01#	
			6.3pF	±0.05pF	GRM1552C2A6R3WA01#	
				±0.1pF	GRM1552C2A6R3BA01#	
				±0.25pF	GRM1552C2A6R3CA01#	
				±0.5pF	GRM1552C2A6R3DA01#	
			6.4pF	±0.05pF	GRM1552C2A6R4WA01#	
				±0.1pF	GRM1552C2A6R4BA01#	
				±0.25pF	GRM1552C2A6R4CA01#	
				±0.5pF	GRM1552C2A6R4DA01#	
			6.5pF	±0.05pF	GRM1552C2A6R5WA01#	
			p,	±0.1pF	GRM1552C2A6R5BA01#	
				±0.25pF	GRM1552C2A6R5CA01#	
				±0.5pF	GRM1552C2A6R5DA01#	_
			6.6pF	±0.05pF	GRM1552C2A6R6WA01#	
			J.Jp.	±0.1pF	GRM1552C2A6R6BA01#	
				±0.25pF	GRM1552C2A6R6CA01#	
				±0.25pF	GRM1552C2A6R6DA01#	_
			6.7pF	±0.05pF	GRM1552C2A6R7WA01#	
			υ./ μι	±0.05pF	GRM1552C2A6R7WA01#	_
					GRM1552C2A6R7CA01#	
				±0.25pF		
			6 2nE	±0.5pF	GRM1552C2A6R7DA01#	_
			6.8pF	±0.05pF	GRM1552C2A6R8WA01#	_
				±0.1pF	GRM1552C2A6R8BA01#	_
			Dort nur	±0.25pF	GRM1552C2A6R8CA01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
).55mm	100Vdc	СН	6.8pF	±0.5pF	GRM1552C2A6R8DA01#
			6.9pF	±0.05pF	GRM1552C2A6R9WA01#
				±0.1pF	GRM1552C2A6R9BA01#
				±0.25pF	GRM1552C2A6R9CA01#
				±0.5pF	GRM1552C2A6R9DA01#
			7.0pF	±0.05pF	GRM1552C2A7R0WA01#
				±0.1pF	GRM1552C2A7R0BA01#
				±0.25pF	GRM1552C2A7R0CA01#
				±0.5pF	GRM1552C2A7R0DA01#
			7.1pF	±0.05pF	GRM1552C2A7R1WA01#
				±0.1pF	GRM1552C2A7R1BA01#
				±0.25pF	GRM1552C2A7R1CA01#
				±0.5pF	GRM1552C2A7R1DA01#
			7.2pF	±0.05pF	GRM1552C2A7R2WA01#
			7.2pi		GRM1552C2A7R2BA01#
				±0.1pF	
				±0.25pF	GRM1552C2A7R2CA01#
				±0.5pF	GRM1552C2A7R2DA01#
			7.3pF	±0.05pF	GRM1552C2A7R3WA01#
				±0.1pF	GRM1552C2A7R3BA01#
				±0.25pF	GRM1552C2A7R3CA01#
				±0.5pF	GRM1552C2A7R3DA01#
			7.4pF	±0.05pF	GRM1552C2A7R4WA01#
				±0.1pF	GRM1552C2A7R4BA01#
				±0.25pF	GRM1552C2A7R4CA01#
				±0.5pF	GRM1552C2A7R4DA01#
			7.5pF	±0.05pF	GRM1552C2A7R5WA01#
		,		±0.1pF	GRM1552C2A7R5BA01#
				±0.25pF	GRM1552C2A7R5CA01#
				±0.5pF	GRM1552C2A7R5DA01#
			7.6pF	±0.05pF	GRM1552C2A7R6WA01#
				±0.1pF	GRM1552C2A7R6BA01#
				±0.25pF	GRM1552C2A7R6CA01#
				±0.5pF	GRM1552C2A7R6DA01#
			7.7pF	±0.05pF	GRM1552C2A7R7WA01#
			p.	±0.1pF	GRM1552C2A7R7BA01#
				±0.25pF	GRM1552C2A7R7CA01#
				±0.25pi	GRM1552C2A7R7DA01#
			7 0×E	-	GRM1552C2A7R7DA01#
			7.8pF	±0.05pF	
				±0.1pF	GRM1552C2A7R8BA01#
				±0.25pF	GRM1552C2A7R8CA01#
				±0.5pF	GRM1552C2A7R8DA01#
			7.9pF	±0.05pF	GRM1552C2A7R9WA01#
				±0.1pF	GRM1552C2A7R9BA01#
				±0.25pF	GRM1552C2A7R9CA01#
				±0.5pF	GRM1552C2A7R9DA01#
			8.0pF	±0.05pF	GRM1552C2A8R0WA01#
				±0.1pF	GRM1552C2A8R0BA01#
				±0.25pF	GRM1552C2A8R0CA01#
				±0.5pF	GRM1552C2A8R0DA01#
			8.1pF	±0.05pF	GRM1552C2A8R1WA01#
			-	±0.1pF	GRM1552C2A8R1BA01#
				±0.25pF	GRM1552C2A8R1CA01#
				±0.5pF	GRM1552C2A8R1DA01#

100Vdc	T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
### ### ### ### ### ### ### ### ### ##	0.55mm	100Vdc	СН	8.2pF	±0.1pF	GRM1552C2A8R2BA01#	
8.3pF					±0.25pF	GRM1552C2A8R2CA01#	
#0.1pF GRM1552C2A8R3BA01# ±0.25pF GRM1552C2A8R3CA01# ±0.5pF GRM1552C2A8R3DA01# ±0.1pF GRM1552C2A8R4WA01# ±0.5pF GRM1552C2A8R4WA01# ±0.5pF GRM1552C2A8R4WA01# ±0.5pF GRM1552C2A8R4WA01# ±0.5pF GRM1552C2A8R5WA01# ±0.5pF GRM1552C2A8R6WA01# ±0.5pF GRM1552C2A8R6WA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R9WA01# ±0.5pF GRM1552C2A9R0WA01# ±0.5pF GRM1552C2A9R3BA01# ±0.5p					±0.5pF	GRM1552C2A8R2DA01#	
#0.5pF GRM1552C2A8R3CA01# #0.5pF GRM1552C2A8R3DA01# #0.1pF GRM1552C2A8R4BA01# #0.1pF GRM1552C2A8R4BA01# #0.5pF GRM1552C2A8R4BA01# #0.5pF GRM1552C2A8R5WA01# #0.5pF GRM1552C2A8R5WA01# #0.1pF GRM1552C2A8R5WA01# #0.1pF GRM1552C2A8R5BA01# #0.5pF GRM1552C2A8R5BA01# #0.5pF GRM1552C2A8R5BA01# #0.5pF GRM1552C2A8R5DA01# #0.5pF GRM1552C2A8R5DA01# #0.5pF GRM1552C2A8R5BA01# #0.5pF GRM1552C2A8R6BA01# #0.5pF GRM1552C2A8R6BA01# #0.5pF GRM1552C2A8R6BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R8BA01# #0.5pF GRM1552C2A8R8BA01# #0.5pF GRM1552C2A8R8BA01# #0.5pF GRM1552C2A8R8BA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A9R0BA01#				8.3pF	±0.05pF	GRM1552C2A8R3WA01#	
#0.5pF GRM1552C2ABR3DA01# #0.1pF GRM1552C2ABR4WA01# #0.1pF GRM1552C2ABR4DA01# #0.5pF GRM1552C2ABR4DA01# #0.5pF GRM1552C2ABR5WA01# #0.5pF GRM1552C2ABR5WA01# #0.5pF GRM1552C2ABR5DA01# #0.5pF GRM1552C2ABR5DA01# #0.5pF GRM1552C2ABR5DA01# #0.5pF GRM1552C2ABR5DA01# #0.5pF GRM1552C2ABR6BA01# #0.5pF GRM1552C2ABR6BA01# #0.5pF GRM1552C2ABR6BA01# #0.5pF GRM1552C2ABR6DA01# #0.5pF GRM1552C2ABR6DA01# #0.5pF GRM1552C2ABR7WA01# #0.5pF GRM1552C2ABR7WA01# #0.5pF GRM1552C2ABR7WA01# #0.5pF GRM1552C2ABR7WA01# #0.5pF GRM1552C2ABR7WA01# #0.5pF GRM1552C2ABR8WA01# #0.5pF GRM1552C2ABR8WA01# #0.5pF GRM1552C2ABR8BA01# #0.5pF GRM1552C2ABR8BA01# #0.5pF GRM1552C2ABR8BA01# #0.5pF GRM1552C2ABR8BA01# #0.5pF GRM1552C2ABR8BA01# #0.5pF GRM1552C2ABR9BA01# #0.5pF GRM1552C2ABRBA01# #0.5pF GRM1552CABRBA01# #0.5pF GRM1552					±0.1pF	GRM1552C2A8R3BA01#	
8.4pF					±0.25pF	GRM1552C2A8R3CA01#	
#0.1pF GRM1552C2A8R4BA01# ±0.25pF GRM1552C2A8R5BA01# ±0.5pF GRM1552C2A8R5BA01# ±0.25pF GRM1552C2A8R5BA01# ±0.25pF GRM1552C2A8R5BA01# ±0.5pF GRM1552C2A8R5BA01# ±0.5pF GRM1552C2A8R5BA01# ±0.5pF GRM1552C2A8R5BA01# ±0.25pF GRM1552C2A8R5BA01# ±0.25pF GRM1552C2A8R6BA01# ±0.25pF GRM1552C2A8R6BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R7BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R8BA01# ±0.5pF GRM1552C2A8R9BA01# ±0.5pF GRM1552C2A8R9BA01# ±0.5pF GRM1552C2A8R9BA01# ±0.5pF GRM1552C2A9R0BA01# ±0.5pF GRM1552C2A9R0BA01# ±0.5pF GRM1552C2A9R0BA01# ±0.5pF GRM1552C2A9R0BA01# ±0.5pF GRM1552C2A9R0BA01# ±0.5pF GRM1552C2A9R0BA01# ±0.5pF GRM1552C2A9R1BA01# ±0.5pF GRM1552C2A9R2BA01# ±0.5pF GRM1552C2A9R3BA01# ±0.5pF GRM1552CA9R3BA01# ±0.5pF					±0.5pF	GRM1552C2A8R3DA01#	
#0.5pF GRM1552C2A8R4CA01# #0.5pF GRM1552C2A8R5WA01# #0.1pF GRM1552C2A8R5WA01# #0.25pF GRM1552C2A8R5CA01# #0.5pF GRM1552C2A8R6WA01# #0.5pF GRM1552C2A8R6WA01# #0.5pF GRM1552C2A8R6WA01# #0.5pF GRM1552C2A8R6CA01# #0.5pF GRM1552C2A8R6CA01# #0.5pF GRM1552C2A8R6CA01# #0.5pF GRM1552C2A8R6CA01# #0.5pF GRM1552C2A8R6CA01# #0.1pF GRM1552C2A8R6CA01# #0.1pF GRM1552C2A8R7WA01# #0.1pF GRM1552C2A8R7WA01# #0.1pF GRM1552C2A8R7WA01# #0.1pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R3DA01# #0.5p				8.4pF	±0.05pF	GRM1552C2A8R4WA01#	
#0.5pF ±0.05pF GRM1552C2A8R5WA01# ±0.25pF GRM1552C2A8R5WA01# ±0.25pF GRM1552C2A8R5CA01# ±0.5pF GRM1552C2A8R5DA01# ±0.5pF GRM1552C2A8R6DA01# ±0.1pF GRM1552C2A8R6DA01# ±0.5pF GRM1552C2A8R6DA01# ±0.5pF GRM1552C2A8R6DA01# ±0.5pF GRM1552C2A8R6DA01# ±0.5pF GRM1552C2A8R6DA01# ±0.5pF GRM1552C2A8R6DA01# ±0.5pF GRM1552C2A8R7WA01# ±0.5pF GRM1552C2A8R7WA01# ±0.5pF GRM1552C2A8R7WA01# ±0.5pF GRM1552C2A8R8WA01# ±0.5pF GRM1552C2A8R8WA01# ±0.5pF GRM1552C2A8R8WA01# ±0.5pF GRM1552C2A8R8WA01# ±0.5pF GRM1552C2A8R8DA01# ±0.5pF GRM1552C2A8R9WA01# ±0.5pF GRM1552C2A8R9WA01# ±0.5pF GRM1552C2A8R9WA01# ±0.5pF GRM1552C2A8R9WA01# ±0.5pF GRM1552C2A9R0WA01# ±0.5pF GRM1552C2A9R0WA01# ±0.5pF GRM1552C2A9R0WA01# ±0.5pF GRM1552C2A9R1WA01# ±0.5pF GRM1552C2A9R1WA01# ±0.5pF GRM1552C2A9R1WA01# ±0.5pF GRM1552C2A9R1DA01# ±0.5pF GRM1552C2A9R2DA01# ±0.5pF GRM1552C2A9R2DA01# ±0.5pF GRM1552C2A9R2DA01# ±0.5pF GRM1552C2A9R2DA01# ±0.5pF GRM1552C2A9R3DA01# ±0.5pF GRM1552C2A9R3DA					±0.1pF	GRM1552C2A8R4BA01#	
8.5pF					±0.25pF	GRM1552C2A8R4CA01#	
#0.1pF GRM1552C2A8R5BA01# #0.5pF GRM1552C2A8R6A01# #0.5pF GRM1552C2A8R6A01# #0.5pF GRM1552C2A8R6A01# #0.5pF GRM1552C2A8R6A01# #0.5pF GRM1552C2A8R6A01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7DA01# #0.5pF GRM1552C2A8R7DA01# #0.5pF GRM1552C2A8R3DA01# #0.5pF GRM1552C2A9R3DA01# #0.5pF GRM1552CA9R3DA01# #0.5p					±0.5pF	GRM1552C2A8R4DA01#	
#0.5pF GRM1552C2A8R6A01# #0.5pF GRM1552C2A8R6WA01# #0.1pF GRM1552C2A8R6WA01# #0.25pF GRM1552C2A8R6BA01# #0.5pF GRM1552C2A8R6BA01# #0.5pF GRM1552C2A8R6BA01# #0.5pF GRM1552C2A8R6DA01# #0.1pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R7BA01# #0.5pF GRM1552C2A8R8WA01# #0.1pF GRM1552C2A8R8WA01# #0.1pF GRM1552C2A8R8WA01# #0.1pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8BA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R3WA01# #0.5pF GRM1552CA9R3BA01#				8.5pF	±0.05pF	GRM1552C2A8R5WA01#	
#0.5pF GRM1552C2A8RSDA01# #0.1pF GRM1552C2A8R6WA01# #0.25pF GRM1552C2A8R6WA01# #0.5pF GRM1552C2A8R6CA01# #0.5pF GRM1552C2A8R6DA01# #0.5pF GRM1552C2A8R6DA01# #0.1pF GRM1552C2A8R7WA01# #0.25pF GRM1552C2A8R7WA01# #0.25pF GRM1552C2A8R7WA01# #0.5pF GRM1552C2A8R7WA01# #0.1pF GRM1552C2A8R8WA01# #0.1pF GRM1552C2A8R8WA01# #0.1pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R8WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A8R9WA01# #0.5pF GRM1552C2A9R0WA01# #0.25pF GRM1552C2A9R0WA01# #0.25pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R3WA01# #0.5pF GRM1552C2A9RSWA01# #					±0.1pF	GRM1552C2A8R5BA01#	
### ### ### ### ### ### ### ### ### ##					±0.25pF	GRM1552C2A8R5CA01#	
#0.1pF #0.2spF #0.5spF #0.5spF #0.5spF #0.5spF #0.0spF #0.5spF #0.0spF #0.0					±0.5pF	GRM1552C2A8R5DA01#	
#0.25pF GRM1552C2A8R6CA01# #0.5pF GRM1552C2A8R6DA01# #0.1pF GRM1552C2A8R7DA01# #0.25pF GRM1552C2A8R7DA01# #0.5pF GRM1552C2A8R7DA01# #0.5pF GRM1552C2A8R7DA01# #0.5pF GRM1552C2A8R8DA01# #0.5pF GRM1552C2A8R8DA01# #0.5pF GRM1552C2A8R8DA01# #0.5pF GRM1552C2A8R8DA01# #0.25pF GRM1552C2A8R8DA01# #0.25pF GRM1552C2A8R8DA01# #0.25pF GRM1552C2A8R9DA01# #0.25pF GRM1552C2A8R9DA01# #0.25pF GRM1552C2A8R9DA01# #0.25pF GRM1552C2A9R0DA01# #0.25pF GRM1552C2A9R0DA01# #0.25pF GRM1552C2A9R0DA01# #0.25pF GRM1552C2A9R0DA01# #0.25pF GRM1552C2A9R0DA01# #0.25pF GRM1552C2A9R1BA01# #0.25pF GRM1552C2A9R1DA01# #0.25pF GRM1552C2A9R1DA01# #0.25pF GRM1552C2A9R2DA01# #0.25pF GRM1552C2A9R2DA01# #0.25pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R3DA01#				8.6pF	±0.05pF	GRM1552C2A8R6WA01#	
### ### ##############################					±0.1pF	GRM1552C2A8R6BA01#	
8.7pF					±0.25pF	GRM1552C2A8R6CA01#	
#0.1pF GRM1552C2A8R7BA01# #0.25pF GRM1552C2A8R7CA01# #0.5pF GRM1552C2A8R7DA01# #0.1pF GRM1552C2A8R8WA01# #0.1pF GRM1552C2A8R8BA01# #0.5pF GRM1552C2A8R8BA01# #0.5pF GRM1552C2A8R8BA01# #0.1pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A9R0WA01# #0.1pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.5pF GRM1552C2A9R0WA01# #0.1pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R1WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R2WA01# #0.5pF GRM1552C2A9R3WA01# #0.5pF GRM1552C2A9R4WA01# #0.5pF GRM1552C2A9R3WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01#					±0.5pF	GRM1552C2A8R6DA01#	
#0.25pF GRM1552C2ABR7CA01# #0.5pF GRM1552C2ABR8WA01# #0.1pF GRM1552C2ABR8WA01# #0.25pF GRM1552C2ABR8WA01# #0.25pF GRM1552C2ABR8BA01# #0.5pF GRM1552C2ABR8WA01# #0.5pF GRM1552C2ABR8WA01# #0.5pF GRM1552C2ABR9WA01# #0.1pF GRM1552C2ABR9WA01# #0.25pF GRM1552C2ABR9WA01# #0.25pF GRM1552C2ABR9WA01# #0.5pF GRM1552C2ABR9WA01# #0.1pF GRM1552C2ABR9WA01# #0.1pF GRM1552C2ABR9WA01# #0.5pF GRM1552C2ABR9WA01# #0.5pF GRM1552C2ABR0WA01# #0.5pF GRM1552C2ABR0WA01# #0.1pF GRM1552C2ABR0WA01# #0.5pF GRM1552C2ABR0WA01# #0.5pF GRM1552C2ABR1WA01# #0.5pF GRM1552C2ABR1WA01# #0.5pF GRM1552C2ABR1WA01# #0.1pF GRM1552C2ABR2WA01# #0.5pF GRM1552C2ABR2WA01# #0.5pF GRM1552C2ABR2WA01# #0.5pF GRM1552C2ABR3WA01# #0.5pF GRM1552C2ABR3WA01# #0.5pF GRM1552C2ABR3WA01# #0.5pF GRM1552C2ABR3WA01# #0.5pF GRM1552C2ABR3WA01# #0.5pF GRM1552C2ABR4WA01# #0.5pF GRM1552C2ABR5WA01#				8.7pF	±0.05pF	GRM1552C2A8R7WA01#	
### ### ### ### ### ### ### ### ### ##					±0.1pF	GRM1552C2A8R7BA01#	
### ### ### ### ### ### ### ### ### ##					±0.25pF	GRM1552C2A8R7CA01#	
### ### ### ### ### ### ### ### ### ##					±0.5pF	GRM1552C2A8R7DA01#	
#0.25pF GRM1552C2A8R8CA01# #0.5pF GRM1552C2A8R8DA01# #0.1pF GRM1552C2A8R9WA01# #0.25pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9BA01# #0.5pF GRM1552C2A8R9DA01# #0.5pF GRM1552C2A8R9DA01# #0.1pF GRM1552C2A9R0WA01# #0.1pF GRM1552C2A9R0BA01# #0.5pF GRM1552C2A9R0DA01# #0.5pF GRM1552C2A9R0DA01# #0.1pF GRM1552C2A9R0DA01# #0.1pF GRM1552C2A9R1WA01# #0.1pF GRM1552C2A9R1BA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R2WA01# #0.1pF GRM1552C2A9R2WA01# #0.1pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R3WA01# #0.5pF GRM1552C2A9R3BA01# #0.5pF GRM1552C2A9R3BA01# #0.5pF GRM1552C2A9R3DA01# #0.5pF GRM1552C2A9R3DA01# #0.5pF GRM1552C2A9R3DA01# #0.5pF GRM1552C2A9R3DA01# #0.5pF GRM1552C2A9R4WA01# #0.5pF GRM1552C2A9R4BA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R5BA01#				8.8pF	±0.05pF	GRM1552C2A8R8WA01#	
### ### ##############################					±0.1pF	GRM1552C2A8R8BA01#	
### ### ### ### ### ### ### ### ### ##					<u> </u>		
### ### ##############################				8.9pF			
### ### ##############################					<u> </u>		
### ### ##############################							
9.0pF ±0.05pF GRM1552C2A9R0WA01# ±0.1pF GRM1552C2A9R0BA01# ±0.25pF GRM1552C2A9R0DA01# ±0.5pF GRM1552C2A9R1WA01# ±0.1pF GRM1552C2A9R1WA01# ±0.1pF GRM1552C2A9R1DA01# ±0.5pF GRM1552C2A9R1DA01# ±0.5pF GRM1552C2A9R1DA01# ±0.05pF GRM1552C2A9R2WA01# ±0.1pF GRM1552C2A9R2WA01# ±0.25pF GRM1552C2A9R2WA01# ±0.5pF GRM1552C2A9R2WA01# ±0.5pF GRM1552C2A9R2WA01# ±0.5pF GRM1552C2A9R3WA01# ±0.1pF GRM1552C2A9R3WA01# ±0.1pF GRM1552C2A9R3WA01# ±0.5pF GRM1552C2A9R3WA01# ±0.5pF GRM1552C2A9R3WA01# ±0.5pF GRM1552C2A9R3WA01# ±0.5pF GRM1552C2A9R3WA01# ±0.5pF GRM1552C2A9R4WA01# ±0.5pF GRM1552C2A9R4WA01# ±0.1pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4DA01# ±0.5pF GRM1552C2A9R4DA01# ±0.5pF GRM1552C2A9R5WA01# ±0.5pF GRM1552C2A9R5WA01# ±0.5pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5WA01#					<u> </u>		
### ### ##############################				00.5			
#0.25pF GRM1552C2A9R0CA01# #0.5pF GRM1552C2A9R0DA01# 9.1pF #0.05pF GRM1552C2A9R1WA01# #0.1pF GRM1552C2A9R1BA01# #0.25pF GRM1552C2A9R1CA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R2WA01# #0.1pF GRM1552C2A9R2WA01# #0.25pF GRM1552C2A9R2WA01# #0.25pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R3WA01# #0.5pF GRM1552C2A9R3WA01# #0.1pF GRM1552C2A9R3WA01# #0.1pF GRM1552C2A9R3BA01# #0.25pF GRM1552C2A9R3BA01# #0.5pF GRM1552C2A9R3DA01# #0.5pF GRM1552C2A9R3WA01# #0.5pF GRM1552C2A9R4WA01# #0.5pF GRM1552C2A9R4WA01# #0.5pF GRM1552C2A9R4BA01# #0.5pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01#				9.0pF	<u> </u>		
### ### ##############################							
9.1pF					<u> </u>		
#0.1pF GRM1552C2A9R1BA01# #0.25pF GRM1552C2A9R1CA01# #0.5pF GRM1552C2A9R1DA01# #0.5pF GRM1552C2A9R2WA01# #0.1pF GRM1552C2A9R2WA01# #0.25pF GRM1552C2A9R2BA01# #0.5pF GRM1552C2A9R2CA01# #0.5pF GRM1552C2A9R2DA01# #0.1pF GRM1552C2A9R3WA01# #0.1pF GRM1552C2A9R3WA01# #0.25pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R4WA01# #0.1pF GRM1552C2A9R4WA01# #0.1pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01#				0.1nE	-		
#0.25pF GRM1552C2A9R1CA01# #0.5pF GRM1552C2A9R1DA01# #0.05pF GRM1552C2A9R2WA01# #0.1pF GRM1552C2A9R2BA01# #0.25pF GRM1552C2A9R2CA01# #0.5pF GRM1552C2A9R2DA01# #0.5pF GRM1552C2A9R2DA01# #0.1pF GRM1552C2A9R3WA01# #0.1pF GRM1552C2A9R3WA01# #0.25pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3DA01# #0.1pF GRM1552C2A9R4WA01# #0.1pF GRM1552C2A9R4WA01# #0.1pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.1pF GRM1552C2A9R5WA01#				9.1pr	· ·		
#0.5pF GRM1552C2A9R1DA01# 9.2pF							
9.2pF ±0.05pF GRM1552C2A9R2WA01# ±0.1pF GRM1552C2A9R2BA01# ±0.25pF GRM1552C2A9R2CA01# ±0.5pF GRM1552C2A9R2DA01# 9.3pF ±0.05pF GRM1552C2A9R3WA01# ±0.1pF GRM1552C2A9R3WA01# ±0.25pF GRM1552C2A9R3CA01# ±0.5pF GRM1552C2A9R3DA01# 9.4pF ±0.05pF GRM1552C2A9R4WA01# ±0.1pF GRM1552C2A9R4WA01# ±0.1pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4DA01# 9.5pF ±0.05pF GRM1552C2A9R5WA01# 9.5pF GRM1552C2A9R5WA01# 9.5pF GRM1552C2A9R5WA01#					·		
#0.1pF GRM1552C2A9R2BA01# #0.25pF GRM1552C2A9R2CA01# #0.5pF GRM1552C2A9R2DA01# #0.05pF GRM1552C2A9R3WA01# #0.1pF GRM1552C2A9R3WA01# #0.25pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3DA01# #0.1pF GRM1552C2A9R4WA01# #0.1pF GRM1552C2A9R4WA01# #0.25pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.1pF GRM1552C2A9R5WA01#				9 2nF	·		
#0.25pF GRM1552C2A9R2CA01# #0.5pF GRM1552C2A9R2DA01# 9.3pF #0.05pF GRM1552C2A9R3WA01# #0.1pF GRM1552C2A9R3BA01# #0.25pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3DA01# 9.4pF #0.05pF GRM1552C2A9R4WA01# #0.1pF GRM1552C2A9R4WA01# #0.25pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R5WA01# #0.5pF GRM1552C2A9R5WA01# #0.1pF GRM1552C2A9R5WA01#				3.2pi	· ·		
# ±0.5pF GRM1552C2A9R2DA01# 9.3pF ±0.05pF GRM1552C2A9R3WA01# ±0.1pF GRM1552C2A9R3BA01# ±0.25pF GRM1552C2A9R3CA01# ±0.5pF GRM1552C2A9R3DA01# 9.4pF ±0.05pF GRM1552C2A9R4WA01# ±0.1pF GRM1552C2A9R4BA01# ±0.25pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4DA01# ±0.5pF GRM1552C2A9R4DA01# ±0.5pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5BA01#							
9.3pF ±0.05pF GRM1552C2A9R3WA01# ±0.1pF GRM1552C2A9R3BA01# ±0.25pF GRM1552C2A9R3CA01# ±0.5pF GRM1552C2A9R3DA01# 9.4pF ±0.05pF GRM1552C2A9R4WA01# ±0.1pF GRM1552C2A9R4BA01# ±0.25pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4DA01# 9.5pF ±0.05pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5WA01#					<u> </u>		
#0.1pF GRM1552C2A9R3BA01# #0.25pF GRM1552C2A9R3CA01# #0.5pF GRM1552C2A9R3DA01# #0.05pF GRM1552C2A9R4WA01# #0.1pF GRM1552C2A9R4WA01# #0.25pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4CA01# #0.5pF GRM1552C2A9R4DA01# #0.5pF GRM1552C2A9R5WA01# #0.1pF GRM1552C2A9R5WA01#				9.3nF			
# ±0.25pF GRM1552C2A9R3CA01# ±0.5pF GRM1552C2A9R3DA01# 9.4pF ±0.05pF GRM1552C2A9R4WA01# ±0.1pF GRM1552C2A9R4BA01# ±0.25pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4DA01# ±0.5pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5BA01#				op.	<u> </u>		
### ### ##############################							
9.4pF ±0.05pF GRM1552C2A9R4WA01# ±0.1pF GRM1552C2A9R4BA01# ±0.25pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4DA01# ±0.05pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5BA01#					<u> </u>		
±0.1pF GRM1552C2A9R4BA01# ±0.25pF GRM1552C2A9R4CA01# ±0.5pF GRM1552C2A9R4DA01# 9.5pF ±0.05pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5BA01#				9.4pF			
±0.25pF				- F-:	· ·		
#0.5pF GRM1552C2A9R4DA01# 9.5pF #0.05pF GRM1552C2A9R5WA01# #0.1pF GRM1552C2A9R5BA01#							
9.5pF ±0.05pF GRM1552C2A9R5WA01# ±0.1pF GRM1552C2A9R5BA01#					· ·		_
±0.1pF GRM1552C2A9R5BA01#				9.5pF			
				•			
					<u> </u>		

(→ ■ 1	ic.uxu.	nm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	100Vdc	СН	9.5pF	±0.5pF	GRM1552C2A9R5DA01#
			9.6pF	±0.05pF	GRM1552C2A9R6WA01#
				±0.1pF	GRM1552C2A9R6BA01#
				±0.25pF	GRM1552C2A9R6CA01#
				±0.5pF	GRM1552C2A9R6DA01#
			9.7pF	±0.05pF	GRM1552C2A9R7WA01#
				±0.1pF	GRM1552C2A9R7BA01#
				±0.25pF	GRM1552C2A9R7CA01#
				±0.5pF	GRM1552C2A9R7DA01#
			9.8pF	±0.05pF	GRM1552C2A9R8WA01#
				±0.1pF	GRM1552C2A9R8BA01#
				±0.25pF	GRM1552C2A9R8CA01#
				±0.5pF	GRM1552C2A9R8DA01#
			9.9pF	±0.05pF	GRM1552C2A9R9WA01#
				±0.1pF	GRM1552C2A9R9BA01#
				±0.25pF	GRM1552C2A9R9CA01#
				±0.5pF	GRM1552C2A9R9DA01#
			10pF	±2%	GRM1552C2A100GA01#
			-1	±5%	GRM1552C2A100JA01#
			12pF	±2%	GRM1552C2A120GA01#
				±5%	GRM1552C2A120JA01#
			15pF	±2%	GRM1552C2A150GA01#
				±5%	GRM1552C2A150JA01#
			18pF	±2%	GRM1552C2A180GA01#
				±5%	GRM1552C2A180JA01#
			22pF	±2%	GRM1552C2A220GA01#
			LLP.	±5%	GRM1552C2A220JA01#
			27pF	±2%	GRM1552C2A270GA01#
			27 01	±5%	GRM1552C2A270JA01#
			33pF	±2%	GRM1552C2A330GA01#
			ЗЭРІ	±5%	GRM1552C2A330JA01#
			39pF	±2%	GRM1552C2A390GA01#
			Зэрі	±5%	GRM1552C2A390JA01#
			47pF	±2%	GRM1552C2A470GA01#
			47βΙ	±5%	GRM1552C2A470JA01#
			EenE		
			56pF	±2%	GRM1552C2A560GA01#
			605	±5%	GRM1552C2A560JA01#
			68pF	±2%	GRM1552C2A680GA01#
			00	±5%	GRM1552C2A680JA01#
			82pF	±2%	GRM1552C2A820GA01#
			100- 5	±5%	GRM1552C2A820JA01#
			100pF	±2%	GRM1552C2A101GA01#
	ment:	0		±5%	GRM1552C2A101JA01#
	50Vdc	COG	0.10pF	±0.05pF	GRM1555C1HR10WA01#
			0.20pF	±0.05pF	GRM1555C1HR20WA01#
				±0.1pF	GRM1555C1HR20BA01#
			0.30pF	±0.05pF	GRM1555C1HR30WA01#
				±0.1pF	GRM1555C1HR30BA01#
			0.40pF	±0.05pF	GRM1555C1HR40WA01#
				±0.1pF	GRM1555C1HR40BA01#
			0.50pF	±0.05pF	GRM1555C1HR50WA01#
				±0.1pF	GRM1555C1HR50BA01#
			0.60pF	±0.05pF	GRM1555C1HR60WA01#
				±0.1pF	GRM1555C1HR60BA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	COG	0.70pF	±0.05pF	GRM1555C1HR70WA01#
				±0.1pF	GRM1555C1HR70BA01#
			0.80pF	±0.05pF	GRM1555C1HR80WA01#
				±0.1pF	GRM1555C1HR80BA01#
			0.90pF	±0.05pF	GRM1555C1HR90WA01#
				±0.1pF	GRM1555C1HR90BA01#
			1.0pF	±0.05pF	GRM1555C1H1R0WA01#
				±0.1pF	GRM1555C1H1R0BA01#
				±0.25pF	GRM1555C1H1R0CA01#
			1.1pF	±0.05pF	GRM1555C1H1R1WA01#
				±0.1pF	GRM1555C1H1R1BA01#
				±0.25pF	GRM1555C1H1R1CA01#
			1.2pF	±0.05pF	GRM1555C1H1R2WA01#
				±0.1pF	GRM1555C1H1R2BA01#
				±0.25pF	GRM1555C1H1R2CA01#
			1.3pF	±0.05pF	GRM1555C1H1R3WA01#
				±0.1pF	GRM1555C1H1R3BA01#
				±0.25pF	GRM1555C1H1R3CA01#
			1.4pF	±0.05pF	GRM1555C1H1R4WA01#
				±0.1pF	GRM1555C1H1R4BA01#
				±0.25pF	
			1.5pF	±0.05pF	
				±0.1pF	GRM1555C1H1R5BA01#
				±0.25pF	GRM1555C1H1R5CA01#
			1.6pF	±0.05pF	GRM1555C1H1R6WA01#
				±0.1pF	GRM1555C1H1R6BA01#
			4 7- 5	±0.25pF	GRM1555C1H1R6CA01#
			1.7pF	±0.05pF	GRM1555C1H1R7WA01# GRM1555C1H1R7BA01#
				±0.1pF ±0.25pF	
			1.8pF	±0.05pF	
			1.001	±0.1pF	GRM1555C1H1R8BA01#
				±0.25pF	GRM1555C1H1R8CA01#
			1.9pF	±0.05pF	GRM1555C1H1R9WA01#
				±0.1pF	GRM1555C1H1R9BA01#
				±0.25pF	GRM1555C1H1R9CA01#
			2.0pF	±0.05pF	
				±0.1pF	GRM1555C1H2R0BA01#
				±0.25pF	GRM1555C1H2R0CA01#
			2.1pF	±0.05pF	GRM1555C1H2R1WA01#
				±0.1pF	GRM1555C1H2R1BA01#
				±0.25pF	GRM1555C1H2R1CA01#
			2.2pF	±0.05pF	GRM1555C1H2R2WA01#
				±0.1pF	GRM1555C1H2R2BA01#
				±0.25pF	GRM1555C1H2R2CA01#
			2.3pF	±0.05pF	GRM1555C1H2R3WA01#
				±0.1pF	GRM1555C1H2R3BA01#
				±0.25pF	GRM1555C1H2R3CA01#
			2.4pF	±0.05pF	GRM1555C1H2R4WA01#
				±0.1pF	GRM1555C1H2R4BA01#
				±0.25pF	GRM1555C1H2R4CA01#
			2.5pF	±0.05pF	GRM1555C1H2R5WA01#
				±0.1pF	GRM1555C1H2R5BA01#
				±0.25pF	GRM1555C1H2R5CA01#

0.55mm 50Vdc

max.

(→ ■ 1	.0x0.51	11111)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.55mm	50Vdc	C0G	2.6pF	±0.05pF	GRM1555C1H2R6WA01#
				±0.1pF	GRM1555C1H2R6BA01#
				±0.25pF	GRM1555C1H2R6CA01#
			2.7pF	±0.05pF	GRM1555C1H2R7WA01#
				±0.1pF	GRM1555C1H2R7BA01#
				±0.25pF	GRM1555C1H2R7CA01#
			2.8pF	±0.05pF	GRM1555C1H2R8WA01#
				±0.1pF	GRM1555C1H2R8BA01#
				±0.25pF	GRM1555C1H2R8CA01#
			2.9pF	±0.05pF	GRM1555C1H2R9WA01#
				±0.1pF	GRM1555C1H2R9BA01#
				±0.25pF	GRM1555C1H2R9CA01#
			3.0pF	±0.05pF	GRM1555C1H3R0WA01#
				±0.1pF	GRM1555C1H3R0BA01#
				±0.25pF	GRM1555C1H3R0CA01#
			3.1pF	±0.05pF	GRM1555C1H3R1WA01#
				±0.1pF	GRM1555C1H3R1BA01#
				±0.25pF	GRM1555C1H3R1CA01#
			3.2pF	±0.05pF	GRM1555C1H3R2WA01#
				±0.1pF	GRM1555C1H3R2BA01#
				±0.25pF	GRM1555C1H3R2CA01#
			3.3pF	±0.05pF	GRM1555C1H3R3WA01#
				±0.1pF	GRM1555C1H3R3BA01#
				±0.25pF	GRM1555C1H3R3CA01#
			3.4pF	±0.05pF	GRM1555C1H3R4WA01#
				±0.1pF	GRM1555C1H3R4BA01#
				±0.25pF	GRM1555C1H3R4CA01#
			3.5pF	±0.05pF	GRM1555C1H3R5WA01#
				±0.1pF	GRM1555C1H3R5BA01#
				±0.25pF	GRM1555C1H3R5CA01#
			3.6pF	±0.05pF	GRM1555C1H3R6WA01#
				±0.1pF	GRM1555C1H3R6BA01#
				±0.25pF	GRM1555C1H3R6CA01#
			3.7pF	±0.05pF	GRM1555C1H3R7WA01#
				±0.1pF	GRM1555C1H3R7BA01#
				±0.25pF	GRM1555C1H3R7CA01#
			3.8pF	±0.05pF	GRM1555C1H3R8WA01#
				±0.1pF	GRM1555C1H3R8BA01#
				±0.25pF	GRM1555C1H3R8CA01#
			3.9pF	±0.05pF	GRM1555C1H3R9WA01#
				±0.1pF	GRM1555C1H3R9BA01#
				±0.25pF	GRM1555C1H3R9CA01#
			4.0pF	±0.05pF	GRM1555C1H4R0WA01#
				±0.1pF	GRM1555C1H4R0BA01#
				±0.25pF	GRM1555C1H4R0CA01#
			4.1pF	±0.05pF	GRM1555C1H4R1WA01#
				±0.1pF	GRM1555C1H4R1BA01#
				±0.25pF	GRM1555C1H4R1CA01#
			4.2pF	±0.05pF	GRM1555C1H4R2WA01#
				±0.1pF	GRM1555C1H4R2BA01#
				±0.25pF	GRM1555C1H4R2CA01#
			4.3pF	±0.05pF	GRM1555C1H4R3WA01#
				±0.1pF	GRM1555C1H4R3BA01#
				±0.25pF	GRM1555C1H4R3CA01#

Rated Voltage	TC Code	Cap.	Tol.	Part Number	
50Vdc	COG	4.4pF	±0.05pF	GRM1555C1H4R4WA01#	
			±0.1pF	GRM1555C1H4R4BA01#	
			±0.25pF	GRM1555C1H4R4CA01#	
		4.5pF	±0.05pF	GRM1555C1H4R5WA01#	
			±0.1pF	GRM1555C1H4R5BA01#	
			±0.25pF	GRM1555C1H4R5CA01#	
		4.6pF	±0.05pF	GRM1555C1H4R6WA01#	
			±0.1pF	GRM1555C1H4R6BA01#	
			±0.25pF	GRM1555C1H4R6CA01#	
		4.7pF	±0.05pF	GRM1555C1H4R7WA01#	
			±0.1pF	GRM1555C1H4R7BA01#	
			±0.25pF	GRM1555C1H4R7CA01#	
		4.8pF	±0.05pF	GRM1555C1H4R8WA01#	
			±0.1pF	GRM1555C1H4R8BA01#	
			±0.25pF	GRM1555C1H4R8CA01#	
		4.9pF	±0.05pF	GRM1555C1H4R9WA01#	
			±0.1pF	GRM1555C1H4R9BA01#	
			±0.25pF	GRM1555C1H4R9CA01#	
		5.0pF	±0.05pF	GRM1555C1H5R0WA01#	
			±0.1pF	GRM1555C1H5R0BA01#	
			±0.25pF	GRM1555C1H5R0CA01#	
		5.1pF	±0.05pF	GRM1555C1H5R1WA01#	
			±0.1pF	GRM1555C1H5R1BA01#	
			±0.25pF	GRM1555C1H5R1CA01#	
			±0.5pF	GRM1555C1H5R1DA01#	
		5.2pF	±0.05pF	GRM1555C1H5R2WA01#	
			±0.1pF	GRM1555C1H5R2BA01#	
			±0.25pF	GRM1555C1H5R2CA01#	
			±0.5pF	GRM1555C1H5R2DA01#	
		5.3pF	±0.05pF	GRM1555C1H5R3WA01#	
			±0.1pF	GRM1555C1H5R3BA01#	
			±0.25pF	GRM1555C1H5R3CA01#	
			±0.5pF	GRM1555C1H5R3DA01#	
		5.4pF	±0.05pF	GRM1555C1H5R4WA01#	
			±0.1pF	GRM1555C1H5R4BA01#	
			±0.25pF	GRM1555C1H5R4CA01#	
			±0.5pF	GRM1555C1H5R4DA01#	
		5.5pF	±0.05pF	GRM1555C1H5R5WA01#	
			±0.1pF	GRM1555C1H5R5BA01#	<u> </u>
			±0.25pF	GRM1555C1H5R5CA01#	<u> </u>
			±0.5pF	GRM1555C1H5R5DA01#	
		5.6pF	±0.05pF	GRM1555C1H5R6WA01#	
			±0.1pF	GRM1555C1H5R6BA01#	
			±0.25pF	GRM1555C1H5R6CA01#	
			±0.5pF	GRM1555C1H5R6DA01#	
		5.7pF	±0.05pF	GRM1555C1H5R7WA01#	
			±0.1pF	GRM1555C1H5R7BA01#	
			±0.25pF	GRM1555C1H5R7CA01#	
		E 0	±0.5pF	GRM1555C1H5R7DA01#	
		5.8pF	±0.05pF	GRM1555C1H5R8WA01#	
			±0.1pF	GRM1555C1H5R8BA01#	
			±0.25pF ±0.5pF	GRM1555C1H5R8CA01# GRM1555C1H5R8DA01#	
		5.9pF	±0.05pF	GRM1555C1H5R9WA01#	
				cates the package specification	code.

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
).55mm	50Vdc	COG	5.9pF	±0.1pF	GRM1555C1H5R9BA01#
				±0.25pF	GRM1555C1H5R9CA01#
				±0.5pF	GRM1555C1H5R9DA01#
			6.0pF	±0.05pF	GRM1555C1H6R0WA01#
				±0.1pF	GRM1555C1H6R0BA01#
				±0.25pF	GRM1555C1H6R0CA01#
				±0.5pF	GRM1555C1H6R0DA01#
			6.1pF	±0.05pF	GRM1555C1H6R1WA01#
				±0.1pF	GRM1555C1H6R1BA01#
				±0.25pF	GRM1555C1H6R1CA01#
				±0.5pF	GRM1555C1H6R1DA01#
			6.2pF	±0.05pF	GRM1555C1H6R2WA01#
				±0.1pF	GRM1555C1H6R2BA01#
				±0.25pF	GRM1555C1H6R2CA01#
				±0.5pF	GRM1555C1H6R2DA01#
			6.3pF	±0.05pF	
			0.0pi	±0.05pi	GRM1555C1H6R3BA01#
				±0.1pr	
				-	
			0.4-5	±0.5pF	GRM1555C1H6R3DA01#
			6.4pF	±0.05pF	GRM1555C1H6R4WA01#
				±0.1pF	GRM1555C1H6R4BA01#
				±0.25pF	GRM1555C1H6R4CA01#
				±0.5pF	GRM1555C1H6R4DA01#
			6.5pF	±0.05pF	
				±0.1pF	GRM1555C1H6R5BA01#
				±0.25pF	GRM1555C1H6R5CA01#
				±0.5pF	GRM1555C1H6R5DA01#
			6.6pF	±0.05pF	GRM1555C1H6R6WA01#
				±0.1pF	GRM1555C1H6R6BA01#
				±0.25pF	GRM1555C1H6R6CA01#
				±0.5pF	GRM1555C1H6R6DA01#
			6.7pF	±0.05pF	GRM1555C1H6R7WA01#
				±0.1pF	GRM1555C1H6R7BA01#
				±0.25pF	GRM1555C1H6R7CA01#
				±0.5pF	GRM1555C1H6R7DA01#
			6.8pF	±0.05pF	GRM1555C1H6R8WA01#
				±0.1pF	GRM1555C1H6R8BA01#
				±0.25pF	GRM1555C1H6R8CA01#
				±0.5pF	GRM1555C1H6R8DA01#
			6.9pF	±0.05pF	GRM1555C1H6R9WA01#
			•	±0.1pF	GRM1555C1H6R9BA01#
				±0.25pF	
				±0.5pF	GRM1555C1H6R9DA01#
			7.0pF	±0.05pF	GRM1555C1H7R0WA01#
			المن. ،	±0.05pi	GRM1555C1H7R0BA01#
				±0.25pF	
			71	±0.5pF	GRM1555C1H7R0DA01#
			7.1pF	±0.05pF	
				±0.1pF	GRM1555C1H7R1BA01#
				±0.25pF	
				±0.5pF	GRM1555C1H7R1DA01#
			7.2pF	±0.05pF	GRM1555C1H7R2WA01#
				±0.1pF	GRM1555C1H7R2BA01#
	l			±0.25pF	GRM1555C1H7R2CA01#

0.55mm 50Vdc COG 7.2pF 20.5pF GRM1555C1H7R3WA01# 20.1pF GRM1555C1H7R3BA01# 20.2pF GRM1555C1H7R3BA01# 20.2pF GRM1555C1H7R3BA01# 20.2pF GRM1555C1H7R3BA01# 20.2pF GRM1555C1H7R3BA01# 20.2pF GRM1555C1H7R3BA01# 20.2pF GRM1555C1H7R4BA01# 20.2pF GRM1555C1H7R4BA01# 20.2pF GRM1555C1H7R4BA01# 20.2pF GRM1555C1H7R4BA01# 20.2pF GRM1555C1H7R4DA01# 20.2pF GRM1555C1H7R4DA01# 20.2pF GRM1555C1H7R5WA01# 20.2pF GRM1555C1H7R5WA01# 20.2pF GRM1555C1H7R6DA01# 20.2pF GRM1555C1H7R7DA01# 20.2pF GRM1555C1H7R7DA01# 20.2pF GRM1555C1H7R7DA01# 20.2pF GRM1555C1H7R8WA01# 20.2pF GRM1555C1H7R8WA01# 20.2pF GRM1555C1H7R8WA01# 20.2pF GRM1555C1H7R9WA01# 20.2pF GRM1555C1H7P9WA01# 20.2pF GRM1555C1H7PPWA01# 20.	T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
7.3pF		_		7 2nF	+0.5nF	GRM1555C1H7R2DA01#
### 10.1pF GRM1555C1H7R3DA01# #0.25pF GRM1555C1H7R3DA01# #0.05pF GRM1555C1H7R4DA01# #0.25pF GRM1555C1H7R4DA01# #0.25pF GRM1555C1H7R4DA01# #0.25pF GRM1555C1H7R4DA01# #0.25pF GRM1555C1H7R4DA01# #0.25pF GRM1555C1H7R4DA01# #0.25pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R7WA01# #0.25pF GRM1555C1H7R7WA01# #0.25pF GRM1555C1H7R7DA01# #0.25pF GRM1555C1H7R7DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R9DA01# #0.25pF GRM1555C1H8R0A01# #0.25pF GRM1555C1H8R0A01# #0.25pF GRM1555C1H8R0A01# #0.25pF GRM1555C1H8R0A01# #0.25pF GRM1555C1H8R0A01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R3DA01# #0	0.0011111	30 4 4 6	000	-	-	
#0.25pF GRM1555C1H7R3CA01# ±0.5pF GRM1555C1H7R4WA01# ±0.1pF GRM1555C1H7R4DA01# ±0.25pF GRM1555C1H7R4DA01# ±0.5pF GRM1555C1H7R4DA01# ±0.5pF GRM1555C1H7R4DA01# ±0.5pF GRM1555C1H7R5DA01# ±0.5pF GRM1555C1H7R5DA01# ±0.5pF GRM1555C1H7R5DA01# ±0.5pF GRM1555C1H7R5DA01# ±0.25pF GRM1555C1H7R5DA01# ±0.25pF GRM1555C1H7R5DA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R9DA01# ±0.25pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R1DA01# ±0.25pF GRM1555C1H8R1DA01# ±0.25pF GRM1555C1H8R1DA01# ±0.25pF GRM1555C1H8R3WA01# ±0.25pF				7.001	· ·	
# 10.5pF GRM1555C1H7R3DA01# # 10.5pF GRM1555C1H7R4BA01# # 10.5pF GRM1555C1H7R4BA01# # 10.5pF GRM1555C1H7R4DA01# # 10.5pF GRM1555C1H7R4DA01# # 10.5pF GRM1555C1H7R5DA01# # 10.25pF GRM1555C1H7R5DA01# # 10.5pF GRM1555C1H7R5DA01# # 10.5pF GRM1555C1H7R6WA01# # 10.5pF GRM1555C1H7R6WA01# # 10.5pF GRM1555C1H7R6WA01# # 10.5pF GRM1555C1H7R6DA01# # 10.5pF GRM1555C1H7R7DA01# # 10.5pF GRM1555C1H7R7DA01# # 10.5pF GRM1555C1H7R7DA01# # 10.5pF GRM1555C1H7R8DA01# # 10.5pF GRM1555C1H7R8DA01# # 10.5pF GRM1555C1H7R9DA01# # 10.5pF GRM1555C1H8R0DA01#						
7.4pF ±0.05pF GRM1555C1H7R4WA01# ±0.2pp GRM155SC1H7R4DA01# ±0.2pp GRM155SC1H7R4DA01# ±0.2pp GRM155SC1H7R5WA01# ±0.2pp GRM155SC1H7R5DA01# ±0.2pp GRM155SC1H7R5DA01# ±0.2pp GRM155SC1H7R5DA01# ±0.2pp GRM155SC1H7R6DA01# ±0.2pp GRM155SC1H7R6DA01# ±0.2pp GRM15SC1H7R6DA01# ±0.2pp GRM15SSC1H7R6DA01# ±0.2pp GRM15SSC1H7R6DA01# ±0.2pp GRM15SSC1H7R6DA01# ±0.2pp GRM15SSC1H7R6DA01# ±0.2pp GRM15SSC1H7RDA01# ±0.2pp GRM15SSC1H7RDA01# ±0.2pp GRM15SSC1H7R7DA01# ±0.2pp GRM15SSC1H7R7DA01# ±0.2pp GRM15SSC1H7R7DA01# ±0.2pp GRM15SSC1H7RDA01# ±0.2pp GRM15SSC1H7RDA01# ±0.2pp GRM15SSC1H7RDA01# ±0.2pp GRM15SSC1H7RDA01# ±0.2pp GRM15SSC1H7R9DA01# ±0.2pp GRM15SC1H7R9DA01# ±0.2pp GRM15SSC1H7R9DA01# ±0.2pp GRM15SSC1H7R9DA01# ±0.2pp GRM15SSC1H7R9DA01# ±0.2pp GRM15SSC1HR0DA01# ±0.2pp GRM15SC1HR0DA01# ±0.2pp GRM15SSC1HR0DA01# ±0.2pp GRM15SSC1HR0D					· ·	
#0.1pF GRM1555C1H7R4BA01# ±0.25pF GRM1555C1H7R5BA01# ±0.5pF GRM1555C1H7R5BA01# ±0.25pF GRM1555C1H7R5BA01# ±0.25pF GRM1555C1H7R5BA01# ±0.25pF GRM1555C1H7R5BA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R7BA01# ±0.25pF GRM1555C1H7R7BA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R8DA01# ±0.25pF GRM1555C1H7R9DA01# ±0.25pF GRM1555C1H7R9DA01# ±0.25pF GRM1555C1H7R9DA01# ±0.25pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R0CA01# ±0.25pF GRM1555C1H8R0CA01# ±0.25pF GRM1555C1H8R0CA01# ±0.25pF GRM1555C1H8R0CA01# ±0.25pF GRM1555C1H8R0CA01# ±0.25pF GRM1555C1H8R1WA01# ±0.25pF GRM1555C1H8R1WA01# ±0.25pF GRM1555C1H8R1WA01# ±0.25pF GRM1555C1H8R2WA01# ±0.25pF GRM1555C1H8R3WA01# ±0.25pF GRM1555C1H8R4WA01# ±0				7 4nF		
#0.25pF GRM1555C1H7R4CA01# #0.5pF GRM1555C1H7R5CA01# #0.25pF GRM1555C1H7R6CA01# #0.25pF GRM1555C1H7R6CA01# #0.25pF GRM1555C1H7R6CA01# #0.25pF GRM1555C1H7R6CA01# #0.25pF GRM1555C1H7R7WA01# #0.25pF GRM1555C1H7R7WA01# #0.25pF GRM1555C1H7R7WA01# #0.25pF GRM1555C1H7R7CA01# #0.25pF GRM1555C1H7R7CA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H8R0CA01# #0.25pF GRM1555C1H8R0CA01# #0.25pF GRM1555C1H8R0CA01# #0.25pF GRM1555C1H8R0DA01# #0.25pF GRM1555C1H8R0D				7	<u> </u>	
#0.5pF GRM1555C1H7R4DA01# #0.1pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R6DA01# #0.25pF GRM1555C1H7R7DA01# #0.25pF GRM1555C1H7R7DA01# #0.25pF GRM1555C1H7R7DA01# #0.25pF GRM1555C1H7R7DA01# #0.25pF GRM1555C1H7R7DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R8DA01# #0.25pF GRM1555C1H7R9DA01# #0.25pF GRM1555C1H7R9DA01# #0.25pF GRM1555C1H8R0WA01# #0.25pF GRM1555C1H8R0WA01# #0.25pF GRM1555C1H8R0WA01# #0.25pF GRM1555C1H8R0WA01# #0.25pF GRM1555C1H8R0WA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R2WA01# #0.25pF GRM1555C1H8R2WA01# #0.25pF GRM1555C1H8R2WA01# #0.25pF GRM1555C1H8R3WA01# #0.25pF GRM1555C1H8R4WA01# #0.25pF GRM1555C1H8R5DA01# #0.25pF GRM1555C1H8R5DA01# #0					· ·	
7.5pF ±0.05pF GRM1555C1H7R5WA01# ±0.25pF GRM1555C1H7R5DA01# ±0.5pF GRM1555C1H7R5DA01# ±0.5pF GRM1555C1H7R6DA01# ±0.5pF GRM1555C1H7R6DA01# ±0.5pF GRM1555C1H7R6DA01# ±0.5pF GRM1555C1H7R6DA01# ±0.5pF GRM1555C1H7R6DA01# ±0.5pF GRM1555C1H7R6DA01# ±0.5pF GRM1555C1H7R0A01# ±0.5pF GRM1555C1H7R7DA01# ±0.5pF GRM1555C1H7R7DA01# ±0.5pF GRM1555C1H7R7DA01# ±0.5pF GRM1555C1H7R0A01# ±0.5pF GRM1555C1H8R0A01# ±0.5pF GRM1555C1H8R0A01# ±0.5pF GRM1555C1H8R0A01# ±0.5pF GRM1555C1H8R0A01# ±0.5pF GRM1555C1H8R1BA01# ±0.5pF GRM1555C1H8R1BA01# ±0.5pF GRM1555C1H8R1BA01# ±0.5pF GRM1555C1H8R1BA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R3WA01# ±0					· ·	
#0.1pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R5DA01# #0.5pF GRM1555C1H7R6DA01# #0.1pF GRM1555C1H7R6DA01# #0.1pF GRM1555C1H7R6DA01# #0.5pF GRM1555C1H7R6DA01# #0.5pF GRM1555C1H7R6DA01# #0.5pF GRM1555C1H7R6DA01# #0.5pF GRM1555C1H7R7WA01# #0.1pF GRM1555C1H7R7WA01# #0.1pF GRM1555C1H7R7WA01# #0.1pF GRM1555C1H7R7DA01# #0.5pF GRM1555C1H7R7DA01# #0.5pF GRM1555C1H7R7BA01# #0.5pF GRM1555C1H7R8A01# #0.5pF GRM1555C1H7R8A01# #0.5pF GRM1555C1H7R8A01# #0.5pF GRM1555C1H7R9WA01# #0.1pF GRM1555C1H7R9WA01# #0.1pF GRM1555C1H7R9A01# #0.25pF GRM1555C1H7R9A01# #0.25pF GRM1555C1H7R9A01# #0.5pF GRM1555C1H7R9A01# #0.5pF GRM1555C1H7R9A01# #0.5pF GRM1555C1H7R9A01# #0.5pF GRM1555C1H7R9A01# #0.5pF GRM1555C1H8R0A01# #0.5pF GRM1555C1H8R0A01# #0.5pF GRM1555C1H8R0A01# #0.5pF GRM1555C1H8R0A01# #0.5pF GRM1555C1H8R1BA01# #0.5pF GRM1555C1H8R1BA01# #0.5pF GRM1555C1H8R1BA01# #0.5pF GRM1555C1H8R1DA01# #0.5pF GRM1555C1H8R2WA01# #0.5pF GRM1555C1H8R2WA01# #0.5pF GRM1555C1H8R2WA01# #0.5pF GRM1555C1H8R2WA01# #0.5pF GRM1555C1H8R2WA01# #0.5pF GRM1555C1H8R3BA01# #0.5pF GRM1555C1H8R4WA01# #0.5pF GRM1555C1H8R4WA01# #0.5pF GRM1555C1H8R3BA01#				7.5pF		
#0.25pF GRM1555C1H7R5CA01# #0.5pF GRM1555C1H7R5DA01# #0.1pF GRM1555C1H7R6BA01# #0.25pF GRM1555C1H7R6BA01# #0.25pF GRM1555C1H7R6CA01# #0.5pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R7CA01# #0.1pF GRM1555C1H7R7CA01# #0.1pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R7CA01# #0.1pF GRM1555C1H7R8BA01# #0.1pF GRM1555C1H7R8BA01# #0.1pF GRM1555C1H7R8BA01# #0.25pF GRM1555C1H7R8BA01# #0.25pF GRM1555C1H7R9A01# #0.1pF GRM1555C1H7R9A01# #0.1pF GRM1555C1H7R9A01# #0.1pF GRM1555C1H7R9A01# #0.1pF GRM1555C1H8R0MA01# #0.5pF GRM1555C1H8R0MA01# #0.1pF GRM1555C1H8R0MA01# #0.1pF GRM1555C1H8R0MA01# #0.1pF GRM1555C1H8R0MA01# #0.5pF GRM1555C1H8R3MA01# #0.5pF GRM155C1H8R3MA01# #0.5pF GRM1555C1H8R3MA01#				7.00.	<u> </u>	
#0.5pF GRM1555C1H7R5DA01# #0.25pF GRM1555C1H7R6WA01# #0.25pF GRM1555C1H7R6WA01# #0.25pF GRM1555C1H7R6WA01# #0.25pF GRM1555C1H7R6DA01# #0.5pF GRM1555C1H7R7BA01# #0.5pF GRM1555C1H7R7BA01# #0.5pF GRM1555C1H7R7BA01# #0.5pF GRM1555C1H7R7BA01# #0.5pF GRM1555C1H7R7BA01# #0.5pF GRM1555C1H7R7BA01# #0.1pF GRM1555C1H7R8BA01# #0.1pF GRM1555C1H7R8BA01# #0.25pF GRM1555C1H7R8BA01# #0.5pF GRM1555C1H7R9BA01# #0.5pF GRM1555C1H7R9BA01# #0.5pF GRM1555C1H7R9BA01# #0.5pF GRM1555C1H7R9BA01# #0.5pF GRM1555C1H7R9DA01# #0.5pF GRM1555C1H7R9DA01# #0.5pF GRM1555C1H8R0BA01# #0.5pF GRM155					<u> </u>	
7.6pF ±0.05pF GRM1555C1H7R6WA01# ±0.25pF GRM1555C1H7R6DA01# ±0.25pF GRM1555C1H7R6DA01# ±0.5pF GRM1555C1H7R7WA01# ±0.1pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.5pF GRM1555C1H7R7WA01# ±0.5pF GRM1555C1H7R8WA01# ±0.1pF GRM1555C1H7R8WA01# ±0.5pF GRM1555C1H7R8WA01# ±0.5pF GRM1555C1H7R8WA01# ±0.5pF GRM1555C1H7R8WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R1WA01# ±0.5pF GRM1555C1H8R1WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3SA01# ±0.5pF GRM1555C1H8R55A01# ±0.5pF					- ·	
#0.1pF GRM1555C1H7R6BA01# ±0.25pF GRM1555C1H7R6CA01# ±0.5pF GRM1555C1H7R6DA01# ±0.1pF GRM1555C1H7R7WA01# ±0.25pF GRM1555C1H7R7WA01# ±0.5pF GRM1555C1H7R7WA01# ±0.5pF GRM1555C1H7R7WA01# ±0.5pF GRM1555C1H7R8WA01# ±0.25pF GRM1555C1H7R8WA01# ±0.25pF GRM1555C1H7R8WA01# ±0.25pF GRM1555C1H7R8WA01# ±0.25pF GRM1555C1H7R8WA01# ±0.25pF GRM1555C1H7R8WA01# ±0.25pF GRM1555C1H7R9WA01# ±0.25pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.25pF GRM1555C1H7R9WA01# ±0.25pF GRM1555C1H7R9WA01# ±0.25pF GRM1555C1H7R9WA01# ±0.25pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H7R9W				7 6pF		
#0.25pF GRM1555C1H7R6CA01# #0.5pF GRM1555C1H7R6DA01# #0.1pF GRM1555C1H7R7WA01# #0.1pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R8WA01# #0.1pF GRM1555C1H7R8WA01# #0.25pF GRM1555C1H7R8WA01# #0.25pF GRM1555C1H7R8WA01# #0.5pF GRM1555C1H7R8WA01# #0.5pF GRM1555C1H7R9WA01# #0.5pF GRM155C1H7R9WA01# #0.5pF GRM1555C1H7R9WA01# #0.5pF GRM1555C1H7R9WA01# #0.1pF GRM1555C1H7R9WA01# #0.5pF GRM1555C1H7R9WA01#				7.00.	<u> </u>	
#0.5pF GRM1555C1H7R6DA01# #0.05pF GRM1555C1H7R7WA01# #0.1pF GRM1555C1H7R7WA01# #0.5pF GRM1555C1H7R7DA01# #0.5pF GRM1555C1H7R8WA01# #0.25pF GRM1555C1H7R8WA01# #0.25pF GRM1555C1H7R8WA01# #0.5pF GRM1555C1H7R8WA01# #0.5pF GRM1555C1H7R8WA01# #0.5pF GRM1555C1H7R8WA01# #0.5pF GRM1555C1H7R9WA01# #0.1pF GRM1555C1H7R9WA01# #0.25pF GRM1555C1H7R9WA01# #0.25pF GRM1555C1H7R9WA01# #0.25pF GRM1555C1H7R9WA01# #0.5pF GRM1555C1H7R5WA01# #0.5pF GRM15					<u> </u>	
7.7pF ±0.05pF GRM1555C1H7R7WA01# ±0.1pF GRM1555C1H7R7BA01# ±0.25pF GRM1555C1H7R7CA01# ±0.5pF GRM1555C1H7R8WA01# ±0.5pF GRM1555C1H7R8WA01# ±0.1pF GRM1555C1H7R8WA01# ±0.25pF GRM1555C1H7R8WA01# ±0.5pF GRM1555C1H7R8WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.1pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H7R9WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R0WA01# ±0.5pF GRM1555C1H8R1WA01# ±0.5pF GRM1555C1H8R1WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R5WA01# ±0.5pF GRM1555C1H8R5SA01# ±0.5pF GR					<u> </u>	
#0.1pF GRM1555C1H7R7BA01# ±0.25pF GRM1555C1H7R7CA01# ±0.5pF GRM1555C1H7R7DA01# ±0.1pF GRM1555C1H7R8BA01# ±0.25pF GRM1555C1H7R8BA01# ±0.25pF GRM1555C1H7R8BA01# ±0.25pF GRM1555C1H7R8BA01# ±0.25pF GRM1555C1H7R9BA01# ±0.25pF GRM1555C1H7R9BA01# ±0.25pF GRM1555C1H7R9BA01# ±0.25pF GRM1555C1H7R9BA01# ±0.25pF GRM1555C1H7R9BA01# ±0.25pF GRM1555C1H8R0BA01# ±0.25pF GRM1555C1H8R0BA01# ±0.25pF GRM1555C1H8R0BA01# ±0.25pF GRM1555C1H8R0BA01# ±0.25pF GRM1555C1H8R1BA01# ±0.25pF GRM1555C1H8R1BA01# ±0.25pF GRM1555C1H8R1BA01# ±0.25pF GRM1555C1H8R2BA01# ±0.25pF GRM1555C1H8R2BA01# ±0.25pF GRM1555C1H8R2BA01# ±0.25pF GRM1555C1H8R2BA01# ±0.25pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R4BA01# ±0.25pF GRM1555C1H8R5BA01# ±0.				7 7nF		
#0.25pF GRM1555C1H7R7CA01# #0.5pF GRM1555C1H7R8WA01# #0.1pF GRM1555C1H7R8WA01# #0.25pF GRM1555C1H7R8BA01# #0.25pF GRM1555C1H7R8BA01# #0.5pF GRM1555C1H7R8DA01# #0.5pF GRM1555C1H7R9WA01# #0.1pF GRM1555C1H7R9WA01# #0.5pF GRM1555C1H7R9WA01# #0.5pF GRM1555C1H7R9DA01# #0.5pF GRM1555C1H7R9DA01# #0.5pF GRM1555C1H8R0WA01# #0.1pF GRM155C1H8R0WA01# #0.5pF GRM155C1H8R0WA01# #0.5pF GRM155C1H8R0DA01# #0.5pF GRM155C1H8R0DA01# #0.5pF GRM155C1H8R0DA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1DA01# #0.5pF GRM155C1H8R1DA01# #0.5pF GRM155C1H8R2WA01# #0.5pF GRM155C1H8R2WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R3DA01# #0.5pF GRM155C1H8R3DA01# #0.5pF GRM155C1H8R3DA01# #0.5pF GRM155C1H8R3DA01# #0.5pF GRM155C1H8R4WA01# #0.5pF GRM155C1H8R5WA01# #0.5pF GRM155C1H8R5WA01# #0.5pF GRM155C1H8R5WA01# #0.5pF GRM155C1H8R5WA01# #0.5pF GRM155C1H8R5DA01# #0.5pF GRM155C1H8R5DA01# #0.5pF GRM155C1H8R5DA01# #0.5pF GRM155C1H8R5DA01# #0.5pF GRM155C1H8R5DA01# #0.5pF GRM155C1H8R5DA01#				7.701	<u> </u>	
#0.5pF GRM1555C1H7R7DA01# #0.25pF GRM155C1H7R8WA01# #0.25pF GRM155C1H7R8WA01# #0.25pF GRM155C1H7R8WA01# #0.25pF GRM155C1H7R8WA01# #0.25pF GRM155C1H7R9WA01# #0.5pF GRM155C1H7R9WA01# #0.5pF GRM155C1H7R9WA01# #0.5pF GRM155C1H7R9WA01# #0.5pF GRM155C1H7R9WA01# #0.5pF GRM155C1H7R9WA01# #0.5pF GRM155C1H8R0WA01# #0.5pF GRM155C1H8R0WA01# #0.5pF GRM155C1H8R0WA01# #0.5pF GRM155C1H8R0WA01# #0.5pF GRM155C1H8R0WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R1WA01# #0.5pF GRM155C1H8R2WA01# #0.5pF GRM155C1H8R2WA01# #0.5pF GRM155C1H8R2WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R3WA01# #0.5pF GRM155C1H8R4WA01# #0.5pF GRM155C1H8R5WA01# #0.5pF GRM155C1H8R5CA01# #0.5pF GRM155C1H8R5DA01#						
7.8pF					· ·	
#0.1pF GRM1555C1H7R8BA01# #0.25pF GRM1555C1H7R8CA01# #0.5pF GRM1555C1H7R8DA01# #0.1pF GRM1555C1H7R9BA01# #0.1pF GRM1555C1H7R9BA01# #0.25pF GRM1555C1H7R9BA01# #0.25pF GRM1555C1H7R9DA01# #0.25pF GRM1555C1H7R9DA01# #0.5pF GRM1555C1H8R0WA01# #0.1pF GRM1555C1H8R0WA01# #0.25pF GRM1555C1H8R0BA01# #0.25pF GRM1555C1H8R0DA01# #0.5pF GRM1555C1H8R0DA01# #0.5pF GRM1555C1H8R1WA01# #0.5pF GRM1555C1H8R1BA01# #0.25pF GRM1555C1H8R1DA01# #0.5pF GRM1555C1H8R1DA01# #0.5pF GRM1555C1H8R2WA01# #0.1pF GRM1555C1H8R2WA01# #0.25pF GRM1555C1H8R2DA01# #0.5pF GRM1555C1H8R3WA01# #0.5pF GRM1555C1H8R3WA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R4BA01# #0.5pF GRM1555C1H8R4BA01# #0.5pF GRM1555C1H8R4BA01# #0.5pF GRM1555C1H8R4BA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5BA01# #0.5pF GRM1555C1H8R5BA01# #0.5pF GRM1555C1H8R5BA01# #0.5pF GRM1555C1H8R5BA01# #0.5pF GRM1555C1H8R5BA01#				7 9nE		
#0.25pF GRM1555C1H7R8CA01# #0.5pF GRM1555C1H7R8DA01# #0.1pF GRM1555C1H7R9BA01# #0.25pF GRM1555C1H7R9BA01# #0.25pF GRM1555C1H7R9CA01# #0.5pF GRM1555C1H7R9CA01# #0.5pF GRM1555C1H7R9DA01# #0.5pF GRM1555C1H8R0WA01# #0.1pF GRM1555C1H8R0BA01# #0.25pF GRM1555C1H8R0DA01# #0.25pF GRM1555C1H8R0DA01# #0.5pF GRM1555C1H8R1WA01# #0.1pF GRM1555C1H8R1WA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.1pF GRM1555C1H8R1DA01# #0.1pF GRM1555C1H8R2WA01# #0.1pF GRM1555C1H8R2WA01# #0.1pF GRM1555C1H8R2BA01# #0.5pF GRM1555C1H8R2DA01# #0.5pF GRM1555C1H8R3WA01# #0.5pF GRM1555C1H8R3WA01# #0.5pF GRM1555C1H8R3WA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R4WA01# #0.5pF GRM1555C1H8R4WA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R5BA01#				7.opr	-	
#0.5pF GRM1555C1H7R8DA01# #0.1pF GRM1555C1H7R9WA01# #0.1pF GRM1555C1H7R9CA01# #0.25pF GRM1555C1H7R9CA01# #0.5pF GRM1555C1H7R9CA01# #0.5pF GRM1555C1H7R9DA01# #0.5pF GRM1555C1H8R0WA01# #0.1pF GRM1555C1H8R0WA01# #0.25pF GRM1555C1H8R0CA01# #0.5pF GRM1555C1H8R0DA01# #0.5pF GRM1555C1H8R1WA01# #0.1pF GRM1555C1H8R1WA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.25pF GRM1555C1H8R1DA01# #0.1pF GRM1555C1H8R2WA01# #0.1pF GRM1555C1H8R2WA01# #0.25pF GRM1555C1H8R2DA01# #0.5pF GRM1555C1H8R2DA01# #0.5pF GRM1555C1H8R3WA01# #0.5pF GRM1555C1H8R3WA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R3DA01# #0.5pF GRM1555C1H8R4WA01# #0.5pF GRM1555C1H8R4WA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM155C1H8R5BA01# #0.5pF GRM1555C1H8R5BA01#					· ·	
7.9pF ±0.05pF GRM1555C1H7R9WA01# ±0.1pF GRM1555C1H7R9BA01# ±0.25pF GRM1555C1H7R9DA01# ±0.5pF GRM1555C1H7R9DA01# ±0.5pF GRM1555C1H8R0WA01# ±0.1pF GRM1555C1H8R0BA01# ±0.5pF GRM1555C1H8R0DA01# ±0.1pF GRM1555C1H8R1WA01# ±0.25pF GRM1555C1H8R1DA01# ±0.25pF GRM1555C1H8R1DA01# ±0.5pF GRM1555C1H8R1DA01# ±0.5pF GRM1555C1H8R2WA01# ±0.1pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3WA01# ±0.5pF GRM1555C1H8R3DA01# ±0.5pF GRM1555C1H8R3DA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R5BA01#					· ·	
### ### ##############################				7 0nE		
# ±0.25pF GRM1555C1H7R9CA01# # ±0.5pF GRM1555C1H8R0WA01# # ±0.1pF GRM1555C1H8R0BA01# # ±0.25pF GRM1555C1H8R0BA01# # ±0.5pF GRM1555C1H8R0BA01# # ±0.5pF GRM1555C1H8R0BA01# # ±0.5pF GRM1555C1H8R1BA01# # ±0.25pF GRM1555C1H8R1BA01# # ±0.25pF GRM1555C1H8R1CA01# # ±0.5pF GRM1555C1H8R1DA01# # ±0.1pF GRM1555C1H8R2WA01# # ±0.25pF GRM1555C1H8R2WA01# # ±0.25pF GRM1555C1H8R2BA01# # ±0.5pF GRM1555C1H8R2DA01# # ±0.5pF GRM1555C1H8R3BA01# # ±0.25pF GRM1555C1H8R3BA01# # ±0.25pF GRM1555C1H8R3BA01# # ±0.25pF GRM1555C1H8R3DA01# # ±0.5pF GRM1555C1H8R3DA01# # ±0.5pF GRM1555C1H8R3DA01# # ±0.5pF GRM1555C1H8R4WA01# # ±0.1pF GRM1555C1H8R4WA01# # ±0.25pF GRM1555C1H8R4CA01# # ±0.5pF GRM1555C1H8R4CA01# # ±0.5pF GRM1555C1H8R4CA01# # ±0.5pF GRM1555C1H8R5DA01# # ±0.25pF GRM1555C1H8R5WA01# # ±0.25pF GRM1555C1H8R5WA01# # ±0.25pF GRM1555C1H8R5DA01# # ±0.5pF GRM1555C1H8R5DA01#				7.9pF	<u> </u>	
### ### ##############################					<u> </u>	
8.0pF ±0.05pF GRM1555C1H8R0WA01# ±0.25pF GRM1555C1H8R0CA01# ±0.5pF GRM1555C1H8R0DA01# ±0.5pF GRM1555C1H8R0DA01# ±0.1pF GRM1555C1H8R1WA01# ±0.25pF GRM1555C1H8R1CA01# ±0.5pF GRM1555C1H8R1DA01# ±0.5pF GRM1555C1H8R1DA01# ±0.1pF GRM1555C1H8R2WA01# ±0.1pF GRM1555C1H8R2WA01# ±0.5pF GRM1555C1H8R2CA01# ±0.5pF GRM1555C1H8R2CA01# ±0.5pF GRM1555C1H8R3WA01# ±0.1pF GRM1555C1H8R3WA01# ±0.1pF GRM1555C1H8R3CA01# ±0.5pF GRM1555C1H8R3CA01# ±0.5pF GRM1555C1H8R3CA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4WA01# ±0.5pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5CA01#					<u> </u>	
### ### ##############################				0 0nE		
#0.25pF GRM1555C1H8R0CA01# #0.5pF GRM1555C1H8R0DA01# #0.1pF GRM1555C1H8R1WA01# #0.25pF GRM1555C1H8R1CA01# #0.5pF GRM1555C1H8R1CA01# #0.5pF GRM1555C1H8R1CA01# #0.5pF GRM1555C1H8R2WA01# #0.1pF GRM1555C1H8R2WA01# #0.25pF GRM1555C1H8R2CA01# #0.25pF GRM1555C1H8R2CA01# #0.5pF GRM1555C1H8R3WA01# #0.1pF GRM1555C1H8R3WA01# #0.1pF GRM1555C1H8R3WA01# #0.25pF GRM1555C1H8R3CA01# #0.25pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R4WA01# #0.1pF GRM1555C1H8R4WA01# #0.1pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01#				6.UPF	<u> </u>	
### ### ##############################					<u> </u>	
8.1pF					<u> </u>	
# ±0.1pF GRM1555C1H8R1BA01# ±0.25pF GRM1555C1H8R1DA01# ±0.5pF GRM1555C1H8R1DA01# ±0.5pF GRM1555C1H8R2WA01# ±0.1pF GRM1555C1H8R2BA01# ±0.25pF GRM1555C1H8R2DA01# ±0.5pF GRM1555C1H8R2DA01# ±0.1pF GRM1555C1H8R3WA01# ±0.1pF GRM1555C1H8R3DA01# ±0.25pF GRM1555C1H8R3DA01# ±0.5pF GRM1555C1H8R3DA01# ±0.5pF GRM1555C1H8R4WA01# ±0.1pF GRM1555C1H8R4WA01# ±0.25pF GRM1555C1H8R4DA01# ±0.25pF GRM1555C1H8R4DA01# ±0.25pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R5WA01# ±0.5pF GRM1555C1H8R5WA01# ±0.5pF GRM1555C1H8R5WA01# ±0.5pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5CA01#				0 1 n E		
#0.25pF GRM1555C1H8R1CA01# #0.5pF GRM1555C1H8R1DA01# #0.05pF GRM1555C1H8R2WA01# #0.1pF GRM1555C1H8R2EA01# #0.25pF GRM1555C1H8R2CA01# #0.5pF GRM1555C1H8R2CA01# #0.5pF GRM1555C1H8R3WA01# #0.1pF GRM1555C1H8R3WA01# #0.25pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R4WA01# #0.1pF GRM1555C1H8R4WA01# #0.25pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R5CA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01#				6.1pr	<u> </u>	
#0.5pF GRM1555C1H8R1DA01# #0.1pF GRM1555C1H8R2WA01# #0.25pF GRM1555C1H8R2CA01# #0.5pF GRM1555C1H8R2CA01# #0.5pF GRM1555C1H8R2CA01# #0.5pF GRM1555C1H8R3WA01# #0.1pF GRM1555C1H8R3WA01# #0.25pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R4WA01# #0.1pF GRM1555C1H8R4WA01# #0.25pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5WA01# #0.5pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01#						
8.2pF ±0.05pF GRM1555C1H8R2WA01# ±0.1pF GRM1555C1H8R2BA01# ±0.25pF GRM1555C1H8R2CA01# ±0.5pF GRM1555C1H8R2DA01# 8.3pF ±0.05pF GRM1555C1H8R3WA01# ±0.1pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R3DA01# ±0.5pF GRM1555C1H8R3DA01# ±0.5pF GRM1555C1H8R4WA01# ±0.1pF GRM1555C1H8R4WA01# ±0.25pF GRM1555C1H8R4DA01# ±0.25pF GRM1555C1H8R4DA01# ±0.25pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R5DA01# ±0.1pF GRM1555C1H8R5DA01# ±0.25pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01#					<u> </u>	
# ±0.1pF GRM1555C1H8R2BA01# ±0.25pF GRM1555C1H8R2CA01# ±0.5pF GRM1555C1H8R2DA01# #0.1pF GRM1555C1H8R3WA01# ±0.1pF GRM1555C1H8R3DA01# ±0.25pF GRM1555C1H8R3DA01# #0.25pF GRM1555C1H8R3DA01# #0.1pF GRM1555C1H8R4WA01# #0.25pF GRM1555C1H8R4DA01# #0.25pF GRM1555C1H8R4DA01# #0.25pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R5WA01# #0.1pF GRM1555C1H8R5WA01# #0.25pF GRM1555C1H8R5WA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01# #0.5pF GRM1555C1H8R5CA01# #0.5pF GRM1555C1H8R5CA01# #0.5pF GRM1555C1H8R5DA01# #0.5pF GRM1555C1H8R5CA01# #0.5pF GRM1555C1H8R5DA01# #0.5pF #0.5p				0.0-5	-	
#0.25pF GRM1555C1H8R2CA01# #0.5pF GRM1555C1H8R2DA01# #0.05pF GRM1555C1H8R3WA01# #0.1pF GRM1555C1H8R3BA01# #0.25pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R3CA01# #0.5pF GRM1555C1H8R3DA01# #0.1pF GRM1555C1H8R4WA01# #0.1pF GRM1555C1H8R4CA01# #0.25pF GRM1555C1H8R4CA01# #0.5pF GRM1555C1H8R4DA01# #0.5pF GRM1555C1H8R5WA01# #0.1pF GRM1555C1H8R5WA01# #0.1pF GRM1555C1H8R5WA01# #0.25pF GRM1555C1H8R5CA01# #0.25pF GRM1555C1H8R5CA01#				8.2pF	<u> </u>	
### ### ##############################						
8.3pF ±0.05pF GRM1555C1H8R3WA01# ±0.1pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R3CA01# ±0.5pF GRM1555C1H8R3DA01# 8.4pF ±0.05pF GRM1555C1H8R4WA01# ±0.1pF GRM1555C1H8R4BA01# ±0.25pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4CA01# ±0.05pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5BA01# ±0.25pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01#					<u> </u>	
±0.1pF GRM1555C1H8R3BA01# ±0.25pF GRM1555C1H8R3CA01# ±0.5pF GRM1555C1H8R3DA01# 8.4pF ±0.05pF GRM1555C1H8R4WA01# ±0.1pF GRM1555C1H8R4BA01# ±0.25pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5WA01# ±0.25pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01#				00-5	-	
±0.25pF GRM1555C1H8R3CA01# ±0.5pF GRM1555C1H8R3DA01# 8.4pF ±0.05pF GRM1555C1H8R4WA01# ±0.1pF GRM1555C1H8R4EA01# ±0.25pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4DA01# ±0.5pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5WA01# ±0.25pF GRM1555C1H8R5CA01# ±0.25pF GRM1555C1H8R5CA01#				ъ.Зр⊦	·	
### ### ##############################						
8.4pF ±0.05pF GRM1555C1H8R4WA01# ±0.1pF GRM1555C1H8R4BA01# ±0.25pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4DA01# 8.5pF ±0.05pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5BA01# ±0.25pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5CA01#					<u> </u>	
±0.1pF GRM1555C1H8R4BA01# ±0.25pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4DA01# 8.5pF ±0.05pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5BA01# ±0.25pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5DA01#				0		
±0.25pF GRM1555C1H8R4CA01# ±0.5pF GRM1555C1H8R4DA01# 8.5pF ±0.05pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5BA01# ±0.25pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5DA01#				8.4pF	<u> </u>	
±0.5pF GRM1555C1H8R4DA01# 8.5pF ±0.05pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5BA01# ±0.25pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5DA01#						
8.5pF ±0.05pF GRM1555C1H8R5WA01# ±0.1pF GRM1555C1H8R5BA01# ±0.25pF GRM1555C1H8R5CA01# ±0.5pF GRM1555C1H8R5DA01#					· ·	
±0.1pF				0		
±0.25pF				8.5pF	<u> </u>	
±0.5pF GRM1555C1H8R5DA01#						
					-	
8.6pF ±0.05pF GRM1555C1H8R6WA01#						
				8.6pF	±0.05pF	GRM1555C1H8R6WA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
).55mm	50Vdc	COG	8.6pF	±0.1pF	GRM1555C1H8R6BA01#
				±0.25pF	GRM1555C1H8R6CA01#
				±0.5pF	GRM1555C1H8R6DA01#
			8.7pF	±0.05pF	GRM1555C1H8R7WA01#
				±0.1pF	GRM1555C1H8R7BA01#
				±0.25pF	GRM1555C1H8R7CA01#
				±0.5pF	GRM1555C1H8R7DA01#
			8.8pF	±0.05pF	GRM1555C1H8R8WA01#
				±0.1pF	GRM1555C1H8R8BA01#
				±0.25pF	GRM1555C1H8R8CA01#
				±0.5pF	GRM1555C1H8R8DA01#
			8.9pF	±0.05pF	GRM1555C1H8R9WA01#
				±0.1pF	GRM1555C1H8R9BA01#
				±0.25pF	GRM1555C1H8R9CA01#
				±0.5pF	GRM1555C1H8R9DA01#
			9.0pF	±0.05pF	
			0.0pi	±0.05pi	GRM1555C1H9R0BA01#
				±0.1pr ±0.25pF	
				-	
			0.1-5	±0.5pF	GRM1555C1H9R0DA01#
			9.1pF	±0.05pF	GRM1555C1H9R1WA01#
				±0.1pF	GRM1555C1H9R1BA01#
				±0.25pF	GRM1555C1H9R1CA01#
		0.2nE	±0.5pF	GRM1555C1H9R1DA01#	
			9.2pF	±0.05pF	
				±0.1pF	GRM1555C1H9R2BA01#
				±0.25pF	GRM1555C1H9R2CA01#
				±0.5pF	GRM1555C1H9R2DA01#
			9.3pF	±0.05pF	GRM1555C1H9R3WA01#
				±0.1pF	GRM1555C1H9R3BA01#
				±0.25pF	GRM1555C1H9R3CA01#
				±0.5pF	GRM1555C1H9R3DA01#
			9.4pF	±0.05pF	GRM1555C1H9R4WA01#
				±0.1pF	GRM1555C1H9R4BA01#
				±0.25pF	GRM1555C1H9R4CA01#
				±0.5pF	GRM1555C1H9R4DA01#
			9.5pF	±0.05pF	GRM1555C1H9R5WA01#
				±0.1pF	GRM1555C1H9R5BA01#
				±0.25pF	GRM1555C1H9R5CA01#
				±0.5pF	GRM1555C1H9R5DA01#
			9.6pF	±0.05pF	
			- 14.5	±0.1pF	GRM1555C1H9R6BA01#
				±0.25pF	
				±0.5pF	GRM1555C1H9R6DA01#
			9.7pF		
			3./ PF	±0.05pF	GRM1555C1H9R7WA01#
				±0.1pF	GRM1555C1H9R7BA01#
				±0.25pF	
			00-	±0.5pF	GRM1555C1H9R7DA01#
			9.8pF	±0.05pF	
				±0.1pF	GRM1555C1H9R8BA01#
				±0.25pF	
				±0.5pF	GRM1555C1H9R8DA01#
			9.9pF	±0.05pF	GRM1555C1H9R9WA01#
				±0.1pF	GRM1555C1H9R9BA01#
				±0.25pF	GRM1555C1H9R9CA01#

Т	Rated	тс	Cap.	Tol.	Part Number	
max.	Voltage					
0.55mm	50Vdc	COG	9.9pF	±0.5pF	GRM1555C1H9R9DA01#	
			10pF	±2%	GRM1555C1H100GA01#	
			10.5	±5%	GRM1555C1H100JA01#	
			12pF	±2%	GRM1555C1H120GA01#	
			45-5	±5%	GRM1555C1H120JA01#	
			15pF	±2%	GRM1555C1H150GA01# GRM1555C1H150JA01#	
			18pF	±5% ±2%	GRM1555C1H180GA01#	
			Τορι	±5%	GRM1555C1H180JA01#	—
			22pF	±2%	GRM1555C1H220GA01#	—
			ΖΖΡΙ	±5%	GRM1555C1H220JA01#	—
			27pF	±2%	GRM1555C1H270GA01#	—
			27 βι	±5%	GRM1555C1H270JA01#	—
			33pF	±2%	GRM1555C1H330GA01#	—
			ООРІ	±5%	GRM1555C1H330JA01#	—
			39pF	±2%	GRM1555C1H390GA01#	—
			ООРІ	±5%	GRM1555C1H390JA01#	—
			47pF	±2%	GRM1555C1H470GA01#	—
			47βι	±5%	GRM1555C1H470JA01#	—
			56pF	±2%	GRM1555C1H560GA01#	—
			ООР	±5%	GRM1555C1H560JA01#	—
			68pF	±2%	GRM1555C1H680GA01#	—
			ООР	±5%	GRM1555C1H680JA01#	—
			82pF	±2%	GRM1555C1H820GA01#	—
			OZP.	±5%	GRM1555C1H820JA01#	—
			100pF	±2%	GRM1555C1H101GA01#	—
			.00p.	±5%	GRM1555C1H101JA01#	—
			120pF	±2%	GRM1555C1H121GA01#	—
				±5%	GRM1555C1H121JA01#	_
			150pF	±2%	GRM1555C1H151GA01#	_
				±5%	GRM1555C1H151JA01#	_
			180pF	±2%	GRM1555C1H181GA01#	
			·	±5%	GRM1555C1H181JA01#	
			220pF	±2%	GRM1555C1H221GA01#	
			·	±5%	GRM1555C1H221JA01#	
			270pF	±2%	GRM1555C1H271GA01#	_
				±5%	GRM1555C1H271JA01#	_
			330pF	±2%	GRM1555C1H331GA01#	
				±5%	GRM1555C1H331JA01#	_
			390pF	±2%	GRM1555C1H391GA01#	_
				±5%	GRM1555C1H391JA01#	_
			470pF	±2%	GRM1555C1H471GA01#	_
				±5%	GRM1555C1H471JA01#	_
			560pF	±2%	GRM1555C1H561GA01#	_
				±5%	GRM1555C1H561JA01#	_
			680pF	±2%	GRM1555C1H681GA01#	_
				±5%	GRM1555C1H681JA01#	_
			820pF	±2%	GRM1555C1H821GA01#	_
				±5%	GRM1555C1H821JA01#	_
			1000pF	±2%	GRM1555C1H102GA01#	_
				±5%	GRM1555C1H102JA01#	
		СК	0.10pF	±0.05pF	GRM1554C1HR10WA01#	
			0.20pF	±0.05pF	GRM1554C1HR20WA01#	_
				±0.1pF	GRM1554C1HR20BA01#	
			David accord	nhar # india	sates the package specification co	. ساس

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	CK	0.30pF	±0.05pF	GRM1554C1HR30WA01#
				±0.1pF	GRM1554C1HR30BA01#
			0.40pF	±0.05pF	GRM1554C1HR40WA01#
				±0.1pF	GRM1554C1HR40BA01#
			0.50pF	±0.05pF	GRM1554C1HR50WA01#
				±0.1pF	GRM1554C1HR50BA01#
			0.60pF	±0.05pF	GRM1554C1HR60WA01#
				±0.1pF	GRM1554C1HR60BA01#
			0.70pF	±0.05pF	GRM1554C1HR70WA01#
				±0.1pF	GRM1554C1HR70BA01#
			0.80pF	±0.05pF	GRM1554C1HR80WA01#
				±0.1pF	GRM1554C1HR80BA01#
			0.90pF	±0.05pF	GRM1554C1HR90WA01#
				±0.1pF	GRM1554C1HR90BA01#
			1.0pF	±0.05pF	GRM1554C1H1R0WA01#
				±0.1pF	GRM1554C1H1R0BA01#
				±0.25pF	GRM1554C1H1R0CA01#
			1.1pF	±0.05pF	GRM1554C1H1R1WA01#
				±0.1pF	GRM1554C1H1R1BA01#
				±0.25pF	GRM1554C1H1R1CA01#
			1.2pF	±0.05pF	GRM1554C1H1R2WA01#
			1.201	±0.1pF	GRM1554C1H1R2BA01#
				±0.25pF	GRM1554C1H1R2CA01#
			1.3pF	±0.05pF	GRM1554C1H1R3WA01#
			1.501	±0.1pF	GRM1554C1H1R3BA01#
				±0.1pi	GRM1554C1H1R3CA01#
			1.4pF	±0.25pi	GRM1554C1H1R4WA01#
			1.4pr	-	
				±0.1pF	GRM1554C1H1R4BA01#
			1 5 5 5	±0.25pF	GRM1554C1H1R4CA01#
			1.5pF	±0.05pF	GRM1554C1H1R5WA01#
				±0.1pF	GRM1554C1H1R5BA01#
			40.5	±0.25pF	GRM1554C1H1R5CA01#
			1.6pF	±0.05pF	GRM1554C1H1R6WA01#
				±0.1pF	GRM1554C1H1R6BA01#
				±0.25pF	GRM1554C1H1R6CA01#
			1.7pF	±0.05pF	GRM1554C1H1R7WA01#
				±0.1pF	GRM1554C1H1R7BA01#
				±0.25pF	GRM1554C1H1R7CA01#
			1.8pF	±0.05pF	GRM1554C1H1R8WA01#
				±0.1pF	GRM1554C1H1R8BA01#
				±0.25pF	GRM1554C1H1R8CA01#
			1.9pF	±0.05pF	GRM1554C1H1R9WA01#
				±0.1pF	GRM1554C1H1R9BA01#
				±0.25pF	GRM1554C1H1R9CA01#
			2.0pF	±0.05pF	GRM1554C1H2R0WA01#
				±0.1pF	GRM1554C1H2R0BA01#
				±0.25pF	GRM1554C1H2R0CA01#
		CJ	2.1pF	±0.05pF	GRM1553C1H2R1WA01#
				±0.1pF	GRM1553C1H2R1BA01#
				±0.25pF	GRM1553C1H2R1CA01#
			2.2pF	±0.05pF	GRM1553C1H2R2WA01#
				±0.1pF	GRM1553C1H2R2BA01#
				±0.25pF	GRM1553C1H2R2CA01#
			2.3pF	±0.05pF	GRM1553C1H2R3WA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	CJ	2.3pF	±0.1pF	GRM1553C1H2R3BA01#
				±0.25pF	GRM1553C1H2R3CA01#
			2.4pF	±0.05pF	GRM1553C1H2R4WA01#
				±0.1pF	GRM1553C1H2R4BA01#
				±0.25pF	GRM1553C1H2R4CA01#
			2.5pF	±0.05pF	GRM1553C1H2R5WA01#
			•	±0.1pF	GRM1553C1H2R5BA01#
				±0.25pF	GRM1553C1H2R5CA01#
			2.6pF	±0.05pF	GRM1553C1H2R6WA01#
				±0.1pF	GRM1553C1H2R6BA01#
				±0.25pF	GRM1553C1H2R6CA01#
			2.7pF	±0.05pF	GRM1553C1H2R7WA01#
			2.7 pi	±0.1pF	GRM1553C1H2R7BA01#
				±0.25pF	GRM1553C1H2R7CA01#
			2.8pF	±0.05pF	GRM1553C1H2R8WA01#
			2.0pi		
				±0.1pF	GRM1553C1H2R8BA01#
			0.0-5	±0.25pF	GRM1553C1H2R8CA01#
			2.9pF	±0.05pF	GRM1553C1H2R9WA01#
				±0.1pF	GRM1553C1H2R9BA01#
				±0.25pF	GRM1553C1H2R9CA01#
			3.0pF	±0.05pF	GRM1553C1H3R0WA01#
				±0.1pF	GRM1553C1H3R0BA01#
				±0.25pF	GRM1553C1H3R0CA01#
			3.1pF	±0.05pF	GRM1553C1H3R1WA01#
				±0.1pF	GRM1553C1H3R1BA01#
				±0.25pF	GRM1553C1H3R1CA01#
			3.2pF	±0.05pF	GRM1553C1H3R2WA01#
				±0.1pF	GRM1553C1H3R2BA01#
				±0.25pF	GRM1553C1H3R2CA01#
			3.3pF	±0.05pF	GRM1553C1H3R3WA01#
				±0.1pF	GRM1553C1H3R3BA01#
				±0.25pF	GRM1553C1H3R3CA01#
			3.4pF	±0.05pF	GRM1553C1H3R4WA01#
				±0.1pF	GRM1553C1H3R4BA01#
				±0.25pF	GRM1553C1H3R4CA01#
			3.5pF	±0.05pF	GRM1553C1H3R5WA01#
			•	±0.1pF	GRM1553C1H3R5BA01#
				±0.25pF	GRM1553C1H3R5CA01#
			3.6pF	±0.05pF	GRM1553C1H3R6WA01#
			о.ор.	±0.1pF	GRM1553C1H3R6BA01#
				±0.25pF	GRM1553C1H3R6CA01#
			3.7pF	· ·	
			3.7pr	±0.05pF	
				±0.1pF	GRM1553C1H3R7BA01#
			00.5	±0.25pF	GRM1553C1H3R7CA01#
			3.8pF	±0.05pF	GRM1553C1H3R8WA01#
				±0.1pF	GRM1553C1H3R8BA01#
				±0.25pF	GRM1553C1H3R8CA01#
			3.9pF	±0.05pF	GRM1553C1H3R9WA01#
				±0.1pF	GRM1553C1H3R9BA01#
				±0.25pF	GRM1553C1H3R9CA01#
		СН	4.0pF	±0.05pF	GRM1552C1H4R0WA01#
				±0.1pF	GRM1552C1H4R0BA01#
				±0.25pF	GRM1552C1H4R0CA01#
		l Ì	4.1pF	±0.05pF	GRM1552C1H4R1WA01#

To Notice Code Cap. Tol. Part Number	(→ ■ 1	.0×0.5ı	mm)			
### 10.25pF GRM1552C1H4R2M01# ### 10.05pF GRM1552C1H4R2M01# ### 10.25pF GRM1552C1H4R2M01# ### 10.25pF GRM1552C1H4R2M01# ### 10.25pF GRM1552C1H4R3M01# ### 10.25pF GRM1552C1H5R3M01# #### 10.25pF GRM1552C1H5R3M01# ### 10.25pF GRM1552C1H5R3M01# ### 10.25pF GRM1552C1H5R3M0	-		_	Cap.	Tol.	Part Number
4.2pF	0.55mm	50Vdc	СН	4.1pF	±0.1pF	GRM1552C1H4R1BA01#
### 10.1pF GRM1552C1H4R2BA01# #0.25pF GRM1552C1H4R3WA01# #0.1pF GRM1552C1H4R3WA01# #0.25pF GRM1552C1H4R3WA01# #0.25pF GRM1552C1H4R3WA01# #0.1pF GRM1552C1H4R4WA01# #0.1pF GRM1552C1H4R4WA01# #0.25pF GRM1552C1H4R4WA01# #0.25pF GRM1552C1H4R4WA01# #0.25pF GRM1552C1H4R5WA01# #0.25pF GRM1552C1H4R5WA01# #0.25pF GRM1552C1H4R6WA01# #0.25pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R3WA01#					±0.25pF	GRM1552C1H4R1CA01#
### 10.25pF GRM1552C1H4R2CA01# ### 20.05pF GRM1552C1H4R3MA01# ### 20.05pF GRM1552C1H4R3MA01# ### 20.05pF GRM1552C1H4R4MA01# ### 20.05pF GRM1552C1H4R4MA01# ### 20.15pF GRM1552C1H4R4MA01# ### 20.15pF GRM1552C1H4R5MA01# ### 20.05pF GRM1552C1H4R5MA01# ### 20.05pF GRM1552C1H4R5MA01# ### 20.05pF GRM1552C1H4R6MA01# ### 20.05pF GRM1552C1H4R7MA01# ### 20.05pF GRM1552C1H4R7MA01# ### 20.05pF GRM1552C1H4R8MA01# ### 20.05pF GRM1552C1H4R8MA01# ### 20.05pF GRM1552C1H4R8MA01# ### 20.05pF GRM1552C1H4R8MA01# ### 20.05pF GRM1552C1H4R9MA01# ### 20.05pF GRM1552C1H4R9MA01# ### 20.05pF GRM1552C1H4R9MA01# ### 20.05pF GRM1552C1H5R0MA01# ### 20.05pF GRM1552C1H5R1A01# ### 20.05pF GRM1552C1H5R2MA01# ### 20.05pF GRM1552C1H5R3MA01# #### 20.05pF GRM1552C1H5R3MA01# #### 20.05pF GRM1552C1H5R3MA01# #### 20.05pF GRM1552C1H5R3MA01# #### 20.05pF GRM1				4.2pF	±0.05pF	GRM1552C1H4R2WA01#
### ### ### ### ### ### ### ### ### ##					±0.1pF	GRM1552C1H4R2BA01#
#0.1pF GRM1552C1H4R3BA01# ±0.25pF GRM1552C1H4R3CA01# ±0.05pF GRM1552C1H4R4WA01# ±0.1pF GRM1552C1H4R5WA01# ±0.05pF GRM1552C1H4R5WA01# ±0.1pF GRM1552C1H4R5WA01# ±0.25pF GRM1552C1H4R5WA01# ±0.25pF GRM1552C1H4R6WA01# ±0.25pF GRM1552C1H4R6WA01# ±0.1pF GRM1552C1H4R6WA01# ±0.1pF GRM1552C1H4R6WA01# ±0.1pF GRM1552C1H4R6WA01# ±0.1pF GRM1552C1H4R6WA01# ±0.25pF GRM1552C1H4R6WA01# ±0.25pF GRM1552C1H4R6WA01# ±0.25pF GRM1552C1H4R6WA01# ±0.1pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H5R0WA01# ±0.1pF GRM1552C1H5R0WA01# ±0.1pF GRM1552C1H5R0WA01# ±0.1pF GRM1552C1H5R0WA01# ±0.25pF GRM1552C1H5R0WA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R2WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.25pF GRM1552C1H					±0.25pF	GRM1552C1H4R2CA01#
### 1.0.25pF GRM1552C1H4R3CA01# ### 20.05pF GRM1552C1H4R4WA01# ### 20.25pF GRM1552C1H4R4WA01# ### 20.05pF GRM1552C1H4R4WA01# ### 20.05pF GRM1552C1H4R5WA01# ### 20.1pF GRM1552C1H4R5WA01# ### 20.25pF GRM1552C1H4R6WA01# ### 20.25pF GRM1552C1H4R7WA01# ### 20.25pF GRM1552C1H4R8WA01# ### 20.25pF GRM1552C1H4R8WA01# ### 20.25pF GRM1552C1H4R8WA01# ### 20.25pF GRM1552C1H4R8WA01# ### 20.25pF GRM1552C1H4R9WA01# ### 20.25pF GRM1552C1H4R9WA01# ### 20.25pF GRM1552C1H5R0WA01# #### 20.25pF GRM1552C1H5R0WA01# #### 20.25pF				4.3pF	±0.05pF	GRM1552C1H4R3WA01#
4.4pF					±0.1pF	GRM1552C1H4R3BA01#
#0.1pF					±0.25pF	GRM1552C1H4R3CA01#
#0.25pF GRM1552C1H4R4CA01# #0.1pF GRM1552C1H4R5WA01# #0.25pF GRM1552C1H4R5WA01# #0.25pF GRM1552C1H4R6WA01# #0.25pF GRM1552C1H4R6BA01# #0.25pF GRM1552C1H4R6BA01# #0.25pF GRM1552C1H4R6BA01# #0.25pF GRM1552C1H4R6BA01# #0.25pF GRM1552C1H4R6BA01# #0.25pF GRM1552C1H4R6WA01# #0.25pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R3WA01# #0.25pF GRM1552C1H5R5WA01# #0.25pF GRM1552C1H5R6WA01# #0.25pF GRM1552C1H5R6W				4.4pF	±0.05pF	GRM1552C1H4R4WA01#
4.5pF					±0.1pF	GRM1552C1H4R4BA01#
#0.1pF GRM1552C1H4R5BA01# #0.25pF GRM1552C1H4R6WA01# #0.1pF GRM1552C1H4R6WA01# #0.25pF GRM1552C1H4R6WA01# #0.25pF GRM1552C1H4R6WA01# #0.25pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R6WA01#				±0.25pF	GRM1552C1H4R4CA01#	
### ### ##############################				4.5pF	±0.05pF	GRM1552C1H4R5WA01#
4.6pF					±0.1pF	GRM1552C1H4R5BA01#
#0.1pF GRM1552C1H4R6BA01# #0.25pF GRM1552C1H4R7WA01# #0.1pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.1pF GRM1552C1H4R8WA01# #0.1pF GRM1552C1H4R9WA01# #0.1pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1DA01# #0.25pF GRM1552C1H5R1DA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6WA01#					±0.25pF	GRM1552C1H4R5CA01#
#0.25pF GRM1552C1H4R6CA01# #0.1pF GRM1552C1H4R7WA01# #0.25pF GRM1552C1H4R7CA01# #0.25pF GRM1552C1H4R7CA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8CA01# #0.1pF GRM1552C1H4R9WA01# #0.1pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9CA01# #0.1pF GRM1552C1H4R9CA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6WA01#				4.6pF	±0.05pF	GRM1552C1H4R6WA01#
4.7pF ±0.05pF GRM1552C1H4R7WA01# ±0.1pF GRM1552C1H4R7BA01# ±0.25pF GRM1552C1H4R8WA01# ±0.1pF GRM1552C1H4R8WA01# ±0.25pF GRM1552C1H4R8BA01# ±0.25pF GRM1552C1H4R8BA01# ±0.25pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H5R0WA01# ±0.25pF GRM1552C1H5R0WA01# ±0.25pF GRM1552C1H5R0WA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1DA01# ±0.25pF GRM1552C1H5R1DA01# ±0.25pF GRM1552C1H5R1DA01# ±0.25pF GRM1552C1H5R2WA01# ±0.25pF GRM1552C1H5R2WA01# ±0.5pF GRM1552C1H5R2WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.5pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R4WA01# ±0.5pF GRM1552C1H5R4WA01# ±0.5pF GRM1552C1H5R4WA01# ±0.5pF GRM1552C1H5R4DA01# ±0.5pF GRM1552C1H5R4DA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5BA01# ±0.5pF GRM1552C1H5R5BA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5BA01# ±0.5pF GRM1552C1H5R6BA01#					±0.1pF	GRM1552C1H4R6BA01#
#0.1pF GRM1552C1H4R7BA01# #0.25pF GRM1552C1H4R7CA01# 4.8pF #0.05pF GRM1552C1H4R8WA01# #0.1pF GRM1552C1H4R8BA01# #0.25pF GRM1552C1H4R8CA01# 4.9pF #0.05pF GRM1552C1H4R9WA01# #0.1pF GRM1552C1H4R9A01# #0.25pF GRM1552C1H4R9CA01# 5.0pF #0.05pF GRM1552C1H4R9CA01# #0.1pF GRM1552C1H4R9CA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1DA01# #0.25pF GRM1552C1H5R1DA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01#					±0.25pF	GRM1552C1H4R6CA01#
#0.25pF GRM1552C1H4R7CA01# #0.1pF GRM1552C1H4R8WA01# #0.25pF GRM1552C1H4R8BA01# #0.25pF GRM1552C1H4R9WA01# #0.1pF GRM1552C1H4R9WA01# #0.1pF GRM1552C1H4R9BA01# #0.25pF GRM1552C1H4R9CA01# #0.25pF GRM1552C1H4R9CA01# #0.1pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0CA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1DA01# #0.25pF GRM1552C1H5R1DA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R2WA01# #0.25pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01#				4.7pF	±0.05pF	GRM1552C1H4R7WA01#
4.8pF ±0.05pF GRM1552C1H4R8WA01# ±0.1pF GRM1552C1H4R8BA01# ±0.25pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H4R9WA01# ±0.25pF GRM1552C1H4R9BA01# ±0.25pF GRM1552C1H5R0WA01# ±0.25pF GRM1552C1H5R0WA01# ±0.25pF GRM1552C1H5R1WA01# ±0.5pF GRM1552C1H5R1WA01# ±0.5pF GRM1552C1H5R1WA01# ±0.5pF GRM1552C1H5R1WA01# ±0.25pF GRM1552C1H5R1WA01# ±0.25pF GRM1552C1H5R1WA01# ±0.25pF GRM1552C1H5R1WA01# ±0.25pF GRM1552C1H5R2WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.5pF GRM1552C1H5R3WA01# ±0.25pF GRM1552C1H5R3WA01# ±0.25pF GRM1552C1H5R3WA01# ±0.25pF GRM1552C1H5R3WA01# ±0.5pF GRM1552C1H5R4WA01# ±0.5pF GRM1552C1H5R4WA01# ±0.25pF GRM1552C1H5R4WA01# ±0.25pF GRM1552C1H5R4WA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6CA01#					±0.1pF	GRM1552C1H4R7BA01#
#0.1pF GRM1552C1H4R8BA01# #0.25pF GRM1552C1H4R9WA01# #0.1pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H4R9WA01# #0.25pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R1WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R4WA01# #0.1pF GRM1552C1H5R4WA01# #0.25pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R5WA01# #0.5pF GRM1552C1H5R6WA01#					±0.25pF	GRM1552C1H4R7CA01#
#0.25pF GRM1552C1H4R8CA01# #0.1pF GRM1552C1H4R9BA01# #0.25pF GRM1552C1H4R9CA01# #0.1pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0WA01# #0.25pF GRM1552C1H5R0BA01# #0.25pF GRM1552C1H5R0CA01# #0.1pF GRM1552C1H5R1WA01# #0.1pF GRM1552C1H5R1BA01# #0.25pF GRM1552C1H5R1DA01# #0.5pF GRM1552C1H5R2WA01# #0.1pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R3WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R5BA01# #0.5pF GRM1552C1H5R5CA01# #0.5pF GRM1552C1H5R5CA01# #0.5pF GRM1552C1H5R5CA01# #0.5pF GRM1552C1H5R5CA01# #0.5pF GRM1552C1H5R5CA01# #0.5pF GRM1552C1H5R6WA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6WA01# #0.5pF GRM1552C1H5R6WA01# #0.5pF GRM1552C1H5R6WA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6CA01#				4.8pF	±0.05pF	GRM1552C1H4R8WA01#
4.9pF					±0.1pF	GRM1552C1H4R8BA01#
#0.1pF GRM1552C1H4R9BA01# #0.25pF GRM1552C1H5R0WA01# #0.1pF GRM1552C1H5R0BA01# #0.25pF GRM1552C1H5R0BA01# #0.25pF GRM1552C1H5R0CA01# #0.25pF GRM1552C1H5R0CA01# #0.1pF GRM1552C1H5R1WA01# #0.25pF GRM1552C1H5R1BA01# #0.25pF GRM1552C1H5R1DA01# #0.5pF GRM1552C1H5R1DA01# #0.1pF GRM1552C1H5R2WA01# #0.1pF GRM1552C1H5R2WA01# #0.5pF GRM1552C1H5R2DA01# #0.5pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3DA01# #0.25pF GRM1552C1H5R3DA01# #0.25pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R4WA01# #0.5pF GRM1552C1H5R4DA01# #0.25pF GRM1552C1H5R4DA01# #0.25pF GRM1552C1H5R4DA01# #0.25pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6WA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6CA01# #0.5pF GRM1552C1H5R6CA01# #0.5pF GRM1552C1H5R6CA01#					±0.25pF	GRM1552C1H4R8CA01#
#0.25pF GRM1552C1H4R9CA01# #0.1pF GRM1552C1H5R0BA01# #0.25pF GRM1552C1H5R0BA01# #0.25pF GRM1552C1H5R0CA01# #0.1pF GRM1552C1H5R0CA01# #0.1pF GRM1552C1H5R1BA01# #0.25pF GRM1552C1H5R1BA01# #0.25pF GRM1552C1H5R1DA01# #0.5pF GRM1552C1H5R2BA01# #0.1pF GRM1552C1H5R2BA01# #0.5pF GRM1552C1H5R2BA01# #0.5pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3BA01# #0.25pF GRM1552C1H5R3BA01# #0.25pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R4BA01# #0.25pF GRM1552C1H5R4DA01# #0.25pF GRM1552C1H5R4DA01# #0.25pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5BA01# #0.5pF GRM1552C1H5R5BA01# #0.5pF GRM1552C1H5R5BA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.1pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6CA01# #0.5pF GRM1552C1H5R6CA01# #0.5pF GRM1552C1H5R6CA01#				4.9pF	±0.05pF	GRM1552C1H4R9WA01#
5.0pF ±0.05pF GRM1552C1H5R0WA01# ±0.1pF GRM1552C1H5R0BA01# ±0.25pF GRM1552C1H5R0CA01# 5.1pF ±0.05pF GRM1552C1H5R1WA01# ±0.1pF GRM1552C1H5R1BA01# ±0.25pF GRM1552C1H5R1DA01# ±0.5pF GRM1552C1H5R1DA01# ±0.05pF GRM1552C1H5R2WA01# ±0.1pF GRM1552C1H5R2WA01# ±0.1pF GRM1552C1H5R2DA01# ±0.5pF GRM1552C1H5R2DA01# ±0.5pF GRM1552C1H5R3WA01# ±0.1pF GRM1552C1H5R3WA01# ±0.1pF GRM1552C1H5R3WA01# ±0.05pF GRM1552C1H5R3WA01# ±0.05pF GRM1552C1H5R3DA01# ±0.05pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R4WA01# ±0.1pF GRM1552C1H5R4WA01# ±0.1pF GRM1552C1H5R4DA01# ±0.5pF GRM1552C1H5R4DA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5DA01# ±0.05pF GRM1552C1H5R5DA01# ±0.05pF GRM1552C1H5R5DA01# ±0.05pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01#					±0.1pF	GRM1552C1H4R9BA01#
### ### ##############################					-	
# ±0.25pF GRM1552C1H5R0CA01# # ±0.05pF GRM1552C1H5R1WA01# # ±0.25pF GRM1552C1H5R1BA01# # ±0.25pF GRM1552C1H5R1DA01# # ±0.5pF GRM1552C1H5R1DA01# # ±0.1pF GRM1552C1H5R2WA01# # ±0.1pF GRM1552C1H5R2BA01# # ±0.25pF GRM1552C1H5R2BA01# # ±0.5pF GRM1552C1H5R2DA01# # ±0.5pF GRM1552C1H5R3WA01# # ±0.05pF GRM1552C1H5R3WA01# # ±0.1pF GRM1552C1H5R3WA01# # ±0.25pF GRM1552C1H5R3DA01# # ±0.5pF GRM1552C1H5R3DA01# # ±0.5pF GRM1552C1H5R4WA01# # ±0.1pF GRM1552C1H5R4WA01# # ±0.5pF GRM1552C1H5R4WA01# # ±0.5pF GRM1552C1H5R5WA01# # ±0.5pF GRM1552C1H5R5WA01# # ±0.5pF GRM1552C1H5R5BA01# # ±0.25pF GRM1552C1H5R5BA01# # ±0.5pF GRM1552C1H5R5DA01# # ±0.5pF GRM1552C1H5R6WA01# # ±0.5pF GRM1552C1H5R6BA01# # ±0.5pF GRM1552C1H5R6BA01# # ±0.5pF GRM1552C1H5R6CA01# # ±0.5pF GRM1552C1H5R6DA01# # ±0.5pF GRM1552C1H5				5.0pF		
5.1pF ±0.05pF GRM1552C1H5R1WA01# ±0.25pF GRM1552C1H5R1DA01# ±0.25pF GRM1552C1H5R1DA01# ±0.5pF GRM1552C1H5R2WA01# ±0.1pF GRM1552C1H5R2WA01# ±0.25pF GRM1552C1H5R2DA01# ±0.25pF GRM1552C1H5R2DA01# ±0.5pF GRM1552C1H5R3WA01# ±0.1pF GRM1552C1H5R3WA01# ±0.25pF GRM1552C1H5R3WA01# ±0.25pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R3DA01# ±0.5pF GRM1552C1H5R4WA01# ±0.1pF GRM1552C1H5R4WA01# ±0.25pF GRM1552C1H5R4DA01# ±0.25pF GRM1552C1H5R4DA01# ±0.25pF GRM1552C1H5R4DA01# ±0.25pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5WA01# ±0.5pF GRM1552C1H5R5DA01# ±0.25pF GRM1552C1H5R5DA01# ±0.25pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6WA01# ±0.25pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01#					-	
### ### ##############################					-	
# ±0.25pF GRM1552C1H5R1CA01# # ±0.5pF GRM1552C1H5R2WA01# # ±0.1pF GRM1552C1H5R2CA01# # ±0.25pF GRM1552C1H5R2CA01# # ±0.5pF GRM1552C1H5R2DA01# # ±0.5pF GRM1552C1H5R3WA01# # ±0.1pF GRM1552C1H5R3WA01# # ±0.25pF GRM1552C1H5R3DA01# # ±0.25pF GRM1552C1H5R3DA01# # ±0.5pF GRM1552C1H5R3DA01# # ±0.5pF GRM1552C1H5R3DA01# # ±0.1pF GRM1552C1H5R4WA01# # ±0.25pF GRM1552C1H5R4DA01# # ±0.5pF GRM1552C1H5R4DA01# # ±0.5pF GRM1552C1H5R4DA01# # ±0.5pF GRM1552C1H5R5DA01# # ±0.5pF GRM1552C1H5R5DA01# # ±0.25pF GRM1552C1H5R5DA01# # ±0.5pF GRM1552C1H5R5DA01# # ±0.5pF GRM1552C1H5R5DA01# # ±0.5pF GRM1552C1H5R6DA01# # ±0.5pF GRM1552C1H5R6DA01# # ±0.5pF GRM1552C1H5R6DA01# # ±0.25pF GRM1552C1H5R6DA01# # ±0.5pF GRM1552C1H5R6DA01# # ±0.5pF GRM1552C1H5R6DA01# # ±0.5pF GRM1552C1H5R6DA01#				5.1pF		
#0.5pF GRM1552C1H5R1DA01# 5.2pF					-	
5.2pF ±0.05pF GRM1552C1H5R2WA01# ±0.1pF GRM1552C1H5R2BA01# ±0.25pF GRM1552C1H5R2DA01# ±0.5pF GRM1552C1H5R2DA01# 5.3pF ±0.05pF GRM1552C1H5R3WA01# ±0.1pF GRM1552C1H5R3BA01# ±0.25pF GRM1552C1H5R3DA01# 5.4pF ±0.05pF GRM1552C1H5R3DA01# ±0.1pF GRM1552C1H5R3DA01# ±0.1pF GRM1552C1H5R4WA01# ±0.25pF GRM1552C1H5R4CA01# ±0.25pF GRM1552C1H5R4CA01# ±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6WA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01#						
#0.1pF GRM1552C1H5R2BA01# #0.25pF GRM1552C1H5R2CA01# #0.5pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3WA01# #0.25pF GRM1552C1H5R3BA01# #0.25pF GRM1552C1H5R3CA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R3DA01# #0.1pF GRM1552C1H5R4WA01# #0.1pF GRM1552C1H5R4CA01# #0.25pF GRM1552C1H5R4CA01# #0.5pF GRM1552C1H5R4DA01# #0.5pF GRM1552C1H5R5WA01# #0.1pF GRM1552C1H5R5WA01# #0.1pF GRM1552C1H5R5WA01# #0.1pF GRM1552C1H5R5CA01# #0.25pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6WA01# #0.5pF GRM1552C1H5R6BA01# #0.1pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6CA01# #0.25pF GRM1552C1H5R6CA01# #0.25pF GRM1552C1H5R6CA01#				E 2nE	-	
#0.25pF GRM1552C1H5R2CA01# #0.5pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3BA01# #0.25pF GRM1552C1H5R3CA01# #0.25pF GRM1552C1H5R3CA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R4WA01# #0.1pF GRM1552C1H5R4WA01# #0.25pF GRM1552C1H5R4CA01# #0.5pF GRM1552C1H5R4DA01# #0.5pF GRM1552C1H5R4DA01# #0.5pF GRM1552C1H5R5BA01# #0.1pF GRM1552C1H5R5BA01# #0.25pF GRM1552C1H5R5CA01# #0.25pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6DA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6CA01# #0.25pF GRM1552C1H5R6CA01#				5.2pr		
#0.5pF GRM1552C1H5R2DA01# 5.3pF #0.05pF GRM1552C1H5R3WA01# #0.1pF GRM1552C1H5R3BA01# #0.25pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R3DA01# #0.5pF GRM1552C1H5R4WA01# #0.1pF GRM1552C1H5R4BA01# #0.25pF GRM1552C1H5R4DA01# #0.5pF GRM1552C1H5R4DA01# #0.5pF GRM1552C1H5R5BA01# #0.1pF GRM1552C1H5R5BA01# #0.25pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6DA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01# #0.5pF GRM1552C1H5R6BA01#					-	
5.3pF ±0.05pF GRM1552C1H5R3WA01# ±0.1pF GRM1552C1H5R3BA01# ±0.25pF GRM1552C1H5R3CA01# ±0.5pF GRM1552C1H5R3DA01# 5.4pF ±0.05pF GRM1552C1H5R4WA01# ±0.1pF GRM1552C1H5R4BA01# ±0.25pF GRM1552C1H5R4CA01# ±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5BA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6BA01#						
#0.1pF GRM1552C1H5R3BA01# #0.25pF GRM1552C1H5R3CA01# #0.5pF GRM1552C1H5R3DA01# #0.05pF GRM1552C1H5R4WA01# #0.1pF GRM1552C1H5R4BA01# #0.25pF GRM1552C1H5R4CA01# #0.5pF GRM1552C1H5R4DA01# #0.5pF GRM1552C1H5R5WA01# #0.1pF GRM1552C1H5R5WA01# #0.1pF GRM1552C1H5R5DA01# #0.25pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R5DA01# #0.5pF GRM1552C1H5R6WA01# #0.1pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6BA01# #0.25pF GRM1552C1H5R6CA01# #0.25pF GRM1552C1H5R6CA01#				5.3nF	-	
±0.25pF GRM1552C1H5R3CA01# ±0.5pF GRM1552C1H5R3DA01# 5.4pF ±0.05pF GRM1552C1H5R4WA01# ±0.1pF GRM1552C1H5R4BA01# ±0.25pF GRM1552C1H5R4CA01# ±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R6DA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01#				0.0pi		
±0.5pF GRM1552C1H5R3DA01# 5.4pF ±0.05pF GRM1552C1H5R4WA01# ±0.1pF GRM1552C1H5R4BA01# ±0.25pF GRM1552C1H5R4DA01# ±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5BA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6DA01#					-	
5.4pF ±0.05pF GRM1552C1H5R4WA01# ±0.1pF GRM1552C1H5R4BA01# ±0.25pF GRM1552C1H5R4CA01# ±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R5DA01# ±0.5pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01#						
±0.1pF GRM1552C1H5R4BA01# ±0.25pF GRM1552C1H5R4CA01# ±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R5DA01# ±0.05pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6BA01# ±0.5pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01#				5.4pF		
±0.25pF GRM1552C1H5R4CA01# ±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R5DA01# 5.6pF ±0.05pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01#				- IL.		
±0.5pF GRM1552C1H5R4DA01# 5.5pF ±0.05pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R5DA01# 5.6pF ±0.05pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6CA01#						
5.5pF ±0.05pF GRM1552C1H5R5WA01# ±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R5DA01# 5.6pF ±0.05pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6DA01#						
±0.1pF GRM1552C1H5R5BA01# ±0.25pF GRM1552C1H5R5CA01# ±0.5pF GRM1552C1H5R5DA01# 5.6pF ±0.05pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6DA01#				5.5pF	-	
±0.5pF GRM1552C1H5R5DA01# 5.6pF ±0.05pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6DA01#					±0.1pF	GRM1552C1H5R5BA01#
5.6pF ±0.05pF GRM1552C1H5R6WA01# ±0.1pF GRM1552C1H5R6BA01# ±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6DA01#					±0.25pF	GRM1552C1H5R5CA01#
±0.1pF					±0.5pF	GRM1552C1H5R5DA01#
±0.25pF GRM1552C1H5R6CA01# ±0.5pF GRM1552C1H5R6DA01#				5.6pF	±0.05pF	GRM1552C1H5R6WA01#
±0.5pF GRM1552C1H5R6DA01#					±0.1pF	GRM1552C1H5R6BA01#
					±0.25pF	GRM1552C1H5R6CA01#
5.7pF ±0.05pF GRM1552C1H5R7WA01#					±0.5pF	GRM1552C1H5R6DA01#
				5.7pF	±0.05pF	GRM1552C1H5R7WA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.55mm	50Vdc	СН	5.7pF	±0.1pF	GRM1552C1H5R7BA01#	
				±0.25pF	GRM1552C1H5R7CA01#	
				±0.5pF	GRM1552C1H5R7DA01#	
			5.8pF	±0.05pF	GRM1552C1H5R8WA01#	
				±0.1pF	GRM1552C1H5R8BA01#	
				±0.25pF	GRM1552C1H5R8CA01#	
				±0.5pF	GRM1552C1H5R8DA01#	
			5.9pF	±0.05pF	GRM1552C1H5R9WA01#	
				±0.1pF	GRM1552C1H5R9BA01#	
				±0.25pF	GRM1552C1H5R9CA01#	
				±0.5pF	GRM1552C1H5R9DA01#	
			6.0pF	±0.05pF	GRM1552C1H6R0WA01#	
				±0.1pF	GRM1552C1H6R0BA01#	
				±0.25pF	GRM1552C1H6R0CA01#	
				±0.5pF	GRM1552C1H6R0DA01#	
			6.1pF	±0.05pF	GRM1552C1H6R1WA01#	
				±0.1pF	GRM1552C1H6R1BA01#	
				-	GRM1552C1H6R1CA01#	
				±0.5pF	GRM1552C1H6R1DA01#	
			6.2pF		GRM1552C1H6R2WA01#	
				±0.1pF	GRM1552C1H6R2BA01#	
					GRM1552C1H6R2CA01#	
				±0.5pF	GRM1552C1H6R2DA01#	
			6.3pF	±0.05pF	GRM1552C1H6R3WA01#	
			1-	±0.1pF	GRM1552C1H6R3BA01#	
				±0.25pF	GRM1552C1H6R3CA01#	
				±0.5pF	GRM1552C1H6R3DA01#	
			6.4pF	±0.05pF		
			- 1-	±0.1pF	GRM1552C1H6R4BA01#	
				±0.25pF		
				±0.5pF	GRM1552C1H6R4DA01#	
			6.5pF	-	GRM1552C1H6R5WA01#	
				±0.1pF	GRM1552C1H6R5BA01#	
				±0.25pF	GRM1552C1H6R5CA01#	
				±0.5pF	GRM1552C1H6R5DA01#	
			6.6pF	±0.05pF		
			0.00.	±0.1pF	GRM1552C1H6R6BA01#	
				±0.25pF		
				±0.5pF	GRM1552C1H6R6DA01#	
			6.7pF	-	GRM1552C1H6R7WA01#	
			0.7 pi	±0.1pF	GRM1552C1H6R7BA01#	
				±0.25pF		
				±0.5pF	GRM1552C1H6R7DA01#	
			6.8pF	±0.05pF		
			0.001	±0.05pF	GRM1552C1H6R8BA01#	
					GRM1552C1H6R8CA01#	
				±0.25pF	GRM1552C1H6R8DA01#	
			6.9pF	±0.05pF	GRM1552C1H6R9WA01#	
			o.apr	-		
				±0.1pF	GRM1552C1H6R9BA01#	
				±0.25pF	GRM1552C1H6R9CA01# GRM1552C1H6R9DA01#	
			7055	±0.5pF		
			7.0pF	±0.05pF		
				±0.1pF	GRM1552C1H7R0BA01#	
				±0.25pF	GRM1552C1H7R0CA01#	

(→ ■ 1	.0×0.5ı	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	СН	7.0pF	±0.5pF	GRM1552C1H7R0DA01#
			7.1pF	±0.05pF	GRM1552C1H7R1WA01#
				±0.1pF	GRM1552C1H7R1BA01#
				±0.25pF	GRM1552C1H7R1CA01#
				±0.5pF	GRM1552C1H7R1DA01#
			7.2pF	±0.05pF	GRM1552C1H7R2WA01#
				±0.1pF	GRM1552C1H7R2BA01#
				±0.25pF	GRM1552C1H7R2CA01#
				±0.5pF	GRM1552C1H7R2DA01#
			7.3pF	±0.05pF	GRM1552C1H7R3WA01#
				±0.1pF	GRM1552C1H7R3BA01#
				±0.25pF	GRM1552C1H7R3CA01#
				±0.5pF	GRM1552C1H7R3DA01#
			7.4pF	±0.05pF	GRM1552C1H7R4WA01#
				±0.1pF	GRM1552C1H7R4BA01#
				±0.25pF	GRM1552C1H7R4CA01#
				±0.5pF	GRM1552C1H7R4DA01#
			7.5pF	±0.05pF	GRM1552C1H7R5WA01#
				±0.1pF	GRM1552C1H7R5BA01#
				±0.25pF	GRM1552C1H7R5CA01#
				±0.5pF	GRM1552C1H7R5DA01#
			7.6pF	±0.05pF	GRM1552C1H7R6WA01#
				±0.1pF	GRM1552C1H7R6BA01#
				±0.25pF	GRM1552C1H7R6CA01#
			7 7- 5	±0.5pF	GRM1552C1H7R6DA01#
			7.7pF	±0.05pF	GRM1552C1H7R7WA01# GRM1552C1H7R7BA01#
				±0.1pF ±0.25pF	GRM1552C1H7R7CA01#
				±0.5pF	GRM1552C1H7R7DA01#
			7.8pF	±0.05pF	GRM1552C1H7R8WA01#
			7.00.	±0.1pF	GRM1552C1H7R8BA01#
				±0.25pF	GRM1552C1H7R8CA01#
				±0.5pF	GRM1552C1H7R8DA01#
			7.9pF	±0.05pF	GRM1552C1H7R9WA01#
			•	±0.1pF	GRM1552C1H7R9BA01#
				±0.25pF	GRM1552C1H7R9CA01#
				±0.5pF	GRM1552C1H7R9DA01#
			8.0pF	±0.05pF	GRM1552C1H8R0WA01#
				±0.1pF	GRM1552C1H8R0BA01#
				±0.25pF	GRM1552C1H8R0CA01#
				±0.5pF	GRM1552C1H8R0DA01#
			8.1pF	±0.05pF	GRM1552C1H8R1WA01#
				±0.1pF	GRM1552C1H8R1BA01#
				±0.25pF	GRM1552C1H8R1CA01#
				±0.5pF	GRM1552C1H8R1DA01#
			8.2pF	±0.05pF	GRM1552C1H8R2WA01#
				±0.1pF	GRM1552C1H8R2BA01#
				±0.25pF	GRM1552C1H8R2CA01#
				±0.5pF	GRM1552C1H8R2DA01#
			8.3pF	±0.05pF	GRM1552C1H8R3WA01#
				±0.1pF	GRM1552C1H8R3BA01#
				±0.25pF	GRM1552C1H8R3CA01#
				±0.5pF	GRM1552C1H8R3DA01#
			8.4pF	±0.05pF	GRM1552C1H8R4WA01#

Т	Rated	TC	Cap.	Tol.	Part Number	
max.	Voltage					
0.55mm	50Vdc	CH	8.4pF	±0.1pF	GRM1552C1H8R4BA01#	
				±0.25pF		
			0.5.5	±0.5pF	GRM1552C1H8R4DA01#	
			8.5pF	±0.05pF	GRM1552C1H8R5WA01#	
				±0.1pF	GRM1552C1H8R5BA01#	
				±0.25pF		
				±0.5pF	GRM1552C1H8R5DA01#	
			8.6pF	±0.05pF	GRM1552C1H8R6WA01#	
				±0.1pF	GRM1552C1H8R6BA01#	
				±0.25pF	GRM1552C1H8R6CA01#	
				±0.5pF	GRM1552C1H8R6DA01#	
			8.7pF	±0.05pF	GRM1552C1H8R7WA01#	
				±0.1pF	GRM1552C1H8R7BA01#	
				±0.25pF	GRM1552C1H8R7CA01#	
				±0.5pF	GRM1552C1H8R7DA01#	
			8.8pF	±0.05pF	GRM1552C1H8R8WA01#	
				±0.1pF	GRM1552C1H8R8BA01#	
				±0.25pF	GRM1552C1H8R8CA01#	
				±0.5pF	GRM1552C1H8R8DA01#	
			8.9pF	±0.05pF	GRM1552C1H8R9WA01#	
				±0.1pF	GRM1552C1H8R9BA01#	
				±0.25pF	GRM1552C1H8R9CA01#	
				±0.5pF	GRM1552C1H8R9DA01#	
			9.0pF	±0.05pF	GRM1552C1H9R0WA01#	
				±0.1pF	GRM1552C1H9R0BA01#	
				±0.25pF	GRM1552C1H9R0CA01#	
				±0.5pF	GRM1552C1H9R0DA01#	
			9.1pF	±0.05pF	GRM1552C1H9R1WA01#	
				±0.1pF	GRM1552C1H9R1BA01#	
				±0.25pF	GRM1552C1H9R1CA01#	
				±0.5pF	GRM1552C1H9R1DA01#	
			9.2pF	±0.05pF	GRM1552C1H9R2WA01#	
				±0.1pF	GRM1552C1H9R2BA01#	
				±0.25pF	GRM1552C1H9R2CA01#	
				±0.5pF	GRM1552C1H9R2DA01#	
			9.3pF	±0.05pF	GRM1552C1H9R3WA01#	
				±0.1pF	GRM1552C1H9R3BA01#	
				±0.25pF		
				±0.5pF	GRM1552C1H9R3DA01#	
			9.4pF	±0.05pF		
				±0.1pF	GRM1552C1H9R4BA01#	
				±0.25pF		
				±0.5pF	GRM1552C1H9R4DA01#	
			9.5pF	±0.05pF		
			J.Jp.	±0.1pF	GRM1552C1H9R5BA01#	
				±0.25pF		
				±0.5pF	GRM1552C1H9R5DA01#	
			9.6pF	±0.05pF		
			J.0pi	±0.05pF	GRM1552C1H9R6BA01#	
				-		
				±0.25pF	GRM1552C1H9R6DA01#	
			0.75	±0.5pF		
			9.7pF	±0.05pF	GRM1552C1H9R7WA01#	
				±0.1pF	GRM1552C1H9R7BA01#	
				±0.25pF	GRM1552C1H9R7CA01#	

(→ **■** 1.0×0.5mm)

(> • 1	.0×0.5ı	11111)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	СН	9.7pF	±0.5pF	GRM1552C1H9R7DA01#
			9.8pF	±0.05pF	GRM1552C1H9R8WA01#
				±0.1pF	GRM1552C1H9R8BA01#
				±0.25pF	GRM1552C1H9R8CA01#
				±0.5pF	GRM1552C1H9R8DA01#
			9.9pF	±0.05pF	GRM1552C1H9R9WA01#
				±0.1pF	GRM1552C1H9R9BA01#
				±0.25pF	GRM1552C1H9R9CA01#
				±0.5pF	GRM1552C1H9R9DA01#
			10pF	±2%	GRM1552C1H100GA01#
				±5%	GRM1552C1H100JA01#
			12pF	±2%	GRM1552C1H120GA01#
				±5%	GRM1552C1H120JA01#
			15pF	±2%	GRM1552C1H150GA01#
				±5%	GRM1552C1H150JA01#
			18pF	±2%	GRM1552C1H180GA01#
				±5%	GRM1552C1H180JA01#
			22pF	±2%	GRM1552C1H220GA01#
				±5%	GRM1552C1H220JA01#
			27pF	±2%	GRM1552C1H270GA01#
			•	±5%	GRM1552C1H270JA01#
			33pF	±2%	GRM1552C1H330GA01#
				±5%	GRM1552C1H330JA01#
			39pF	±2%	GRM1552C1H390GA01#
				±5%	GRM1552C1H390JA01#
			47pF	±2%	GRM1552C1H470GA01#
				±5%	GRM1552C1H470JA01#
			56pF	±2%	GRM1552C1H560GA01#
			00 01	±5%	GRM1552C1H560JA01#
			68pF	±2%	GRM1552C1H680GA01#
			оор.	±5%	GRM1552C1H680JA01#
			82pF	±2%	GRM1552C1H820GA01#
			0 <u>-</u> p.	±5%	GRM1552C1H820JA01#
			100pF	±2%	GRM1552C1H101GA01#
			ТООР	±5%	GRM1552C1H101JA01#
			120pF	±2%	GRM1552C1H121GA01#
			12001	±5%	GRM1552C1H121JA01#
			150pF	±2%	GRM1552C1H151GA01#
			ισυρι	±5%	GRM1552C1H151JA01#
			180pF		GRM1552C1H181GA01#
			ισορε	±2% ±5%	GRM1552C1H181JA01#
			220nE		
			220pF	±2%	GRM1552C1H221GA01# GRM1552C1H221JA01#
			0705	±5%	
			270pF	±2%	GRM1552C1H271GA01#
			220	±5%	GRM1552C1H271JA01#
			330pF	±2%	GRM1552C1H331GA01#
			200	±5%	GRM1552C1H331JA01#
			390pF	±2%	GRM1552C1H391GA01#
			470 -	±5%	GRM1552C1H391JA01#
			470pF	±2%	GRM1552C1H471GA01#
				±5%	GRM1552C1H471JA01#
			560pF	±2%	GRM1552C1H561GA01#
				±5%	GRM1552C1H561JA01#
			680pF	±2%	GRM1552C1H681GA01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.55mm	50Vdc	СН	680pF	±5%	GRM1552C1H681JA01#	
			820pF	±2%	GRM1552C1H821GA01#	
				±5%	GRM1552C1H821JA01#	
			1000pF	±2%	GRM1552C1H102GA01#	
				±5%	GRM1552C1H102JA01#	
	10Vdc	SL	1200pF	±5%	GRM1551X1A122JA01#	
			1500pF	±5%	GRM1551X1A152JA01#	
			1800pF	±5%	GRM1551X1A182JA01#	
			2200pF	±5%	GRM1551X1A222JA01#	
			2700pF	±5%	GRM1551X1A272JA01#	
			3300pF	±5%	GRM1551X1A332JA01#	
			3900pF	±5%	GRM1551X1A392JA01#	
			4700pF	±5%	GRM1551X1A472JA01#	
		U2J	1200pF	±5%	GRM1557U1A122JA01#	
			1500pF	±5%	GRM1557U1A152JA01#	
			1800pF	±5%	GRM1557U1A182JA01#	
			2200pF	±5%	GRM1557U1A222JA01#	
			2700pF	±5%	GRM1557U1A272JA01#	
			3300pF	±5%	GRM1557U1A332JA01#	
			3900pF	±5%	GRM1557U1A392JA01#	
			4700pF	±5%	GRM1557U1A472JA01#	
		UJ	1200pF	±5%	GRM1553U1A122JA01#	
			1500pF	±5%	GRM1553U1A152JA01#	
			1800pF	±5%	GRM1553U1A182JA01#	
			2200pF	±5%	GRM1553U1A222JA01#	
			2700pF	±5%	GRM1553U1A272JA01#	
			3300pF	±5%	GRM1553U1A332JA01#	
			3900pF	±5%	GRM1553U1A392JA01#	
			4700pF	±5%	GRM1553U1A472JA01#	

■ 1.6×0.8mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.5mm	50Vdc	SL	2200pF	±5%	GRM1851X1H222JA44#
			2700pF	±5%	GRM1851X1H272JA44#
			3300pF	±5%	GRM1851X1H332JA44#
			3900pF	±5%	GRM1851X1H392JA44#
			4700pF	±5%	GRM1851X1H472JA44#
		U2J	2200pF	±5%	GRM1857U1H222JA44#
			2700pF	±5%	GRM1857U1H272JA44#
			3300pF	±5%	GRM1857U1H332JA44#
			3900pF	±5%	GRM1857U1H392JA44#
			4700pF	±5%	GRM1857U1H472JA44#
		UJ	2200pF	±5%	GRM1853U1H222JA44#
			2700pF	±5%	GRM1853U1H272JA44#
			3300pF	±5%	GRM1853U1H332JA44#
			3900pF	±5%	GRM1853U1H392JA44#
			4700pF	±5%	GRM1853U1H472JA44#
	10Vdc	SL	5600pF	±5%	GRM1851X1A562JA44#
			6800pF	±5%	GRM1851X1A682JA44#
			8200pF	±5%	GRM1851X1A822JA44#
			10000pF	±5%	GRM1851X1A103JA44#
		U2J	5600pF	±5%	GRM1857U1A562JA44#

Part number # indicates the package specification code.

T nax.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
mm	10Vdc	U2J	6800pF	±5%	GRM1857U1A682JA44#
			8200pF	±5%	GRM1857U1A822JA44#
			10000pF	±5%	GRM1857U1A103JA44#
		UJ	5600pF	±5%	GRM1853U1A562JA44#
			6800pF	±5%	GRM1853U1A682JA44#
			8200pF	±5%	GRM1853U1A822JA44#
			10000pF	±5%	GRM1853U1A103JA44#
nm	100Vdc	COG	0.50pF	±0.05pF	GRM1885C2AR50WA01#
				±0.1pF	GRM1885C2AR50BA01#
			0.60pF	±0.05pF	GRM1885C2AR60WA01#
				±0.1pF	GRM1885C2AR60BA01#
			0.70pF	±0.05pF	GRM1885C2AR70WA01#
				±0.1pF	GRM1885C2AR70BA01#
			0.80pF	±0.05pF	GRM1885C2AR80WA01#
				±0.1pF	GRM1885C2AR80BA01#
			0.90pF	±0.05pF	GRM1885C2AR90WA01#
				±0.1pF	GRM1885C2AR90BA01#
			1.0pF	±0.05pF	GRM1885C2A1R0WA01#
				±0.1pF	GRM1885C2A1R0BA01#
				±0.25pF	GRM1885C2A1R0CA01#
			1.1pF	±0.05pF	GRM1885C2A1R1WA01#
				±0.1pF	GRM1885C2A1R1BA01#
				±0.25pF	GRM1885C2A1R1CA01#
			1.2pF	±0.05pF	GRM1885C2A1R2WA01#
				±0.1pF	GRM1885C2A1R2BA01#
				±0.25pF	GRM1885C2A1R2CA01#
			1.3pF	±0.05pF	GRM1885C2A1R3WA01#
				±0.1pF	GRM1885C2A1R3BA01#
				±0.25pF	GRM1885C2A1R3CA01#
			1.4pF	±0.05pF	GRM1885C2A1R4WA01#
				±0.1pF	GRM1885C2A1R4BA01#
				±0.25pF	GRM1885C2A1R4CA01#
			1.5pF	±0.05pF	GRM1885C2A1R5WA01#
				±0.1pF	GRM1885C2A1R5BA01#
			1.05	±0.25pF	
			1.6pF	±0.05pF	
				±0.1pF	GRM1885C2A1R6BA01#
			1 755	±0.25pF	
			1.7pF	±0.05pF	
				±0.1pF	GRM1885C2A1R7BA01#
			1 2nE	±0.25pF	
			1.8pF	±0.05pF	
				±0.1pF ±0.25pF	GRM1885C2A1R8BA01# GRM1885C2A1R8CA01#
			1.9pF	±0.25pF	
			1.3µF	±0.05pF	GRM1885C2A1R9BA01#
				±0.1pF ±0.25pF	
			2.0pF	±0.25pF	
			2.υμι	±0.05pF	GRM1885C2A2R0BA01#
				±0.1pr ±0.25pF	GRM1885C2A2R0CA01#
			2.1pF	±0.25pF	GRM1885C2A2R1WA01#
			ι μι	±0.05pF	GRM1885C2A2R1BA01#
				±0.1pF ±0.25pF	GRM1885C2A2R1CA01#
			2.2pF	±0.25pi	GRM1885C2A2R2WA01#
	I		L.ZPF	±0.03pr	GI IIVI 10030ZAZNZWAUI#

	.					_
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.9mm	100Vdc	COG	2.2pF	±0.1pF	GRM1885C2A2R2BA01#	
				±0.25pF	GRM1885C2A2R2CA01#	
			2.3pF	±0.05pF	GRM1885C2A2R3WA01#	
				±0.1pF	GRM1885C2A2R3BA01#	
				±0.25pF	GRM1885C2A2R3CA01#	
			2.4pF	±0.05pF	GRM1885C2A2R4WA01#	
				±0.1pF	GRM1885C2A2R4BA01#	
				±0.25pF	GRM1885C2A2R4CA01#	
			2.5pF	±0.05pF	GRM1885C2A2R5WA01#	
				±0.1pF	GRM1885C2A2R5BA01#	_
				±0.25pF	GRM1885C2A2R5CA01#	_
			2.6pF	±0.05pF	GRM1885C2A2R6WA01#	_
				±0.1pF	GRM1885C2A2R6BA01#	
				±0.25pF	GRM1885C2A2R6CA01#	_
			2.7pF	±0.05pF	GRM1885C2A2R7WA01#	_
				±0.1pF	GRM1885C2A2R7BA01#	_
				±0.25pF	GRM1885C2A2R7CA01#	_
			2.8pF	±0.05pF	GRM1885C2A2R8WA01#	_
				±0.1pF	GRM1885C2A2R8BA01#	_
				±0.25pF	GRM1885C2A2R8CA01#	_
			2.9pF	±0.05pF	GRM1885C2A2R9WA01#	_
			- 1-	±0.1pF	GRM1885C2A2R9BA01#	_
				±0.25pF		—
			3.0pF	±0.05pF		_
				±0.1pF	GRM1885C2A3R0BA01#	_
				±0.25pF	GRM1885C2A3R0CA01#	—
			3.1pF	±0.05pF	GRM1885C2A3R1WA01#	—
			0.161	±0.1pF	GRM1885C2A3R1BA01#	_
				±0.25pF	GRM1885C2A3R1CA01#	_
			3.2pF	±0.05pF	GRM1885C2A3R2WA01#	—
			ор.	±0.1pF	GRM1885C2A3R2BA01#	—
				<u> </u>	GRM1885C2A3R2CA01#	—
			3.3pF	±0.05pF		—
			0.001	±0.1pF	GRM1885C2A3R3BA01#	—
				±0.25pF	GRM1885C2A3R3CA01#	—
			3.4pF	±0.05pF	GRM1885C2A3R4WA01#	_
			0. 4 pi	±0.1pF	GRM1885C2A3R4BA01#	—
				±0.25pF		—
			3.5pF	±0.05pF	GRM1885C2A3R5WA01#	—
			J.Jpi	±0.1pF	GRM1885C2A3R5BA01#	—
				±0.25pF	GRM1885C2A3R5CA01#	—
			3.6pF	±0.05pF	GRM1885C2A3R6WA01#	_
			3.0pi	±0.05pi	GRM1885C2A3R6BA01#	—
						—
			2.75	±0.25pF	GRM1885C2A3R6CA01#	_
			3.7pF	±0.05pF	GRM1885C2A3R7WA01#	—
				±0.1pF	GRM1885C2A3R7BA01#	—
			2005	±0.25pF	GRM1885C2A3R7CA01#	—
			3.8pF	±0.05pF	GRM1885C2A3R8WA01#	—
				±0.1pF	GRM1885C2A3R8BA01#	—
			2005	±0.25pF	GRM1885C2A3R8CA01#	—
			3.9pF	±0.05pF	GRM1885C2A3R9WA01#	—
				±0.1pF	GRM1885C2A3R9BA01#	_
			40-5	±0.25pF	GRM1885C2A3R9CA01#	_
			4.0pF	±0.05pF	GRM1885C2A4R0WA01#	_

max.

0.9mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	100Vdc	COG	4.0pF	±0.1pF	GRM1885C2A4R0BA01#
				±0.25pF	GRM1885C2A4R0CA01#
			4.1pF	±0.05pF	GRM1885C2A4R1WA01#
				±0.1pF	GRM1885C2A4R1BA01#
				±0.25pF	GRM1885C2A4R1CA01#
			4.2pF	±0.05pF	GRM1885C2A4R2WA01#
				±0.1pF	GRM1885C2A4R2BA01#
				±0.25pF	GRM1885C2A4R2CA01#
			4.3pF	±0.05pF	
			4.0рі	-	GRM1885C2A4R3BA01#
				±0.1pF	
			4.4-5	±0.25pF	GRM1885C2A4R3CA01#
			4.4pF	±0.05pF	GRM1885C2A4R4WA01#
				±0.1pF	GRM1885C2A4R4BA01#
				±0.25pF	GRM1885C2A4R4CA01#
			4.5pF	±0.05pF	GRM1885C2A4R5WA01#
				±0.1pF	GRM1885C2A4R5BA01#
				±0.25pF	GRM1885C2A4R5CA01#
			4.6pF	±0.05pF	GRM1885C2A4R6WA01#
				±0.1pF	GRM1885C2A4R6BA01#
				±0.25pF	GRM1885C2A4R6CA01#
			4.7pF	±0.05pF	GRM1885C2A4R7WA01#
				±0.1pF	GRM1885C2A4R7BA01#
				±0.25pF	GRM1885C2A4R7CA01#
			4.8pF	±0.05pF	GRM1885C2A4R8WA01#
				±0.1pF	GRM1885C2A4R8BA01#
				±0.25pF	GRM1885C2A4R8CA01#
			4.9pF	±0.05pF	GRM1885C2A4R9WA01#
				-	GRM1885C2A4R9BA01#
				±0.1pF	
				±0.25pF	GRM1885C2A4R9CA01#
			5.0pF	±0.05pF	GRM1885C2A5R0WA01#
				±0.1pF	GRM1885C2A5R0BA01#
				±0.25pF	GRM1885C2A5R0CA01#
			5.1pF	±0.05pF	GRM1885C2A5R1WA01#
				±0.1pF	GRM1885C2A5R1BA01#
				±0.25pF	GRM1885C2A5R1CA01#
				±0.5pF	GRM1885C2A5R1DA01#
			5.2pF	±0.05pF	GRM1885C2A5R2WA01#
				±0.1pF	GRM1885C2A5R2BA01#
				±0.25pF	GRM1885C2A5R2CA01#
				±0.5pF	GRM1885C2A5R2DA01#
			5.3pF	±0.05pF	GRM1885C2A5R3WA01#
			•	±0.1pF	GRM1885C2A5R3BA01#
				±0.25pF	
				±0.5pF	GRM1885C2A5R3DA01#
			5.4pF	±0.05pF	
			υμι	±0.05pi	GRM1885C2A5R4BA01#
				-	
				±0.25pF	
				±0.5pF	GRM1885C2A5R4DA01#
			5.5pF	±0.05pF	
				±0.1pF	GRM1885C2A5R5BA01#
				±0.25pF	GRM1885C2A5R5CA01#
				±0.5pF	GRM1885C2A5R5DA01#
			5.6pF	±0.05pF	GRM1885C2A5R6WA01#
				±0.1pF	GRM1885C2A5R6BA01#

Rated Voltage	TC Code	Cap.	Tol.	Part Number	
100Vdc	COG	5.6pF	±0.25pF	GRM1885C2A5R6CA01#	
			±0.5pF	GRM1885C2A5R6DA01#	
		5.7pF	±0.05pF	GRM1885C2A5R7WA01#	
			±0.1pF	GRM1885C2A5R7BA01#	
			±0.25pF	GRM1885C2A5R7CA01#	
			±0.5pF	GRM1885C2A5R7DA01#	
		5.8pF	±0.05pF	GRM1885C2A5R8WA01#	
			±0.1pF	GRM1885C2A5R8BA01#	
			±0.25pF	GRM1885C2A5R8CA01#	
			±0.5pF	GRM1885C2A5R8DA01#	
		5.9pF	±0.05pF	GRM1885C2A5R9WA01#	
			±0.1pF	GRM1885C2A5R9BA01#	
			±0.25pF	GRM1885C2A5R9CA01#	
			±0.5pF	GRM1885C2A5R9DA01#	
		6.0pF	±0.05pF	GRM1885C2A6R0WA01#	
			±0.1pF	GRM1885C2A6R0BA01#	
			±0.25pF	GRM1885C2A6R0CA01#	
			±0.5pF	GRM1885C2A6R0DA01#	
		6.1pF	±0.05pF	GRM1885C2A6R1WA01#	
			±0.1pF	GRM1885C2A6R1BA01#	
			±0.25pF	GRM1885C2A6R1CA01#	
			±0.5pF	GRM1885C2A6R1DA01#	
		6.2pF	±0.05pF	GRM1885C2A6R2WA01#	
			±0.1pF	GRM1885C2A6R2BA01#	
			±0.25pF	GRM1885C2A6R2CA01#	
			±0.5pF	GRM1885C2A6R2DA01#	
		6.3pF	±0.05pF	GRM1885C2A6R3WA01#	
			±0.1pF	GRM1885C2A6R3BA01#	
			±0.25pF	GRM1885C2A6R3CA01#	
			±0.5pF	GRM1885C2A6R3DA01#	
		6.4pF	±0.05pF	GRM1885C2A6R4WA01#	
			±0.1pF	GRM1885C2A6R4BA01#	
			±0.25pF	GRM1885C2A6R4CA01#	
			±0.5pF	GRM1885C2A6R4DA01#	
		6.5pF	±0.05pF	GRM1885C2A6R5WA01#	
			±0.1pF	GRM1885C2A6R5BA01#	
			±0.25pF	GRM1885C2A6R5CA01#	
			±0.5pF	GRM1885C2A6R5DA01#	
		6.6pF	±0.05pF	GRM1885C2A6R6WA01#	
			±0.1pF	GRM1885C2A6R6BA01#	
			±0.25pF	GRM1885C2A6R6CA01#	
		07.5	±0.5pF	GRM1885C2A6R6DA01#	
		6.7pF	±0.05pF	GRM1885C2A6R7WA01#	
			±0.1pF	GRM1885C2A6R7BA01#	
			±0.25pF	GRM1885C2A6R7CA01#	
		6.8pF	±0.5pF ±0.05pF	GRM1885C2A6R7DA01# GRM1885C2A6R8WA01#	
		υ.υμΓ	±0.05pF	GRM1885C2A6R8BA01#	
			±0.1pF ±0.25pF	GRM1885C2A6R8CA01#	
			±0.5pF	GRM1885C2A6R8DA01#	
		6.9pF	±0.05pF	GRM1885C2A6R9WA01#	
			±0.1pF	GRM1885C2A6R9BA01#	
			±0.25pF	GRM1885C2A6R9CA01#	
			±0.5pF	GRM1885C2A6R9DA01#	
					<u> </u>

Tollage	(→ ■ 1	.6×0.8ı	mm)			
#0.1pF GRM1885C2A7R0DA01# ±0.2pF GRM1885C2A7R10A01# ±0.0pF GRM1885C2A7R10A01# ±0.2pF GRM1885C2A7R10A01# ±0.2pF GRM1885C2A7R1DA01# ±0.2pF GRM1885C2A7R1DA01# ±0.2pF GRM1885C2A7R2DA01# ±0.5pF GRM1885C2A7R2DA01# ±0.5pF GRM1885C2A7R2DA01# ±0.2pF GRM1885C2A7R2DA01# ±0.2pF GRM1885C2A7R2DA01# ±0.2pF GRM1885C2A7R2DA01# ±0.2pF GRM1885C2A7R3DA01# ±0.2pF GRM1885C2A7R4DA01# ±0.2pF GRM1885C2A7R4DA01# ±0.2pF GRM1885C2A7R5DA01# ±0.2pF GRM1885C2A7R5DA01# ±0.2pF GRM1885C2A7R5DA01# ±0.2pF GRM1885C2A7R5DA01# ±0.2pF GRM1885C2A7R6DA01# ±0.2pF GRM1885C2A7R5DA01# ±0.2pF GRM185C2ARSDA01# ±0.2pF GRM				Сар.	Tol.	Part Number
### ### ### ### ### ### ### ### ### ##	0.9mm	100Vdc	COG	7.0pF	±0.05pF	GRM1885C2A7R0WA01#
#0.5pF GRM1885C2A7R0DA01# #0.25pF GRM1885C2A7R1BA01# #0.25pF GRM1885C2A7R1BA01# #0.5pF GRM1885C2A7R1BA01# #0.5pF GRM1885C2A7R1BA01# #0.5pF GRM1885C2A7R2BA01# #0.5pF GRM1885C2A7R2BA01# #0.5pF GRM1885C2A7R2BA01# #0.5pF GRM1885C2A7R2BA01# #0.5pF GRM1885C2A7R2BA01# #0.5pF GRM1885C2A7R3BA01# #0.5pF GRM1885C2AR3BA01# #0.5pF GRM1885C2ABR3BA01# #0.					±0.1pF	GRM1885C2A7R0BA01#
7.1pF					±0.25pF	GRM1885C2A7R0CA01#
#0.1pF GRM1885C2A7R1BA01# ±0.25pF GRM1885C2A7R1DA01# ±0.5pF GRM1885C2A7R1DA01# ±0.25pF GRM1885C2A7R2DA01# ±0.25pF GRM1885C2A7R2DA01# ±0.25pF GRM1885C2A7R2DA01# ±0.25pF GRM1885C2A7R2DA01# ±0.25pF GRM1885C2A7R3DA01# ±0.5pF GRM1885C2A7R3DA01# ±0.25pF GRM1885C2AR3DA01# ±0					±0.5pF	GRM1885C2A7R0DA01#
### 10.25pF GRM1885C2A7R1CA01# ### 20.5pF GRM1885C2A7R2WA01# ### 20.25pF GRM1885C2A7R2WA01# ### 20.25pF GRM1885C2A7R2DA01# ### 20.5pF GRM1885C2A7R2DA01# ### 20.5pF GRM1885C2A7R3DA01# ### 20.5pF GRM1885C2A7R4DA01# ### 20.5pF GRM1885C2A7R4DA01# ### 20.5pF GRM1885C2A7R4DA01# ### 20.5pF GRM1885C2A7R4DA01# ### 20.5pF GRM1885C2A7R5DA01# ### 20.5pF GRM1885C2A7R5DA01# ### 20.5pF GRM1885C2A7R5DA01# ### 20.5pF GRM1885C2A7R5DA01# ### 20.5pF GRM1885C2A7R6DA01# ### 20.5pF GRM1885C2A7R8DA01# ### 20.5pF GRM1885C2AR80A01# #### 20.5pF GRM1885C2AR80A01# #### 20.5pF GRM1885C2AR80A001# #### 2				7.1pF	±0.05pF	GRM1885C2A7R1WA01#
#0.5pF GRM1885C2A7R2WA01# #0.5pF GRM1885C2A7R2WA01# #0.5pF GRM1885C2A7R2WA01# #0.5pF GRM1885C2A7R2WA01# #0.5pF GRM1885C2A7R3WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2AR6WA01#					±0.1pF	GRM1885C2A7R1BA01#
7.2pF					±0.25pF	GRM1885C2A7R1CA01#
#0.1pF #0.25pF #0.05pF #0.0					±0.5pF	GRM1885C2A7R1DA01#
#0.25pF GRM1885C2A7R2CA01# #0.5pF GRM1885C2A7R2DA01# #0.1pF GRM1885C2A7R3BA01# #0.25pF GRM1885C2A7R3BA01# #0.5pF GRM1885C2A7R3DA01# #0.5pF GRM1885C2A7R3DA01# #0.5pF GRM1885C2A7R3DA01# #0.5pF GRM1885C2A7R3DA01# #0.5pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2A7R6CA01# #0.5pF GRM1885C2A7R6CA01# #0.5pF GRM1885C2A7R6CA01# #0.5pF GRM1885C2A7R6CA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R9WA01# #0.5pF GRM1885C2A7R9WA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2AR8BA01# #0.5pF GRM1885C2AR8DA01# #0.5pF GRM1885C2AR8BA01# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA01# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00# #0.5pF GRM1885C2AR8BA00## #0.5pF GRM1885C2AR8BA00##				7.2pF	±0.05pF	GRM1885C2A7R2WA01#
#0.5pF GRM1885C2A7R2DA01# #0.25pF GRM1885C2A7R3WA01# #0.25pF GRM1885C2A7R3WA01# #0.5pF GRM1885C2A7R3WA01# #0.5pF GRM1885C2A7R3DA01# #0.5pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2A7R7WA01# #0.5pF GRM1885C2A7R7WA01# #0.5pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R8WA01# #0.5pF GRM1885C2A7R8WA01# #0.5pF GRM1885C2A7R8WA01# #0.5pF GRM1885C2A7R9WA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2AR8WA01# #0.5pF					±0.1pF	GRM1885C2A7R2BA01#
7.3pF					±0.25pF	GRM1885C2A7R2CA01#
#0.1pF GRM1885C2A7R3BA01# #0.25pF GRM1885C2A7R3CA01# #0.5pF GRM1885C2A7R3DA01# #0.1pF GRM1885C2A7R4WA01# #0.25pF GRM1885C2A7R4WA01# #0.5pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R4DA01# #0.1pF GRM1885C2A7R5WA01# #0.1pF GRM1885C2A7R5WA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM185C2A8R0DA01#					±0.5pF	GRM1885C2A7R2DA01#
#0.25pF GRM1885C2A7R3CA01# #0.5pF GRM1885C2A7R3DA01# #0.1pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R3DA01# #0.5pF GRM1885C2AR3DA01# #0.5pF GRM185C2AR3DA01# #0.5pF GRM185C2AR				7.3pF	±0.05pF	GRM1885C2A7R3WA01#
#0.5pF GRM1885C2A7R3DA01# #0.1pF GRM1885C2A7R4WA01# #0.1pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R4DA01# #0.5pF GRM1885C2A7R4DA01# #0.1pF GRM1885C2A7R4DA01# #0.1pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R3DA01# #0.5pF GRM1885C2A8R0A01# #0.5pF GRM185C2A8R0A01#					±0.1pF	GRM1885C2A7R3BA01#
7.4pF					±0.25pF	GRM1885C2A7R3CA01#
#0.1pF GRM1885C2A7R4BA01# #0.25pF GRM1885C2A7R4CA01# #0.5pF GRM1885C2A7R4DA01# #0.1pF GRM1885C2A7R5BA01# #0.25pF GRM1885C2A7R5BA01# #0.25pF GRM1885C2A7R5BA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R5DA01# #0.25pF GRM1885C2A7R6BA01# #0.25pF GRM1885C2A7R6BA01# #0.25pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.1pF GRM1885C2A7R6DA01# #0.1pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R8WA01# #0.1pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0BA01# #0.5pF GRM1885C2A8R0BA01# #0.5pF GRM1885C2A8R0BA01# #0.5pF GRM1885C2A8R0BA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R2BA01#					±0.5pF	GRM1885C2A7R3DA01#
#0.25pF GRM1885C2A7R4CA01# #0.5pF GRM1885C2A7R4DA01# #0.1pF GRM1885C2A7R5WA01# #0.1pF GRM1885C2A7R5BA01# #0.25pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.5pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R6WA01# #0.1pF GRM1885C2A7R6BA01# #0.5pF GRM1885C2A7R6CA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.1pF GRM1885C2A7R7WA01# #0.1pF GRM1885C2A7R7WA01# #0.1pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7DA01# #0.1pF GRM1885C2A7R8WA01# #0.1pF GRM1885C2A7R8WA01# #0.25pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R9WA01# #0.1pF GRM1885C2A7R9WA01# #0.25pF GRM1885C2A7R9BA01# #0.25pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0BA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R3WA01#				7.4pF	±0.05pF	GRM1885C2A7R4WA01#
## ## ## ## ## ## ## ## ## ## ## ## ##					±0.1pF	GRM1885C2A7R4BA01#
7.5pF ±0.05pF GRM1885C2A7R5WA01# ±0.1pF GRM1885C2A7R5BA01# ±0.5pF GRM1885C2A7R5CA01# ±0.5pF GRM1885C2A7R5CA01# ±0.5pF GRM1885C2A7R6WA01# ±0.5pF GRM1885C2A7R6WA01# ±0.5pF GRM1885C2A7R6CA01# ±0.5pF GRM1885C2A7R6DA01# ±0.5pF GRM1885C2A7R7WA01# ±0.5pF GRM1885C2A7R7WA01# ±0.5pF GRM1885C2A7R7WA01# ±0.5pF GRM1885C2A7R7DA01# ±0.5pF GRM1885C2A7R7DA01# ±0.5pF GRM1885C2A7R8WA01# ±0.5pF GRM1885C2A7R8WA01# ±0.5pF GRM1885C2A7R8DA01# ±0.5pF GRM1885C2A7R8DA01# ±0.5pF GRM1885C2A7R9WA01# ±0.5pF GRM1885C2A7R9WA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2AR8WA01# ±0.5pF GRM1885C2AR8WA01# ±0.5pF GRM1885C2AR8WA01# ±0.5pF GRM1885C2ARR0MA01# ±0.5pF GRM1885C2ARR0MA01# ±0.5pF GRM1885C2ARR0DA01# ±0.5pF GRM1885C2ARRDA01#					±0.25pF	GRM1885C2A7R4CA01#
#0.1pF GRM1885C2A7R5BA01# #0.5pF GRM1885C2A7R5CA01# #0.5pF GRM1885C2A7R5CA01# #0.1pF GRM1885C2A7R6BA01# #0.25pF GRM1885C2A7R6BA01# #0.25pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R6DA01# #0.5pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R8BA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.1pF GRM1885C2A7R8DA01# #0.1pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9BA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0A01# #0.5pF GRM1885C2A8R0A01# #0.5pF GRM1885C2A8R0A01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R1BA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2BA01#					±0.5pF	GRM1885C2A7R4DA01#
#0.25pF GRM1885C2A7R5CA01# #0.5pF GRM1885C2A7R5DA01# #0.1pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2A7R6WA01# #0.5pF GRM1885C2A7R7WA01# #0.5pF GRM1885C2A7R7WA01# #0.5pF GRM1885C2A7R7WA01# #0.5pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R8WA01# #0.5pF GRM1885C2A7R8WA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.1pF GRM1885C2A7R9WA01# #0.1pF GRM1885C2A7R9WA01# #0.5pF GRM1885C2A7R9WA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0A01# #0.5pF GRM1885C2A8R0A01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R3WA01#				7.5pF	±0.05pF	GRM1885C2A7R5WA01#
#0.5pF GRM1885C2A7R5DA01# 7.6pF					±0.1pF	GRM1885C2A7R5BA01#
7.6pF ±0.05pF GRM1885C2A7R6WA01# ±0.25pF GRM1885C2A7R6CA01# ±0.25pF GRM1885C2A7R6CA01# ±0.5pF GRM1885C2A7R6DA01# ±0.05pF GRM1885C2A7R6DA01# ±0.1pF GRM1885C2A7R7WA01# ±0.25pF GRM1885C2A7R7DA01# ±0.5pF GRM1885C2A7R8WA01# ±0.5pF GRM1885C2A7R8WA01# ±0.1pF GRM1885C2A7R8WA01# ±0.5pF GRM1885C2A7R8DA01# ±0.5pF GRM1885C2A7R8DA01# ±0.5pF GRM1885C2A7R9WA01# ±0.1pF GRM1885C2A7R9WA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A8R0WA01# ±0.5pF GRM1885C2A8R0WA01# ±0.25pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R1WA01# ±0.5pF GRM1885C2A8R1WA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2BA01#					±0.25pF	GRM1885C2A7R5CA01#
#0.1pF GRM1885C2A7R6BA01# #0.25pF GRM1885C2A7R6CA01# #0.5pF GRM1885C2A7R6DA01# 7.7pF #0.05pF GRM1885C2A7R7WA01# #0.1pF GRM1885C2A7R7BA01# #0.25pF GRM1885C2A7R7CA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R8WA01# #0.1pF GRM1885C2A7R8WA01# #0.25pF GRM1885C2A7R8CA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R9DA01# #0.25pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01#					±0.5pF	GRM1885C2A7R5DA01#
#0.5pF GRM1885C2A7R6CA01# #0.5pF GRM1885C2A7R6DA01# #0.1pF GRM1885C2A7R7BA01# #0.1pF GRM1885C2A7R7BA01# #0.25pF GRM1885C2A7R7CA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R8WA01# #0.1pF GRM1885C2A7R8WA01# #0.1pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.1pF GRM1885C2A7R9WA01# #0.1pF GRM1885C2A7R9WA01# #0.25pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0WA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R1WA01# #0.5pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01#				7.6pF	±0.05pF	GRM1885C2A7R6WA01#
#0.5pF GRM1885C2A7R6DA01# #0.1pF GRM1885C2A7R7WA01# #0.1pF GRM1885C2A7R7BA01# #0.5pF GRM1885C2A7R7CA01# #0.5pF GRM1885C2A7R7DA01# #0.5pF GRM1885C2A7R8WA01# #0.1pF GRM1885C2A7R8WA01# #0.25pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R8DA01# #0.1pF GRM1885C2A7R9WA01# #0.1pF GRM1885C2A7R9WA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.1pF GRM1885C2A7R9DA01# #0.1pF GRM1885C2A8R0WA01# #0.1pF GRM1885C2A8R0WA01# #0.1pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2DA01#						
7.7pF ±0.05pF GRM1885C2A7R7WA01# ±0.1pF GRM1885C2A7R7BA01# ±0.25pF GRM1885C2A7R7DA01# ±0.5pF GRM1885C2A7R8WA01# ±0.1pF GRM1885C2A7R8WA01# ±0.25pF GRM1885C2A7R8DA01# ±0.5pF GRM1885C2A7R8DA01# ±0.5pF GRM1885C2A7R8DA01# ±0.5pF GRM1885C2A7R8DA01# ±0.1pF GRM1885C2A7R9WA01# ±0.1pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A8R0WA01# ±0.1pF GRM1885C2A8R0WA01# ±0.1pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R1WA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2DA01#					-	
### ### ##############################						
### ### ##############################				/./p⊦	-	
### ### ##############################					-	
7.8pF ±0.05pF GRM1885C2A7R8WA01# ±0.1pF GRM1885C2A7R8BA01# ±0.25pF GRM1885C2A7R8CA01# ±0.5pF GRM1885C2A7R9WA01# ±0.1pF GRM1885C2A7R9WA01# ±0.1pF GRM1885C2A7R9BA01# ±0.25pF GRM1885C2A7R9BA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A8R0WA01# ±0.1pF GRM1885C2A8R0WA01# ±0.25pF GRM1885C2A8R0BA01# ±0.25pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R1WA01# ±0.1pF GRM1885C2A8R1WA01# ±0.1pF GRM1885C2A8R1BA01# ±0.25pF GRM1885C2A8R1DA01# ±0.25pF GRM1885C2A8R1DA01# ±0.25pF GRM1885C2A8R1DA01# ±0.25pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.25pF GRM1885C2A8R2BA01# ±0.25pF GRM1885C2A8R2BA01# ±0.25pF GRM1885C2A8R2BA01# ±0.5pF GRM1885C2A8R2DA01#					-	
#0.1pF GRM1885C2A7R8BA01# #0.25pF GRM1885C2A7R8CA01# #0.5pF GRM1885C2A7R8DA01# #0.5pF GRM1885C2A7R9WA01# #0.1pF GRM1885C2A7R9WA01# #0.25pF GRM1885C2A7R9CA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.1pF GRM1885C2A8R0WA01# #0.25pF GRM1885C2A8R0CA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1DA01# #0.25pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.25pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R3WA01#				7.05		
# ±0.25pF GRM1885C2A7R8CA01# ±0.5pF GRM1885C2A7R8DA01# #0.05pF GRM1885C2A7R9WA01# #0.1pF GRM1885C2A7R9CA01# ±0.25pF GRM1885C2A7R9CA01# #0.5pF GRM1885C2A7R9CA01# #0.5pF GRM1885C2A8R0WA01# #0.25pF GRM1885C2A8R0WA01# #0.25pF GRM1885C2A8R0CA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0CA01# #0.1pF GRM1885C2A8R1WA01# #0.25pF GRM1885C2A8R1WA01# #0.25pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.25pF GRM1885C2A8R2WA01# #0.25pF GRM1885C2A8R2WA01# #0.25pF GRM1885C2A8R2CA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R3WA01#				7.opr	-	
#0.5pF GRM1885C2A7R8DA01# #0.05pF GRM1885C2A7R9WA01# #0.1pF GRM1885C2A7R9BA01# #0.25pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.1pF GRM1885C2A8R0BA01# #0.25pF GRM1885C2A8R0BA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1WA01# #0.25pF GRM1885C2A8R1DA01# #0.25pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01#					-	
7.9pF ±0.05pF GRM1885C2A7R9WA01# ±0.1pF GRM1885C2A7R9BA01# ±0.25pF GRM1885C2A7R9CA01# ±0.5pF GRM1885C2A7R9DA01# ±0.5pF GRM1885C2A8R0WA01# ±0.1pF GRM1885C2A8R0BA01# ±0.25pF GRM1885C2A8R0BA01# ±0.5pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R1WA01# ±0.1pF GRM1885C2A8R1BA01# ±0.1pF GRM1885C2A8R1BA01# ±0.25pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2WA01# ±0.5pF GRM1885C2A8R2BA01# ±0.5pF GRM1885C2A8R2BA01# ±0.5pF GRM1885C2A8R2DA01# ±0.5pF GRM1885C2A8R2DA01#					-	
#0.1pF GRM1885C2A7R9BA01# #0.25pF GRM1885C2A7R9CA01# #0.5pF GRM1885C2A7R9DA01# #0.5pF GRM1885C2A8R0WA01# #0.1pF GRM1885C2A8R0BA01# #0.25pF GRM1885C2A8R0CA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0DA01# #0.1pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1CA01# #0.25pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.1pF GRM1885C2A8R2WA01# #0.25pF GRM1885C2A8R2WA01# #0.25pF GRM1885C2A8R2CA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01#				7 9nF		
### ### ##############################				7.00.	-	
#0.5pF GRM1885C2A7R9DA01# #0.1pF GRM1885C2A8R0WA01# #0.25pF GRM1885C2A8R0BA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R0DA01# #0.5pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1WA01# #0.25pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01#					-	
8.0pF ±0.05pF GRM1885C2A8R0WA01# ±0.1pF GRM1885C2A8R0BA01# ±0.25pF GRM1885C2A8R0DA01# ±0.5pF GRM1885C2A8R0DA01# ±0.05pF GRM1885C2A8R1WA01# ±0.1pF GRM1885C2A8R1BA01# ±0.25pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R2WA01# ±0.05pF GRM1885C2A8R2WA01# ±0.1pF GRM1885C2A8R2WA01# ±0.25pF GRM1885C2A8R2BA01# ±0.25pF GRM1885C2A8R2DA01# ±0.5pF GRM1885C2A8R2DA01# ±0.5pF GRM1885C2A8R2DA01#					-	
#0.1pF GRM1885C2A8R0BA01# #0.25pF GRM1885C2A8R0CA01# #0.5pF GRM1885C2A8R0DA01# #0.05pF GRM1885C2A8R1WA01# #0.1pF GRM1885C2A8R1BA01# #0.25pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R1DA01# #0.5pF GRM1885C2A8R2WA01# #0.1pF GRM1885C2A8R2WA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2BA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R3WA01#				8.0pF	-	
±0.25pF GRM1885C2A8R0CA01# ±0.5pF GRM1885C2A8R0DA01# 8.1pF ±0.05pF GRM1885C2A8R1WA01# ±0.1pF GRM1885C2A8R1BA01# ±0.25pF GRM1885C2A8R1CA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R2WA01# ±0.1pF GRM1885C2A8R2WA01# ±0.1pF GRM1885C2A8R2WA01# ±0.25pF GRM1885C2A8R2BA01# ±0.25pF GRM1885C2A8R2DA01# ±0.5pF GRM1885C2A8R2DA01#				1-	-	
### ### ##############################					-	
8.1pF ±0.05pF GRM1885C2A8R1WA01# ±0.1pF GRM1885C2A8R1BA01# ±0.25pF GRM1885C2A8R1CA01# ±0.5pF GRM1885C2A8R1DA01# ±0.5pF GRM1885C2A8R2WA01# ±0.1pF GRM1885C2A8R2BA01# ±0.25pF GRM1885C2A8R2BA01# ±0.25pF GRM1885C2A8R2DA01# ±0.5pF GRM1885C2A8R2DA01#					-	
#0.1pF GRM1885C2A8R1BA01# #0.25pF GRM1885C2A8R1CA01# #0.5pF GRM1885C2A8R1DA01# 8.2pF ±0.05pF GRM1885C2A8R2WA01# #0.1pF GRM1885C2A8R2BA01# #0.25pF GRM1885C2A8R2CA01# #0.5pF GRM1885C2A8R2DA01# #0.5pF GRM1885C2A8R3WA01#				8.1pF		
### ### ##############################				•	-	GRM1885C2A8R1BA01#
8.2pF ±0.05pF GRM1885C2A8R2WA01# ±0.1pF GRM1885C2A8R2BA01# ±0.25pF GRM1885C2A8R2CA01# ±0.5pF GRM1885C2A8R2DA01# 8.3pF ±0.05pF GRM1885C2A8R3WA01#					-	GRM1885C2A8R1CA01#
±0.1pF					±0.5pF	GRM1885C2A8R1DA01#
±0.25pF GRM1885C2A8R2CA01# ±0.5pF GRM1885C2A8R2DA01# 8.3pF ±0.05pF GRM1885C2A8R3WA01#				8.2pF	±0.05pF	GRM1885C2A8R2WA01#
±0.5pF GRM1885C2A8R2DA01# 8.3pF ±0.05pF GRM1885C2A8R3WA01#					±0.1pF	GRM1885C2A8R2BA01#
8.3pF ±0.05pF GRM1885C2A8R3WA01#					±0.25pF	GRM1885C2A8R2CA01#
					±0.5pF	GRM1885C2A8R2DA01#
±0.1pF GRM1885C2A8R3BA01#				8.3pF	±0.05pF	GRM1885C2A8R3WA01#
					±0.1pF	GRM1885C2A8R3BA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number		
0.9mm	100Vdc	COG	8.3pF	±0.25pF	GRM1885C2A8R3CA01#		
				±0.5pF	GRM1885C2A8R3DA01#		
			8.4pF	±0.05pF	GRM1885C2A8R4WA01#		
				±0.1pF	GRM1885C2A8R4BA01#		
				±0.25pF	GRM1885C2A8R4CA01#		
				±0.5pF	GRM1885C2A8R4DA01#		
			8.5pF	±0.05pF	GRM1885C2A8R5WA01#		
				±0.1pF	GRM1885C2A8R5BA01#		
				±0.25pF	GRM1885C2A8R5CA01#		
				±0.5pF	GRM1885C2A8R5DA01#		
			8.6pF	±0.05pF	GRM1885C2A8R6WA01#		
				±0.1pF	GRM1885C2A8R6BA01#		
				±0.25pF	GRM1885C2A8R6CA01#		
				±0.5pF	GRM1885C2A8R6DA01#		
			8.7pF	±0.05pF	GRM1885C2A8R7WA01#		
				±0.1pF	GRM1885C2A8R7BA01#		
				±0.25pF	GRM1885C2A8R7CA01#		
				±0.5pF	GRM1885C2A8R7DA01#		
			8.8pF	±0.05pF	GRM1885C2A8R8WA01#		
				±0.1pF	GRM1885C2A8R8BA01#		
				±0.25pF	GRM1885C2A8R8CA01#		
				±0.5pF	GRM1885C2A8R8DA01#		
			8.9pF	±0.05pF	GRM1885C2A8R9WA01#		
				±0.1pF	GRM1885C2A8R9BA01#		
					±0.25pF	GRM1885C2A8R9CA01#	
					9.0nF	±0.5pF	GRM1885C2A8R9DA01#
			9.0pF	±0.05pF	GRM1885C2A9R0WA01#		
				±0.1pF	GRM1885C2A9R0BA01#		
				±0.25pF	GRM1885C2A9R0CA01#		
				±0.5pF	GRM1885C2A9R0DA01#		
			9.1pF	±0.05pF	GRM1885C2A9R1WA01#		
				±0.1pF	GRM1885C2A9R1BA01#		
				±0.25pF			
				±0.5pF	GRM1885C2A9R1DA01#		
			9.2pF	±0.05pF			
				±0.1pF	GRM1885C2A9R2BA01#		
				±0.25pF			
			0.0	±0.5pF	GRM1885C2A9R2DA01#		
			9.3pF	±0.05pF	GRM1885C2A9R3WA01# GRM1885C2A9R3BA01#		
				±0.1pF			
				±0.25pF	GRM1885C2A9R3CA01# GRM1885C2A9R3DA01#		
			9.4pF	±0.5pF ±0.05pF	GRM1885C2A9R3DA01#		
			υ. - μι	±0.05pF	GRM1885C2A9R4BA01#		
				±0.25pF			
				±0.5pF	GRM1885C2A9R4DA01#		
			9.5pF	±0.05pF	GRM1885C2A9R5WA01#		
			- 14.5	±0.1pF	GRM1885C2A9R5BA01#		
				±0.25pF	GRM1885C2A9R5CA01#		
				±0.5pF	GRM1885C2A9R5DA01#		
			9.6pF	±0.05pF	GRM1885C2A9R6WA01#		
				±0.1pF	GRM1885C2A9R6BA01#		
				±0.25pF	GRM1885C2A9R6CA01#		

GRM Series

GJM Series

GMA Series

GMD Series GQM Series

GRJ Series GR3 Series

GRM Series Temperature Compensating Type Part Number List

max.

0.9mm

■ 1.6×0.8mm)

(→ ■ 1	.6×0.8ı	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	100Vdc	COG	9.7pF	±0.05pF	GRM1885C2A9R7WA01#
				±0.1pF	GRM1885C2A9R7BA01#
				±0.25pF	GRM1885C2A9R7CA01#
				±0.5pF	GRM1885C2A9R7DA01#
			9.8pF	±0.05pF	GRM1885C2A9R8WA01#
				±0.1pF	GRM1885C2A9R8BA01#
				±0.25pF	GRM1885C2A9R8CA01#
				±0.5pF	GRM1885C2A9R8DA01#
			9.9pF	±0.05pF	GRM1885C2A9R9WA01#
				±0.1pF	GRM1885C2A9R9BA01#
				±0.25pF	GRM1885C2A9R9CA01#
				±0.5pF	GRM1885C2A9R9DA01#
			10pF	±5%	GRM1885C2A100JA01#
			12pF	±5%	GRM1885C2A120JA01#
			15pF	±5%	GRM1885C2A150JA01#
			•	±5%	GRM1885C2A180JA01#
			18pF		
			22pF	±5%	GRM1885C2A220JA01#
			27pF	±5%	GRM1885C2A270JA01#
			33pF	±5%	GRM1885C2A330JA01#
			39pF	±5%	GRM1885C2A390JA01#
			47pF	±5%	GRM1885C2A470JA01#
			56pF	±5%	GRM1885C2A560JA01#
			68pF	±5%	GRM1885C2A680JA01#
			82pF	±5%	GRM1885C2A820JA01#
			100pF	±5%	GRM1885C2A101JA01#
			120pF	±5%	GRM1885C2A121JA01#
			150pF	±5%	GRM1885C2A151JA01#
			180pF	±5%	GRM1885C2A181JA01#
			220pF	±5%	GRM1885C2A221JA01#
			270pF	±5%	GRM1885C2A271JA01#
			330pF	±5%	GRM1885C2A331JA01#
			390pF	±5%	GRM1885C2A391JA01#
			470pF	±5%	GRM1885C2A471JA01#
			560pF	±5%	GRM1885C2A561JA01#
			680pF	±5%	GRM1885C2A681JA01#
			820pF		GRM1885C2A821JA01#
			•	±5%	
			1000pF	±5%	GRM1885C2A102JA01#
			1200pF	±5%	GRM1885C2A122JA01#
		<u> </u>	1500pF	±5%	GRM1885C2A152JA01#
		CK	0.50pF	±0.05pF	GRM1884C2AR50WA01#
				±0.1pF	GRM1884C2AR50BA01#
			0.60pF	±0.05pF	GRM1884C2AR60WA01#
				±0.1pF	GRM1884C2AR60BA01#
			0.70pF	±0.05pF	GRM1884C2AR70WA01#
				±0.1pF	GRM1884C2AR70BA01#
			0.80pF	±0.05pF	GRM1884C2AR80WA01#
				±0.1pF	GRM1884C2AR80BA01#
			0.90pF	±0.05pF	GRM1884C2AR90WA01#
				±0.1pF	GRM1884C2AR90BA01#
			1.0pF	±0.05pF	GRM1884C2A1R0WA01#
			•	±0.1pF	GRM1884C2A1R0BA01#
				±0.25pF	GRM1884C2A1R0CA01#
			1.1pF	±0.05pF	GRM1884C2A1R1WA01#
			pi	±0.05pi	GRM1884C2A1R1BA01#
				±0.1pr	CHWITOUTOZA IN IDAUT#

1.1pF ±0.25pF GRM1884C2A1R1CA01# ±0.1pF GRM1884C2A1R2CA01# ±0.25pF GRM1884C2A1R2CA01# ±0.25pF GRM1884C2A1R3CA01# ±0.25pF GRM1884C2A1R4CA01# ±0.25pF GRM1884C2A1R5CA01# ±0.25pF GRM188AC2A1R5CA01# ±0.25pF GRM188AC2A1R5CA01# ±0.25pF GRM188AC2A1R5CA01# ±0.25pF GRM1883C2A2R3CA01# ±0.25pF GRM1883C2	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
#0.1pF GRM1884C2A1R2BA01# #0.25pF GRM1884C2A1R3CA01# #0.5pF GRM1884C2A1R3CA01# #0.5pF GRM1884C2A1R3CA01# #0.5pF GRM1884C2A1R3CA01# #0.5pF GRM1884C2A1R3CA01# #0.5pF GRM1884C2A1R4WA01# #0.5pF GRM1884C2A1R4WA01# #0.5pF GRM1884C2A1R4BA01# #0.5pF GRM1884C2A1R5BA01# #0.5pF GRM1884C2A1R5WA01# #0.5pF GRM1884C2A1R5WA01# #0.5pF GRM1884C2A1R5WA01# #0.5pF GRM1884C2A1R5WA01# #0.5pF GRM1884C2A1R5WA01# #0.5pF GRM1884C2A1R5WA01# #0.5pF GRM1884C2A1R6WA01# #0.5pF GRM188AC2A1R6WA01# #0.5pF GRM188AC2A1R6WA01# #0.5pF GRM188AC2A1R6WA01# #0.5pF GRM188AC2A1R6WA01# #0.5pF GRM188AC2A1R6WA01# #0.5pF GRM1883C2A2R6WA01# #0.5pF GRM1883C2A2R3WA01# #0.5pF GRM1883C2A	100Vdc	CK	1.1pF	±0.25pF	GRM1884C2A1R1CA01#	
### ### ### ### ### ### ### ### ### ##			1.2pF	±0.05pF	GRM1884C2A1R2WA01#	
1.3pF ±0.05pF GRM1884C2A1R3WA01# ±0.1pF GRM1884C2A1R3WA01# ±0.25pF GRM1884C2A1R3WA01# ±0.25pF GRM1884C2A1R3WA01# ±0.25pF GRM1884C2A1R3WA01# ±0.25pF GRM1884C2A1R3WA01# ±0.25pF GRM1884C2A1R3WA01# ±0.25pF GRM1884C2A1R3WA01# ±0.1pF GRM1884C2A1R5WA01# ±0.1pF GRM1884C2A1R5WA01# ±0.1pF GRM1884C2A1R5WA01# ±0.25pF GRM1883C2A2R1WA01# ±0.25pF GRM1883C2A2R1WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01#				±0.1pF	GRM1884C2A1R2BA01#	
#0.1pF GRM1884C2A1R3BA01# #0.25pF GRM1884C2A1R3CA01# #0.25pF GRM1884C2A1R4WA01# #0.25pF GRM1884C2A1R4WA01# #0.25pF GRM1884C2A1R5WA01# #0.25pF GRM1884C2A1R5WA01# #0.25pF GRM1884C2A1R5WA01# #0.25pF GRM1884C2A1R5WA01# #0.25pF GRM1884C2A1R5WA01# #0.25pF GRM1884C2A1R5WA01# #0.25pF GRM1884C2A1R6WA01# #0.25pF GRM1884C2A1R6WA01# #0.25pF GRM1884C2A1R6WA01# #0.25pF GRM1884C2A1R6WA01# #0.25pF GRM1884C2A1R6WA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7W				±0.25pF	GRM1884C2A1R2CA01#	
#0.25pF GRM1884C2A1R3CA01# #0.05pF GRM1884C2A1R4WA01# #0.25pF GRM1884C2A1R4WA01# #0.25pF GRM1884C2A1R4WA01# #0.25pF GRM1884C2A1R5WA01# #0.25pF GRM1884C2A1R6WA01# #0.25pF GRM1884C2A1R6WA01# #0.25pF GRM1884C2A1R7WA01# #0.1pF GRM1884C2A1R7WA01# #0.1pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R3WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA			1.3pF	±0.05pF	GRM1884C2A1R3WA01#	
1.4pF				±0.1pF	GRM1884C2A1R3BA01#	
#0.1pF GRM1884C2A1R4BA01# #0.25pF GRM1884C2A1R4CA01# #0.25pF GRM1884C2A1R5BA01# #0.25pF GRM1884C2A1R5BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3W				±0.25pF	GRM1884C2A1R3CA01#	
#0.25pF GRM1884C2A1R4CA01# #0.25pF GRM1884C2A1R5BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R7BA01# #0.25pF GRM1884C2A1R7BA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3			1.4pF	±0.05pF	GRM1884C2A1R4WA01#	
1.5pF ±0.05pF GRM1884C2A1R5WA01# ±0.1pF GRM1884C2A1R5BA01# ±0.25pF GRM1884C2A1R6WA01# ±0.1pF GRM1884C2A1R6WA01# ±0.25pF GRM1884C2A1R6WA01# ±0.25pF GRM1884C2A1R6WA01# ±0.25pF GRM1884C2A1R7WA01# ±0.1pF GRM1884C2A1R7WA01# ±0.25pF GRM1884C2A1R7WA01# ±0.25pF GRM1884C2A1R8WA01# ±0.25pF GRM1884C2A1R8WA01# ±0.25pF GRM1884C2A1R8WA01# ±0.25pF GRM1884C2A1R8WA01# ±0.1pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A1R9WA01# ±0.25pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A2R0WA01# ±0.1pF GRM1884C2A2R0WA01# ±0.1pF GRM1884C2A2R0WA01# ±0.25pF GRM1884C2A2R0WA01# ±0.25pF GRM1883C2A2R1WA01# ±0.25pF GRM1883C2A2R1WA01# ±0.1pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF			±0.1pF	GRM1884C2A1R4BA01#		
#0.1pF GRM1884C2A1R5BA01# ±0.25pF GRM1884C2A1R6WA01# ±0.1pF GRM1884C2A1R6WA01# ±0.25pF GRM1884C2A1R6WA01# ±0.25pF GRM1884C2A1R6WA01# ±0.25pF GRM1884C2A1R7WA01# ±0.1pF GRM1884C2A1R7WA01# ±0.25pF GRM1884C2A1R7WA01# ±0.25pF GRM1884C2A1R8WA01# ±0.25pF GRM1884C2A1R8WA01# ±0.25pF GRM1884C2A1R8WA01# ±0.25pF GRM1884C2A1R9WA01# ±0.25pF GRM1884C2A1R9WA01# ±0.25pF GRM1884C2A1R9WA01# ±0.25pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A2R0WA01# ±0.1pF GRM1884C2A2R0WA01# ±0.1pF GRM1883C2A2R1WA01# ±0.1pF GRM1883C2A2R1WA01# ±0.1pF GRM1883C2A2R1WA01# ±0.1pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF GRM18				±0.25pF	GRM1884C2A1R4CA01#	
1.6pF			1.5pF	±0.05pF	GRM1884C2A1R5WA01#	
1.6pF				±0.1pF	GRM1884C2A1R5BA01#	
#0.1pF GRM1884C2A1R6BA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0				±0.25pF	GRM1884C2A1R5CA01#	
#0.25pF GRM1884C2A1R6CA01# #0.1pF GRM1884C2A1R7WA01# #0.1pF GRM1884C2A1R7WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.1pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A2R0WA01# #0.1pF GRM1884C2A2R0WA01# #0.1pF GRM1884C2A2R0WA01# #0.1pF GRM1884C2A2R0CA01# #0.25pF GRM1883C2A2R1WA01# #0.1pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1CA01# #0.25pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R6WA01#			1.6pF	±0.05pF	GRM1884C2A1R6WA01#	
1.7pF				±0.1pF	GRM1884C2A1R6BA01#	
#0.1pF GRM1884C2A1R7BA01# #0.25pF GRM1884C2A1R8WA01# #0.1pF GRM1884C2A1R8WA01# #0.1pF GRM1884C2A1R8WA01# #0.1pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9BA01# #0.25pF GRM1884C2A1R9BA01# #0.25pF GRM1884C2A1R9CA01# #0.1pF GRM1884C2A1R9CA01# #0.1pF GRM1884C2AR0BA01# #0.25pF GRM1884C2AR0CA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1CA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2CA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R6A01# #0.25pF GRM1883C2A2R6A01# #0.25pF GRM1883C2A2R6A01# #0.1pF GRM1883C2A2R6A01# #0.1pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2				±0.25pF	GRM1884C2A1R6CA01#	
#0.25pF GRM1884C2A1R7CA01# #0.1pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R8WA01# #0.25pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9WA01# #0.1pF GRM1884C2A1R9BA01# #0.25pF GRM1884C2A1R9CA01# #0.25pF GRM1884C2A1R9CA01# #0.25pF GRM1884C2A1R9CA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1883C2A2R1WA01# #0.1pF GRM1883C2A2R1WA01# #0.1pF GRM1883C2A2R1WA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01# #0.1pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01#			1.7pF	±0.05pF	GRM1884C2A1R7WA01#	
1.8pF ±0.05pF GRM1884C2A1R8WA01# ±0.1pF GRM1884C2A1R8BA01# ±0.25pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A1R9WA01# ±0.1pF GRM1884C2A1R9CA01# ±0.25pF GRM1884C2A1R9CA01# ±0.25pF GRM1884C2A1R9CA01# ±0.25pF GRM1884C2A2R0WA01# ±0.25pF GRM1884C2A2R0WA01# ±0.25pF GRM1884C2A2R0CA01# ±0.25pF GRM1883C2A2R1WA01# ±0.25pF GRM1883C2A2R1WA01# ±0.25pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8				±0.1pF	GRM1884C2A1R7BA01#	
### ### ##############################				±0.25pF	GRM1884C2A1R7CA01#	
#0.25pF GRM1884C2A1R9CA01# #0.05pF GRM1884C2A1R9WA01# #0.25pF GRM1884C2A1R9BA01# #0.25pF GRM1884C2A1R9CA01# #0.25pF GRM1884C2A1R9CA01# #0.25pF GRM1884C2A2R0WA01# #0.25pF GRM1884C2A2R0CA01# #0.25pF GRM1884C2A2R0CA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1WA01# #0.25pF GRM1883C2A2R1CA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01# #0.2			1.8pF	±0.05pF	GRM1884C2A1R8WA01#	
1.9pF				±0.1pF	GRM1884C2A1R8BA01#	
### ### ##############################				±0.25pF	GRM1884C2A1R8CA01#	
### ### ##############################			1.9pF	±0.05pF	GRM1884C2A1R9WA01#	
2.0pF ±0.05pF GRM1884C2A2R0WA01# ±0.1pF GRM1884C2A2R0CA01# ±0.25pF GRM1884C2A2R0CA01# ±0.25pF GRM1883C2A2R1WA01# ±0.1pF GRM1883C2A2R1CA01# ±0.25pF GRM1883C2A2R2WA01# ±0.1pF GRM1883C2A2R2WA01# ±0.1pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01#				±0.1pF	GRM1884C2A1R9BA01#	
# ±0.1pF GRM1884C2A2R0BA01# ±0.25pF GRM1884C2A2R0CA01#				±0.25pF	GRM1884C2A1R9CA01#	
#0.25pF GRM1884C2A2R0CA01# #0.1pF GRM1883C2A2R1BA01# #0.25pF GRM1883C2A2R1CA01# #0.25pF GRM1883C2A2R1CA01# #0.1pF GRM1883C2A2R2WA01# #0.1pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2BA01# #0.25pF GRM1883C2A2R2BA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3CA01# #0.25pF GRM1883C2A2R3CA01# #0.25pF GRM1883C2A2R3CA01# #0.25pF GRM1883C2A2R4WA01# #0.1pF GRM1883C2A2R4WA01# #0.25pF GRM1883C2A2R4CA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.1pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R6WA01# #0.1pF GRM1883C2A2R6WA01# #0.1pF GRM1883C2A2R6WA01# #0.1pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R8WA01#			2.0pF	±0.05pF	GRM1884C2A2R0WA01#	
CJ 2.1pF ±0.05pF GRM1883C2A2R1WA01# ±0.1pF GRM1883C2A2R1CA01# 20.25pF GRM1883C2A2R2WA01# ±0.1pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R2WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R4WA01# ±0.1pF GRM1883C2A2R4WA01# ±0.25pF GRM1883C2A2R4WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R5WA01# ±0.25pF GRM1883C2A2R5WA01# ±0.25pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8WA01#				±0.1pF	GRM1884C2A2R0BA01#	
#0.1pF GRM1883C2A2R1BA01# #0.25pF GRM1883C2A2R1CA01# #0.1pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R2WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.25pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R4WA01# #0.25pF GRM1883C2A2R4WA01# #0.25pF GRM1883C2A2R4WA01# #0.25pF GRM1883C2A2R4WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R8WA01# #0.25				±0.25pF	GRM1884C2A2R0CA01#	
#0.25pF GRM1883C2A2R1CA01# 2.2pF		CJ	2.1pF	±0.05pF	GRM1883C2A2R1WA01#	
2.2pF ±0.05pF GRM1883C2A2R2WA01# ±0.1pF GRM1883C2A2R2BA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3WA01# ±0.25pF GRM1883C2A2R3BA01# ±0.25pF GRM1883C2A2R3CA01# 2.4pF ±0.05pF GRM1883C2A2R4WA01# ±0.1pF GRM1883C2A2R4WA01# ±0.25pF GRM1883C2A2R4CA01# 2.5pF ±0.05pF GRM1883C2A2R5WA01# ±0.1pF GRM1883C2A2R5WA01# ±0.1pF GRM1883C2A2R5WA01# ±0.25pF GRM1883C2A2R5WA01# ±0.25pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R6CA01# 2.7pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8WA01#				±0.1pF	GRM1883C2A2R1BA01#	
#0.1pF GRM1883C2A2R2BA01# #0.25pF GRM1883C2A2R2CA01# #0.1pF GRM1883C2A2R3WA01# #0.1pF GRM1883C2A2R3BA01# #0.25pF GRM1883C2A2R3BA01# #0.1pF GRM1883C2A2R3CA01# #0.1pF GRM1883C2A2R4WA01# #0.25pF GRM1883C2A2R4WA01# #0.25pF GRM1883C2A2R4CA01# #0.25pF GRM1883C2A2R5WA01# #0.1pF GRM1883C2A2R5WA01# #0.1pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5WA01# #0.1pF GRM1883C2A2R6WA01# #0.1pF GRM1883C2A2R6WA01# #0.1pF GRM1883C2A2R6WA01# #0.25pF GRM1883C2A2R6CA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7CA01# #0.25pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8CA01# #0.25pF GRM1883C2A2R8CA01#				±0.25pF	GRM1883C2A2R1CA01#	
#0.25pF GRM1883C2A2R2CA01# 2.3pF			2.2pF	±0.05pF	GRM1883C2A2R2WA01#	
2.3pF ±0.05pF GRM1883C2A2R3WA01# ±0.1pF GRM1883C2A2R3BA01# ±0.25pF GRM1883C2A2R3CA01# 2.4pF ±0.05pF GRM1883C2A2R4WA01# ±0.1pF GRM1883C2A2R4WA01# ±0.25pF GRM1883C2A2R4WA01# ±0.25pF GRM1883C2A2R5WA01# ±0.1pF GRM1883C2A2R5WA01# ±0.25pF GRM1883C2A2R5WA01# ±0.25pF GRM1883C2A2R5WA01# ±0.1pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R7WA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8WA01#				±0.1pF	GRM1883C2A2R2BA01#	
#0.1pF GRM1883C2A2R3BA01# #0.25pF GRM1883C2A2R3CA01# 2.4pF #0.05pF GRM1883C2A2R4WA01# #0.1pF GRM1883C2A2R4BA01# #0.25pF GRM1883C2A2R4CA01# 2.5pF #0.05pF GRM1883C2A2R5WA01# #0.1pF GRM1883C2A2R5WA01# #0.25pF GRM1883C2A2R5BA01# #0.25pF GRM1883C2A2R5CA01# 2.6pF #0.05pF GRM1883C2A2R6BA01# #0.1pF GRM1883C2A2R6BA01# #0.25pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R7BA01# #0.25pF GRM1883C2A2R7CA01# 2.8pF #0.05pF GRM1883C2A2R8WA01# #0.1pF GRM1883C2A2R8WA01# #0.25pF GRM1883C2A2R8WA01#				±0.25pF	GRM1883C2A2R2CA01#	
#0.25pF GRM1883C2A2R3CA01# 2.4pF			2.3pF	±0.05pF	GRM1883C2A2R3WA01#	
2.4pF ±0.05pF GRM1883C2A2R4WA01# ±0.1pF GRM1883C2A2R4BA01# ±0.25pF GRM1883C2A2R4CA01# 2.5pF ±0.05pF GRM1883C2A2R5WA01# ±0.25pF GRM1883C2A2R5BA01# ±0.25pF GRM1883C2A2R5CA01# ±0.1pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6WA01# ±0.25pF GRM1883C2A2R6CA01# 2.7pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R8WA01#				±0.1pF	GRM1883C2A2R3BA01#	
±0.1pF GRM1883C2A2R4BA01# ±0.25pF GRM1883C2A2R4CA01# 2.5pF ±0.05pF GRM1883C2A2R5WA01# ±0.1pF GRM1883C2A2R5BA01# ±0.25pF GRM1883C2A2R5CA01# 2.6pF ±0.05pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6BA01# ±0.25pF GRM1883C2A2R6BA01# ±0.25pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8BA01#				±0.25pF	GRM1883C2A2R3CA01#	
#0.25pF GRM1883C2A2R4CA01# 2.5pF			2.4pF	±0.05pF	GRM1883C2A2R4WA01#	
2.5pF ±0.05pF GRM1883C2A2R5WA01# ±0.1pF GRM1883C2A2R5BA01# ±0.25pF GRM1883C2A2R5CA01# 2.6pF ±0.05pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6BA01# ±0.25pF GRM1883C2A2R6CA01# 2.7pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7BA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R8CA01#				±0.1pF	GRM1883C2A2R4BA01#	
±0.1pF GRM1883C2A2R5BA01# ±0.25pF GRM1883C2A2R5CA01# 2.6pF ±0.05pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6BA01# ±0.25pF GRM1883C2A2R6CA01# 2.7pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7CA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R8CA01#				±0.25pF	GRM1883C2A2R4CA01#	
#0.25pF GRM1883C2A2R5CA01# 2.6pF #0.05pF GRM1883C2A2R6WA01# #0.1pF GRM1883C2A2R6BA01# #0.25pF GRM1883C2A2R6CA01# 2.7pF #0.05pF GRM1883C2A2R7WA01# #0.1pF GRM1883C2A2R7WA01# #0.25pF GRM1883C2A2R7CA01# 2.8pF #0.05pF GRM1883C2A2R8WA01# #0.1pF GRM1883C2A2R8WA01# #0.1pF GRM1883C2A2R8BA01# #0.25pF GRM1883C2A2R8CA01# 2.9pF #0.05pF GRM1883C2A2R8CA01#			2.5pF	±0.05pF		
2.6pF ±0.05pF GRM1883C2A2R6WA01# ±0.1pF GRM1883C2A2R6BA01# ±0.25pF GRM1883C2A2R6CA01# 2.7pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7BA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.25pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R8CA01#				±0.1pF	GRM1883C2A2R5BA01#	
±0.1pF GRM1883C2A2R6BA01# ±0.25pF GRM1883C2A2R6CA01# 2.7pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7BA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R8CA01#				±0.25pF	GRM1883C2A2R5CA01#	
#0.25pF GRM1883C2A2R6CA01# 2.7pF			2.6pF	±0.05pF	GRM1883C2A2R6WA01#	
2.7pF ±0.05pF GRM1883C2A2R7WA01# ±0.1pF GRM1883C2A2R7BA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R8CA01#				±0.1pF	GRM1883C2A2R6BA01#	
±0.1pF GRM1883C2A2R7BA01# ±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R9WA01#				±0.25pF		
±0.25pF GRM1883C2A2R7CA01# 2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R9WA01#			2.7pF	±0.05pF		
2.8pF ±0.05pF GRM1883C2A2R8WA01# ±0.1pF GRM1883C2A2R8BA01# ±0.25pF GRM1883C2A2R8CA01# 2.9pF ±0.05pF GRM1883C2A2R9WA01#				±0.1pF	GRM1883C2A2R7BA01#	
±0.1pF				±0.25pF		
±0.25pF			2.8pF	±0.05pF	GRM1883C2A2R8WA01#	
2.9pF ±0.05pF GRM1883C2A2R9WA01#				±0.1pF	GRM1883C2A2R8BA01#	
±0.1pF GRM1883C2A2R9BA01#			2.9pF			
				±0.1pF	GRM1883C2A2R9BA01#	

■ 1.6×0.8mm)

-	CJ _	2.9pF 3.0pF 3.1pF	±0.25pF ±0.05pF ±0.1pF ±0.25pF ±0.05pF ±0.1pF	Part Number GRM1883C2A2R9CA01# GRM1883C2A3R0WA01# GRM1883C2A3R0BA01# GRM1883C2A3R0CA01# GRM1883C2A3R1WA01#
Vdc	CJ	3.0pF 3.1pF	±0.05pF ±0.1pF ±0.25pF ±0.05pF ±0.1pF	GRM1883C2A3R0WA01# GRM1883C2A3R0BA01# GRM1883C2A3R0CA01#
	_	3.1pF	±0.1pF ±0.25pF ±0.05pF ±0.1pF	GRM1883C2A3R0BA01# GRM1883C2A3R0CA01#
	-		±0.25pF ±0.05pF ±0.1pF	GRM1883C2A3R0CA01#
	-		±0.05pF ±0.1pF	
	_		±0.1pF	GRM1883C2A3R1WA01#
	=	2 OnE	-	
		2 2n⊑		GRM1883C2A3R1BA01#
		3 つい⊏	±0.25pF	GRM1883C2A3R1CA01#
		3.2pF	±0.05pF	GRM1883C2A3R2WA01#
			±0.1pF	GRM1883C2A3R2BA01#
			±0.25pF	GRM1883C2A3R2CA01#
		3.3pF	±0.05pF	GRM1883C2A3R3WA01#
			±0.1pF	GRM1883C2A3R3BA01#
			±0.25pF	GRM1883C2A3R3CA01#
		3.4pF	±0.05pF	GRM1883C2A3R4WA01#
			±0.1pF	GRM1883C2A3R4BA01#
			±0.25pF	GRM1883C2A3R4CA01#
		3.5pF	±0.05pF	GRM1883C2A3R5WA01#
			±0.1pF	GRM1883C2A3R5BA01#
			±0.25pF	GRM1883C2A3R5CA01#
		3.6pF	±0.05pF	GRM1883C2A3R6WA01#
		·	-	GRM1883C2A3R6BA01#
			-	GRM1883C2A3R6CA01#
		3.7pF		GRM1883C2A3R7WA01#
		- 1	-	GRM1883C2A3R7BA01#
				GRM1883C2A3R7CA01#
		3.8nF		GRM1883C2A3R8WA01#
		о.ор.	-	GRM1883C2A3R8BA01#
			-	GRM1883C2A3R8CA01#
		3 9nF		GRM1883C2A3R9WA01#
		3.9pi	-	
				GRM1883C2A3R9BA01#
	011	4.0	-	GRM1883C2A3R9CA01#
'	CH	4.0pF		GRM1882C2A4R0WA01#
			-	GRM1882C2A4R0BA01#
	-			GRM1882C2A4R0CA01#
		4.1pF	±0.05pF	GRM1882C2A4R1WA01#
			±0.1pF	GRM1882C2A4R1BA01#
			±0.25pF	GRM1882C2A4R1CA01#
		4.2pF	±0.05pF	GRM1882C2A4R2WA01#
			±0.1pF	GRM1882C2A4R2BA01#
			±0.25pF	GRM1882C2A4R2CA01#
		4.3pF	±0.05pF	GRM1882C2A4R3WA01#
			±0.1pF	GRM1882C2A4R3BA01#
			±0.25pF	GRM1882C2A4R3CA01#
		4.4pF	±0.05pF	GRM1882C2A4R4WA01#
			±0.1pF	GRM1882C2A4R4BA01#
			±0.25pF	GRM1882C2A4R4CA01#
	ŀ	4.5pF	±0.05pF	GRM1882C2A4R5WA01#
		•	±0.1pF	GRM1882C2A4R5BA01#
			-	GRM1882C2A4R5CA01#
	-	4.6nF		GRM1882C2A4R6WA01#
		υρι		GRM1882C2A4R6BA01#
			-	
	-	4 7nF		GRM1882C2A4R6CA01#
		4./pr	-	GRM1882C2A4R7WA01# GRM1882C2A4R7BA01#
		CH	3.6pF 3.7pF 3.8pF 3.9pF CH 4.0pF 4.1pF 4.2pF 4.3pF	3.5pF ±0.05pF ±0.1pF ±0.25pF 3.6pF ±0.05pF ±0.1pF ±0.25pF 3.8pF ±0.05pF ±0.1pF ±0.25pF

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.9mm	100Vdc	СН	4.7pF	±0.25pF	GRM1882C2A4R7CA01#
			4.8pF	±0.05pF	GRM1882C2A4R8WA01#
				±0.1pF	GRM1882C2A4R8BA01#
				±0.25pF	GRM1882C2A4R8CA01#
			4.9pF	±0.05pF	GRM1882C2A4R9WA01#
				±0.1pF	GRM1882C2A4R9BA01#
				±0.25pF	GRM1882C2A4R9CA01#
			5.0pF	±0.05pF	GRM1882C2A5R0WA01#
				±0.1pF	GRM1882C2A5R0BA01#
				±0.25pF	GRM1882C2A5R0CA01#
			5.1pF	±0.05pF	GRM1882C2A5R1WA01#
				±0.1pF	GRM1882C2A5R1BA01#
				±0.25pF	GRM1882C2A5R1CA01#
				±0.5pF	GRM1882C2A5R1DA01#
			5.2pF	±0.05pF	GRM1882C2A5R2WA01#
				±0.1pF	GRM1882C2A5R2BA01#
				±0.25pF	GRM1882C2A5R2CA01#
				±0.5pF	GRM1882C2A5R2DA01#
			5.3pF	±0.05pF	GRM1882C2A5R3WA01#
				±0.1pF	GRM1882C2A5R3BA01#
				±0.25pF	GRM1882C2A5R3CA01#
				±0.5pF	GRM1882C2A5R3DA01#
			5.4pF	±0.05pF	GRM1882C2A5R4WA01#
				±0.1pF	GRM1882C2A5R4BA01#
				±0.25pF	GRM1882C2A5R4CA01#
			F 5 - 5	±0.5pF	GRM1882C2A5R4DA01#
			5.5pF	±0.05pF	GRM1882C2A5R5WA01# GRM1882C2A5R5BA01#
				±0.1pF ±0.25pF	GRM1882C2A5R5CA01#
				±0.25pi	GRM1882C2A5R5DA01#
			5.6pF	±0.05pF	GRM1882C2A5R6WA01#
			0.001	±0.1pF	GRM1882C2A5R6BA01#
				±0.25pF	GRM1882C2A5R6CA01#
				±0.5pF	GRM1882C2A5R6DA01#
			5.7pF	±0.05pF	GRM1882C2A5R7WA01#
				±0.1pF	GRM1882C2A5R7BA01#
				±0.25pF	GRM1882C2A5R7CA01#
				±0.5pF	GRM1882C2A5R7DA01#
			5.8pF	±0.05pF	GRM1882C2A5R8WA01#
				±0.1pF	GRM1882C2A5R8BA01#
				±0.25pF	GRM1882C2A5R8CA01#
				±0.5pF	GRM1882C2A5R8DA01#
			5.9pF	±0.05pF	GRM1882C2A5R9WA01#
				±0.1pF	GRM1882C2A5R9BA01#
				±0.25pF	GRM1882C2A5R9CA01#
				±0.5pF	GRM1882C2A5R9DA01#
			6.0pF	±0.05pF	GRM1882C2A6R0WA01#
				±0.1pF	GRM1882C2A6R0BA01#
				±0.25pF	GRM1882C2A6R0CA01#
				±0.5pF	GRM1882C2A6R0DA01#
			6.1pF	±0.05pF	GRM1882C2A6R1WA01#
				±0.1pF	GRM1882C2A6R1BA01#
				±0.25pF	GRM1882C2A6R1CA01#
				±0.5pF	GRM1882C2A6R1DA01#

max.

0.9mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	100Vdc	СН	6.2pF	±0.05pF	GRM1882C2A6R2WA01#
				±0.1pF	GRM1882C2A6R2BA01#
				±0.25pF	GRM1882C2A6R2CA01#
				±0.5pF	GRM1882C2A6R2DA01#
			6.3pF	±0.05pF	GRM1882C2A6R3WA01#
				±0.1pF	GRM1882C2A6R3BA01#
				±0.25pF	GRM1882C2A6R3CA01#
				±0.5pF	GRM1882C2A6R3DA01#
			6.4pF	±0.05pF	GRM1882C2A6R4WA01#
				±0.1pF	GRM1882C2A6R4BA01#
				±0.25pF	GRM1882C2A6R4CA01#
				±0.5pF	GRM1882C2A6R4DA01#
			6.5pF	±0.05pF	GRM1882C2A6R5WA01#
			0.00.	±0.1pF	GRM1882C2A6R5BA01#
				±0.25pF	
				±0.5pF	GRM1882C2A6R5DA01#
			6.6pF		
			0.0μΓ	±0.05pF	
				±0.1pF	GRM1882C2A6R6BA01#
				±0.25pF	
			0.7.5	±0.5pF	GRM1882C2A6R6DA01#
			6.7pF	±0.05pF	GRM1882C2A6R7WA01#
				±0.1pF	GRM1882C2A6R7BA01#
				±0.25pF	
			00.5	±0.5pF	GRM1882C2A6R7DA01#
			6.8pF	±0.05pF	GRM1882C2A6R8WA01#
				±0.1pF	GRM1882C2A6R8BA01#
				±0.25pF	GRM1882C2A6R8CA01#
				±0.5pF	GRM1882C2A6R8DA01#
			6.9pF	±0.05pF	GRM1882C2A6R9WA01#
				±0.1pF	GRM1882C2A6R9BA01#
				±0.25pF	GRM1882C2A6R9CA01#
				±0.5pF	GRM1882C2A6R9DA01#
			7.0pF	±0.05pF	GRM1882C2A7R0WA01#
				±0.1pF	GRM1882C2A7R0BA01#
				±0.25pF	GRM1882C2A7R0CA01#
				±0.5pF	GRM1882C2A7R0DA01#
			7.1pF	±0.05pF	GRM1882C2A7R1WA01#
			•	±0.1pF	GRM1882C2A7R1BA01#
				±0.25pF	
				±0.5pF	GRM1882C2A7R1DA01#
			7.2pF	±0.05pF	
			۰۰۰۲۲۱	±0.05pi	GRM1882C2A7R2BA01#
				<u> </u>	GRM1882C2A7R2CA01#
				±0.25pF	
			70.5	±0.5pF	GRM1882C2A7R2DA01#
			7.3pF	±0.05pF	GRM1882C2A7R3WA01#
				±0.1pF	GRM1882C2A7R3BA01#
				±0.25pF	
				±0.5pF	GRM1882C2A7R3DA01#
			7.4pF	±0.05pF	GRM1882C2A7R4WA01#
				±0.1pF	GRM1882C2A7R4BA01#
				±0.25pF	GRM1882C2A7R4CA01#
				±0.5pF	GRM1882C2A7R4DA01#
			7.5pF	±0.05pF	GRM1882C2A7R5WA01#

Rated Voltage	TC Code	Cap.	Tol.	Part Number	
100Vdc	СН	7.5pF	±0.25pF	GRM1882C2A7R5CA01#	
			±0.5pF	GRM1882C2A7R5DA01#	
		7.6pF	±0.05pF	GRM1882C2A7R6WA01#	
			±0.1pF	GRM1882C2A7R6BA01#	
			±0.25pF	GRM1882C2A7R6CA01#	
			±0.5pF	GRM1882C2A7R6DA01#	
		7.7pF	±0.05pF	GRM1882C2A7R7WA01#	
			±0.1pF	GRM1882C2A7R7BA01#	
			±0.25pF	GRM1882C2A7R7CA01#	
			±0.5pF	GRM1882C2A7R7DA01#	
		7.8pF	±0.05pF	GRM1882C2A7R8WA01#	
		7.00.	±0.1pF	GRM1882C2A7R8BA01#	
			<u> </u>	GRM1882C2A7R8CA01#	
			±0.5pF	GRM1882C2A7R8DA01#	
		7.9pF	±0.05pF	GRM1882C2A7R9WA01#	
		7.9pi		GRM1882C2A7R9BA01#	
			±0.1pF		
			±0.25pF	GRM1882C2A7R9CA01#	
			±0.5pF	GRM1882C2A7R9DA01#	
		8.0pF	±0.05pF	GRM1882C2A8R0WA01#	
			±0.1pF	GRM1882C2A8R0BA01#	
			±0.25pF	GRM1882C2A8R0CA01#	
			±0.5pF	GRM1882C2A8R0DA01#	
		8.1pF	±0.05pF	GRM1882C2A8R1WA01#	
			±0.1pF	GRM1882C2A8R1BA01#	
			±0.25pF	GRM1882C2A8R1CA01#	
			±0.5pF	GRM1882C2A8R1DA01#	
		8.2pF	±0.05pF	GRM1882C2A8R2WA01#	
			±0.1pF	GRM1882C2A8R2BA01#	
			±0.25pF	GRM1882C2A8R2CA01#	
			±0.5pF	GRM1882C2A8R2DA01#	
		8.3pF	±0.05pF	GRM1882C2A8R3WA01#	
			±0.1pF	GRM1882C2A8R3BA01#	
			±0.25pF	GRM1882C2A8R3CA01#	
			±0.5pF	GRM1882C2A8R3DA01#	
		8.4pF	±0.05pF	GRM1882C2A8R4WA01#	
			±0.1pF	GRM1882C2A8R4BA01#	
				GRM1882C2A8R4CA01#	
			±0.5pF	GRM1882C2A8R4DA01#	_
		8 5nE		GRM1882C2A8R5WA01#	
		8.5pF	±0.05pF	GRM1882C2A8R5BA01#	<u> </u>
			±0.1pF		<u> </u>
			±0.25pF	GRM1882C2A8R5CA01#	
		00.5	±0.5pF	GRM1882C2A8R5DA01#	<u> </u>
		8.6pF	±0.05pF	GRM1882C2A8R6WA01#	
			±0.1pF	GRM1882C2A8R6BA01#	
			±0.25pF	GRM1882C2A8R6CA01#	
			±0.5pF	GRM1882C2A8R6DA01#	
		8.7pF	±0.05pF	GRM1882C2A8R7WA01#	
			±0.1pF	GRM1882C2A8R7BA01#	
			±0.25pF	GRM1882C2A8R7CA01#	
			±0.5pF	GRM1882C2A8R7DA01#	
		8.8pF	±0.05pF	GRM1882C2A8R8WA01#	
			±0.1pF	GRM1882C2A8R8BA01#	
			±0.25pF	GRM1882C2A8R8CA01#	
			±0.5pF	GRM1882C2A8R8DA01#	
		Part nur	nber # indic	cates the package specification	code

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	100Vdc	СН	8.9pF	±0.05pF	GRM1882C2A8R9WA01#
				±0.1pF	GRM1882C2A8R9BA01#
				±0.25pF	GRM1882C2A8R9CA01#
				±0.5pF	GRM1882C2A8R9DA01#
			9.0pF	±0.05pF	GRM1882C2A9R0WA01#
			·	±0.1pF	GRM1882C2A9R0BA01#
				±0.25pF	
				±0.5pF	GRM1882C2A9R0DA01#
			9.1pF	•	GRM1882C2A9R1WA01#
				±0.1pF	GRM1882C2A9R1BA01#
					GRM1882C2A9R1CA01#
				±0.5pF	GRM1882C2A9R1DA01#
			9.2pF	-	GRM1882C2A9R2WA01#
			ор.	±0.1pF	GRM1882C2A9R2BA01#
				±0.25pF	GRM1882C2A9R2CA01#
				±0.25pF	GRM1882C2A9R2DA01#
			9.3pF	•	GRM1882C2A9R3WA01#
			σ.υμΓ	±0.05pF	
				±0.1pF ±0.25pF	GRM1882C2A9R3BA01#
				-	
			0.45	±0.5pF	GRM1882C2A9R3DA01#
			9.4pF	±0.05pF	
				±0.1pF	GRM1882C2A9R4BA01#
				±0.25pF	GRM1882C2A9R4CA01#
			0.5.5	±0.5pF	GRM1882C2A9R4DA01#
			9.5pF	±0.05pF	
				±0.1pF	GRM1882C2A9R5BA01#
				±0.25pF	
				±0.5pF	GRM1882C2A9R5DA01#
			9.6pF	±0.05pF	
				±0.1pF	GRM1882C2A9R6BA01#
				±0.25pF	GRM1882C2A9R6CA01#
				±0.5pF	GRM1882C2A9R6DA01#
			9.7pF	±0.05pF	GRM1882C2A9R7WA01#
				±0.1pF	GRM1882C2A9R7BA01#
				±0.25pF	GRM1882C2A9R7CA01#
				±0.5pF	GRM1882C2A9R7DA01#
			9.8pF	±0.05pF	GRM1882C2A9R8WA01#
				±0.1pF	GRM1882C2A9R8BA01#
				±0.25pF	GRM1882C2A9R8CA01#
				±0.5pF	GRM1882C2A9R8DA01#
			9.9pF	±0.05pF	GRM1882C2A9R9WA01#
				±0.1pF	GRM1882C2A9R9BA01#
				±0.25pF	GRM1882C2A9R9CA01#
				±0.5pF	GRM1882C2A9R9DA01#
			10pF	±5%	GRM1882C2A100JA01#
			12pF	±5%	GRM1882C2A120JA01#
			15pF	±5%	GRM1882C2A150JA01#
			18pF	±5%	GRM1882C2A180JA01#
			22pF	±5%	GRM1882C2A220JA01#
			27pF	±5%	GRM1882C2A270JA01#
			33pF	±5%	GRM1882C2A330JA01#
			39pF	±5%	GRM1882C2A390JA01#
			47pF	±5%	GRM1882C2A470JA01#
			56pF	±5%	GRM1882C2A560JA01#

0.9mm 100Vdc CH	Т	Rated	TC	Cap.	Tol.	Part Number
82pF						
100pF	0.9mm	100Vdc	CH	-		
120pF						
150pF				•		
180pF				120pF	±5%	GRM1882C2A121JA01#
220pF				150pF	±5%	GRM1882C2A151JA01#
270pF				180pF	±5%	GRM1882C2A181JA01#
330pF				220pF	±5%	GRM1882C2A221JA01#
390pF				270pF	±5%	GRM1882C2A271JA01#
470pF				330pF	±5%	GRM1882C2A331JA01#
S60pF ±5% GRM1882C2A561JA01# 820pF ±5% GRM1882C2A681JA01# 1000pF ±5% GRM1882C2A102JA01# 1200pF ±5% GRM1882C2A122JA01# 1500pF ±5% GRM1882C2A122JA01# 1500pF ±5% GRM1882C1A123JA01# 1500pF ±5% GRM1882C1A123JA01# 1500pF ±5% GRM1885C1HR50WA01# ±0.1pF GRM1885C1HR60WA01# ±0.1pF GRM1885C1HR60WA01# ±0.1pF GRM1885C1HR60WA01# ±0.1pF GRM1885C1HR70WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR0WA01# ±0.1pF GRM1885C1HR0WA01# ±0.25pF GRM1885C1HR1R0WA01# ±0.25pF GRM1885C1HR1R0WA01# ±0.1pF GRM1885C1HR1R0WA01# ±0.1pF GRM1885C1HR1R0WA01# ±0.1pF GRM1885C1HR1R0WA01# ±0.1pF GRM1885C1HR1R0WA01# ±0.1pF GRM1885C1HR1R0WA01# ±0.1pF GRM1885C1HR3WA01# ±0.25pF GRM1885C1HR3WA01# ±0.1pF GRM1885C1HR3WA01# ±0.25pF GRM1885C1HR3WA01#				390pF	±5%	GRM1882C2A391JA01#
680pF ±5% GRM1882C2A681JA01# 1000pF ±5% GRM1882C2A102JA01# 1200pF ±5% GRM1882C2A122JA01# 1500pF ±5% GRM1882C1A122JA01# ±0.1pF GRM1885C1HR50WA01# ±0.1pF GRM1885C1HR60WA01# ±0.1pF GRM1885C1HR60WA01# ±0.1pF GRM1885C1HR60WA01# ±0.1pF GRM1885C1HR70WA01# ±0.1pF GRM1885C1HR70WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR0WA01# ±0.25pF GRM1885C1HR1WA01# ±0.25pF GRM1885C1HR1WA01# ±0.25pF GRM1885C1HR1WA01# ±0.25pF GRM1885C1HR2WA01# ±0.1pF GRM1885C1HR2WA01# ±0.25pF GRM1885C1HR2WA01# ±0.25pF GRM1885C1HR3WA01# ±0.1pF GRM1885C1HR3WA01# ±0.1pF GRM1885C1HR3WA01# ±0.1pF GRM1885C1HR3WA01# ±0.25pF GRM188				470pF	±5%	GRM1882C2A471JA01#
820pF				560pF	±5%	GRM1882C2A561JA01#
1000pF ±5% GRM1882C2A102JA01# 1200pF ±5% GRM1882C2A122JA01# 1500pF ±5% GRM1882C2A152JA01# 1500pF ±0.05pF GRM1885C1HR50WA01# ±0.1pF GRM1885C1HR50WA01# ±0.1pF GRM1885C1HR50WA01# ±0.1pF GRM1885C1HR50WA01# ±0.1pF GRM1885C1HR50WA01# ±0.1pF GRM1885C1HR30WA01# ±0.1pF GRM1885C1H1R0WA01# ±0.1pF GRM1885C1H1R0WA01# ±0.1pF GRM1885C1H1R0WA01# ±0.1pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1				680pF	±5%	GRM1882C2A681JA01#
1200pF				820pF	±5%	GRM1882C2A821JA01#
1500pF				1000pF	±5%	GRM1882C2A102JA01#
50Vdc COG 0.50pF				1200pF	±5%	GRM1882C2A122JA01#
50Vdc COG 0.50pF				1500pF	±5%	GRM1882C2A152JA01#
#0.1pF GRM1885C1HR50BA01# #0.05pF GRM1885C1HR60WA01# #0.1pF GRM1885C1HR60WA01# #0.1pF GRM1885C1HR70WA01# #0.1pF GRM1885C1HR70WA01# #0.1pF GRM1885C1HR80WA01# #0.1pF GRM1885C1HR80WA01# #0.1pF GRM1885C1HR80WA01# #0.1pF GRM1885C1HR80WA01# #0.1pF GRM1885C1HR90WA01# #0.1pF GRM1885C1HR90WA01# #0.1pF GRM1885C1HR90WA01# #0.25pF GRM1885C1H180WA01# #0.25pF GRM1885C1H180WA01# #0.25pF GRM1885C1H180WA01# #0.25pF GRM1885C1H180WA01# #0.25pF GRM1885C1H1R0WA01# #0.1pF GRM1885C1H1R0WA01# #0.25pF GRM1885C1H1R0WA01# #0.1pF GRM1885C1H1R0WA01# #0.25pF GRM1885C1H1R		50Vdc	COG			
0.60pF					<u> </u>	GRM1885C1HR50BA01#
#0.1pF GRM1885C1HR60BA01# 0.70pF ±0.05pF GRM1885C1HR70WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR80BA01# 0.90pF ±0.05pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1H1R0WA01# ±0.1pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0A01# ±0.05pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.05pF GRM1885C1H1R2WA01# ±0.05pF GRM1885C1H1R3WA01# ±0.05pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.05pF GRM1885C1H1R5WA01# ±0.05pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.05pF GRM1885C1H1R6WA01#				0.60pF		
0.70pF ±0.05pF GRM1885C1HR70WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R8WA01#				0.0001		
#0.1pF GRM1885C1HR70BA01# 0.80pF ±0.05pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7CA01#				0.70pF	· ·	
0.80pF ±0.05pF GRM1885C1HR80WA01# ±0.1pF GRM1885C1HR90WA01# ±0.05pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.1pF GRM1885C1HR90WA01# ±0.05pF GRM1885C1HR10WA01# ±0.25pF GRM1885C1H1R0CA01# ±0.25pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.05pF GRM1885C1H1R3WA01# ±0.05pF GRM1885C1H1R3WA01# ±0.05pF GRM1885C1H1R3WA01# ±0.05pF GRM1885C1H1R3WA01# ±0.05pF GRM1885C1H1R3WA01# ±0.05pF GRM1885C1H1R4WA01# ±0.05pF GRM1885C1H1R4WA01# ±0.05pF GRM1885C1H1R4WA01# ±0.05pF GRM1885C1H1R5WA01# ±0.05pF GRM1885C1H1R5WA01# ±0.05pF GRM1885C1H1R5WA01# ±0.05pF GRM1885C1H1R5WA01# ±0.05pF GRM1885C1H1R5WA01# ±0.05pF GRM1885C1H1R6WA01# ±0.05pF GRM1885C1H1R6WA01# ±0.05pF GRM1885C1H1R6WA01# ±0.05pF GRM1885C1H1R6WA01# ±0.05pF GRM1885C1H1R6WA01# ±0.05pF GRM1885C1H1R7WA01# ±0.05pF GRM1885C1H1R8WA01# ±0.05pF GRM1885C1H1R8BA01# ±0.05pF GRM1885C				0.70pi		
#0.1pF GRM1885C1HR80BA01# #0.05pF GRM1885C1HR90WA01# #0.1pF GRM1885C1HR90BA01# #0.1pF GRM1885C1HR90BA01# #0.1pF GRM1885C1H1R0WA01# #0.25pF GRM1885C1H1R0CA01# #0.25pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R2WA01# #0.25pF GRM1885C1H1R2WA01# #0.25pF GRM1885C1H1R3WA01# #0.25pF GRM1885C1H1R3WA01# #0.25pF GRM1885C1H1R3WA01# #0.25pF GRM1885C1H1R4WA01# #0.25pF GRM1885C1H1R4WA01# #0.1pF GRM1885C1H1R4WA01# #0.25pF GRM1885C1H1R4WA01# #0.25pF GRM1885C1H1R4WA01# #0.25pF GRM1885C1H1R5WA01# #0.1pF GRM1885C1H1R5WA01# #0.1pF GRM1885C1H1R5WA01# #0.1pF GRM1885C1H1R6WA01# #0.1pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R7WA01# #0.1pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R7WA01# #0.1pF GRM1885C1H1R7WA01# #0.1pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R7WA01# #0.1pF GRM1885C1H1R7WA01# #0.1pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.1pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8BA01#				0.005	· ·	
1.0pp ±0.05pp GRM1885C1HR90WA01# ±0.1pp GRM1885C1HR90BA01# ±0.05pp GRM1885C1HR1R0WA01# ±0.25pp GRM1885C1H1R0BA01# ±0.25pp GRM1885C1H1R1WA01# ±0.25pp GRM1885C1H1R1WA01# ±0.25pp GRM1885C1H1R1WA01# ±0.25pp GRM1885C1H1R1WA01# ±0.25pp GRM1885C1H1R1WA01# ±0.25pp GRM1885C1H1R2WA01# ±0.1pp GRM1885C1H1R2WA01# ±0.25pp GRM1885C1H1R2WA01# ±0.25pp GRM1885C1H1R3WA01# ±0.25pp GRM1885C1H1R3WA01# ±0.25pp GRM1885C1H1R3WA01# ±0.25pp GRM1885C1H1R3WA01# ±0.25pp GRM1885C1H1R4WA01# ±0.25pp GRM1885C1H1R5WA01# ±0.25pp GRM1885C1H1R5WA01# ±0.25pp GRM1885C1H1R5WA01# ±0.25pp GRM1885C1H1R5WA01# ±0.25pp GRM1885C1H1R5WA01# ±0.25pp GRM1885C1H1R6WA01# ±0.25pp GRM1885C1H1R6WA01# ±0.25pp GRM1885C1H1R6WA01# ±0.25pp GRM1885C1H1R7WA01# ±0.25pp GRM1885C1H1R8WA01# ±0.25pp GRM1885C1H1R8CA01# ±0.25pp GRM1885C1H1R8CA01# ±0.25pp GRM1885C1H1R8CA01# ±0.25pp GRM1885C1H1R8CA01# ±0.25pp GRM1885C1H1R8CA01# ±0.25pp GRM1885C1H1				0.0001		
#0.1pF GRM1885C1HR90BA01# #0.1pF GRM1885C1H1R0WA01# #0.1pF GRM1885C1H1R0WA01# #0.25pF GRM1885C1H1R0CA01# #0.25pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R1BA01# #0.25pF GRM1885C1H1R2WA01# #0.1pF GRM1885C1H1R2WA01# #0.1pF GRM1885C1H1R2WA01# #0.1pF GRM1885C1H1R3WA01# #0.1pF GRM1885C1H1R3WA01# #0.1pF GRM1885C1H1R3WA01# #0.25pF GRM1885C1H1R3WA01# #0.25pF GRM1885C1H1R3WA01# #0.25pF GRM1885C1H1R4WA01# #0.1pF GRM1885C1H1R4WA01# #0.1pF GRM1885C1H1R4WA01# #0.25pF GRM1885C1H1R5WA01# #0.25pF GRM1885C1H1R5WA01# #0.1pF GRM1885C1H1R5WA01# #0.1pF GRM1885C1H1R5WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R8WA01#				0.00-5		
1.0pF ±0.05pF GRM1885C1H1R0WA01# ±0.25pF GRM1885C1H1R0CA01# ±0.25pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.25pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R8WA01#				0.90pF		
#0.1pF GRM1885C1H1R0BA01# #0.25pF GRM1885C1H1R1WA01# #0.1pF GRM1885C1H1R1WA01# #0.25pF GRM1885C1H1R1BA01# #0.25pF GRM1885C1H1R1CA01# 1.2pF #0.05pF GRM1885C1H1R2WA01# #0.1pF GRM1885C1H1R2BA01# #0.25pF GRM1885C1H1R2BA01# #0.25pF GRM1885C1H1R3WA01# #0.1pF GRM1885C1H1R3WA01# #0.25pF GRM1885C1H1R3BA01# #0.25pF GRM1885C1H1R3CA01# 1.4pF #0.05pF GRM1885C1H1R4WA01# #0.1pF GRM1885C1H1R4WA01# #0.25pF GRM1885C1H1R4CA01# 1.5pF #0.05pF GRM1885C1H1R4CA01# #0.25pF GRM1885C1H1R5WA01# #0.25pF GRM1885C1H1R5WA01# #0.1pF GRM1885C1H1R5CA01# 1.6pF #0.05pF GRM1885C1H1R6WA01# #0.1pF GRM1885C1H1R6WA01# #0.1pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R6WA01# #0.25pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R7WA01# #0.25pF GRM1885C1H1R8WA01#						
### ### ##############################				1.0pF		
1.1pF ±0.05pF GRM1885C1H1R1WA01# ±0.1pF GRM1885C1H1R1BA01# ±0.25pF GRM1885C1H1R2WA01# ±0.1pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5CA01# 1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R8WA01#					· ·	
#0.1pF GRM1885C1H1R1BA01# ±0.25pF GRM1885C1H1R1CA01# ±0.1pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R2WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3WA01# ±0.25pF GRM1885C1H1R3CA01# ±0.1pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R4WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7CA01# ±0.25pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R8WA01# ±0.25pF					· ·	
### 1.2pF ### 20.25pF GRM1885C1H1R1CA01# ### 1.2pF ### 20.05pF GRM1885C1H1R2WA01# ### 20.25pF GRM1885C1H1R2WA01# ### 20.25pF GRM1885C1H1R3WA01# ### 20.05pF GRM1885C1H1R3WA01# ### 20.25pF GRM1885C1H1R3WA01# ### 20.25pF GRM1885C1H1R3CA01# ### 1.4pF ### 20.05pF GRM1885C1H1R4WA01# ### 20.1pF GRM1885C1H1R4WA01# ### 20.25pF GRM1885C1H1R5WA01# ### 20.25pF GRM1885C1H1R5WA01# ### 20.25pF GRM1885C1H1R5WA01# ### 20.25pF GRM1885C1H1R6WA01# ### 20.25pF GRM1885C1H1R6WA01# ### 20.25pF GRM1885C1H1R6WA01# ### 20.25pF GRM1885C1H1R7WA01# ### 20.25pF GRM1885C1H1R7WA01# ### 20.25pF GRM1885C1H1R7WA01# ### 20.25pF GRM1885C1H1R7CA01# ### 1.8pF ### 20.05pF GRM1885C1H1R7CA01# #### 20.25pF GRM1885C1H1R8WA01# ##### 20.25pF GRM1885C1H1R8WA01# ##### 20.25pF GRM1885C1H1R8WA01# ###################################				1.1pF	· ·	
1.2pF					· ·	
#0.1pF GRM1885C1H1R2BA01# ±0.25pF GRM1885C1H1R2CA01#					±0.25pF	GRM1885C1H1R1CA01#
### 1.3pF ### 20.25pF #### 20.25pF ####################################				1.2pF	±0.05pF	GRM1885C1H1R2WA01#
1.3pF ±0.05pF GRM1885C1H1R3WA01# ±0.1pF GRM1885C1H1R3BA01# ±0.25pF GRM1885C1H1R3CA01# 1.4pF ±0.05pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4CA01# 1.5pF ±0.05pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5WA01# ±0.25pF GRM1885C1H1R5CA01# 1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6WA01# ±0.25pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6CA01# 1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R7CA01# ±0.25pF GRM1885C1H1R7CA01# ±0.25pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8CA01#					±0.1pF	GRM1885C1H1R2BA01#
#0.1pF GRM1885C1H1R3BA01# ±0.25pF GRM1885C1H1R3CA01#					±0.25pF	GRM1885C1H1R2CA01#
### ### ##############################				1.3pF	±0.05pF	GRM1885C1H1R3WA01#
1.4pF ±0.05pF GRM1885C1H1R4WA01# ±0.1pF GRM1885C1H1R4EA01# ±0.25pF GRM1885C1H1R4CA01# ±0.25pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5EA01# ±0.25pF GRM1885C1H1R5EA01# ±0.1pF GRM1885C1H1R6EA01# ±0.1pF GRM1885C1H1R6EA01# ±0.25pF GRM1885C1H1R6EA01# ±0.25pF GRM1885C1H1R7EA01# ±0.1pF GRM1885C1H1R7EA01# ±0.1pF GRM1885C1H1R7EA01# ±0.25pF GRM1885C1H1R7EA01# ±0.25pF GRM1885C1H1R7EA01# ±0.25pF GRM1885C1H1R7EA01# ±0.25pF GRM1885C1H1R8EA01# ±0.1pF GRM1885C1H1R8EA01# ±0.25pF GRM1885C1H1R8EA01#					±0.1pF	GRM1885C1H1R3BA01#
±0.1pF GRM1885C1H1R4BA01# ±0.25pF GRM1885C1H1R4CA01# 1.5pF ±0.05pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5BA01# ±0.25pF GRM1885C1H1R5CA01# 1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6BA01# ±0.25pF GRM1885C1H1R6CA01# 1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R7CA01# ±0.1pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8WA01#					±0.25pF	GRM1885C1H1R3CA01#
±0.25pF GRM1885C1H1R4CA01# 1.5pF ±0.05pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5BA01# ±0.25pF GRM1885C1H1R5CA01# 1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6BA01# ±0.25pF GRM1885C1H1R6CA01# 1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7BA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R7CA01# ±0.1pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8BA01#				1.4pF	±0.05pF	GRM1885C1H1R4WA01#
1.5pF ±0.05pF GRM1885C1H1R5WA01# ±0.1pF GRM1885C1H1R5BA01# ±0.25pF GRM1885C1H1R5CA01# 1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6CA01# ±0.25pF GRM1885C1H1R6CA01# ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7BA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R7CA01# ±0.1pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.25pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8CA01#					±0.1pF	GRM1885C1H1R4BA01#
#0.1pF GRM1885C1H1R5BA01# #0.25pF GRM1885C1H1R5CA01# #0.05pF GRM1885C1H1R6WA01# #0.1pF GRM1885C1H1R6BA01# #0.25pF GRM1885C1H1R6CA01# #0.1pF GRM1885C1H1R7WA01# #0.1pF GRM1885C1H1R7BA01# #0.25pF GRM1885C1H1R7CA01# #0.25pF GRM1885C1H1R7CA01# #0.1pF GRM1885C1H1R8WA01# #0.1pF GRM1885C1H1R8WA01# #0.25pF GRM1885C1H1R8WA01# #0.25pF GRM1885C1H1R8WA01# #0.25pF GRM1885C1H1R8CA01# #0.25pF				±0.25pF	GRM1885C1H1R4CA01#	
±0.25pF GRM1885C1H1R5CA01# 1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6BA01# ±0.25pF GRM1885C1H1R6CA01# 1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7BA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8BA01#				1.5pF		GRM1885C1H1R5WA01#
±0.25pF GRM1885C1H1R5CA01# 1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6BA01# ±0.25pF GRM1885C1H1R6CA01# 1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7BA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8BA01#					±0.1pF	GRM1885C1H1R5BA01#
1.6pF ±0.05pF GRM1885C1H1R6WA01# ±0.1pF GRM1885C1H1R6BA01# ±0.25pF GRM1885C1H1R6CA01# 1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7BA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8CA01#					· ·	
#0.1pF GRM1885C1H1R6BA01# #0.25pF GRM1885C1H1R6CA01# #0.05pF GRM1885C1H1R7WA01# #0.1pF GRM1885C1H1R7BA01# #0.25pF GRM1885C1H1R7CA01# #0.1pF GRM1885C1H1R8WA01# #0.1pF GRM1885C1H1R8BA01# #0.25pF GRM1885C1H1R8CA01# #0.25pF #0.25pF GRM1885C1H1R8CA01# #0.25pF #0.25p				1.6pF	· ·	
±0.25pF GRM1885C1H1R6CA01# 1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7BA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8CA01#				'	<u> </u>	
1.7pF ±0.05pF GRM1885C1H1R7WA01# ±0.1pF GRM1885C1H1R7BA01# ±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8CA01#					· ·	
±0.1pF				1.7pF		
±0.25pF GRM1885C1H1R7CA01# 1.8pF ±0.05pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8CA01#				pi	· ·	
1.8pF ±0.05pF GRM1885C1H1R8WA01# ±0.1pF GRM1885C1H1R8BA01# ±0.25pF GRM1885C1H1R8CA01#					· ·	
±0.1pF				1 2n=		
±0.25pF GRM1885C1H1R8CA01#				i.opr		
					· ·	
Part number # indicates the package specification code.						

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.9mm	50Vdc	COG	1.9pF	±0.05pF	GRM1885C1H1R9WA01#
				±0.1pF	GRM1885C1H1R9BA01#
				±0.25pF	GRM1885C1H1R9CA01#
			2.0pF	±0.05pF	GRM1885C1H2R0WA01#
				±0.1pF	GRM1885C1H2R0BA01#
				±0.25pF	GRM1885C1H2R0CA01#
			2.1pF	±0.05pF	GRM1885C1H2R1WA01#
				±0.1pF	GRM1885C1H2R1BA01#
				±0.25pF	GRM1885C1H2R1CA01#
			2.2pF	±0.05pF	GRM1885C1H2R2WA01#
				±0.1pF	GRM1885C1H2R2BA01#
				±0.25pF	GRM1885C1H2R2CA01#
			2.3pF	±0.05pF	GRM1885C1H2R3WA01#
			•	±0.1pF	GRM1885C1H2R3BA01#
				±0.25pF	GRM1885C1H2R3CA01#
			2.4pF	±0.05pF	GRM1885C1H2R4WA01#
			I.c.	±0.1pF	GRM1885C1H2R4BA01#
				±0.25pF	GRM1885C1H2R4CA01#
			2.5pF	±0.05pF	GRM1885C1H2R5WA01#
			2.001	±0.1pF	GRM1885C1H2R5BA01#
				±0.25pF	GRM1885C1H2R5CA01#
			2.6pF	±0.05pF	GRM1885C1H2R6WA01#
			2.001	±0.1pF	GRM1885C1H2R6BA01#
				-	GRM1885C1H2R6CA01#
			2.7pF	±0.25pF	
			2.7 pr	±0.05pF	GRM1885C1H2R7WA01#
				±0.1pF	GRM1885C1H2R7BA01#
			0.0-5	±0.25pF	GRM1885C1H2R7CA01#
			2.8pF	±0.05pF	GRM1885C1H2R8WA01#
				±0.1pF	GRM1885C1H2R8BA01#
			00.5	±0.25pF	GRM1885C1H2R8CA01#
			2.9pF	±0.05pF	GRM1885C1H2R9WA01#
				±0.1pF	GRM1885C1H2R9BA01#
				±0.25pF	GRM1885C1H2R9CA01#
			3.0pF	±0.05pF	GRM1885C1H3R0WA01#
				±0.1pF	GRM1885C1H3R0BA01#
				±0.25pF	GRM1885C1H3R0CA01#
			3.1pF	±0.05pF	GRM1885C1H3R1WA01#
				±0.1pF	GRM1885C1H3R1BA01#
				±0.25pF	
			3.2pF	±0.05pF	GRM1885C1H3R2WA01#
				±0.1pF	GRM1885C1H3R2BA01#
				±0.25pF	GRM1885C1H3R2CA01#
			3.3pF	±0.05pF	GRM1885C1H3R3WA01#
				±0.1pF	GRM1885C1H3R3BA01#
				±0.25pF	GRM1885C1H3R3CA01#
			3.4pF	±0.05pF	GRM1885C1H3R4WA01#
				±0.1pF	GRM1885C1H3R4BA01#
				±0.25pF	GRM1885C1H3R4CA01#
			3.5pF	±0.05pF	GRM1885C1H3R5WA01#
				±0.1pF	GRM1885C1H3R5BA01#
				±0.25pF	GRM1885C1H3R5CA01#
			3.6pF	±0.05pF	GRM1885C1H3R6WA01#
	1	ı		.04.5	
				±0.1pF	GRM1885C1H3R6BA01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.9mm	50Vdc	COG	3.7pF	±0.05pF	GRM1885C1H3R7WA01#	
				±0.1pF	GRM1885C1H3R7BA01#	
				±0.25pF	GRM1885C1H3R7CA01#	
			3.8pF	±0.05pF	GRM1885C1H3R8WA01#	
				±0.1pF	GRM1885C1H3R8BA01#	
				±0.25pF	GRM1885C1H3R8CA01#	
			3.9pF	±0.05pF	GRM1885C1H3R9WA01#	
				±0.1pF	GRM1885C1H3R9BA01#	
				±0.25pF	GRM1885C1H3R9CA01#	
			4.0pF	±0.05pF	GRM1885C1H4R0WA01#	
				±0.1pF	GRM1885C1H4R0BA01#	
				±0.25pF	GRM1885C1H4R0CA01#	
			4.1pF	±0.05pF	GRM1885C1H4R1WA01#	
				±0.1pF	GRM1885C1H4R1BA01#	
				±0.25pF		
			4.2pF	±0.05pF	GRM1885C1H4R2WA01#	
				±0.1pF	GRM1885C1H4R2BA01#	
				±0.25pF	GRM1885C1H4R2CA01#	
			4.3pF	±0.05pF	GRM1885C1H4R3WA01#	
				±0.1pF	GRM1885C1H4R3BA01#	
				±0.25pF		
			4.4pF	±0.05pF		
				±0.1pF	GRM1885C1H4R4BA01#	
				±0.25pF	GRM1885C1H4R4CA01#	
			4.5pF	±0.05pF	GRM1885C1H4R5WA01#	
				±0.1pF	GRM1885C1H4R5BA01#	
			4.0-5	±0.25pF	GRM1885C1H4R5CA01#	
			4.6pF	±0.05pF	GRM1885C1H4R6WA01#	
				±0.1pF ±0.25pF	GRM1885C1H4R6BA01# GRM1885C1H4R6CA01#	
			4.7pF	±0.25pF		
			4.7 pi	±0.1pF	GRM1885C1H4R7BA01#	
				±0.25pF	GRM1885C1H4R7CA01#	
			4.8pF	±0.05pF	GRM1885C1H4R8WA01#	
				±0.1pF	GRM1885C1H4R8BA01#	
				<u> </u>	GRM1885C1H4R8CA01#	
			4.9pF	±0.05pF		
			- 14.5	±0.1pF	GRM1885C1H4R9BA01#	
				±0.25pF		
			5.0pF	±0.05pF		
				±0.1pF	GRM1885C1H5R0BA01#	
				±0.25pF	GRM1885C1H5R0CA01#	
			5.1pF	±0.05pF	GRM1885C1H5R1WA01#	
				±0.1pF	GRM1885C1H5R1BA01#	
				±0.25pF	GRM1885C1H5R1CA01#	
				±0.5pF	GRM1885C1H5R1DA01#	
			5.2pF	±0.05pF	GRM1885C1H5R2WA01#	
				±0.1pF	GRM1885C1H5R2BA01#	
				±0.25pF	GRM1885C1H5R2CA01#	
				±0.5pF	GRM1885C1H5R2DA01#	
			5.3pF	±0.05pF	GRM1885C1H5R3WA01#	
				±0.1pF	GRM1885C1H5R3BA01#	
				±0.25pF	GRM1885C1H5R3CA01#	
				±0.5pF	GRM1885C1H5R3DA01#	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.9mm	50Vdc	COG	5.4pF	±0.05pF	GRM1885C1H5R4WA01#
				±0.1pF	GRM1885C1H5R4BA01#
				±0.25pF	GRM1885C1H5R4CA01#
				±0.5pF	GRM1885C1H5R4DA01#
			5.5pF	±0.05pF	GRM1885C1H5R5WA01#
				±0.1pF	GRM1885C1H5R5BA01#
				±0.25pF	GRM1885C1H5R5CA01#
				±0.5pF	GRM1885C1H5R5DA01#
			5.6pF	±0.05pF	GRM1885C1H5R6WA01#
				±0.1pF	GRM1885C1H5R6BA01#
				±0.25pF	GRM1885C1H5R6CA01#
				±0.5pF	GRM1885C1H5R6DA01#
			5.7pF	±0.05pF	GRM1885C1H5R7WA01#
				±0.1pF	GRM1885C1H5R7BA01#
				±0.25pF	GRM1885C1H5R7CA01#
				±0.5pF	GRM1885C1H5R7DA01#
			5.8pF	±0.05pF	GRM1885C1H5R8WA01#
				±0.1pF	GRM1885C1H5R8BA01#
				±0.25pF	GRM1885C1H5R8CA01#
				±0.5pF	GRM1885C1H5R8DA01#
			5.9pF	±0.05pF	GRM1885C1H5R9WA01#
				±0.1pF	GRM1885C1H5R9BA01#
				±0.25pF	GRM1885C1H5R9CA01#
				±0.5pF	GRM1885C1H5R9DA01#
			6.0pF	±0.05pF	GRM1885C1H6R0WA01#
				±0.1pF	GRM1885C1H6R0BA01#
				±0.25pF	GRM1885C1H6R0CA01#
				±0.5pF	GRM1885C1H6R0DA01#
			6.1pF	±0.05pF	GRM1885C1H6R1WA01#
			•	±0.1pF	GRM1885C1H6R1BA01#
				±0.25pF	GRM1885C1H6R1CA01#
				±0.5pF	GRM1885C1H6R1DA01#
			6.2pF	±0.05pF	GRM1885C1H6R2WA01#
			•	±0.1pF	GRM1885C1H6R2BA01#
				±0.25pF	GRM1885C1H6R2CA01#
				±0.5pF	GRM1885C1H6R2DA01#
			6.3pF	±0.05pF	GRM1885C1H6R3WA01#
				±0.1pF	GRM1885C1H6R3BA01#
				±0.25pF	GRM1885C1H6R3CA01#
				±0.5pF	GRM1885C1H6R3DA01#
			6.4pF	±0.05pF	GRM1885C1H6R4WA01#
			ор.	±0.1pF	GRM1885C1H6R4BA01#
				±0.25pF	GRM1885C1H6R4CA01#
				±0.5pF	GRM1885C1H6R4DA01#
			6.5pF	±0.05pF	GRM1885C1H6R5WA01#
			0.501	±0.1pF	GRM1885C1H6R5BA01#
				±0.1pF	GRM1885C1H6R5CA01#
					GRM1885C1H6R5DA01#
			6 6 n E	±0.5pF	
			6.6pF	±0.05pF	GRM1885C1H6R6WA01#
				±0.1pF	GRM1885C1H6R6BA01#
				±0.25pF	GRM1885C1H6R6CA01#
			0.7.5	±0.5pF	GRM1885C1H6R6DA01#
	I		6.7pF	±0.05pF	GRM1885C1H6R7WA01#
				±0.1pF	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.9mm	50Vdc		6.7nE	±0.255E	CDM1005C1U6D7CA01#	
0.911111	30 vac	COG	6.7pF	±0.25pF ±0.5pF	GRM1885C1H6R7CA01# GRM1885C1H6R7DA01#	
			6.8pF	±0.05pF	GRM1885C1H6R8WA01#	
				±0.05pi	GRM1885C1H6R8BA01#	
				±0.25pF	GRM1885C1H6R8CA01#	
				±0.5pF	GRM1885C1H6R8DA01#	
			6.9pF	±0.05pF	GRM1885C1H6R9WA01#	
			0.001	±0.1pF	GRM1885C1H6R9BA01#	
				±0.25pF	GRM1885C1H6R9CA01#	
				±0.5pF	GRM1885C1H6R9DA01#	
			7.0pF	±0.05pF	GRM1885C1H7R0WA01#	
			-1-	±0.1pF	GRM1885C1H7R0BA01#	
				±0.25pF	GRM1885C1H7R0CA01#	
				±0.5pF	GRM1885C1H7R0DA01#	
			7.1pF	±0.05pF	GRM1885C1H7R1WA01#	
				±0.1pF	GRM1885C1H7R1BA01#	
				±0.25pF	GRM1885C1H7R1CA01#	
				±0.5pF	GRM1885C1H7R1DA01#	
			7.2pF	±0.05pF	GRM1885C1H7R2WA01#	
				±0.1pF	GRM1885C1H7R2BA01#	
				±0.25pF	GRM1885C1H7R2CA01#	
				±0.5pF	GRM1885C1H7R2DA01#	
			7.3pF	±0.05pF	GRM1885C1H7R3WA01#	
				±0.1pF	GRM1885C1H7R3BA01#	
				±0.25pF	GRM1885C1H7R3CA01#	
				±0.5pF	GRM1885C1H7R3DA01#	
			7.4pF	±0.05pF	GRM1885C1H7R4WA01#	
				±0.1pF	GRM1885C1H7R4BA01#	
				±0.25pF	GRM1885C1H7R4CA01#	
				±0.5pF	GRM1885C1H7R4DA01#	
			7.5pF	±0.05pF	GRM1885C1H7R5WA01#	
				±0.1pF	GRM1885C1H7R5BA01#	
				±0.25pF	GRM1885C1H7R5CA01#	
				±0.5pF	GRM1885C1H7R5DA01#	
			7.6pF	±0.05pF	GRM1885C1H7R6WA01#	
				±0.1pF	GRM1885C1H7R6BA01#	
				±0.25pF	GRM1885C1H7R6CA01#	
				±0.5pF	GRM1885C1H7R6DA01#	
			7.7pF	±0.05pF	GRM1885C1H7R7WA01#	
				±0.1pF	GRM1885C1H7R7BA01#	
				±0.25pF	GRM1885C1H7R7CA01#	
			70-5	±0.5pF	GRM1885C1H7R7DA01#	
			7.8pF	±0.05pF	GRM1885C1H7R8WA01#	
				±0.1pF	GRM1885C1H7R8BA01#	
				±0.25pF	GRM1885C1H7R8CA01#	
			7.9pF	±0.5pF	GRM1885C1H7R8DA01# GRM1885C1H7R9WA01#	
			r.apr	±0.05pF ±0.1pF	GRM1885C1H7R9BA01#	
				±0.1pF	GRM1885C1H7R9CA01#	
				±0.5pF	GRM1885C1H7R9DA01#	
			8.0pF	±0.05pF	GRM1885C1H8R0WA01#	
				±0.1pF	GRM1885C1H8R0BA01#	
				±0.25pF	GRM1885C1H8R0CA01#	
				±0.5pF	GRM1885C1H8R0DA01#	
				3.0pi		

max.

0.9mm

(→ ■ 1	18.0×6.	nm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	50Vdc	COG	8.1pF	±0.05pF	GRM1885C1H8R1WA01#
				±0.1pF	GRM1885C1H8R1BA01#
				±0.25pF	GRM1885C1H8R1CA01#
				±0.5pF	GRM1885C1H8R1DA01#
			8.2pF	±0.05pF	GRM1885C1H8R2WA01#
				±0.1pF	GRM1885C1H8R2BA01#
				±0.25pF	GRM1885C1H8R2CA01#
				±0.5pF	GRM1885C1H8R2DA01#
			8.3pF	±0.05pF	GRM1885C1H8R3WA01#
				±0.1pF	GRM1885C1H8R3BA01#
				±0.25pF	GRM1885C1H8R3CA01#
				±0.5pF	GRM1885C1H8R3DA01#
			8.4pF	±0.05pF	GRM1885C1H8R4WA01#
				±0.1pF	GRM1885C1H8R4BA01#
				±0.25pF	GRM1885C1H8R4CA01#
				±0.5pF	GRM1885C1H8R4DA01#
			8.5pF	±0.05pF	GRM1885C1H8R5WA01#
				±0.1pF	GRM1885C1H8R5BA01#
				±0.25pF	GRM1885C1H8R5CA01#
				±0.5pF	GRM1885C1H8R5DA01#
			8.6pF	±0.05pF	GRM1885C1H8R6WA01#
				±0.1pF	GRM1885C1H8R6BA01#
				±0.25pF	GRM1885C1H8R6CA01#
				±0.5pF	GRM1885C1H8R6DA01#
			8.7pF	±0.05pF	GRM1885C1H8R7WA01#
				±0.1pF	GRM1885C1H8R7BA01#
				±0.25pF	GRM1885C1H8R7CA01#
				±0.5pF	GRM1885C1H8R7DA01#
			8.8pF	±0.05pF	GRM1885C1H8R8WA01#
				±0.1pF	GRM1885C1H8R8BA01#
				±0.25pF	GRM1885C1H8R8CA01#
				±0.5pF	GRM1885C1H8R8DA01#
			8.9pF	±0.05pF	GRM1885C1H8R9WA01#
				±0.1pF	GRM1885C1H8R9BA01#
				±0.25pF	GRM1885C1H8R9CA01#
				±0.5pF	GRM1885C1H8R9DA01#
			9.0pF	±0.05pF	GRM1885C1H9R0WA01#
				±0.1pF	GRM1885C1H9R0BA01#
				±0.25pF	GRM1885C1H9R0CA01#
				±0.5pF	GRM1885C1H9R0DA01#
			9.1pF	±0.05pF	GRM1885C1H9R1WA01#
				±0.1pF	GRM1885C1H9R1BA01#
				±0.25pF	GRM1885C1H9R1CA01#
				±0.5pF	GRM1885C1H9R1DA01#
			9.2pF	±0.05pF	GRM1885C1H9R2WA01#
				±0.1pF	GRM1885C1H9R2BA01#
				±0.25pF	GRM1885C1H9R2CA01#
				±0.5pF	GRM1885C1H9R2DA01#
			9.3pF	±0.05pF	GRM1885C1H9R3WA01#
				±0.1pF	GRM1885C1H9R3BA01#
				±0.25pF	GRM1885C1H9R3CA01#
				±0.5pF	GRM1885C1H9R3DA01#
			9.4pF	±0.05pF	GRM1885C1H9R4WA01#
				±0.1pF	GRM1885C1H9R4BA01#

Rated	TC	Cap.	Tol.	Part Number	
Voltage		0.4.5	.005.5		
50Vdc	COG	9.4pF	±0.25pF	GRM1885C1H9R4CA01#	
		0.5.5	±0.5pF	GRM1885C1H9R4DA01#	
		9.5pF	· ·	GRM1885C1H9R5WA01#	
			±0.1pF	GRM1885C1H9R5BA01#	
			±0.25pF ±0.5pF	GRM1885C1H9R5CA01# GRM1885C1H9R5DA01#	
		9.6pF	±0.05pF	GRM1885C1H9R6WA01#	
		J.0pi	±0.1pF	GRM1885C1H9R6BA01#	
			±0.25pF	GRM1885C1H9R6CA01#	
			±0.5pF	GRM1885C1H9R6DA01#	
		9.7pF	±0.05pF	GRM1885C1H9R7WA01#	
			±0.1pF	GRM1885C1H9R7BA01#	
			±0.25pF	GRM1885C1H9R7CA01#	
			±0.5pF	GRM1885C1H9R7DA01#	
		9.8pF	±0.05pF	GRM1885C1H9R8WA01#	
			±0.1pF	GRM1885C1H9R8BA01#	
			±0.25pF	GRM1885C1H9R8CA01#	
			±0.5pF	GRM1885C1H9R8DA01#	
		9.9pF	±0.05pF	GRM1885C1H9R9WA01#	
			±0.1pF	GRM1885C1H9R9BA01#	
			±0.25pF	GRM1885C1H9R9CA01#	
			±0.5pF	GRM1885C1H9R9DA01#	
		10pF	±5%	GRM1885C1H100JA01#	
		12pF	±5%	GRM1885C1H120JA01#	
		15pF	±5%	GRM1885C1H150JA01#	
		18pF	±5%	GRM1885C1H180JA01#	
		22pF	±5%	GRM1885C1H220JA01#	
		27pF	±5%	GRM1885C1H270JA01#	
		33pF	±5%	GRM1885C1H330JA01#	
		39pF	±5%	GRM1885C1H390JA01#	
		47pF	±5%	GRM1885C1H470JA01#	
		56pF	±5%	GRM1885C1H560JA01#	
		68pF	±5%	GRM1885C1H680JA01#	
		82pF	±5%	GRM1885C1H820JA01#	
		100pF	±5%	GRM1885C1H101JA01#	
		120pF	±5%	GRM1885C1H121JA01#	
		150pF	±5%	GRM1885C1H151JA01#	
		180pF	±5%	GRM1885C1H181JA01#	
		220pF	±5%	GRM1885C1H221JA01#	
		270pF	±5%	GRM1885C1H271JA01#	
		330pF	±5%	GRM1885C1H331JA01# GRM1885C1H391JA01#	
		390pF 470pF	±5%	GRM1885C1H391JA01# GRM1885C1H471JA01#	
		560pF	±5%	GRM1885C1H471JA01#	
		680pF	±5% ±5%	GRM1885C1H561JA01#	
		820pF	±5%	GRM1885C1H821JA01#	
		1000pF	±5%	GRM1885C1H102JA01#	
		1200pF	±5%	GRM1885C1H122JA01#	
		1500pF	±5%	GRM1885C1H152JA01#	
		1800pF	±5%	GRM1885C1H182JA01#	
		2200pF	±5%	GRM1885C1H222JA01#	
		2700pF	±5%	GRM1885C1H272JA01#	
		3300pF	±5%	GRM1885C1H332JA01#	
		3900pF	±5%	GRM1885C1H392JA01#	
1			l	cates the package specification	code.

т	Rated	mm)			
max.	Voltage	_	Сар.	Tol.	Part Number
0.9mm	50Vdc	COG	4700pF	±5%	GRM1885C1H472JA01#
			5600pF	±5%	GRM1885C1H562JA01#
			6800pF	±5%	GRM1885C1H682JA01#
			8200pF	±5%	GRM1885C1H822JA01#
			10000pF	±5%	GRM1885C1H103JA01#
		CK	0.50pF	±0.05pF	GRM1884C1HR50WA01#
				±0.1pF	GRM1884C1HR50BA01#
			0.60pF	±0.05pF	GRM1884C1HR60WA01#
				±0.1pF	GRM1884C1HR60BA01#
			0.70pF	±0.05pF	GRM1884C1HR70WA01#
				±0.1pF	GRM1884C1HR70BA01#
			0.80pF	±0.05pF	GRM1884C1HR80WA01#
				±0.1pF	GRM1884C1HR80BA01#
			0.90pF	±0.05pF	GRM1884C1HR90WA01#
				±0.1pF	GRM1884C1HR90BA01#
			1.0pF	±0.05pF	GRM1884C1H1R0WA01#
				±0.1pF	GRM1884C1H1R0BA01#
				±0.25pF	GRM1884C1H1R0CA01#
			1.1pF	±0.05pF	GRM1884C1H1R1WA01#
				±0.1pF	GRM1884C1H1R1BA01#
				±0.25pF	GRM1884C1H1R1CA01#
			1.2pF	±0.05pF	GRM1884C1H1R2WA01#
				±0.1pF	GRM1884C1H1R2BA01#
				±0.25pF	GRM1884C1H1R2CA01#
			1.3pF	±0.05pF	GRM1884C1H1R3WA01#
				±0.1pF	GRM1884C1H1R3BA01#
				±0.25pF	GRM1884C1H1R3CA01#
			1.4pF	±0.05pF	GRM1884C1H1R4WA01#
				±0.1pF	GRM1884C1H1R4BA01#
				±0.25pF	GRM1884C1H1R4CA01#
			1.5pF	±0.05pF	GRM1884C1H1R5WA01#
				±0.1pF	GRM1884C1H1R5BA01#
				±0.25pF	GRM1884C1H1R5CA01#
			1.6pF	±0.05pF	GRM1884C1H1R6WA01#
				±0.1pF	GRM1884C1H1R6BA01#
				±0.25pF	GRM1884C1H1R6CA01#
			1.7pF	±0.05pF	GRM1884C1H1R7WA01#
				±0.1pF	GRM1884C1H1R7BA01#
				±0.25pF	GRM1884C1H1R7CA01#
			1.8pF	±0.05pF	GRM1884C1H1R8WA01#
				±0.1pF	GRM1884C1H1R8BA01#
				±0.25pF	GRM1884C1H1R8CA01#
			1.9pF	±0.05pF	GRM1884C1H1R9WA01#
				±0.1pF	GRM1884C1H1R9BA01#
				±0.25pF	GRM1884C1H1R9CA01#
			2.0pF	±0.05pF	GRM1884C1H2R0WA01#
				±0.1pF	GRM1884C1H2R0BA01#
				±0.25pF	GRM1884C1H2R0CA01#
		CJ	2.1pF	±0.05pF	GRM1883C1H2R1WA01#
				±0.1pF	GRM1883C1H2R1BA01#
				±0.25pF	GRM1883C1H2R1CA01#
			2.2pF	±0.05pF	GRM1883C1H2R2WA01#
				±0.1pF	GRM1883C1H2R2BA01#
				±0.25pF	GRM1883C1H2R2CA01#

Т	Rated	тс	0	T-1	David November	
max.	Voltage		Сар.	Tol.	Part Number	
0.9mm	50Vdc	CJ	2.3pF	±0.05pF	GRM1883C1H2R3WA01#	
				±0.1pF	GRM1883C1H2R3BA01#	
				±0.25pF	GRM1883C1H2R3CA01#	
			2.4pF	±0.05pF	GRM1883C1H2R4WA01#	
				±0.1pF	GRM1883C1H2R4BA01#	
				±0.25pF	GRM1883C1H2R4CA01#	
			2.5pF	±0.05pF	GRM1883C1H2R5WA01#	
				±0.1pF	GRM1883C1H2R5BA01#	
				±0.25pF	GRM1883C1H2R5CA01#	
			2.6pF	±0.05pF	GRM1883C1H2R6WA01#	
				±0.1pF	GRM1883C1H2R6BA01#	
				±0.25pF	GRM1883C1H2R6CA01#	
			2.7pF	±0.05pF	GRM1883C1H2R7WA01#	
				±0.1pF	GRM1883C1H2R7BA01#	
				±0.25pF	GRM1883C1H2R7CA01#	
			2.8pF	±0.05pF	GRM1883C1H2R8WA01#	
				±0.1pF	GRM1883C1H2R8BA01#	
				±0.25pF	GRM1883C1H2R8CA01#	
			2.9pF	±0.05pF	GRM1883C1H2R9WA01#	
				±0.1pF	GRM1883C1H2R9BA01#	
				±0.25pF	GRM1883C1H2R9CA01#	
			3.0pF	±0.05pF	GRM1883C1H3R0WA01#	
				±0.1pF	GRM1883C1H3R0BA01#	
				±0.25pF	GRM1883C1H3R0CA01#	
			3.1pF	±0.05pF	GRM1883C1H3R1WA01#	
				±0.1pF	GRM1883C1H3R1BA01#	
				±0.25pF	GRM1883C1H3R1CA01#	
			3.2pF	±0.05pF	GRM1883C1H3R2WA01#	
				±0.1pF	GRM1883C1H3R2BA01#	
				±0.25pF	GRM1883C1H3R2CA01#	
			3.3pF	±0.05pF	GRM1883C1H3R3WA01#	
				±0.1pF	GRM1883C1H3R3BA01#	
				±0.25pF	GRM1883C1H3R3CA01#	
			3.4pF	±0.05pF	GRM1883C1H3R4WA01#	
				±0.1pF	GRM1883C1H3R4BA01#	
				±0.25pF	GRM1883C1H3R4CA01#	
			3.5pF	±0.05pF	GRM1883C1H3R5WA01#	
				±0.1pF	GRM1883C1H3R5BA01#	
				±0.25pF	GRM1883C1H3R5CA01#	
			3.6pF	±0.05pF	GRM1883C1H3R6WA01#	
				±0.1pF	GRM1883C1H3R6BA01#	
				±0.25pF	GRM1883C1H3R6CA01#	
			3.7pF	±0.05pF	GRM1883C1H3R7WA01#	
				±0.1pF	GRM1883C1H3R7BA01#	
				±0.25pF	GRM1883C1H3R7CA01#	
			3.8pF	±0.05pF	GRM1883C1H3R8WA01#	
				±0.1pF	GRM1883C1H3R8BA01#	
				±0.25pF	GRM1883C1H3R8CA01#	
			3.9pF	±0.05pF	GRM1883C1H3R9WA01#	
				±0.1pF	GRM1883C1H3R9BA01#	
			40.5	±0.25pF	GRM1883C1H3R9CA01#	
		CH	4.0pF	±0.05pF	GRM1882C1H4R0WA01#	
				±0.1pF	GRM1882C1H4R0BA01#	
				±0.25pF	GRM1882C1H4R0CA01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	50Vdc	СН	4.1pF	±0.05pF	GRM1882C1H4R1WA01#
				±0.1pF	GRM1882C1H4R1BA01#
				±0.25pF	GRM1882C1H4R1CA01#
			4.2pF	±0.05pF	GRM1882C1H4R2WA01#
				±0.1pF	GRM1882C1H4R2BA01#
				±0.25pF	GRM1882C1H4R2CA01#
			4.3pF	±0.05pF	GRM1882C1H4R3WA01#
			-1-	±0.1pF	GRM1882C1H4R3BA01#
				±0.25pF	
			4.4pF	±0.05pF	GRM1882C1H4R4WA01#
				±0.1pF	GRM1882C1H4R4BA01#
				±0.25pF	GRM1882C1H4R4CA01#
			1 EnE	-	
			4.5pF	±0.05pF	GRM1882C1H4R5WA01#
				±0.1pF	GRM1882C1H4R5BA01#
				±0.25pF	GRM1882C1H4R5CA01#
			4.6pF	±0.05pF	
				±0.1pF	GRM1882C1H4R6BA01#
				±0.25pF	GRM1882C1H4R6CA01#
			4.7pF	±0.05pF	GRM1882C1H4R7WA01#
				±0.1pF	GRM1882C1H4R7BA01#
				±0.25pF	GRM1882C1H4R7CA01#
			4.8pF	±0.05pF	GRM1882C1H4R8WA01#
				±0.1pF	GRM1882C1H4R8BA01#
				±0.25pF	GRM1882C1H4R8CA01#
			4.9pF	±0.05pF	GRM1882C1H4R9WA01#
				±0.1pF	GRM1882C1H4R9BA01#
				±0.25pF	GRM1882C1H4R9CA01#
			5.0pF	±0.05pF	GRM1882C1H5R0WA01#
			•	±0.1pF	GRM1882C1H5R0BA01#
				±0.25pF	GRM1882C1H5R0CA01#
			5.1pF	±0.05pF	GRM1882C1H5R1WA01#
			0.101	±0.1pF	GRM1882C1H5R1BA01#
				±0.25pF	GRM1882C1H5R1CA01#
			F 0 F	±0.5pF	GRM1882C1H5R1DA01#
			5.2pF	±0.05pF	
				±0.1pF	GRM1882C1H5R2BA01#
				±0.25pF	GRM1882C1H5R2CA01#
				±0.5pF	GRM1882C1H5R2DA01#
			5.3pF	±0.05pF	
				±0.1pF	GRM1882C1H5R3BA01#
				±0.25pF	GRM1882C1H5R3CA01#
				±0.5pF	GRM1882C1H5R3DA01#
			5.4pF	±0.05pF	GRM1882C1H5R4WA01#
				±0.1pF	GRM1882C1H5R4BA01#
				±0.25pF	GRM1882C1H5R4CA01#
				±0.5pF	GRM1882C1H5R4DA01#
			5.5pF	±0.05pF	GRM1882C1H5R5WA01#
				±0.1pF	GRM1882C1H5R5BA01#
				±0.25pF	
				±0.5pF	GRM1882C1H5R5DA01#
			5.6pF	±0.05pF	GRM1882C1H5R6WA01#
			J.0pi	±0.1pF	GRM1882C1H5R6BA01#
				±0.1pF	GRM1882C1H5R6CA01#
				-	
				±0.5pF	GRM1882C1H5R6DA01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.9mm	50Vdc	СН	5.7pF	±0.05pF	GRM1882C1H5R7WA01#	
				±0.1pF	GRM1882C1H5R7BA01#	
				±0.25pF	GRM1882C1H5R7CA01#	
				±0.5pF	GRM1882C1H5R7DA01#	
			5.8pF	±0.05pF	GRM1882C1H5R8WA01#	
				±0.1pF	GRM1882C1H5R8BA01#	
				±0.25pF	GRM1882C1H5R8CA01#	
				±0.5pF	GRM1882C1H5R8DA01#	
			5.9pF	±0.05pF	GRM1882C1H5R9WA01#	
				±0.1pF	GRM1882C1H5R9BA01#	
				±0.25pF	GRM1882C1H5R9CA01#	
				±0.5pF	GRM1882C1H5R9DA01#	
			6.0pF	±0.05pF	GRM1882C1H6R0WA01#	
				±0.1pF	GRM1882C1H6R0BA01#	
				±0.25pF	GRM1882C1H6R0CA01#	
				±0.5pF	GRM1882C1H6R0DA01#	
			6.1pF	±0.05pF	GRM1882C1H6R1WA01#	
				±0.1pF	GRM1882C1H6R1BA01#	
				±0.25pF	GRM1882C1H6R1CA01#	
				±0.5pF	GRM1882C1H6R1DA01#	
			6.2pF	±0.05pF	GRM1882C1H6R2WA01#	
				±0.1pF	GRM1882C1H6R2BA01#	
				±0.25pF	GRM1882C1H6R2CA01#	
				±0.5pF	GRM1882C1H6R2DA01#	
			6.3pF	±0.05pF	GRM1882C1H6R3WA01#	
				±0.1pF	GRM1882C1H6R3BA01#	
				±0.25pF	GRM1882C1H6R3CA01#	
				±0.5pF	GRM1882C1H6R3DA01#	
			6.4pF	±0.05pF	GRM1882C1H6R4WA01#	
				±0.1pF	GRM1882C1H6R4BA01#	
				±0.25pF	GRM1882C1H6R4CA01#	
				±0.5pF	GRM1882C1H6R4DA01#	
			6.5pF	±0.05pF	GRM1882C1H6R5WA01#	
				±0.1pF	GRM1882C1H6R5BA01#	
				±0.25pF	GRM1882C1H6R5CA01#	
				±0.5pF	GRM1882C1H6R5DA01#	
			6.6pF	±0.05pF	GRM1882C1H6R6WA01#	
				±0.1pF	GRM1882C1H6R6BA01#	
				±0.25pF	GRM1882C1H6R6CA01#	
				±0.5pF	GRM1882C1H6R6DA01#	
			6.7pF	±0.05pF	GRM1882C1H6R7WA01#	
				±0.1pF	GRM1882C1H6R7BA01#	
				±0.25pF	GRM1882C1H6R7CA01#	
				±0.5pF	GRM1882C1H6R7DA01#	
			6.8pF	±0.05pF	GRM1882C1H6R8WA01#	
				±0.1pF	GRM1882C1H6R8BA01#	
				±0.25pF	GRM1882C1H6R8CA01#	
				±0.5pF	GRM1882C1H6R8DA01#	
			6.9pF	±0.05pF	GRM1882C1H6R9WA01#	
				±0.1pF	GRM1882C1H6R9BA01#	
				±0.25pF	GRM1882C1H6R9CA01#	
				±0.5pF	GRM1882C1H6R9DA01#	
			7.0pF	±0.05pF	GRM1882C1H7R0WA01#	
				±0.1pF	GRM1882C1H7R0BA01#	

(→ ■ 1	.6×0.8ı	mm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.9mm	50Vdc	СН	7.0pF	±0.25pF	GRM1882C1H7R0CA01#
				±0.5pF	GRM1882C1H7R0DA01#
			7.1pF	±0.05pF	GRM1882C1H7R1WA01#
				±0.1pF	GRM1882C1H7R1BA01#
				±0.25pF	GRM1882C1H7R1CA01#
				±0.5pF	GRM1882C1H7R1DA01#
			7.2pF	±0.05pF	GRM1882C1H7R2WA01#
				±0.1pF	GRM1882C1H7R2BA01#
				±0.25pF	GRM1882C1H7R2CA01#
				±0.5pF	GRM1882C1H7R2DA01#
			7.3pF	±0.05pF	GRM1882C1H7R3WA01#
				±0.1pF	GRM1882C1H7R3BA01#
				±0.25pF	GRM1882C1H7R3CA01#
				±0.5pF	GRM1882C1H7R3DA01#
			7.4pF	±0.05pF	GRM1882C1H7R4WA01#
				±0.1pF	GRM1882C1H7R4BA01#
				±0.25pF	GRM1882C1H7R4CA01#
				±0.5pF	GRM1882C1H7R4DA01#
			7.5pF	±0.05pF	GRM1882C1H7R5WA01#
			·	±0.1pF	GRM1882C1H7R5BA01#
				±0.25pF	GRM1882C1H7R5CA01#
				±0.5pF	GRM1882C1H7R5DA01#
			7.6pF	±0.05pF	GRM1882C1H7R6WA01#
			•	±0.1pF	GRM1882C1H7R6BA01#
				±0.25pF	GRM1882C1H7R6CA01#
				±0.5pF	GRM1882C1H7R6DA01#
			7.7pF	±0.05pF	GRM1882C1H7R7WA01#
			p.	±0.1pF	GRM1882C1H7R7BA01#
				±0.25pF	GRM1882C1H7R7CA01#
				±0.5pF	GRM1882C1H7R7DA01#
			7.8pF	±0.05pF	GRM1882C1H7R8WA01#
			7.0pi	±0.1pF	GRM1882C1H7R8BA01#
				±0.25pF	GRM1882C1H7R8CA01#
				±0.5pF	GRM1882C1H7R8DA01#
			7.9pF	±0.05pF	GRM1882C1H7R9WA01#
			7.5pi	±0.1pF	GRM1882C1H7R9BA01#
				±0.1pi	GRM1882C1H7R9CA01#
			9.0nE	±0.5pF	GRM1882C1H7R9DA01#
			8.0pF	±0.05pF	GRM1882C1H8R0WA01#
				±0.1pF	GRM1882C1H8R0BA01#
				±0.25pF	GRM1882C1H8R0CA01#
			0.4.5	±0.5pF	GRM1882C1H8R0DA01#
			8.1pF	±0.05pF	GRM1882C1H8R1WA01#
				±0.1pF	GRM1882C1H8R1BA01#
				±0.25pF	GRM1882C1H8R1CA01#
			00.5	±0.5pF	GRM1882C1H8R1DA01#
			8.2pF	±0.05pF	GRM1882C1H8R2WA01#
				±0.1pF	GRM1882C1H8R2BA01#
				±0.25pF	GRM1882C1H8R2CA01#
				±0.5pF	GRM1882C1H8R2DA01#
			8.3pF	±0.05pF	GRM1882C1H8R3WA01#
				±0.1pF	GRM1882C1H8R3BA01#
				±0.25pF	GRM1882C1H8R3CA01#
				±0.5pF	GRM1882C1H8R3DA01#

Temax							
### 10.1pF GRM1882C1H8R4BA01# ### 10.5pF GRM1882C1H8R5WA01# ### 10.5pF GRM1882C1H8R6BA01# ### 10.5pF GRM1882C1H8R6BA01# ### 10.5pF GRM1882C1H8R6BA01# ### 10.5pF GRM1882C1H8R6BA01# ### 10.5pF GRM1882C1H8R7WA01# ### 10.5pF GRM1882C1H8R8WA01# ### 10.5pF GRM1882C1H8R8WA01# ### 10.5pF GRM1882C1H8R8WA01# ### 10.5pF GRM1882C1H8R8WA01# ### 10.5pF GRM1882C1H8R9WA01# ### 10.5pF GRM1882C1H8R9WA01# ### 10.5pF GRM1882C1H8R9WA01# ### 10.5pF GRM1882C1H8R9WA01# ### 10.5pF GRM1882C1H9R0WA01# #### 10.5pF GRM1882C1H9R0WA01# ### 10.5pF GRM1882C1H9R0WA01# ### 10.5pF GRM1882C1H9R0WA0	T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
#0.25pF GRM1882C1H8R4DA01# #0.5pF GRM1882C1H8R5BA01# #0.1pF GRM1882C1H8R5BA01# #0.5pF GRM1882C1H8R5BA01# #0.5pF GRM1882C1H8R5BA01# #0.5pF GRM1882C1H8R5BA01# #0.5pF GRM1882C1H8R6WA01# #0.1pF GRM1882C1H8R6BA01# #0.5pF GRM1882C1H8R6BA01# #0.5pF GRM1882C1H8R6BA01# #0.5pF GRM1882C1H8R6BA01# #0.5pF GRM1882C1H8R7WA01# #0.5pF GRM1882C1H8R7WA01# #0.5pF GRM1882C1H8R7WA01# #0.5pF GRM1882C1H8R7BA01# #0.5pF GRM1882C1H8R7BA01# #0.5pF GRM1882C1H8R8A01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R9WA01# #0.5pF GRM1882C1H8R9WA01# #0.5pF GRM1882C1H8R9BA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R3WA01#	0.9mm	50Vdc	СН	8.4pF	±0.05pF	GRM1882C1H8R4WA01#	
### ### ### ### ### ### ### ### ### ##					±0.1pF	GRM1882C1H8R4BA01#	
8.5pF					±0.25pF	GRM1882C1H8R4CA01#	
### ### ### ### ### ### ### ### ### ##					±0.5pF	GRM1882C1H8R4DA01#	
#0.5pF GRM1882C1H8R5CA01# #0.5pF GRM1882C1H8R6M01# #0.1pF GRM1882C1H8R6M01# #0.5pF GRM1882C1H8R6M01# #0.5pF GRM1882C1H8R6M01# #0.5pF GRM1882C1H8R6M01# #0.5pF GRM1882C1H8R7BA01# #0.5pF GRM1882C1H8R7BA01# #0.5pF GRM1882C1H8R7BA01# #0.5pF GRM1882C1H8R7DA01# #0.5pF GRM1882C1H8R7DA01# #0.5pF GRM1882C1H8R8WA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8RBA01# #0.5pF GRM1882C1H8RBA01# #0.5pF GRM1882C1H8R9BA01# #0.5pF GRM1882C1H8R9BA01# #0.5pF GRM1882C1H8R9BA01# #0.5pF GRM1882C1H8R9BA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01#				8.5pF	±0.05pF	GRM1882C1H8R5WA01#	
### ### ### ### ### ### ### ### ### ##					±0.1pF	GRM1882C1H8R5BA01#	
8.6pF					±0.25pF	GRM1882C1H8R5CA01#	
### 10.1pF GRM1882C1H8R6BA01# ±0.25pF GRM1882C1H8R7BA01# ±0.1pF GRM1882C1H8R7BA01# ±0.25pF GRM1882C1H8R7BA01# ±0.25pF GRM1882C1H8R8WA01# ±0.25pF GRM1882C1H8R8WA01# ±0.25pF GRM1882C1H8R8BA01# ±0.25pF GRM1882C1H8R8BA01# ±0.25pF GRM1882C1H8R8BA01# ±0.25pF GRM1882C1H8R8BA01# ±0.25pF GRM1882C1H8R9WA01# ±0.25pF GRM1882C1H8R9WA01# ±0.5pF GRM1882C1H8R9WA01# ±0.5pF GRM1882C1H8R9WA01# ±0.5pF GRM1882C1H8R9WA01# ±0.5pF GRM1882C1H9R9WA01# ±0.5pF GRM1882C1H9R9WA01# ±0.5pF GRM1882C1H9R0BA01# ±0.5pF GRM1882C1H9R0BA01# ±0.5pF GRM1882C1H9R0BA01# ±0.5pF GRM1882C1H9R0BA01# ±0.5pF GRM1882C1H9R0BA01# ±0.5pF GRM1882C1H9R0BA01# ±0.5pF GRM1882C1H9R1WA01# ±0.5pF GRM1882C1H9R2WA01# ±0.1pF GRM1882C1H9R2WA01# ±0.1pF GRM1882C1H9R2WA01# ±0.25pF GRM1882C1H9R2WA01# ±0.25pF GRM1882C1H9R2WA01# ±0.25pF GRM1882C1H9R3WA01# ±0.25pF GRM1882C1H9R5WA01# ±0.25pF GRM1882C1H9R5DA01# ±0.25pF GRM					±0.5pF	GRM1882C1H8R5DA01#	
#0.5pF GRM1882C1H8R6CA01# #0.5pF GRM1882C1H8R7CA01# #0.1pF GRM1882C1H8R7CA01# #0.5pF GRM1882C1H8R7CA01# #0.5pF GRM1882C1H8R7CA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8BA01# #0.5pF GRM1882C1H8R8DA01# #0.5pF GRM1882C1H8R8DA01# #0.5pF GRM1882C1H8R8DA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H9R9DA01# #0.5pF GRM1882C1H9R9DA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9				8.6pF	±0.05pF	GRM1882C1H8R6WA01#	
### 10.5pF GRM1882C1H8R6DA01# ### 10.25pF GRM1882C1H8R7WA01# ### 10.5pF GRM1882C1H8R7WA01# ### 10.5pF GRM1882C1H8R7WA01# ### 10.5pF GRM1882C1H8R8WA01# ### 10.5pF GRM1882C1H8R8WA01# ### 10.5pF GRM1882C1H8R8WA01# ### 10.5pF GRM1882C1H8R9WA01# ### 10.5pF GRM1882C1H9R9WA01# ### 10.5pF GRM1882C1H9R9WA01# ### 10.5pF GRM1882C1H9R0WA01# ### 10.5pF GRM1882C1H9R0WA01# ### 10.5pF GRM1882C1H9R0WA01# ### 10.5pF GRM1882C1H9R0WA01# ### 10.5pF GRM1882C1H9R1WA01# ### 10.5pF GRM1882C1H9R1WA01# ### 10.5pF GRM1882C1H9R1WA01# ### 10.5pF GRM1882C1H9R1WA01# ### 10.5pF GRM1882C1H9R2WA01# ### 10.5pF GRM1882C1H9R2WA01# ### 10.5pF GRM1882C1H9R2WA01# ### 10.5pF GRM1882C1H9R2WA01# ### 10.5pF GRM1882C1H9R3WA01# ### 10.5pF GRM1882C1H9R5WA01# ### 1					±0.1pF	GRM1882C1H8R6BA01#	
8.7pF					±0.25pF	GRM1882C1H8R6CA01#	
### 10.1pF GRM1882C1H8R7BA01# #0.25pF GRM1882C1H8R7CA01# #0.5pF GRM1882C1H8R8WA01# #0.1pF GRM1882C1H8R8WA01# #0.5pF GRM1882C1H8R8WA01# #0.5pF GRM1882C1H8R8WA01# #0.5pF GRM1882C1H8R8WA01# #0.5pF GRM1882C1H8R8WA01# #0.5pF GRM1882C1H8R8WA01# #0.5pF GRM1882C1H8R9WA01# #0.5pF GRM1882C1H8R9PA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6DA01# #					±0.5pF	GRM1882C1H8R6DA01#	
#0.25pF GRM1882C1H8R7CA01# #0.5pF GRM1882C1H8R8WA01# #0.1pF GRM1882C1H8R8WA01# #0.25pF GRM1882C1H8R8CA01# #0.5pF GRM1882C1H8R8CA01# #0.5pF GRM1882C1H8R8DA01# #0.5pF GRM1882C1H8R9BA01# #0.1pF GRM1882C1H8R9BA01# #0.25pF GRM1882C1H8R9BA01# #0.25pF GRM1882C1H8R9BA01# #0.25pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H9R0WA01# #0.1pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3BA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4BA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R6BA01#				8.7pF	±0.05pF	GRM1882C1H8R7WA01#	
### ### ### ### ### ### ### ### ### ##					±0.1pF	GRM1882C1H8R7BA01#	
8.8pF ±0.05pF GRM1882C1H8R8WA01# ±0.1pF GRM1882C1H8R8BA01# ±0.25pF GRM1882C1H8R8DA01# ±0.5pF GRM1882C1H8R8DA01# ±0.5pF GRM1882C1H8R9DA01# ±0.25pF GRM1882C1H8R9DA01# ±0.5pF GRM1882C1H9R0MA01# ±0.5pF GRM1882C1H9R0MA01# ±0.5pF GRM1882C1H9R0MA01# ±0.5pF GRM1882C1H9R0MA01# ±0.5pF GRM1882C1H9R0MA01# ±0.5pF GRM1882C1H9R1WA01# ±0.5pF GRM1882C1H9R1WA01# ±0.5pF GRM1882C1H9R1WA01# ±0.5pF GRM1882C1H9R1DA01# ±0.5pF GRM1882C1H9R2WA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R6WA01#					±0.25pF	GRM1882C1H8R7CA01#	
#0.1pF GRM1882C1H8R8BA01# #0.25pF GRM1882C1H8R8CA01# #0.5pF GRM1882C1H8R8DA01# #0.1pF GRM1882C1H8R9BA01# #0.1pF GRM1882C1H8R9BA01# #0.25pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H9R0WA01# #0.1pF GRM1882C1H9R0WA01# #0.1pF GRM1882C1H9R0WA01# #0.25pF GRM1882C1H9R0BA01# #0.25pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0DA01# #0.1pF GRM1882C1H9R0DA01# #0.1pF GRM1882C1H9R1WA01# #0.25pF GRM1882C1H9R1WA01# #0.25pF GRM1882C1H9R1DA01# #0.25pF GRM1882C1H9R1DA01# #0.25pF GRM1882C1H9R2WA01# #0.25pF GRM1882C1H9R2WA01# #0.25pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R6WA01#					±0.5pF	GRM1882C1H8R7DA01#	
#0.25pF GRM1882C1H8R8CA01# #0.5pF GRM1882C1H8R9WA01# #0.1pF GRM1882C1H8R9WA01# #0.25pF GRM1882C1H8R9WA01# #0.5pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1				8.8pF	±0.05pF	GRM1882C1H8R8WA01#	
#0.5pF GRM1882C1H8R8DA01# #0.1pF GRM1882C1H8R9WA01# #0.25pF GRM1882C1H8R9DA01# #0.5pF GRM1882C1H9R9DA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R1WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R6WA01#					±0.1pF	GRM1882C1H8R8BA01#	
8.9pF					±0.25pF	GRM1882C1H8R8CA01#	
#0.1pF GRM1882C1H8R9BA01# #0.5pF GRM1882C1H9R9DA01# #0.1pF GRM1882C1H9R0MA01# #0.25pF GRM1882C1H9R0MA01# #0.25pF GRM1882C1H9R0MA01# #0.25pF GRM1882C1H9R0MA01# #0.5pF GRM1882C1H9R0MA01# #0.5pF GRM1882C1H9R0MA01# #0.1pF GRM1882C1H9R1MA01# #0.25pF GRM1882C1H9R1MA01# #0.5pF GRM1882C1H9R1MA01# #0.5pF GRM1882C1H9R2MA01# #0.5pF GRM1882C1H9R2MA01# #0.5pF GRM1882C1H9R2MA01# #0.5pF GRM1882C1H9R2MA01# #0.5pF GRM1882C1H9R3MA01# #0.5pF GRM1882C1H9R3MA01# #0.5pF GRM1882C1H9R3MA01# #0.5pF GRM1882C1H9R3MA01# #0.5pF GRM1882C1H9R3MA01# #0.5pF GRM1882C1H9R4MA01# #0.5pF GRM1882C1H9R4MA01# #0.5pF GRM1882C1H9R4MA01# #0.5pF GRM1882C1H9R4MA01# #0.5pF GRM1882C1H9R5MA01# #0.5pF GRM1882C1H9R6MA01# #0.5pF GRM1882					±0.5pF	GRM1882C1H8R8DA01#	
#0.25pF GRM1882C1H8R9CA01# #0.5pF GRM1882C1H9R0WA01# #0.1pF GRM1882C1H9R0BA01# #0.25pF GRM1882C1H9R0BA01# #0.25pF GRM1882C1H9R0CA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R1WA01# #0.1pF GRM1882C1H9R1BA01# #0.25pF GRM1882C1H9R1CA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2WA01# #0.1pF GRM1882C1H9R2WA01# #0.25pF GRM1882C1H9R2DA01# #0.25pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.25pF GRM1882C1H9R3WA01# #0.25pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6BA01#				8.9pF	±0.05pF	GRM1882C1H8R9WA01#	
#0.5pF GRM1882C1H9R0WA01# #0.1pF GRM1882C1H9R0WA01# #0.25pF GRM1882C1H9R0BA01# #0.25pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R0DA01# #0.5pF GRM1882C1H9R1WA01# #0.1pF GRM1882C1H9R1BA01# #0.25pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3WA01# #0.25pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5BA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6BA01#					±0.1pF	GRM1882C1H8R9BA01#	
9.0pF ±0.05pF GRM1882C1H9R0WA01# ±0.25pF GRM1882C1H9R0BA01# ±0.5pF GRM1882C1H9R0DA01# ±0.5pF GRM1882C1H9R1WA01# ±0.5pF GRM1882C1H9R1WA01# ±0.25pF GRM1882C1H9R1BA01# ±0.25pF GRM1882C1H9R1DA01# ±0.5pF GRM1882C1H9R2WA01# ±0.5pF GRM1882C1H9R2WA01# ±0.5pF GRM1882C1H9R2WA01# ±0.5pF GRM1882C1H9R2DA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R3WA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4DA01# ±0.5pF GRM1882C1H9R4DA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R6BA01#					±0.25pF	GRM1882C1H8R9CA01#	
#0.1pF GRM1882C1H9R0BA01# #0.25pF GRM1882C1H9R0CA01# #0.5pF GRM1882C1H9R0DA01# #0.1pF #0.05pF GRM1882C1H9R1WA01# #0.1pF GRM1882C1H9R1BA01# #0.25pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2WA01# #0.1pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3WA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01#					±0.5pF	GRM1882C1H8R9DA01#	
#0.25pF GRM1882C1H9R0CA01# #0.5pF GRM1882C1H9R1WA01# #0.1pF GRM1882C1H9R1BA01# #0.25pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2WA01# #0.1pF GRM1882C1H9R2WA01# #0.25pF GRM1882C1H9R2WA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01#				9.0pF	±0.05pF	GRM1882C1H9R0WA01#	
### ### ### ### ### ### ### ### ### ##					±0.1pF	GRM1882C1H9R0BA01#	
9.1pF ±0.05pF GRM1882C1H9R1WA01# ±0.25pF GRM1882C1H9R1DA01# ±0.5pF GRM1882C1H9R1DA01# ±0.5pF GRM1882C1H9R2WA01# ±0.05pF GRM1882C1H9R2WA01# ±0.25pF GRM1882C1H9R2DA01# ±0.5pF GRM1882C1H9R2DA01# ±0.5pF GRM1882C1H9R3WA01# ±0.1pF GRM1882C1H9R3WA01# ±0.25pF GRM1882C1H9R3WA01# ±0.25pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4WA01# ±0.5pF GRM1882C1H9R4DA01# ±0.25pF GRM1882C1H9R4DA01# ±0.25pF GRM1882C1H9R4DA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R6WA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.25pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01#					±0.25pF	GRM1882C1H9R0CA01#	
#0.1pF GRM1882C1H9R1BA01# #0.25pF GRM1882C1H9R1DA01# #0.5pF GRM1882C1H9R2WA01# #0.1pF GRM1882C1H9R2WA01# #0.25pF GRM1882C1H9R2BA01# #0.25pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3WA01# #0.25pF GRM1882C1H9R3BA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4CA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5DA01# #0.25pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6DA01#					±0.5pF	GRM1882C1H9R0DA01#	
# ±0.25pF GRM1882C1H9R1CA01# # ±0.5pF GRM1882C1H9R2WA01# # ±0.1pF GRM1882C1H9R2BA01# # ±0.25pF GRM1882C1H9R2DA01# # ±0.5pF GRM1882C1H9R2DA01# # ±0.5pF GRM1882C1H9R3WA01# # ±0.1pF GRM1882C1H9R3WA01# # ±0.25pF GRM1882C1H9R3DA01# # ±0.5pF GRM1882C1H9R3DA01# # ±0.5pF GRM1882C1H9R3DA01# # ±0.5pF GRM1882C1H9R4WA01# # ±0.5pF GRM1882C1H9R4WA01# # ±0.25pF GRM1882C1H9R4DA01# # ±0.5pF GRM1882C1H9R4DA01# # ±0.5pF GRM1882C1H9R4DA01# # ±0.5pF GRM1882C1H9R5DA01# # ±0.5pF GRM1882C1H9R6WA01# # ±0.5pF GRM1882C1H9R6WA01# # ±0.5pF GRM1882C1H9R6DA01#			9.1pF				
#0.5pF GRM1882C1H9R1DA01# #0.1pF GRM1882C1H9R2WA01# #0.25pF GRM1882C1H9R2CA01# #0.5pF GRM1882C1H9R2DA01# #0.5pF GRM1882C1H9R2DA01# #0.1pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3BA01# #0.25pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4WA01# #0.25pF GRM1882C1H9R4CA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5WA01# #0.1pF GRM1882C1H9R5WA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6DA01#							
9.2pF ±0.05pF GRM1882C1H9R2WA01# ±0.1pF GRM1882C1H9R2BA01# ±0.25pF GRM1882C1H9R2DA01# ±0.5pF GRM1882C1H9R3WA01# ±0.1pF GRM1882C1H9R3WA01# ±0.25pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R4WA01# ±0.1pF GRM1882C1H9R4WA01# ±0.1pF GRM1882C1H9R4DA01# ±0.5pF GRM1882C1H9R4DA01# ±0.5pF GRM1882C1H9R5WA01# ±0.5pF GRM1882C1H9R5WA01# ±0.1pF GRM1882C1H9R5DA01# ±0.05pF GRM1882C1H9R5DA01# ±0.05pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6WA01# ±0.25pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01#							
#0.1pF GRM1882C1H9R2BA01# #0.25pF GRM1882C1H9R2CA01# #0.5pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3WA01# #0.25pF GRM1882C1H9R3BA01# #0.25pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4WA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5DA01# #0.1pF GRM1882C1H9R5DA01# #0.25pF GRM1882C1H9R5DA01# #0.25pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6DA01#					-		
# ±0.25pF GRM1882C1H9R2CA01# # ±0.5pF GRM1882C1H9R3WA01# # ±0.1pF GRM1882C1H9R3BA01# # ±0.25pF GRM1882C1H9R3CA01# # ±0.5pF GRM1882C1H9R3CA01# # ±0.5pF GRM1882C1H9R3DA01# # ±0.5pF GRM1882C1H9R4WA01# # ±0.25pF GRM1882C1H9R4DA01# # ±0.25pF GRM1882C1H9R4DA01# # ±0.5pF GRM1882C1H9R4DA01# # ±0.5pF GRM1882C1H9R5WA01# # ±0.05pF GRM1882C1H9R5WA01# # ±0.25pF GRM1882C1H9R5DA01# # ±0.25pF GRM1882C1H9R5DA01# # ±0.5pF GRM1882C1H9R6WA01# # ±0.5pF GRM1882C1H9R6WA01# # ±0.5pF GRM1882C1H9R6WA01# # ±0.25pF GRM1882C1H9R6DA01# # ±0.25pF GRM1882C1H9R6DA01# # ±0.5pF GRM1882C1H9R6DA01#				9.2pF			
#0.5pF GRM1882C1H9R2DA01# 9.3pF #0.05pF GRM1882C1H9R3WA01# #0.1pF GRM1882C1H9R3CA01# #0.25pF GRM1882C1H9R3DA01# #0.5pF GRM1882C1H9R3DA01# #0.1pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4BA01# #0.25pF GRM1882C1H9R4CA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5WA01# #0.1pF GRM1882C1H9R5WA01# #0.1pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6BA01# #0.25pF GRM1882C1H9R6BA01# #0.5pF GRM1882C1H9R6CA01# #0.5pF GRM1882C1H9R6DA01#							
9.3pF ±0.05pF GRM1882C1H9R3WA01# ±0.1pF GRM1882C1H9R3BA01# ±0.25pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R3DA01# ±0.5pF GRM1882C1H9R4WA01# ±0.1pF GRM1882C1H9R4BA01# ±0.25pF GRM1882C1H9R4CA01# ±0.5pF GRM1882C1H9R4DA01# ±0.5pF GRM1882C1H9R5WA01# ±0.1pF GRM1882C1H9R5WA01# ±0.1pF GRM1882C1H9R5DA01# ±0.25pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R6WA01# ±0.5pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6BA01# ±0.25pF GRM1882C1H9R6BA01# ±0.25pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6DA01#					· ·		
#0.1pF GRM1882C1H9R3BA01# #0.25pF GRM1882C1H9R3CA01# #0.5pF GRM1882C1H9R3DA01# 9.4pF #0.05pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4BA01# #0.25pF GRM1882C1H9R4CA01# #0.5pF GRM1882C1H9R4DA01# 9.5pF #0.05pF GRM1882C1H9R5WA01# #0.1pF GRM1882C1H9R5WA01# #0.25pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.5pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6WA01# #0.25pF GRM1882C1H9R6CA01# #0.5pF GRM1882C1H9R6CA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01#				0.0-5			
# ±0.25pF GRM1882C1H9R3CA01# ±0.5pF GRM1882C1H9R4WA01# ±0.1pF GRM1882C1H9R4WA01# ±0.25pF GRM1882C1H9R4CA01# ±0.5pF GRM1882C1H9R4CA01# ±0.5pF GRM1882C1H9R4DA01# ±0.5pF GRM1882C1H9R5WA01# ±0.1pF GRM1882C1H9R5CA01# ±0.25pF GRM1882C1H9R5CA01# ±0.5pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6CA01# ±0.25pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R7WA01#				9.3pr			
#0.5pF GRM1882C1H9R3DA01# 9.4pF #0.05pF GRM1882C1H9R4WA01# #0.1pF GRM1882C1H9R4BA01# #0.25pF GRM1882C1H9R4CA01# #0.5pF GRM1882C1H9R4DA01# #0.5pF GRM1882C1H9R5WA01# #0.1pF GRM1882C1H9R5WA01# #0.25pF GRM1882C1H9R5CA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6BA01# #0.25pF GRM1882C1H9R6CA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01#							
9.4pF ±0.05pF GRM1882C1H9R4WA01# ±0.1pF GRM1882C1H9R4BA01# ±0.25pF GRM1882C1H9R4CA01# ±0.5pF GRM1882C1H9R4DA01# 9.5pF ±0.05pF GRM1882C1H9R5WA01# ±0.1pF GRM1882C1H9R5BA01# ±0.25pF GRM1882C1H9R5CA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6BA01# ±0.1pF GRM1882C1H9R6BA01# ±0.25pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01#							
#0.1pF GRM1882C1H9R4BA01# #0.25pF GRM1882C1H9R4CA01# #0.5pF GRM1882C1H9R4DA01# 9.5pF #0.05pF GRM1882C1H9R5WA01# #0.1pF GRM1882C1H9R5BA01# #0.25pF GRM1882C1H9R5CA01# #0.5pF GRM1882C1H9R5DA01# #0.5pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6BA01# #0.25pF GRM1882C1H9R6CA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01#				9 /n=	-		
### ### ##############################				υ. - μι			
#0.5pF GRM1882C1H9R4DA01# 9.5pF #0.05pF GRM1882C1H9R5WA01# #0.1pF GRM1882C1H9R5BA01# #0.25pF GRM1882C1H9R5CA01# #0.5pF GRM1882C1H9R5DA01# #0.05pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6BA01# #0.25pF GRM1882C1H9R6CA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01#							
9.5pF ±0.05pF GRM1882C1H9R5WA01# ±0.1pF GRM1882C1H9R5BA01# ±0.25pF GRM1882C1H9R5DA01# ±0.5pF GRM1882C1H9R5DA01# ±0.05pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6BA01# ±0.25pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R6DA01# ±0.5pF GRM1882C1H9R7WA01#					·		
#0.1pF GRM1882C1H9R5BA01# #0.25pF GRM1882C1H9R5CA01# #0.5pF GRM1882C1H9R5DA01# 9.6pF #0.05pF GRM1882C1H9R6WA01# #0.1pF GRM1882C1H9R6BA01# #0.25pF GRM1882C1H9R6CA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R6DA01# #0.5pF GRM1882C1H9R7WA01#				9,5pF	-		
±0.25pF GRM1882C1H9R5CA01# ±0.5pF GRM1882C1H9R5DA01# 9.6pF ±0.05pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6BA01# ±0.25pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6DA01# 9.7pF ±0.05pF GRM1882C1H9R7WA01#				p.			
# ±0.5pF GRM1882C1H9R5DA01# 9.6pF # ±0.05pF GRM1882C1H9R6WA01# # ±0.1pF GRM1882C1H9R6BA01# # ±0.25pF GRM1882C1H9R6CA01# # ±0.5pF GRM1882C1H9R6DA01# # ±0.05pF GRM1882C1H9R7WA01#							
9.6pF ±0.05pF GRM1882C1H9R6WA01# ±0.1pF GRM1882C1H9R6BA01# ±0.25pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6DA01# 9.7pF ±0.05pF GRM1882C1H9R7WA01#							
±0.1pF GRM1882C1H9R6BA01# ±0.25pF GRM1882C1H9R6CA01# ±0.5pF GRM1882C1H9R6DA01# 9.7pF ±0.05pF GRM1882C1H9R7WA01#				9.6pF	-		
±0.5pF GRM1882C1H9R6DA01# 9.7pF ±0.05pF GRM1882C1H9R7WA01#				•			
9.7pF ±0.05pF GRM1882C1H9R7WA01#						GRM1882C1H9R6CA01#	
					±0.5pF	GRM1882C1H9R6DA01#	
±0.1pF GRM1882C1H9R7BA01#				9.7pF	±0.05pF	GRM1882C1H9R7WA01#	
					±0.1pF	GRM1882C1H9R7BA01#	

Т	Rated	тс	Cap.	Tol.	Part Number				
max.	Voltage		σαρ.						
0.9mm	50Vdc	CH	9.7pF	±0.25pF	GRM1882C1H9R7CA01#				
				±0.5pF	GRM1882C1H9R7DA01#				
			9.8pF	±0.05pF					
				±0.1pF	GRM1882C1H9R8BA01#				
				±0.25pF					
				±0.5pF	GRM1882C1H9R8DA01#				
			9.9pF	±0.05pF	GRM1882C1H9R9WA01#				
				±0.1pF	GRM1882C1H9R9BA01#				
				±0.25pF	GRM1882C1H9R9CA01#				
				±0.5pF	GRM1882C1H9R9DA01#				
			10pF	±5%	GRM1882C1H100JA01#				
			12pF	±5%	GRM1882C1H120JA01#				
			15pF	±5%	GRM1882C1H150JA01#				
			18pF	±5%	GRM1882C1H180JA01#				
			22pF	±5%	GRM1882C1H220JA01#				
			27pF	±5%	GRM1882C1H270JA01#				
			33pF	±5%	GRM1882C1H330JA01#				
			39pF	±5%	GRM1882C1H390JA01#				
			47pF	±5%	GRM1882C1H470JA01#				
							56pF	±5%	GRM1882C1H560JA01#
			68pF	±5%	GRM1882C1H680JA01#				
			82pF	±5%	GRM1882C1H820JA01#				
			100pF	±5%	GRM1882C1H101JA01#				
			120pF	±5%	GRM1882C1H121JA01#				
			150pF	±5%	GRM1882C1H151JA01#				
			180pF	±5%	GRM1882C1H181JA01#				
							220pF	±5%	GRM1882C1H221JA01#
			270pF	±5%	GRM1882C1H271JA01#				
			330pF	±5%	GRM1882C1H331JA01#				
			390pF	±5%	GRM1882C1H391JA01#				
			470pF	±5%	GRM1882C1H471JA01#				
			560pF	±5%	GRM1882C1H561JA01#				
			680pF	±5%	GRM1882C1H681JA01#				
			820pF	±5%	GRM1882C1H821JA01#				
			1000pF	±5%	GRM1882C1H102JA01#				
			1200pF	±5%	GRM1882C1H122JA01#				
			1500pF	±5%	GRM1882C1H152JA01#				
			1800pF	±5%	GRM1882C1H182JA01#				
			2200pF	±5%	GRM1882C1H222JA01#				
			2700pF	±5%	GRM1882C1H272JA01#				
			3300pF	±5%	GRM1882C1H332JA01#				
			3900pF	±5%	GRM1882C1H392JA01#				
			4700pF	±5%	GRM1882C1H472JA01#				
			5600pF	±5%	GRM1882C1H562JA01#				
			6800pF	±5%	GRM1882C1H682JA01#				
			8200pF	±5%	GRM1882C1H822JA01#				
			10000pF	±5%	GRM1882C1H103JA01#				
		SL	1200pF	±5%	GRM1881X1H122JA01#				
			1500pF	±5%	GRM1881X1H152JA01#				
			1800pF	±5%	GRM1881X1H182JA01#				
			2200pF	±5%	GRM1881X1H222JA01#				
			2700pF	±5%	GRM1881X1H272JA01#				
			3300pF	±5%	GRM1881X1H332JA01#				
			3900pF	±5%	GRM1881X1H392JA01#				

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.9mm	50Vdc	SL	4700pF	±5%	GRM1881X1H472JA01#	
			5600pF	±5%	GRM1881X1H562JA01#	
			6800pF	±5%	GRM1881X1H682JA01#	
			8200pF	±5%	GRM1881X1H822JA01#	
			10000pF	±5%	GRM1881X1H103JA01#	
		U2J	1200pF	±5%	GRM1887U1H122JA01#	
			1500pF	±5%	GRM1887U1H152JA01#	
			1800pF	±5%	GRM1887U1H182JA01#	
			2200pF	±5%	GRM1887U1H222JA01#	
			2700pF	±5%	GRM1887U1H272JA01#	
			3300pF	±5%	GRM1887U1H332JA01#	
			3900pF	±5%	GRM1887U1H392JA01#	
			4700pF	±5%	GRM1887U1H472JA01#	
			5600pF	±5%	GRM1887U1H562JA01#	
			6800pF	±5%	GRM1887U1H682JA01#	
			8200pF	±5%	GRM1887U1H822JA01#	
			10000pF	±5%	GRM1887U1H103JA01#	
		UJ	1000pF	±5%	GRM1883U1H102JA01#	
			1200pF	±5%	GRM1883U1H122JA01#	
			1500pF	±5%	GRM1883U1H152JA01#	
			1800pF	±5%	GRM1883U1H182JA01#	
			2200pF	±5%	GRM1883U1H222JA01#	
			2700pF	±5%	GRM1883U1H272JA01#	
			3300pF	±5%	GRM1883U1H332JA01#	
			3900pF	±5%	GRM1883U1H392JA01#	
			4700pF	±5%	GRM1883U1H472JA01#	
			5600pF	±5%	GRM1883U1H562JA01#	
			6800pF	±5%	GRM1883U1H682JA01#	
			8200pF	±5%	GRM1883U1H822JA01#	
			10000pF	±5%	GRM1883U1H103JA01#	
	10Vdc	SL	12000pF	±5%	GRM1881X1A123JA01#	
			15000pF	±5%	GRM1881X1A153JA01#	
			18000pF	±5%	GRM1881X1A183JA01#	
			22000pF	±5%	GRM1881X1A223JA01#	
		U2J	12000pF	±5%	GRM1887U1A123JA01#	
			15000pF	±5%	GRM1887U1A153JA01#	
			18000pF	±5%	GRM1887U1A183JA01#	
			22000pF	±5%	GRM1887U1A223JA01#	
		UJ	12000pF	±5%	GRM1883U1A123JA01#	
			15000pF	±5%	GRM1883U1A153JA01#	
			18000pF	±5%	GRM1883U1A183JA01#	
			22000pF	±5%	GRM1883U1A223JA01#	

■ 2.0×1.25mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.7mm	100Vdc	COG	100pF	±5%	GRM2165C2A101JA01#
			120pF	±5%	GRM2165C2A121JA01#
			150pF	±5%	GRM2165C2A151JA01#
			180pF	±5%	GRM2165C2A181JA01#
			220pF	±5%	GRM2165C2A221JA01#
			270pF	±5%	GRM2165C2A271JA01#
			330pF	±5%	GRM2165C2A331JA01#

Part number # indicates the package specification code.

(→ **■** 2.0×1.25mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.7mm	100Vdc	COG	390pF	±5%	GRM2165C2A391JA01#
			470pF	±5%	GRM2165C2A471JA01#
			560pF	±5%	GRM2165C2A561JA01#
			680pF	±5%	GRM2165C2A681JA01#
			820pF	±5%	GRM2165C2A821JA01#
			1000pF	±5%	GRM2165C2A102JA01#
			1200pF	±5%	GRM2165C2A122JA01#
			1500pF	±5%	GRM2165C2A152JA01#
			1800pF	±5%	GRM2165C2A182JA01#
			2200pF	±5%	GRM2165C2A222JA01#
			2700pF	±5%	GRM2165C2A272JA01#
			3300pF	±5%	GRM2165C2A332JA01#
		СН	100pF	±5%	GRM2162C2A101JA01#
		CII	120pF	±5%	GRM2162C2A121JA01#
			· ·		
			150pF	±5%	GRM2162C2A151JA01#
			180pF	±5%	GRM2162C2A181JA01#
			220pF	±5%	GRM2162C2A221JA01#
			270pF	±5%	GRM2162C2A271JA01#
			330pF	±5%	GRM2162C2A331JA01#
			390pF	±5%	GRM2162C2A391JA01#
			470pF	±5%	GRM2162C2A471JA01#
			560pF	±5%	GRM2162C2A561JA01#
			680pF	±5%	GRM2162C2A681JA01#
			820pF	±5%	GRM2162C2A821JA01#
			1000pF	±5%	GRM2162C2A102JA01#
			1200pF	±5%	GRM2162C2A122JA01#
			1500pF	±5%	GRM2162C2A152JA01#
			1800pF	±5%	GRM2162C2A182JA01#
			2200pF	±5%	GRM2162C2A222JA01#
			2700pF	±5%	GRM2162C2A272JA01#
			3300pF	±5%	GRM2162C2A332JA01#
	50Vdc	COG	1200pF	±5%	GRM2165C1H122JA01#
			1500pF	±5%	GRM2165C1H152JA01#
			1800pF	±5%	GRM2165C1H182JA01#
			2200pF	±5%	GRM2165C1H222JA01#
			2700pF	±5%	GRM2165C1H272JA01#
			3300pF	±5%	GRM2165C1H332JA01#
			3900pF	±5%	GRM2165C1H392JA01#
			4700pF	±5%	GRM2165C1H472JA01#
		CH	1200pF	±5%	GRM2162C1H122JA01#
			1500pF	±5%	GRM2162C1H152JA01#
			1800pF	±5%	GRM2162C1H182JA01#
			2200pF	±5%	GRM2162C1H222JA01#
			2700pF	±5%	GRM2162C1H272JA01#
			3300pF	±5%	GRM2162C1H332JA01#
			3900pF	±5%	GRM2162C1H392JA01#
			4700pF	±5%	GRM2162C1H472JA01#
		SL	12000pF	±5%	GRM2161X1H123JA01#
			15000pF	±5%	GRM2161X1H153JA01#
			18000pF	±5%	GRM2161X1H183JA01#
		U2J	12000pF	±5%	GRM2167U1H123JA01#
			15000pF	±5%	GRM2167U1H153JA01#
			18000pF	±5%	GRM2167U1H183JA01#
	1	UJ	10000pF	±5%	GRM2163U1H103JA01#

Т	Rated	тс			
max.	Voltage		Cap.	Tol.	Part Number
0.7mm	50Vdc	UJ	12000pF	±5%	GRM2163U1H123JA01#
			15000pF	±5%	GRM2163U1H153JA01#
			18000pF	±5%	GRM2163U1H183JA01#
0.95mm	50Vdc	COG	5600pF	±5%	GRM2195C1H562JA01#
			6800pF	±5%	GRM2195C1H682JA01#
			8200pF	±5%	GRM2195C1H822JA01#
			10000pF	±5%	GRM2195C1H103JA01#
			12000pF	±5%	GRM2195C1H123JA01#
			15000pF	±5%	GRM2195C1H153JA01#
		CH	5600pF	±5%	GRM2192C1H562JA01#
			6800pF	±5%	GRM2192C1H682JA01#
			8200pF	±5%	GRM2192C1H822JA01#
			10000pF	±5%	GRM2192C1H103JA01#
			12000pF	±5%	GRM2192C1H123JA01#
			15000pF	±5%	GRM2192C1H153JA01#
		SL	22000pF	±5%	GRM2191X1H223JA01#
			27000pF	±5%	GRM2191X1H273JA01#
		U2J	22000pF	±5%	GRM2197U1H223JA01#
			27000pF	±5%	GRM2197U1H273JA01#
		UJ	22000pF	±5%	GRM2193U1H223JA01#
			27000pF	±5%	GRM2193U1H273JA01#
	10Vdc	SL	56000pF	±5%	GRM2191X1A563JA01#
		U2J	56000pF	±5%	GRM2197U1A563JA01#
		UJ	56000pF	±5%	GRM2193U1A563JA01#
1.0mm	250Vdc	COG	10pF	±5%	GRM21A5C2E100JW01#
			12pF	±5%	GRM21A5C2E120JW01#
			15pF	±5%	GRM21A5C2E150JW01#
			18pF	±5%	GRM21A5C2E180JW01#
			22pF	±5%	GRM21A5C2E220JW01#
			27pF	±5%	GRM21A5C2E270JW01#
			33pF	±5%	GRM21A5C2E330JW01#
			39pF	±5%	GRM21A5C2E390JW01#
			47pF	±5%	GRM21A5C2E470JW01#
			56pF	±5%	GRM21A5C2E560JW01#
			68pF	±5%	GRM21A5C2E680JW01#
			82pF	±5%	GRM21A5C2E820JW01#
			100pF	±5%	GRM21A5C2E101JW01#
			120pF	±5%	GRM21A5C2E121JW01# GRM21A5C2E151JW01#
			150pF	±5%	GRM21A5C2E181JW01#
			180pF	±5%	
			220pF	±5%	GRM21A5C2E221JW01#
			270pF	±5%	GRM21A5C2E271JW01#
		U2J	330pF	±5%	GRM21A5C2E331JW01#
		020	100pF	±5%	GRM21A7U2E101JW31#
			120pF 150pF	±5% ±5%	GRM21A7U2E121JW31# GRM21A7U2E151JW31#
			180pF	±5%	GRM21A7U2E181JW31#
			· ·		GRM21A7U2E181JW31#
			220pF 270pF	±5%	GRM21A7U2E221JW31#
			· ·	±5%	
			330pF	±5%	GRM21A7U2E331JW31#
			390pF	±5%	GRM21A7U2E391JW31#
			470pF	±5%	GRM21A7U2E471JW31#
			560pF	±5%	GRM21A7U2E561JW31#
			680pF	±5%	GRM21A7U2E681JW31#

GRM Series

GJM Series

GMA Series ∬ G

Part Number

GRM Series Temperature Compensating Type Part Number List

(→ **■** 2.0×1.25mm)

(→ ■ 2					
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.0mm	250Vdc	U2J	820pF	±5%	GRM21A7U2E821JW31#
			1000pF	±5%	GRM21A7U2E102JW31#
			1200pF	±5%	GRM21A7U2E122JW31#
			1500pF	±5%	GRM21A7U2E152JW31#
			1800pF	±5%	GRM21A7U2E182JW31#
			2200pF	±5%	GRM21A7U2E222JW31#
	200Vdc	COG	10pF	±5%	GRM21A5C2D100JW01#
			12pF	±5%	GRM21A5C2D120JW01#
			15pF	±5%	GRM21A5C2D150JW01#
			18pF	±5%	GRM21A5C2D180JW01#
			22pF	±5%	GRM21A5C2D220JW01#
			27pF	±5%	GRM21A5C2D270JW01#
			33pF	±5%	GRM21A5C2D330JW01#
			39pF	±5%	GRM21A5C2D390JW01#
			47pF	±5%	GRM21A5C2D470JW01#
			56pF	±5%	GRM21A5C2D560JW01#
			68pF	±5%	GRM21A5C2D680JW01#
			82pF	±5%	GRM21A5C2D820JW01#
			100pF	±5%	GRM21A5C2D101JW01#
			120pF	±5%	GRM21A5C2D121JW01#
			150pF	±5%	GRM21A5C2D151JW01#
			180pF	±5%	GRM21A5C2D181JW01#
			220pF	±5%	GRM21A5C2D221JW01#
			270pF	±5%	GRM21A5C2D271JW01#
			330pF	±5%	GRM21A5C2D331JW01#
		U2J	100pF	±5%	GRM21A7U2D101JW31#
			120pF	±5%	GRM21A7U2D121JW31#
			150pF	±5%	GRM21A7U2D151JW31#
			180pF	±5%	GRM21A7U2D181JW31#
			220pF	±5%	GRM21A7U2D221JW31#
			270pF	±5%	GRM21A7U2D271JW31#
			330pF	±5%	GRM21A7U2D331JW31#
			390pF	±5%	GRM21A7U2D391JW31#
			470pF	±5%	GRM21A7U2D471JW31#
			560pF	±5%	GRM21A7U2D561JW31#
			680pF	±5%	GRM21A7U2D681JW31#
			820pF	±5%	GRM21A7U2D821JW31#
			1000pF	±5%	GRM21A7U2D102JW31#
			1200pF	±5%	GRM21A7U2D122JW31#
			1500pF	±5%	GRM21A7U2D152JW31#
			1800pF	±5%	GRM21A7U2D182JW31#
			2200pF	±5%	GRM21A7U2D222JW31#
	50Vdc	SL	33000pF	±5%	GRM21A1X1H333JA39#
		U2J	33000pF	±5%	GRM21A7U1H333JA39#
		UJ	33000pF	±5%	GRM21A3U1H333JA39#
1.35mm	50Vdc	COG	18000pF	±5%	GRM21B5C1H183JA01#
			22000pF	±5%	GRM21B5C1H223JA01#
		СН	18000pF	±5%	GRM21B2C1H183JA01#
			22000pF	±5%	GRM21B2C1H223JA01#
		SL	39000pF	±5%	GRM21B1X1H393JA01#
			47000pF	±5%	GRM21B1X1H473JA01#
		U2J	39000pF	±5%	GRM21B7U1H393JA01#
			47000pF	±5%	GRM21B7U1H473JA01#
		UJ	39000pF	±5%	GRM21B3U1H393JA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.35mm	50Vdc	UJ	47000pF	±5%	GRM21B3U1H473JA01#
	10Vdc	SL	68000pF	±5%	GRM21B1X1A683JA01#
			82000pF	±5%	GRM21B1X1A823JA01#
			0.10µF	±5%	GRM21B1X1A104JA01#
		U2J	68000pF	±5%	GRM21B7U1A683JA01#
			82000pF	±5%	GRM21B7U1A823JA01#
			0.10µF	±5%	GRM21B7U1A104JA01#
		UJ	68000pF	±5%	GRM21B3U1A683JA01#
			82000pF	±5%	GRM21B3U1A823JA01#
			0.10µF	±5%	GRM21B3U1A104JA01#
1.45mm	250Vdc	U2J	2700pF	±5%	GRM21B7U2E272JW32#
			3300pF	±5%	GRM21B7U2E332JW32#
			3900pF	±5%	GRM21B7U2E392JW32#
			4700pF	±5%	GRM21B7U2E472JW32#
			5600pF	±5%	GRM21B7U2E562JW32#
	200Vdc	U2J	2700pF	±5%	GRM21B7U2D272JW32#
			3300pF	±5%	GRM21B7U2D332JW32#
			3900pF	±5%	GRM21B7U2D392JW32#
			4700pF	±5%	GRM21B7U2D472JW32#
			5600pF	±5%	GRM21B7U2D562JW32#

■ 3.2×1.6mm

Rated

max.	Voltage	Code	Сар.	101.	Fart Number		
0.95mm	100Vdc	COG	1800pF	±5%	GRM3195C2A182JA01#		
			2200pF	±5%	GRM3195C2A222JA01#		
			2700pF	±5%	GRM3195C2A272JA01#		
			3300pF	±5%	GRM3195C2A332JA01#		
			3900pF	±5%	GRM3195C2A392JA01#		
			4700pF	±5%	GRM3195C2A472JA01#		
			5600pF	±5%	GRM3195C2A562JA01#		
			6800pF	±5%	GRM3195C2A682JA01#		
			8200pF	±5%	GRM3195C2A822JA01#		
			10000pF	±5%	GRM3195C2A103JA01#		
			12000pF	±5%	GRM3195C2A123JA01#		
			15000pF	±5%	GRM3195C2A153JA01#		
			18000pF	±5%	GRM3195C2A183JA01#		
			22000pF	±5%	GRM3195C2A223JA01#		
		СН	1800pF	±5%	GRM3192C2A182JA01#		
			2200pF	±5%	GRM3192C2A222JA01#		
			2700pF	±5%	GRM3192C2A272JA01#		
					3300pF	±5%	GRM3192C2A332JA01#
			3900pF	±5%	GRM3192C2A392JA01#		
			4700pF	±5%	GRM3192C2A472JA01#		
			5600pF	±5%	GRM3192C2A562JA01#		
			6800pF	±5%	GRM3192C2A682JA01#		
			8200pF	±5%	GRM3192C2A822JA01#		
			10000pF	±5%	GRM3192C2A103JA01#		
			12000pF	±5%	GRM3192C2A123JA01#		
			15000pF	±5%	GRM3192C2A153JA01#		
			18000pF	±5%	GRM3192C2A183JA01#		
			22000pF	±5%	GRM3192C2A223JA01#		
	50Vdc	COG	12000pF	±5%	GRM3195C1H123JA01#		

Part number # indicates the package specification

	3.2×1.6r	,			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.95mm	50Vdc	COG	15000pF	±5%	GRM3195C1H153JA01#
			18000pF	±5%	GRM3195C1H183JA01#
			22000pF	±5%	GRM3195C1H223JA01#
			27000pF	±5%	GRM3195C1H273JA01#
			33000pF	±5%	GRM3195C1H333JA01#
			39000pF	±5%	GRM3195C1H393JA01#
		СН	12000pF	±5%	GRM3192C1H123JA01#
			15000pF	±5%	GRM3192C1H153JA01#
			18000pF	±5%	GRM3192C1H183JA01#
			22000pF	±5%	GRM3192C1H223JA01#
			27000pF	±5%	GRM3192C1H273JA01#
			33000pF	±5%	GRM3192C1H333JA01#
			39000pF	±5%	GRM3192C1H393JA01#
		SL	56000pF	±5%	GRM3191X1H563JA01#
		U2J	56000pF	±5%	GRM3197U1H563JA01#
		UJ	56000pF	±5%	GRM3193U1H563JA01#
1.0mm	2000Vdc	U2J	10pF	±5%	GRM31A7U3D100JW31#
1.0111111	2000 vac	020	12pF	±5%	GRM31A7U3D120JW31#
			<u> </u>		
			15pF	±5%	GRM31A7U3D150JW31#
			18pF	±5%	GRM31A7U3D180JW31#
			22pF	±5%	GRM31A7U3D220JW31#
			27pF	±5%	GRM31A7U3D270JW31#
			33pF	±5%	GRM31A7U3D330JW31#
			39pF	±5%	GRM31A7U3D390JW31#
			47pF	±5%	GRM31A7U3D470JW31#
			56pF	±5%	GRM31A7U3D560JW31#
			68pF	±5%	GRM31A7U3D680JW31#
	1000Vdc	C0G	10pF	±5%	GRM31A5C3A100JW01#
			12pF	±5%	GRM31A5C3A120JW01#
			15pF	±5%	GRM31A5C3A150JW01#
			18pF	±5%	GRM31A5C3A180JW01#
			22pF	±5%	GRM31A5C3A220JW01#
			27pF	±5%	GRM31A5C3A270JW01#
			33pF	±5%	GRM31A5C3A330JW01#
			39pF	±5%	GRM31A5C3A390JW01#
			47pF	±5%	GRM31A5C3A470JW01#
			56pF	±5%	GRM31A5C3A560JW01#
			68pF	±5%	GRM31A5C3A680JW01#
			82pF	±5%	GRM31A5C3A820JW01#
			100pF	±5%	GRM31A5C3A101JW01#
			120pF	±5%	GRM31A5C3A121JW01#
			150pF	±5%	GRM31A5C3A151JW01#
			180pF	±5%	GRM31A5C3A181JW01#
			220pF	±5%	GRM31A5C3A221JW01#
		U2J	10pF	±5%	GRM31A7U3A100JW31#
		020	· ·		
			12pF	±5%	GRM31A7U3A120JW31#
			15pF	±5%	GRM31A7U3A150JW31#
			18pF	±5%	GRM31A7U3A180JW31#
			22pF	±5%	GRM31A7U3A220JW31#
			27pF	±5%	GRM31A7U3A270JW31#
			33pF	±5%	GRM31A7U3A330JW31#
			39pF	±5%	GRM31A7U3A390JW31#
			47pF	±5%	GRM31A7U3A470JW31#
			56pF	±5%	GRM31A7U3A560JW31#

Т	Rated	тс				
max.	Voltage	_	Сар.	Tol.	Part Number	
1.0mm	1000Vdc	U2J	68pF	±5%	GRM31A7U3A680JW31#	
			82pF	±5%	GRM31A7U3A820JW31#	
			100pF	±5%	GRM31A7U3A101JW31#	
			120pF	±5%	GRM31A7U3A121JW31#	
			150pF	±5%	GRM31A7U3A151JW31#	
			180pF	±5%	GRM31A7U3A181JW31#	
			220pF	±5%	GRM31A7U3A221JW31#	
			270pF	±5%	GRM31A7U3A271JW31#	
			330pF	±5%	GRM31A7U3A331JW31#	
	630Vdc	COG	10pF	±5%	GRM31A5C2J100JW01#	
			12pF	±5%	GRM31A5C2J120JW01#	
			15pF	±5%	GRM31A5C2J150JW01#	
			18pF	±5%	GRM31A5C2J180JW01#	
			22pF	±5%	GRM31A5C2J220JW01#	
			27pF	±5%	GRM31A5C2J270JW01#	
			33pF	±5%	GRM31A5C2J330JW01#	
			39pF	±5%	GRM31A5C2J390JW01#	
			47pF	±5%	GRM31A5C2J470JW01#	
			56pF	±5%	GRM31A5C2J560JW01#	
			68pF	±5%	GRM31A5C2J680JW01#	
			82pF	±5%	GRM31A5C2J820JW01#	
			100pF	±5%	GRM31A5C2J101JW01#	
			120pF	±5%	GRM31A5C2J121JW01#	
			150pF	±5%	GRM31A5C2J151JW01#	
			180pF	±5%	GRM31A5C2J181JW01#	
			220pF	±5%	GRM31A5C2J221JW01#	
			270pF	±5%	GRM31A5C2J271JW01#	
			330pF	±5%	GRM31A5C2J331JW01#	
			390pF	±5%	GRM31A5C2J391JW01#	
			470pF	±5%	GRM31A5C2J471JW01#	
		1101	560pF	±5%	GRM31A5C2J561JW01#	
		U2J	10pF	±5%	GRM31A7U2J100JW31#	
			12pF	±5%	GRM31A7U2J120JW31#	
			15pF	±5%	GRM31A7U2J150JW31#	
			18pF 22pF	±5% ±5%	GRM31A7U2J180JW31# GRM31A7U2J220JW31#	
			27pF	±5%	GRM31A7U2J270JW31#	
			33pF	±5%	GRM31A7U2J330JW31#	
			39pF	±5%	GRM31A7U2J390JW31#	
			47pF	±5%	GRM31A7U2J470JW31#	
			56pF	±5%	GRM31A7U2J560JW31#	
			68pF	±5%	GRM31A7U2J680JW31#	
			82pF	±5%	GRM31A7U2J820JW31#	
			100pF	±5%	GRM31A7U2J101JW31#	
			120pF	±5%	GRM31A7U2J121JW31#	
			150pF	±5%	GRM31A7U2J151JW31#	
			180pF	±5%	GRM31A7U2J181JW31#	
			220pF	±5%	GRM31A7U2J221JW31#	
			270pF	±5%	GRM31A7U2J271JW31#	
			330pF	±5%	GRM31A7U2J331JW31#	
			390pF	±5%	GRM31A7U2J391JW31#	
			470pF	±5%	GRM31A7U2J471JW31#	
			560pF	±5%	GRM31A7U2J561JW31#	
			680pF	±5%	GRM31A7U2J681JW31#	

GRM Series

GJM Series

GMA Series

GMD Series GQM Series

GRM Series Temperature Compensating Type Part Number List

(→ **■** 3.2×1.6mm)

(→ ■ 3	3.2×1.6	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.0mm	630Vdc	U2J	820pF	±5%	GRM31A7U2J821JW31#
			1000pF	±5%	GRM31A7U2J102JW31#
			1200pF	±5%	GRM31A7U2J122JW31#
			1500pF	±5%	GRM31A7U2J152JW31#
			1800pF	±5%	GRM31A7U2J182JW31#
			2200pF	±5%	GRM31A7U2J222JW31#
	500Vdc	COG	10pF	±5%	GRM31A5C2H100JW01#
			12pF	±5%	GRM31A5C2H120JW01#
			15pF	±5%	GRM31A5C2H150JW01#
			18pF	±5%	GRM31A5C2H180JW01#
			22pF	±5%	GRM31A5C2H220JW01#
			27pF	±5%	GRM31A5C2H270JW01#
			33pF	±5%	GRM31A5C2H330JW01#
			39pF	±5%	GRM31A5C2H390JW01#
			47pF	±5%	GRM31A5C2H470JW01#
			56pF	±5%	GRM31A5C2H560JW01#
			68pF	±5%	GRM31A5C2H680JW01#
			82pF	±5%	GRM31A5C2H820JW01#
			100pF	±5%	GRM31A5C2H101JW01#
			120pF	±5%	GRM31A5C2H121JW01#
			150pF	±5%	GRM31A5C2H151JW01#
			180pF	±5%	GRM31A5C2H181JW01#
			220pF	±5%	GRM31A5C2H221JW01#
			270pF	±5%	GRM31A5C2H271JW01#
			330pF	±5%	GRM31A5C2H331JW01#
			390pF	±5%	GRM31A5C2H391JW01#
			470pF	±5%	GRM31A5C2H471JW01#
			560pF	±5%	GRM31A5C2H561JW01#
		U2J	10pF	±5%	GRM31A7U2H100JW31#
			12pF	±5%	GRM31A7U2H120JW31#
			15pF	±5%	GRM31A7U2H150JW31#
			18pF	±5%	GRM31A7U2H180JW31#
			22pF	±5%	GRM31A7U2H220JW31#
			27pF	±5%	GRM31A7U2H270JW31#
			33pF	±5%	GRM31A7U2H330JW31#
			39pF	±5%	GRM31A7U2H390JW31#
			47pF	±5%	GRM31A7U2H470JW31#
			56pF	±5%	GRM31A7U2H560JW31#
			68pF	±5%	GRM31A7U2H680JW31#
			82pF	±5%	GRM31A7U2H820JW31#
			100pF	±5%	GRM31A7U2H101JW31#
			120pF	±5%	GRM31A7U2H121JW31#
			150pF	±5%	GRM31A7U2H151JW31#
			180pF	±5%	GRM31A7U2H181JW31#
			220pF	±5%	GRM31A7U2H221JW31#
			270pF	±5%	GRM31A7U2H271JW31#
			330pF	±5%	GRM31A7U2H331JW31#
			390pF	±5%	GRM31A7U2H391JW31#
			470pF	±5%	GRM31A7U2H471JW31#
			560pF	±5%	GRM31A7U2H561JW31#
			680pF	±5%	GRM31A7U2H681JW31#
			820pF	±5%	GRM31A7U2H821JW31#
			1000pF	±5%	GRM31A7U2H102JW31#
			1200pF	±5%	GRM31A7U2H122JW31#

Т	Rated	тс	_		
max.	Voltage	_	Cap.	Tol.	Part Number
1.0mm	500Vdc	U2J	1500pF	±5%	GRM31A7U2H152JW31#
			1800pF	±5%	GRM31A7U2H182JW31#
			2200pF	±5%	GRM31A7U2H222JW31#
	250Vdc	U2J	2700pF	±5%	GRM31A7U2E272JW31#
			3300pF	±5%	GRM31A7U2E332JW31#
			3900pF	±5%	GRM31A7U2E392JW31#
			4700pF	±5%	GRM31A7U2E472JW31#
			5600pF	±5%	GRM31A7U2E562JW31#
	200Vdc	U2J	2700pF	±5%	GRM31A7U2D272JW31#
			3300pF	±5%	GRM31A7U2D332JW31#
			3900pF	±5%	GRM31A7U2D392JW31#
			4700pF	±5%	GRM31A7U2D472JW31#
			5600pF	±5%	GRM31A7U2D562JW31#
1.25mm	1000Vdc	U2J	390pF	±5%	GRM31B7U3A391JW31#
			470pF	±5%	GRM31B7U3A471JW31#
			560pF	±5%	GRM31B7U3A561JW31#
			680pF	±5%	GRM31B7U3A681JW31#
	630Vdc	COG	680pF	±5%	GRM31B5C2J681JW01#
			820pF	±5%	GRM31B5C2J821JW01#
			1000pF	±5%	GRM31B5C2J102JW01#
		U2J	2700pF	±5%	GRM31B7U2J272JW31#
			3300pF	±5%	GRM31B7U2J332JW31#
	500Vdc	COG	680pF	±5%	GRM31B5C2H681JW01#
			820pF	±5%	GRM31B5C2H821JW01#
			1000pF	±5%	GRM31B5C2H102JW01#
		U2J	2700pF	±5%	GRM31B7U2H272JW31#
	250Vdc	U2J	3300pF	±5%	GRM31B7U2H332JW31#
	250 V dC	023	6800pF 8200pF	±5% ±5%	GRM31B7U2E682JW31# GRM31B7U2E822JW31#
			10000pF	±5%	GRM31B7U2E103JW31#
			12000pF	±5%	GRM31B7U2E123JW31#
	200Vdc	U2J	6800pF	±5%	GRM31B7U2D682JW31#
			8200pF	±5%	GRM31B7U2D822JW31#
			10000pF	±5%	GRM31B7U2D103JW31#
	50Vdc	COG	47000pF	±5%	GRM31M5C1H473JA01#
			56000pF	±5%	GRM31M5C1H563JA01#
		СН	47000pF	±5%	GRM31M2C1H473JA01#
			56000pF	±5%	GRM31M2C1H563JA01#
		SL	68000pF	±5%	GRM31M1X1H683JA01#
			82000pF	±5%	GRM31M1X1H823JA01#
			0.10µF	±5%	GRM31M1X1H104JA01#
		U2J	68000pF	±5%	GRM31M7U1H683JA01#
			82000pF	±5%	GRM31M7U1H823JA01#
			0.10µF	±5%	GRM31M7U1H104JA01#
		UJ	68000pF	±5%	GRM31M3U1H683JA01#
			82000pF	±5%	GRM31M3U1H823JA01#
			0.10µF	±5%	GRM31M3U1H104JA01#
1.8mm	1000Vdc	U2J	820pF	±5%	GRM31C7U3A821JW32#
			1000pF	±5%	GRM31C7U3A102JW32#
	630Vdc	U2J	3900pF	±5%	GRM31C7U2J392JW32#
			4700pF	±5%	GRM31C7U2J472JW32#
	500Vdc	U2J	3900pF	±5%	GRM31C7U2H392JW32#
			4700pF	±5%	GRM31C7U2H472JW32#
	250Vdc	U2J	15000pF	±5%	GRM31C7U2E153JW32#

(→ **■** 3.2×1.6mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.8mm	250Vdc	U2J	18000pF	±5%	GRM31C7U2E183JW32#
			22000pF	±5%	GRM31C7U2E223JW32#
	50Vdc	COG	68000pF	±5%	GRM31C5C1H683JA01#
			82000pF	±5%	GRM31C5C1H823JA01#
			0.10µF	±5%	GRM31C5C1H104JA01#
		СН	68000pF	±5%	GRM31C2C1H683JA01#
			82000pF	±5%	GRM31C2C1H823JA01#
			0.10µF	±5%	GRM31C2C1H104JA01#
	25Vdc	COG	0.12µF	±5%	GRM31C5C1E124JA01#
		СН	0.12µF	±5%	GRM31C2C1E124JA01#
	16Vdc	COG	0.12µF	±5%	GRM31C5C1C124JA01#
		СН	0.12µF	±5%	GRM31C2C1C124JA01#

■ 3.2×2.5mm

_	D	TO			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
1.0mm	2000Vdc	U2J	82pF	±5%	GRM32A7U3D820JW31#
			100pF	±5%	GRM32A7U3D101JW31#
			120pF	±5%	GRM32A7U3D121JW31#
			150pF	±5%	GRM32A7U3D151JW31#
	630Vdc	U2J	1200pF	±5%	GRM32A7U2J122JW31#
			1500pF	±5%	GRM32A7U2J152JW31#
			1800pF	±5%	GRM32A7U2J182JW31#
			2200pF	±5%	GRM32A7U2J222JW31#
	500Vdc	U2J	1200pF	±5%	GRM32A7U2H122JW31#
			1500pF	±5%	GRM32A7U2H152JW31#
			1800pF	±5%	GRM32A7U2H182JW31#
			2200pF	±5%	GRM32A7U2H222JW31#
1.25mm	2000Vdc	U2J	180pF	±5%	GRM32B7U3D181JW31#
			220pF	±5%	GRM32B7U3D221JW31#
	1000Vdc	U2J	1200pF	±5%	GRM32B7U3A122JW31#
	630Vdc	U2J	5600pF	±5%	GRM32B7U2J562JW31#
	500Vdc	U2J	5600pF	±5%	GRM32B7U2H562JW31#
1.5mm	1000Vdc	U2J	1500pF	±5%	GRM32Q7U3A152JW31#
	630Vdc	U2J	6800pF	±5%	GRM32Q7U2J682JW31#
	500Vdc	U2J	6800pF	±5%	GRM32Q7U2H682JW31#
	250Vdc	U2J	27000pF	±5%	GRM32Q7U2E273JW31#
2.0mm	1000Vdc	U2J	1800pF	±5%	GRM32D7U3A182JW31#
			2200pF	±5%	GRM32D7U3A222JW31#
	630Vdc	U2J	8200pF	±5%	GRM32D7U2J822JW31#
			10000pF	±5%	GRM32D7U2J103JW31#
	500Vdc	U2J	8200pF	±5%	GRM32D7U2H822JW31#
			10000pF	±5%	GRM32D7U2H103JW31#
	250Vdc	U2J	33000pF	±5%	GRM32D7U2E333JW31#
			39000pF	±5%	GRM32D7U2E393JW31#
			47000pF	±5%	GRM32D7U2E473JW31#

■ 4.5×2.0mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.0mm	3150Vdc	COG	5.0pF	±0.5pF	GRM42A5C3F050DW01#	
			10pF	±5%	GRM42A5C3F100JW01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.0mm	3150Vdc	COG	12pF	±5%	GRM42A5C3F120JW01#
			15pF	±5%	GRM42A5C3F150JW01#
			18pF	±5%	GRM42A5C3F180JW01#
			22pF	±5%	GRM42A5C3F220JW01#
			27pF	±5%	GRM42A5C3F270JW01#
			33pF	±5%	GRM42A5C3F330JW01#
			39pF	±5%	GRM42A5C3F390JW01#
			47pF	±5%	GRM42A5C3F470JW01#
		U2J	10pF	±5%	GRM42A7U3F100JW31#
			12pF	±5%	GRM42A7U3F120JW31#
			15pF	±5%	GRM42A7U3F150JW31#
			18pF	±5%	GRM42A7U3F180JW31#
			22pF	±5%	GRM42A7U3F220JW31#
			27pF	±5%	GRM42A7U3F270JW31#
			33pF	±5%	GRM42A7U3F330JW31#
			39pF	±5%	GRM42A7U3F390JW31#
			47pF	±5%	GRM42A7U3F470JW31#
			56pF	±5%	GRM42A7U3F560JW31#
			68pF	±5%	GRM42A7U3F680JW31#
			82pF	±5%	GRM42A7U3F820JW31#
			100pF	±5%	GRM42A7U3F101JW31#

■ 4.5×3.2mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
1.5mm	1000Vdc	U2J	2700pF	±5%	GRM43Q7U3A272JW31#
			3300pF	±5%	GRM43Q7U3A332JW31#
	630Vdc	U2J	12000pF	±5%	GRM43Q7U2J123JW31#
	500Vdc	U2J	12000pF	±5%	GRM43Q7U2H123JW31#
2.0mm	1000Vdc	U2J	3900pF	±5%	GRM43D7U3A392JW31#
			4700pF	±5%	GRM43D7U3A472JW31#
	630Vdc	U2J	15000pF	±5%	GRM43D7U2J153JW31#
			18000pF	±5%	GRM43D7U2J183JW31#
			22000pF	±5%	GRM43D7U2J223JW31#
	500Vdc	U2J	15000pF	±5%	GRM43D7U2H153JW31#
			18000pF	±5%	GRM43D7U2H183JW31#
			22000pF	±5%	GRM43D7U2H223JW31#

■ 5.7×5.0mm

muRata

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.5mm	1000Vdc	U2J	5600pF	±5%	GRM55Q7U3A562JW31#
			6800pF	±5%	GRM55Q7U3A682JW31#
	630Vdc	U2J	27000pF	±5%	GRM55Q7U2J273JW31#
	500Vdc	U2J	27000pF	±5%	GRM55Q7U2H273JW31#
2.0mm	1000Vdc	U2J	8200pF	±5%	GRM55D7U3A822JW31#
			10000pF	±5%	GRM55D7U3A103JW31#
	630Vdc	U2J	33000pF	±5%	GRM55D7U2J333JW31#
			39000pF	±5%	GRM55D7U2J393JW31#
			47000pF	±5%	GRM55D7U2J473JW31#
	500Vdc	U2J	33000pF	±5%	GRM55D7U2H333JW31#
			39000pF	±5%	GRM55D7U2H393JW31#

Part number # indicates the package specification code.

(→ **■** 5.7×5.0mm)

T max.	Rated Voltage		Сар.	Tol.	Part Number	
2.0mm	500Vdc	U2J	47000pF	±5%	GRM55D7U2H473JW31#	

muRata

0.4×0.2mm

■ 0.4×	<0.2mr	n comp	a- eact						
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number				
0.22mm	16Vdc	X7R	100pF	±10%	GRM022R71C101KE14#	Derating			
				±20%	GRM022R71C101ME14#	Derating			
			150pF	±10%	GRM022R71C151KE14#	Derating			
				±20%	GRM022R71C151ME14#	Derating			
			220pF	±10%	GRM022R71C221KE14#	Derating			
				±20%	GRM022R71C221ME14#	Derating			
			330pF	±10%	GRM022R71C331KE14#	Derating			
				±20%	GRM022R71C331ME14#	Derating			
			470pF	±10%	GRM022R71C471KE14#	Derating			
				±20%	GRM022R71C471ME14#	Derating			
			1000pF	±10%	GRM022R71C102KE14#	Derating			
				±20%	GRM022R71C102ME14#	Derating			
	10Vdc	X7R	100pF	±10%	GRM022R71A101KA01#				
				±20%	GRM022R71A101MA01#				
			150pF	±10%	GRM022R71A151KA01#				
				±20%	GRM022R71A151MA01#	<u> </u>			
			220pF	±10%	GRM022R71A221KA01#				
				±20%	GRM022R71A221MA01#	<u> </u>			
			330pF	±10%	GRM022R71A331KA01#	<u> </u>			
				±20%	GRM022R71A331MA01#	<u> </u>			
			470pF	±10%	GRM022R71A471KA01#	<u> </u>			
			=	±20%	GRM022R71A471MA01#	 			
			680pF	±10%	GRM022R71A681KA12#	 			
			=	±20%	GRM022R71A681MA12#	<u> </u>			
			820pF	±10%	GRM022R71A821KA12#				
				±20%	GRM022R71A821MA12#				
			1000pF	±10%	GRM022R71A102KA12#	-			
		VED	100pF	±20%	GRM022R71A102MA12#	 			
		X	X5R	X5H	ASK	тоорг	±10%	GRM022R61A101KA01# GRM022R61A101MA01#	
			150pF	±20% ±10%	GRM022R61A151KA01#	 			
			13001	±20%	GRM022R61A151MA01#	_			
			220pF	±10%	GRM022R61A221KA01#	+			
			LLOP!	±20%	GRM022R61A221MA01#				
			330pF	±10%	GRM022R61A331KA01#				
				±20%	GRM022R61A331MA01#	_			
			470pF	±10%	GRM022R61A471KA01#	\vdash			
				±20%	GRM022R61A471MA01#				
			680pF	±10%	GRM022R61A681KE19#				
				±20%	GRM022R61A681ME19#				
			1000pF	±10%	GRM022R61A102KE19#				
				±20%	GRM022R61A102ME19#				
			1500pF	±10%	GRM022R61A152KE19#				
			·	±20%	GRM022R61A152ME19#				
			2200pF	±10%	GRM022R61A222KE19#				
				±20%	GRM022R61A222ME19#				
			3300pF	±10%	GRM022R61A332KE19#				
				±20%	GRM022R61A332ME19#				
			4700pF	±10%	GRM022R61A472KE19#				
				±20%	GRM022R61A472ME19#				
			6800pF	±10%	GRM022R61A682KE19#				
				±20%	GRM022R61A682ME19#				

Max	Т	Rated	тс	Con	Tal	Dort Number	
### ### ##############################				Cap.	Tol.	Part Number	
B	0.22mm	10Vdc	X5R	10000pF			
#20% GRM022B11A101MA01#				100-5			
150pF			В	тоорг			
#20% GRM022B11A151MA01# #200F				15055			
220pF				тэорг			
#20% GRM022B11A221MA01# #20% GRM022B11A331KA01# #20% GRM022B11A331KA01# #20% GRM022B11A31KA01# #20% GRM022B11A471KA01# #20% GRM022B11A681KE19# #20% GRM022B31A681KE19# #20% GRM022B31A681KE19# #20% GRM022B31A102KE19# #20% GRM022B31A152KE19# #20% GRM022B31A152KE19# #20% GRM022B31A152KE19# #20% GRM022B31A152KE19# #20% GRM022B31A222KE19# #20% GRM022B31A222KE19# #20% GRM022B31A322KE19# #20% GRM022B31A32XME19# #20% GRM022B31A33XME19# #20% GRM022B31A33XME19# #20% GRM022B31A33XME19# #20% GRM022B31A68XE19# #2000F #20% GRM022R60J152ME19# #2000F #20% GRM022R60J153ME19# #2000F #20% GRM022R60J163ME19# #2000F #20% GRM022R60J163ME19# #2000F #20% GRM022R60J163ME19# #2000F #20% GRM022R60J163ME15# #2000F #20% GRM022B30J163ME15# #2000F #20% GRM022B30J163ME19# #4000F #20% GRM022B30J163ME19# #4000F #20% GRM022B30J163ME15# #2000F #20% GRM022B30J163ME15# #4000F #20% GRM022B30J63ME15# #4000F #20% GRM022B30J63ME15#				0005			
330pF				220pr			
#20% GRM022B11A331MA01# #20% GRM022B11A471KA01# #20% GRM022B11A471KA01# #20% GRM022B31A681KE19# #20% GRM022B31A102KE19# #20% GRM022B31A102KE19# #20% GRM022B31A102KE19# #20% GRM022B31A102KE19# #20% GRM022B31A152KE19# #20% GRM022B31A152KE19# #20% GRM022B31A152KE19# #20% GRM022B31A22ZKE19# #20% GRM022B31A22ZKE19# #20% GRM022B31A332KE19# #20% GRM022B31A332KE19# #20% GRM022B31A332KE19# #20% GRM022B31A472KE19# #20% GRM022B31A472KE19# #20% GRM022B31A472KE19# #20% GRM022B31A472KE19# #20% GRM022B31A682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A103KE19# #2000pF #20% GRM022B60J152ME19# #2000pF #20% GRM022B60J133ME19# #2000pF #20% GRM022B60J13ME19# #2000pF #20% GRM022B60J13ME19# #2000pF #20% GRM022B60J13ME15# #20% GRM022B60J13ME15# #20% GRM022B60J13ME15# #20% GRM022B60J13ME15# #20% GRM022B60J13ME15# #20% GRM022B60J13ME15# #20% GRM022B30J152ME15# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J152ME19# #20% GRM022B30J153ME15# #20% GRM022B30J153ME15# #20% GRM022B30J153ME15# #20% GRM022B30J103ME19# #20% GRM022B30J103ME19# #20% GRM022B30J103ME19# #20% GRM022B30J103ME19				220nE			
A70pF				330pr			
# # # # # # # # # # # # # # # # # # #				470pF			
680pF				470pF			
1000pF				690nE			
1000pF				ооорг			
#20% GRM022B31A102ME19# #20% GRM022B31A152KE19# #20% GRM022B31A152KE19# #20% GRM022B31A222KE19# #20% GRM022B31A222KE19# #20% GRM022B31A332KE19# #20% GRM022B31A332KE19# #20% GRM022B31A332KE19# #20% GRM022B31A32KE19# #20% GRM022B31A472KE19# #20% GRM022B31A472KE19# #20% GRM022B31A682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103ME19# #2000PF #20% GRM022B0J152ME19# #2000PF #20% GRM022B0J152ME19# #2000PF #20% GRM022B0J332ME19# #2000PF #20% GRM022B0J33ME19# #2000PF #20% GRM022B0J33ME15# #2000PF #20% GRM022B0J33ME15# #20% GRM022B0J333ME15# #2000PF #20% GRM022B0J333ME15# #20% GRM022B0J333ME15# #20% GRM022B0J333ME15# #20% GRM022B0J333ME15# #20% GRM022B0J333ME15# #20% GRM022B0J333ME15# #20% GRM022B0J333ME15# #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM022B0J333ME19# #2000PF #20% GRM02B0J333ME19# #20% GRM022B0J333ME19# #20% GRM022B0J333ME15# #				1000pE			
1500pF				ТОООРІ			
#20% GRM022B31A152ME19# 2200pF				1500pF			
2200pF				ТЭООРІ			
#20% GRM022B31A222ME19# #20% GRM022B31A332KE19# #20% GRM022B31A332ME19# #20% GRM022B31A472KE19# #20% GRM022B31A472KE19# #20% GRM022B31A682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103ME19# #2000F ±20% GRM022R60J102ME19# #2000F ±20% GRM022R60J332ME19# #4700pF ±20% GRM022R60J332ME19# #4700pF ±20% GRM022R60J332ME19# #10000pF ±20% GRM022R60J333ME15# #2000pF ±20% GRM022R60J23XE15# #2000pF ±20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022B30J102ME19# #2000pF ±20% GRM022B30J102ME19# #2000pF ±20% GRM022B30J102ME19# #2000pF ±20% GRM022B30J33ME19# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15#				2200nF			
3300pF				2200pi			
#20% GRM022B31A332ME19# #20% GRM022B31A472KE19# #20% GRM022B31A472KE19# #20% GRM022B31A4682KE19# #20% GRM022B31A682KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103ME19# #20% GRM022B0J102ME19# #20% GRM022R60J102ME19# #200pF #20% GRM022R60J152ME19# #200pF #20% GRM022R60J332ME19# #2000pF #20% GRM022R60J332ME19# #2000pF #20% GRM022R60J332ME19# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J333ME15# #2000pF #20% GRM022R60J104ME15# #2000pF #20% GRM022B30J102ME19# #2000pF #20% GRM022B30J102ME19# #2000pF #20% GRM022B30J102ME19# #2000pF #20% GRM022B30J332ME19# #20% GRM022B30J332ME19# #2000pF #20% GRM022B30J332ME19# #2000pF #20% GRM022B30J332ME19# #2000pF #20% GRM022B30J332ME19# #2000pF #20% GRM022B30J332ME19# #2000pF #20% GRM022B30J332ME19# #2000pF #20% GRM022B30J333ME19# #20% GRM022B30J333ME15# #20% GRM022B30J333ME15# #20% GRM022B30J333ME15# #20% GRM022B30J333ME15# #20% GRM022B30J333ME15# #20% GRM022B30J3				3300nF			
### A700pF #### 10% GRM022B31A472KE19# ### ###############################				ЗЗООРІ			
#20% GRM022B31A472ME19# #20% GRM022B31A682KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103KE19# #20% GRM022B31A103ME19# #20% GRM022R60J102ME19# #200pF #20% GRM022R60J152ME19# #200pF #20% GRM022R60J332ME19# #200pF #20% GRM022R60J332ME19# #2000pF #20% GRM022R60J332ME19# #2000pF #20% GRM022R60J332ME19# #2000pF #20% GRM022R60J333ME19# #2000pF #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022R60J333ME15# #20% GRM022B30J102ME19# #20% GRM022B30J102ME19# #20% GRM022B30J332ME19# #20% GRM022B30J332ME19# #20% GRM022B30J332ME19# #20% GRM022B30J332ME19# #20% GRM022B30J332ME19# #20% GRM022B30J33ME19# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20% GRM022B30J33ME15# #20%				4700nF			
6800pF ±10% GRM022B31A682KE19# ±20% GRM022B31A103KE19# ±20% GRM022B31A103KE19# ±20% GRM022B31A103ME19# ±20% GRM022B60J102ME19# 1500pF ±20% GRM022R60J152ME19# 2200pF ±20% GRM022R60J332ME19# 4700pF ±20% GRM022R60J332ME19# 15000pF ±20% GRM022R60J332ME19# 15000pF ±20% GRM022R60J332ME19# 15000pF ±20% GRM022R60J333ME15# 22000pF ±10% GRM022R60J333ME15# 22000pF ±20% GRM022R60J333ME15# 22000pF ±20% GRM022R60J333ME15# 220% GRM022B60J333ME15# 220% GRM022B30J102ME19# 2200pF ±20% GRM022B30J102ME19# 2200pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J33ME19# 420% GRM022B30J33ME15# 420% GRM022B30J33ME15# 420% GRM022B30J33ME15# 420% GRM022B30J33ME15# 420% GRM022B30J33ME				чтоорі			
# ±20% GRM022B31A682ME19# # ±20% GRM022B31A103KE19# # ±20% GRM022B31A103ME19# # ±20% GRM022B31A103ME19# # ±20% GRM022R60J102ME19# 1500pF ±20% GRM022R60J332ME19# 4700pF ±20% GRM022R60J332ME19# 10000pF ±20% GRM022R60J133ME19# 15000pF ±20% GRM022R60J103ME19# 15000pF ±20% GRM022R60J103ME19# 15000pF ±20% GRM022R60J103ME19# 15000pF ±20% GRM022R60J103ME19# 120% GRM022R60J233ME15# 120% GRM022R60J23ME15# 120% GRM022R60J23ME15# 120% GRM022R60J23ME15# 120% GRM022R60J23ME15# 120% GRM022R60J23ME15# 120% GRM022R60J473ME15# 1500pF ±20% GRM022R60J473ME15# 1500pF ±20% GRM022B30J102ME19# 1500pF ±20% GRM022B30J102ME19# 1500pF ±20% GRM022B30J132ME19# 1500pF ±20% GRM022B30J332ME19# 1500pF ±20% GRM022B30J332ME19# 10000pF ±20% GRM022B30J332ME19# 10000pF ±20% GRM022B30J103ME19# 10000pF ±20% GRM022B30J103ME15# 10000pF ±20				6800nF			
10000pF				оссор.			
#20% GRM022B31A103ME19# 6.3Vdc X5R 1000pF ±20% GRM022R60J102ME19# 1500pF ±20% GRM022R60J152ME19# 2200pF ±20% GRM022R60J332ME19# 4700pF ±20% GRM022R60J332ME19# 15000pF ±20% GRM022R60J472ME19# 15000pF ±20% GRM022R60J103ME19# 15000pF ±20% GRM022R60J103ME19# 15000pF ±20% GRM022R60J103ME15# 22000pF ±10% GRM022R60J233KE15# 22000pF ±20% GRM022R60J333ME15# 47000pF ±20% GRM022R60J333ME15# 68000pF ±20% GRM022R60J473ME15# 68000pF ±20% GRM022R60J473ME15# 0.10µF ±20% GRM022R60J104ME15# 1500pF ±20% GRM022B30J102ME19# 1500pF ±20% GRM022B30J152ME19# 2200pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J333ME15# 22000pF ±20% GRM022B30J103ME19# 4Vdc X6T 0.10µF ±20% GRM022B30J103ME15# 22000pF ±10% GRM022R60G153ME15# 22000pF ±10% GRM022R60G153ME15#				10000pF			
1500pF							
2200pF		6.3Vdc	X5R	1000pF	±20%	GRM022R60J102ME19#	
3300pF				1500pF	±20%	GRM022R60J152ME19#	
4700pF				2200pF	±20%	GRM022R60J222ME19#	
6800pF				3300pF	±20%	GRM022R60J332ME19#	
10000pF				4700pF	±20%	GRM022R60J472ME19#	
15000pF				6800pF	±20%	GRM022R60J682ME19#	
22000pF				10000pF	±20%	GRM022R60J103ME19#	
#20% GRM022R60J223ME15# 20% GRM022R60J333ME15# 20% GRM022R60J473ME15# 20% GRM022R60J473ME15# 20% GRM022R60J473ME15# 20% GRM022R60J104ME15# 20% GRM022R60J104ME15# 20% GRM022B30J102ME19# 2200pF ±20% GRM022B30J152ME19# 2200pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J332ME19# 6800pF ±20% GRM022B30J472ME19# 6800pF ±20% GRM022B30J472ME19# 4700pF ±20% GRM022B30J472ME19# 6800pF ±20% GRM022B30J473ME19# 20% GRM022B30J103ME19# 47000pF ±20% GRM022B30J103ME19# 47000pF ±20% GRM022B30J103ME19# 420% GRM022B30J103ME19# 420% GRM022B30J103ME15# 220% GRM022B30J103ME15# 220% GRM022R60G153ME15# 220% GRM022R60G153ME15# 220% GRM022R60G153ME15# 220% GRM022R60G223KE15#				15000pF	±20%	GRM022R60J153ME15#	Derating
33000pF				22000pF	±10%	GRM022R60J223KE15#	Derating
47000pF					±20%	GRM022R60J223ME15#	Derating
B 1000pF ±20% GRM022R60J683ME15# 2000pF ±20% GRM022R60J104ME15# 2000pF ±20% GRM022B30J102ME19# 2200pF ±20% GRM022B30J152ME19# 2200pF ±20% GRM022B30J322ME19# 4700pF ±20% GRM022B30J332ME19# 6800pF ±20% GRM022B30J472ME19# 6800pF ±20% GRM022B30J472ME19# 47000pF ±20% GRM022B30J103ME19# 470000pF ±20% GRM022B30J103ME15# 47000pF ±10% GRM022R60G153ME15# 47000pF ±10% GRM022R60G153ME15# 47000pF ±10% GRM022R60G223KE15# 47000pF ±10% 4700				33000pF	±20%	GRM022R60J333ME15#	Derating
0.10μF				47000pF	±20%	GRM022R60J473ME15#	Derating
B 1000pF ±20% GRM022B30J102ME19# 1500pF ±20% GRM022B30J152ME19# 2200pF ±20% GRM022B30J322ME19# 3300pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J472ME19# 6800pF ±20% GRM022B30J472ME19# 10000pF ±20% GRM022B30J103ME19# 4Vdc X6T 0.10μF ±20% GRM022B30J103ME15# 220% GRM022B30J53KE15# 22000pF ±10% GRM022R60G153KE15# 22000pF ±10% GRM022R60G223KE15#				68000pF	±20%	GRM022R60J683ME15#	Derating
1500pF ±20% GRM022B30J152ME19# 2200pF ±20% GRM022B30J222ME19# 3300pF ±20% GRM022B30J332ME19# 4700pF ±20% GRM022B30J472ME19# 6800pF ±20% GRM022B30J682ME19# 10000pF ±20% GRM022B30J103ME19# 4Vdc X6T 0.10μF ±20% GRM022B30J103ME19# X5R 15000pF ±10% GRM022R60G153KE15# ±20% GRM022R60G153ME15# 22000pF ±10% GRM022R60G223KE15#				0.10µF	±20%	GRM022R60J104ME15#	Derating
2200pF			В	1000pF	±20%	GRM022B30J102ME19#	
3300pF				1500pF	±20%	GRM022B30J152ME19#	
4700pF				2200pF	±20%	GRM022B30J222ME19#	
6800pF ±20% GRM022B30J682ME19# 10000pF ±20% GRM022B30J103ME19# 4Vdc X6T 0.10μF ±20% GRM022D80G104ME15# ±20% GRM022R60G153KE15# ±20% GRM022R60G153ME15# 22000pF ±10% GRM022R60G223KE15#				3300pF	±20%	GRM022B30J332ME19#	
10000pF				4700pF	±20%	GRM022B30J472ME19#	
4Vdc X6T 0.10μF ±20% GRM022D80G104ME15#				6800pF	±20%	GRM022B30J682ME19#	
X5R 15000pF ±10% GRM022R60G153KE15# ±20% GRM022R60G153ME15# 22000pF ±10% GRM022R60G223KE15#				10000pF	±20%	GRM022B30J103ME19#	
±20% GRM022R60G153ME15# 22000pF ±10% GRM022R60G223KE15#		4Vdc	X6T	0.10µF	±20%	GRM022D80G104ME15#	Derating
22000pF ±10% GRM022R60G223KE15#			X5R	15000pF	±10%	GRM022R60G153KE15#	
					±20%	GRM022R60G153ME15#	
±20% GRM022R60G223ME15#				22000pF	±10%	GRM022R60G223KE15#	
					±20%	GRM022R60G223ME15#	

Part number # indicates the package specification code.

(→ ■ 0.4×0.2mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.22mm	4Vdc	X5R	33000pF	±10%	GRM022R60G333KE15#	
				±20%	GRM022R60G333ME15#	_
			47000pF	±10%	GRM022R60G473KE15#	_
				±20%	GRM022R60G473ME15#	
			68000pF	±20%	GRM022R60G683ME15#	
			0.10µF	±20%	GRM022R60G104ME15#	
	2.5Vdc	X6T	0.10µF	±20%	GRM022D80E104ME15#	_

■ 0.6×0.3mm	Ultra- compact
-------------	-------------------

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	50Vdc	X7R	100pF	±10%	GRM033R71H101KA12#	
				±20%	GRM033R71H101MA12#	
			150pF	±10%	GRM033R71H151KA12#	
				±20%	GRM033R71H151MA12#	
			220pF	±10%	GRM033R71H221KA12#	
				±20%	GRM033R71H221MA12#	
			330pF	±10%	GRM033R71H331KA12#	
				±20%	GRM033R71H331MA12#	
			470pF	±10%	GRM033R71H471KA12#	
				±20%	GRM033R71H471MA12#	
			680pF	±10%	GRM033R71H681KA12#	
				±20%	GRM033R71H681MA12#	
			1000pF	±10%	GRM033R71H102KA12#	
				±20%	GRM033R71H102MA12#	
			1500pF	±10%	GRM033R71H152KA12#	
				±20%	GRM033R71H152MA12#	
		В	100pF	±10%	GRM033B31H101KA12#	
				±20%	GRM033B31H101MA12#	
			150pF	±10%	GRM033B31H151KA12#	
				±20%	GRM033B31H151MA12#	
			220pF	±10%	GRM033B31H221KA12#	
				±20%	GRM033B31H221MA12#	
			330pF	±10%	GRM033B31H331KA12#	
				±20%	GRM033B31H331MA12#	
			470pF	±10%	GRM033B31H471KA12#	
				±20%	GRM033B31H471MA12#	
			680pF	±10%	GRM033B31H681KA12#	
			·	±20%	GRM033B31H681MA12#	
			1000pF	±10%	GRM033B31H102KA12#	
				±20%	GRM033B31H102MA12#	
			1500pF	±10%	GRM033B31H152KA12#	
			- 1-	±20%	GRM033B31H152MA12#	
	35Vdc	X5R	0.10µF	±10%	GRM033R6YA104KE14#	Derating
				±20%	GRM033R6YA104ME14#	Derating
	25Vdc	X7R	1000pF	±10%	GRM033R71E102KA01#	
	20.00	,,,,,	1500pF	±10%	GRM033R71E152KA01#	
			2200pF	±10%	GRM033R71E222KA12#	
			opi	±20%	GRM033R71E222MA12#	
			3300pF	±10%	GRM033R71E332KA12#	
			ССССРІ	±20%	GRM033R71E332MA12#	
			4700pF	±10%	GRM033R71E472KE14#	Derating
			47 oobi	±10%	GRM033R71E472KE14#	Derating

	Part Number	Tol.	Сар.	TC Code	Rated Voltage	T max.
Derati	GRM033R71E682KE14#	±10%	6800pF	X7R	25Vdc	0.33mm
Derati	GRM033R71E682ME14#	±20%				
Derati	GRM033R71E103KE14#	±10%	10000pF			
Derati	GRM033R71E103ME14#	±20%	-			
	GRM033R11E101KA01#	±10%	100pF	R		
	GRM033R11E151KA01#	±10%	150pF			
	GRM033R11E221KA01#	±10%	220pF			
	GRM033R11E331KA01#	±10%	330pF			
	GRM033R11E471KA01#	±10%	470pF			
	GRM033R11E681KA01#	±10%	680pF			
	GRM033R11E102KA01#	±10%	1000pF			
	GRM033R11E152KA01#	±10%	1500pF			
Derati	GRM033C81E104KE14#	±10%	0.10µF	X6S		
Derati	GRM033C81E104ME14#	±20%	0.10μ1	7.00		
Derati	GRM033R61E472KA12#	±10%	4700pF	X5R		
Derati	GRM033R61E472MA12#	±20%	47 00pi	Xort		
Derati	GRM033R61E682KA12#	±10%	6800pF			
			овоорі			
Derati	GRM033R61E682MA12#	±20%	10000-5			
Derati	GRM033R61E103KA12#	±10%	10000pF			
Derati	GRM033R61E103MA12#	±20%	0.40 =			
	GRM033R61E104KE14#	±10%	0.10µF			
_	GRM033R61E104ME14#	±20%				
	GRM033B11E102KA01#	±10%	1000pF	В		
_	GRM033B11E102MA01#	±20%				
	GRM033B11E152KA01#	±10%	1500pF			
	GRM033B11E152MA01#	±20%				
	GRM033B31E222KA12#	±10%	2200pF			
	GRM033B31E222MA12#	±20%				
	GRM033B31E332KA12#	±10%	3300pF			
	GRM033B31E332MA12#	±20%				
Derati	GRM033B31E103KA12#	±10%	10000pF			
Derati	GRM033B31E103MA12#	±20%				
	GRM033R71C222KA88#	±10%	2200pF	X7R	16Vdc	
	GRM033R71C332KA88#	±10%	3300pF			
	GRM033R71C472KE14#	±10%	4700pF			
	GRM033R71C472ME14#	±20%				
	GRM033R71C682KE14#	±10%	6800pF			
	GRM033R71C682ME14#	±20%				
	GRM033R71C103KE14#	±10%	10000pF			
	GRM033R71C103ME14#	±20%				
Derati	GRM033C71C104KE14#	±10%	0.10µF	X7S		
Derati	GRM033C71C104ME14#	±20%				
	GRM033R11C222KA88#	±10%	2200pF	R		
	GRM033R11C332KA88#	±10%	3300pF			
	GRM033C81C104KE14#	±10%	0.10µF	X6S		
\vdash	GRM033C81C104ME14#	±20%	υ. τομι			
	GRM033R61C103KA12#	±10%	10000pF	X5R		
\vdash	GRM033R61C103MA12#	±10%	.0000pi	AUR		
Derati			150005E			
	GRM033R61C153KE84#	±10%	15000pF			
Derati	GRM033R61C153ME84#	±20%	00000			
Derati	GRM033R61C223KE84#	±10%	22000pF			
Derati	GRM033R61C223ME84#	±20%	000			
Derati	GRM033R61C333KE84#	±10%	33000pF			
Derati	GRM033R61C333ME84#	±20%				

(→ **■** 0.6×0.3mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number			
0.33mm	16Vdc	X5R	47000pF	±10%	GRM033R61C473KE84#	Derating		
				±20%	GRM033R61C473ME84#	Derating		
			68000pF	±10%	GRM033R61C683KE84#	Derating		
				±20%	GRM033R61C683ME84#	Derating		
			0.10µF	±10%	GRM033R61C104KE14#			
				±20%	GRM033R61C104ME14#			
		В	2200pF	±10%	GRM033B31C222KA87#			
				±20%	GRM033B31C222MA87#			
			3300pF	±10%	GRM033B31C332KA87#			
				±20%	GRM033B31C332MA87#			
			10000pF	±10%	GRM033B31C103KA12#			
				±20%	GRM033B31C103MA12#			
			15000pF	±10%	GRM033B31C153KE84#	Deratin		
				±20%	GRM033B31C153ME84#	Deratin		
			22000pF	±10%	GRM033B31C223KE84#	Deratin		
				±20%	GRM033B31C223ME84#	Deratin		
			33000pF	±10%	GRM033B31C333KE84#	Deratin		
				±20%	GRM033B31C333ME84#	Deratin		
			47000pF	±10%	GRM033B31C473KE84#	Deratin		
				±20%	GRM033B31C473ME84#	Deratin		
			68000pF	±10%	GRM033B31C683KE84#	Deratin		
				±20%	GRM033B31C683ME84#	Deratin		
			0.10µF	±10%	GRM033B31C104KE84#	Deratin		
				±20%	GRM033B31C104ME84#	Deratin		
	10Vdc	X7R	4700pF	±10%	GRM033R71A472KA01#			
				±20%	GRM033R71A472MA01#			
			6800pF	±10%	GRM033R71A682KA01#			
				±20%	GRM033R71A682MA01#			
			10000pF	±10%	GRM033R71A103KA01#			
				±20%	GRM033R71A103MA01#			
		X7S	0.10µF	±10%	GRM033C71A104KE14#			
				±20%	GRM033C71A104ME14#			
		R	R	4700pF	±10%	GRM033R11A472KA01#		
						±20%	GRM033R11A472MA01#	
				GRM033R11A682KA01#				
				±20%	GRM033R11A682MA01#			
			10000pF	±10%	GRM033R11A103KA01#			
				±20%	GRM033R11A103MA01#			
		X5R	4700pF	±10%	GRM033R61A472KA01#			
				±20%	GRM033R61A472MA01#			
			6800pF	±10%	GRM033R61A682KA01#			
				±20%	GRM033R61A682MA01#			
			15000pF	±10%	GRM033R61A153KE84#			
				±20%	GRM033R61A153ME84#			
			22000pF	±10%	GRM033R61A223KE84#			
				±20%	GRM033R61A223ME84#			
			33000pF	±10%	GRM033R61A333KE84#			
				±20%	GRM033R61A333ME84#			
			47000pF	±10%	GRM033R61A473KE84#			
			55561	±20%	GRM033R61A473ME84#			
			68000pF	±10%	GRM033R61A683KE84#			
			зээээрі	±20%	GRM033R61A683ME84#			
			0.10µF	±10%	GRM033R61A104KE84#	1		
			ο. τομι	±20%	GRM033R61A104ME84#	-		

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.33mm	10Vdc	X5R	0.22µF	±20%	GRM033R61A224ME90#	Derating
		В	4700pF	±10%	GRM033B11A472KA01#	
				±20%	GRM033B11A472MA01#	
			6800pF	±10%	GRM033B11A682KA01#	
				±20%	GRM033B11A682MA01#	
			15000pF	±10%	GRM033B31A153KE84#	
				±20%	GRM033B31A153ME84#	
			22000pF	±10%	GRM033B31A223KE84#	
				±20%	GRM033B31A223ME84#	
			33000pF	±10%	GRM033B31A333KE84#	
				±20%	GRM033B31A333ME84#	
			47000pF	±10%	GRM033B31A473KE84#	
				±20%	GRM033B31A473ME84#	
			68000pF	±10%	GRM033B31A683KE84#	
				±20%	GRM033B31A683ME84#	
			0.10µF	±10%	GRM033B31A104KE84#	
				±20%	GRM033B31A104ME84#	
	6.3Vdc	X7R	4700pF	±10%	GRM033R70J472KA01#	
			6800pF	±10%	GRM033R70J682KA01#	
			10000pF	±10%	GRM033R70J103KA01#	
		R	4700pF	±10%	GRM033R10J472KA01#	
			6800pF	±10%	GRM033R10J682KA01#	
			10000pF	±10%	GRM033R10J103KA01#	
		X6S	15000pF	±10%	GRM033C80J153KE01#	
				±20%	GRM033C80J153ME01#	
			22000pF	±10%	GRM033C80J223KE01#	_
				±20%	GRM033C80J223ME01#	_
			33000pF	±10%	GRM033C80J333KE01#	_
				±20%	GRM033C80J333ME01#	
			47000pF	±10%	GRM033C80J473KE19#	_
				±20%	GRM033C80J473ME19#	
			68000pF	±10%	GRM033C80J683KE84#	Derating
			0.105	±20%	GRM033C80J683ME84#	Derating
			0.10µF	±10%	GRM033C80J104KE84#	Derating
			0.005	±20%	GRM033C80J104ME84#	Denating
		VED	0.22µF	±20%	GRM033C80J224ME90#	Derating
		X5R	0.22µF	±20%	GRM033R60J224ME90#	-
		В	4700pF	±10%	GRM033B10J472KA01# GRM033B10J682KA01#	_
			6800pF 15000pF	±10% ±10%	GRM033B10J153KE01#	-
			13000001			-
			22000pF	±20% ±10%	GRM033B10J153ME01# GRM033B10J223KE01#	_
			22000pr	±10%	GRM033B10J223RE01#	_
			33000pF	±10%	GRM033B10J333KE01#	
			2000p1	±20%	GRM033B10J333ME01#	_
	4Vdc	X6S	0.22µF	±20%	GRM033C80G224ME90#	_
		1	- · p·		1	

■ 1.0×0.5mm

T max	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.22m	nm 10Vdc	X5R	0.10µF	±10%	GRM152R61A104KE19#	Derating
				±20%	GRM152R61A104ME19#	Derating
			0.22µF	±10%	GRM152R61A224KE19#	Derating

Part number # indicates the package specification code.

GJM Series GRM Series

GMA Series

GMD Series GQM Series

GRJ Series GR3 Series

GRM Series High Dielectric Constant Type Part Number List

$(\rightarrow \blacksquare 1.0 \times 0.5 \text{mm})$

(→ ■ 1	.0×0.5ı	nm)				
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.22mm	10Vdc	X5R	0.22µF	±20%	GRM152R61A224ME19#	Derating
		В	0.10µF	±10%	GRM152B31A104KE19#	Derating
				±20%	GRM152B31A104ME19#	Derating
			0.22µF	±10%	GRM152B31A224KE19#	Derating
				±20%	GRM152B31A224ME19#	Derating
	6.3Vdc	X6S	0.10µF	±10%	GRM152C80J104KE19#	Derating
				±20%	GRM152C80J104ME19#	Derating
			0.22µF	±10%	GRM152C80J224KE19#	Derating
				±20%	GRM152C80J224ME19#	Derating
		X5R	0.10µF	±10%	GRM152R60J104KE19#	
				±20%	GRM152R60J104ME19#	
			0.22µF	±10%	GRM152R60J224KE19#	
				±20%	GRM152R60J224ME19#	
			0.47µF	±20%	GRM152R60J474ME15#	Derating
			1.0µF	±20%	GRM152R60J105ME15#	Derating
		В	0.10µF	±10%	GRM152B30J104KE19#	
				±20%	GRM152B30J104ME19#	
			0.22µF	±10%	GRM152B30J224KE19#	
				±20%	GRM152B30J224ME19#	
			0.47µF	±20%	GRM152B30J474ME15#	Derating
	4Vdc	X7T	0.10µF	±10%	GRM152D70G104KE15#	Derating
				±20%	GRM152D70G104ME15#	Derating
			0.22µF	±10%	GRM152D70G224KE15#	Derating
				±20%	GRM152D70G224ME15#	Derating
		X6S	0.10µF	±10%	GRM152C80G104KE19#	
				±20%	GRM152C80G104ME19#	
			0.22µF	±10%	GRM152C80G224KE19#	_
				±20%	GRM152C80G224ME19#	
		X6T	0.47µF	±20%	GRM152D80G474ME15#	<u></u>
			1.0µF	±20%	GRM152D80G105ME15#	Derating
		X5R	1.0µF	±20%	GRM152R60G105ME15#	
	2.5Vdc	X7T	0.10µF	±10%	GRM152D70E104KE19#	
				±20%	GRM152D70E104ME19#	
			0.22µF	±10%	GRM152D70E224KE19#	
				±20%	GRM152D70E224ME19#	_
0.3mm	50Vdc	X7R	220pF	±10%	GRM15XR71H221KA86#	
			330pF	±10%	GRM15XR71H331KA86#	_
			470pF	±10%	GRM15XR71H471KA86#	<u> </u>
			680pF	±10%	GRM15XR71H681KA86#	_
			1000pF	±10%	GRM15XR71H102KA86#	_
			1500pF	±10%	GRM15XR71H152KA86#	_
		R	220pF	±10%	GRM15XR11H221KA86#	_
			330pF	±10%	GRM15XR11H331KA86#	
			470pF	±10%	GRM15XR11H471KA86#	
			680pF	±10%	GRM15XR11H681KA86#	-
			1000pF	±10%	GRM15XR11H102KA86#	
			1500pF	±10%	GRM15XR11H152KA86#	
		В	220pF	±10%	GRM15XB11H221KA86#	
			055 -	±20%	GRM15XB11H221MA86#	
			330pF	±10%	GRM15XB11H331KA86#	
			176 -	±20%	GRM15XB11H331MA86#	
			470pF	±10%	GRM15XB11H471KA86#	
			000 -	±20%	GRM15XB11H471MA86#	-
			680pF	±10%	GRM15XB11H681KA86#	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.3mm	50Vdc	В	680pF	±20%	GRM15XB11H681MA86#	
			1000pF	±10%	GRM15XB11H102KA86#	
				±20%	GRM15XB11H102MA86#	
			1500pF	±10%	GRM15XB11H152KA86#	
				±20%	GRM15XB11H152MA86#	
	25Vdc	X7R	2200pF	±10%	GRM15XR71E222KA86#	
				±20%	GRM15XR71E222MA86#	
		В	2200pF	±10%	GRM15XB11E222KA86#	
				±20%	GRM15XB11E222MA86#	
	16Vdc	X7R	3300pF	±10%	GRM15XR71C332KA86#	
				±20%	GRM15XR71C332MA86#	
			4700pF	±10%	GRM15XR71C472KA86#	
				±20%	GRM15XR71C472MA86#	
			6800pF	±10%	GRM15XR71C682KA86#	
				±20%	GRM15XR71C682MA86#	
			10000pF	±10%	GRM15XR71C103KA86#	
				±20%	GRM15XR71C103MA86#	
		В	3300pF	±10%	GRM15XB11C332KA86#	
				±20%	GRM15XB11C332MA86#	
			4700pF	±10%	GRM15XB11C472KA86#	
				±20%	GRM15XB11C472MA86#	
			6800pF	±10%	GRM15XB11C682KA86#	
				±20%	GRM15XB11C682MA86#	
			10000pF	±10%	GRM15XB11C103KA86#	
				±20%	GRM15XB11C103MA86#	
	10Vdc	X5R	15000pF	±10%	GRM15XR61A153KA86#	
				±20%	GRM15XR61A153MA86#	
			22000pF	±10%	GRM15XR61A223KA86#	
				±20%	GRM15XR61A223MA86#	
			33000pF	±10%	GRM15XR61A333KA86#	
				±20%	GRM15XR61A333MA86#	
0.33mm	10Vdc	X5R	1.0µF	±20%	GRM153R61A105ME95#	Derating
		В	1.0µF	±20%	GRM153B31A105ME95#	Derating
	6.3Vdc	X6T	1.0µF	±20%	GRM153D80J105ME95#	Derating
		X5R	1.0µF	±20%	GRM153R60J105ME95#	
		В	1.0µF	±20%	GRM153B30J105ME95#	
	4Vdc	X6T	1.0µF	±20%	GRM153D80G105ME95#	
0.55mm	100Vdc	X7R	220pF	±10%	GRM155R72A221KA01#	
			330pF	±10%	GRM155R72A331KA01#	
			470pF	±10%	GRM155R72A471KA01#	
			680pF	±10%	GRM155R72A681KA01#	
			1000pF	±10%	GRM155R72A102KA01#	
			1500pF	±10%	GRM155R72A152KA01#	
			2200pF	±10%	GRM155R72A222KA01#	
			3300pF	±10%	GRM155R72A332KA01#	
	E0\/-I-	VZD	4700pF	±10%	GRM155R72A472KA01#	
	50Vdc	X7R	220pF	±10%	GRM155R71H221KA01#	
			330pF	±10%	GRM155R71H331KA01#	
			470pF	±10%	GRM155R71H471KA01#	
			680pF	±10%	GRM155R71H681KA01#	
			1000pF	±10%	GRM155R71H102KA01#	
			1500pF	±10%	GRM155R71H152KA01#	
			2200pF	±10%	GRM155R71H222KA01#	
		1	3300pF	±10%	GRM155R71H332KA01#	

(→ **■** 1.0×0.5mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number							
0.55mm	50Vdc	X7R	4700pF	±10%	GRM155R71H472KA01#							
			6800pF	±10%	GRM155R71H682KA88#							
			10000pF	±10%	GRM155R71H103KA88#							
			15000pF	±10%	GRM155R71H153KA12#							
			22000pF	±10%	GRM155R71H223KA12#							
			33000pF	±10%	GRM155R71H333KE14#							
				±20%	GRM155R71H333ME14#							
			47000pF	±10%	GRM155R71H473KE14#							
				±20%	GRM155R71H473ME14#							
			68000pF	±10%	GRM155R71H683KE14#							
				±20%	GRM155R71H683ME14#							
			0.10µF	±10%	GRM155R71H104KE14#							
			оторг	±20%	GRM155R71H104ME14#							
		R	220pF	±10%	GRM155R11H221KA01#							
		11	330pF	±10%	GRM155R11H331KA01#							
			· ·		GRM155R11H471KA01#							
			470pF	±10%								
			680pF	±10%	GRM155R11H681KA01#							
			1000pF	±10%	GRM155R11H102KA01#							
			1500pF	±10%	GRM155R11H152KA01#							
				2200pF	±10%	GRM155R11H222KA01#						
			3300pF	±10%	GRM155R11H332KA01#							
			4700pF	±10%	GRM155R11H472KA01#							
			6800pF	±10%	GRM155R11H682KA88#							
		X6S 33000pl	10000pF	±10%	GRM155R11H103KA88#							
			33000pF	±10%	GRM155C81H333KE14#							
				±20%	GRM155C81H333ME14#							
			47000pF	±10%	GRM155C81H473KE14#							
				±20%	GRM155C81H473ME14#							
			68000pF	±10%	GRM155C81H683KE14#							
				±20%	GRM155C81H683ME14#							
		X5R	33000pF	±10%	GRM155R61H333KE14#							
					Xort	7,511	·	±20%	GRM155R61H333ME14#			
			47000pF	±10%	GRM155R61H473KE14#							
				±20%	GRM155R61H473ME14#							
												68000pE
			ооооорі	±20%	GRM155R61H683ME14#							
			0.10µF	±10%	GRM155R61H104KE14#							
			υ. τυμε									
		-	000- 5	±20%	GRM155R61H104ME14#							
		В	220pF	±10%	GRM155B11H221KA01#							
			05	±20%	GRM155B11H221MA01#							
			330pF	±10%	GRM155B11H331KA01#							
				±20%	GRM155B11H331MA01#							
			470pF	±10%	GRM155B11H471KA01#							
				±20%	GRM155B11H471MA01#							
			680pF	±10%	GRM155B11H681KA01#							
				±20%	GRM155B11H681MA01#							
			1000pF	±10%	GRM155B11H102KA01#							
				±20%	GRM155B11H102MA01#							
				1500pF	±10%	GRM155B11H152KA01#						
				±20%	GRM155B11H152MA01#							
			2200pF	±10%	GRM155B11H222KA01#							
			[±20%	GRM155B11H222MA01#							
			3300pF	±10%	GRM155B11H332KA01#							

					T		
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number		
0.55mm	50Vdc	В	4700pF	±10%	GRM155B11H472KA01#		
				±20%	GRM155B11H472MA01#	-	
			6800pF	±10%	GRM155B31H682KA88#		
				±20%	GRM155B31H682MA88#		
			10000pF	±10%	GRM155B31H103KA88#	-	
			45000 F	±20%	GRM155B31H103MA88#		
			15000pF	±10%	GRM155B31H153KA12#	-	
			220005	±20% ±10%	GRM155B31H153MA12# GRM155B31H223KA12#	-	
			22000pF	±20%	GRM155B31H223MA12#	-	
			0.10µF	±10%	GRM155B31H104KE14#	-	
			0.10µ1	±20%	GRM155B31H104ME14#		
	35Vdc	X6S	0.22µF	±10%	GRM155C8YA224KE01#	Derating	
	00140	7.00	0.2241	±20%	GRM155C8YA224ME01#	Derating	
		X5R	0.22µF	±10%	GRM155R6YA224KE01#	Derating	
				±20%	GRM155R6YA224ME01#	Derating	
			0.47µF	±10%	GRM155R6YA474KE01#	Derating	
					±20%	GRM155R6YA474ME01#	Derating
	25Vdc	X7R	10000pF	±10%	GRM155R71E103KA01#		
			15000pF	±10%	GRM155R71E153KA61#		
			22000pF	±10%	GRM155R71E223KA61#		
			33000pF	±10%	GRM155R71E333KA88#		
			47000pF	±10%	GRM155R71E473KA88#		
			68000pF	±10%	GRM155R71E683KE14#		
				±20%	GRM155R71E683ME14#		
			0.10µF	±10%	GRM155R71E104KE14#		
				±20%	GRM155R71E104ME14#		
		R	6800pF	±10%	GRM155R11E682KA01#		
			10000pF	±10%	GRM155R11E103KA01#		
			15000pF	±10%	GRM155R11E153KA61#		
			22000pF	±10%	GRM155R11E223KA61#		
			33000pF	±10%	GRM155R11E333KA88#		
			47000pF	±10%	GRM155R11E473KA88#	-	
		X6S	0.22µF	±10%	GRM155C81E224KE01#	-	
		VED	C00005F	±20%	GRM155C81E224ME01#	-	
		X5R	68000pF	±10% ±20%	GRM155R61E683KA87# GRM155R61E683MA87#	-	
			0.10µF	±10%	GRM155R61E104KA87#	-	
			О.ТОРГ	±20%	GRM155R61E104MA87#		
			0.22µF	±10%	GRM155R61E224KE01#	-	
				±20%	GRM155R61E224ME01#		
			0.47µF	±10%	GRM155R61E474KE01#		
				±20%	GRM155R61E474ME01#		
			1.0µF	±10%	GRM155R61E105KA12#	Derating	
				±20%	GRM155R61E105MA12#	Derating	
		В	10000pF	±10%	GRM155B11E103KA01#		
			'	±20%	GRM155B11E103MA01#		
			15000pF	±10%	GRM155B11E153KA61#		
				±20%	GRM155B11E153MA61#		
			22000pF	±10%	GRM155B11E223KA61#		
				±20%	GRM155B11E223MA61#		
			33000pF	±10%	GRM155B31E333KA87#		
				±20%	GRM155B31E333MA87#		
			47000pF	±10%	GRM155B31E473KA87#		

■ 1.0×0.5mm)

(→ ■ 1	.0×0.5r	nm)				
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.55mm	25Vdc	В	47000pF	±20%	GRM155B31E473MA87#	
			68000pF	±10%	GRM155B31E683KA87#	
				±20%	GRM155B31E683MA87#	
			0.10µF	±10%	GRM155B31E104KA87#	
				±20%	GRM155B31E104MA87#	
			1.0µF	±10%	GRM155B31E105KA12#	Derating
				±20%	GRM155B31E105MA12#	Derating
	16Vdc	X7R	68000pF	±10%	GRM155R71C683KA88#	
			0.15µF	±10%	GRM155R71C154KA12#	
			0.22µF	±10%	GRM155R71C224KA12#	
		R	68000pF	±10%	GRM155R11C683KA88#	
		X6S	0.47µF	±10%	GRM155C81C474KE01#	
				±20%	GRM155C81C474ME01#	
		X5R	0.22µF	±10%	GRM155R61C224KA12#	
				±20%	GRM155R61C224MA12#	
			0.47µF	±10%	GRM155R61C474KE01#	
				±20%	GRM155R61C474ME01#	
			1.0µF	±10%	GRM155R61C105KA12#	
				±20%	GRM155R61C105MA12#	
		В	1.0µF	±10%	GRM155B31C105KA12#	
				±20%	GRM155B31C105MA12#	
	10Vdc	X7R	0.22µF	±10%	GRM155R71A224KE01#	
				±20%	GRM155R71A224ME01#	
			0.47µF	±10%	GRM155R71A474KE01#	
				±20%	GRM155R71A474ME01#	
		X6S	1.0µF	±10%	GRM155C81A105KA12#	
				±20%	GRM155C81A105MA12#	
		X5R	0.15µF	±10%	GRM155R61A154KE19#	
				±20%	GRM155R61A154ME19#	
			0.22µF	±10%	GRM155R61A224KE19#	
				±20%	GRM155R61A224ME19#	
			0.33µF	±10%	GRM155R61A334KE15#	
				±20%	GRM155R61A334ME15#	
			0.47µF	±10%	GRM155R61A474KE15#	
				±20%	GRM155R61A474ME15#	
			0.68µF	±10%	GRM155R61A684KE15#	
				±20%	GRM155R61A684ME15#	
		В	0.15µF	±10%	GRM155B31A154KE18#	
				±20%	GRM155B31A154ME18#	
			0.22µF	±10%	GRM155B31A224KE18#	
				±20%	GRM155B31A224ME18#	
			0.33µF	±10%	GRM155B31A334KE14#	
				±20%	GRM155B31A334ME14#	
			0.47µF	±10%	GRM155B31A474KE14#	
				±20%	GRM155B31A474ME14#	
			0.68µF	±10%	GRM155B31A684KE15#	
				±20%	GRM155B31A684ME15#	
			2.2µF	±10%	GRM155B31A225KE95#	Derating
			'	±20%	GRM155B31A225ME95#	Derating
	6.3Vdc	X7R	1.0µF	±10%	GRM155R70J105KA12#	Derating
			-	±20%	GRM155R70J105MA12#	Derating
		X6S	2.2µF	±10%	GRM155C80J225KE95#	Derating
			F"	±20%	GRM155C80J225ME95#	Derating
		X5R	0.15µF	±10%	GRM155R60J154KE01#	
	<u> </u>	7.011	υ. ι υμι	_ 10 /0		

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number		
0.55mm	6.3Vdc	X5R	0.15µF	±20%	GRM155R60J154ME01#		
			0.22µF	±10%	GRM155R60J224KE01#		
				±20%	GRM155R60J224ME01#		
			0.33µF	±10%	GRM155R60J334KE01#		
				±20%	GRM155R60J334ME01#		
			0.47µF	±10%	GRM155R60J474KE19#		
				±20%	GRM155R60J474ME19#		
				0.68µF	±10%	GRM155R60J684KE19#	
				±20%	GRM155R60J684ME19#		
		В	0.15µF	±10%	GRM155B10J154KE01#		
				±20%	GRM155B10J154ME01#		
			0.22µF	±10%	GRM155B10J224KE01#		
				±20%	GRM155B10J224ME01#		
			0.33µF	±10%	GRM155B10J334KE01#		
				±20%	GRM155B10J334ME01#		
			0.47µF	±10%	GRM155B30J474KE18#		
			•	±20%	GRM155B30J474ME18#		
			0.68µF	±10%	GRM155B30J684KE18#		
				±20%	GRM155B30J684ME18#		
			2.2µF	±10%	GRM155B30J225KE95#		
			<i></i> -рі	±20%	GRM155B30J225ME95#		
	4Vdc	X7R	1.0µF	±10%	GRM155R70G105KA12#		
	7700	X/11	1.0µ1	±20%	GRM155R70G105MA12#		
0.6mm	35Vdc	X5R	1.0µF	±10%	GRM155R6YA105KE11#	Derating	
0.011111	33700	VOU	1.0μΓ			Derating	
	25Vdc	X6S	1 005	±20%	GRM155R6YA105ME11#	Derating	
	25 Vuc	703	1.0µF	±10%	GRM155C81E105KE11#	Derating	
	16Vdc	X6S	1 005	±20%	GRM155C81E105ME11#	Dordanis	
	Tovac	703	1.0µF	±10%	GRM155C81C105KE11# GRM155C81C105ME11#		
	0.0)/- -	VED	4.7	±20%		Danife	
	6.3Vdc	X5R	4.7µF	±20%	GRM155R60J475ME47#	Derating	
	4) / - -	В	4.7µF	±20%	GRM155B30J475ME47#	Derating	
	4Vdc	X5R	4.7µF	±20%	GRM155R60G475ME47#		
	0.5)(1	В	4.7µF	±20%	GRM155B30G475ME47#		
	2.5Vdc	X6T	4.7µF	±20%	GRM155D80E475ME47#	Derating	
0.65mm		X6S	4.7μF	±20%	GRM155C80J475MEAA#	Derating	
0.7mm	25Vdc	X5R	2.2µF	±10%	GRM155R61E225KE11#		
				±20%	GRM155R61E225ME11#		
	16Vdc	X6S	2.2µF	±10%	GRM155C81C225KE11#		
				±20%	GRM155C81C225ME11#		
		X5R	2.2µF	±10%	GRM155R61C225KE11#		
				±20%	GRM155R61C225ME11#		
	10Vdc	X7S	2.2µF	±10%	GRM155C71A225KE11#		
				±20%	GRM155C71A225ME11#		
		X6S	2.2µF	±10%	GRM155C81A225KE11#		
				±20%	GRM155C81A225ME11#		
	6.3Vdc	X7S	2.2µF	±10%	GRM155C70J225KE11#		
				±20%	GRM155C70J225ME11#		
	4Vdc	X5R	10µF	±20%	GRM155R60G106ME44#		
	2.5Vdc	X5R	10µF	±20%	GRM155R60E106ME16#		

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.5mm	25Vdc	X5R	1.0µF	±10%	GRM185R61E105KA12#	Deratir
				±20%	GRM185R61E105MA12#	Deratir
		В	1.0µF	±10%	GRM185B31E105KA12#	Derati
				±20%	GRM185B31E105MA12#	Derati
	16Vdc	X5R	1.0µF	±10%	GRM185R61C105KE44#	
				±20%	GRM185R61C105ME44#	
		В	1.0µF	±10%	GRM185B31C105KE43#	
				±20%	GRM185B31C105ME43#	
	6.3Vdc	X5R	10µF	±20%	GRM185R60J106ME15#	Derati
	4Vdc	X5R	10µF	±20%	GRM185R60G106ME15#	
).55mm	16Vdc	X5R	4.7µF	±10%	GRM185R61C475KE11#	
				±20%	GRM185R61C475ME11#	
	10Vdc	X6S	4.7µF	±10%	GRM185C81A475KE11#	Derati
				±20%	GRM185C81A475ME11#	Derati
		X5R	4.7µF	±10%	GRM185R61A475KE11#	
				±20%	GRM185R61A475ME11#	
	6.3Vdc	X7T	4.7µF	±20%	GRM185D70J475ME11#	Derati
		X6S	4.7µF	±20%	GRM185C80J475ME11#	
0.9mm	250Vdc	X7R	220pF	±10%	GRM188R72E221KW07#	
			330pF	±10%	GRM188R72E331KW07#	\top
			470pF	±10%	GRM188R72E471KW07#	\top
			680pF	±10%	GRM188R72E681KW07#	\top
			1000pF	±10%	GRM188R72E102KW07#	T
			1500pF	±10%	GRM188R72E152KW07#	\top
			2200pF	±10%	GRM188R72E222KW07#	\top
	200Vdc	X7R	220pF	±10%	GRM188R72D221KW07#	\vdash
			330pF	±10%	GRM188R72D331KW07#	\vdash
			470pF	±10%	GRM188R72D471KW07#	\vdash
			680pF	±10%	GRM188R72D681KW07#	
			1000pF	±10%	GRM188R72D102KW07#	
			1500pF	±10%	GRM188R72D152KW07#	T
			2200pF	±10%	GRM188R72D222KW07#	T
	100Vdc	X7R	220pF	±10%	GRM188R72A221KA01#	\vdash
			330pF	±10%	GRM188R72A331KA01#	\vdash
			470pF	±10%	GRM188R72A471KA01#	\vdash
			680pF	±10%	GRM188R72A681KA01#	
			1000pF	±10%	GRM188R72A102KA01#	\vdash
			1500pF	±10%	GRM188R72A152KA01#	
			2200pF	±10%	GRM188R72A222KA01#	
			3300pF	±10%	GRM188R72A332KA01#	\vdash
			4700pF	±10%	GRM188R72A472KA01#	_
			4700pi	±10%	GRM188R72A682KA01#	_
						+
			10000pF	±10%	GRM188R72A103KA01#	+
			15000pF	±10%	GRM188R72A153KAC4#	\vdash
			22000-5	±20%	GRM188R72A153MAC4#	\vdash
			22000pF	±10%	GRM188R72A223KAC4#	-
			0.40: 5	±20%	GRM188R72A223MAC4#	\vdash
	F0\/ :	V75	0.10µF	±10%	GRM188R72A104KA35#	-
	50Vdc	X7R	220pF	±10%	GRM188R71H221KA01#	-
			330pF	±10%	GRM188R71H331KA01#	1
			470pF	±10%	GRM188R71H471KA01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	50Vdc	X7R	1000pF	±10%	GRM188R71H102KA01#
			1500pF	±10%	GRM188R71H152KA01#
			2200pF	±10%	GRM188R71H222KA01#
			3300pF	±10%	GRM188R71H332KA01#
			4700pF	±10%	GRM188R71H472KA01#
			6800pF	±10%	GRM188R71H682KA01#
			10000pF	±10%	GRM188R71H103KA01#
			15000pF	±10%	GRM188R71H153KA01#
			22000pF	±10%	GRM188R71H223KA01#
			33000pF	±10%	GRM188R71H333KA61#
			47000pF	±10%	GRM188R71H473KA61#
			68000pF	±10%	GRM188R71H683KA93#
			0.10µF	±10%	GRM188R71H104KA93#
			0.15µF	±10%	GRM188R71H154KAC4#
			0.005	±20%	GRM188R71H154MAC4#
			0.22µF	±10%	GRM188R71H224KAC4#
			22055	±20%	GRM188R71H224MAC4#
		R	220pF	±10%	GRM188R11H221KA01# GRM188R11H331KA01#
			330pF 470pF	±10% ±10%	GRM188R11H471KA01#
			680pF	±10%	GRM188R11H681KA01#
			1000pF	±10%	GRM188R11H102KA01#
			1500pF	±10%	GRM188R11H152KA01#
			2200pF	±10%	GRM188R11H222KA01#
			3300pF	±10%	GRM188R11H332KA01#
			4700pF	±10%	GRM188R11H472KA01#
			6800pF	±10%	GRM188R11H682KA01#
			10000pF	±10%	GRM188R11H103KA01#
			15000pF	±10%	GRM188R11H153KA01#
			22000pF	±10%	GRM188R11H223KA01#
			33000pF	±10%	GRM188R11H333KA61#
			47000pF	±10%	GRM188R11H473KA61#
			68000pF	±10%	GRM188R11H683KA93#
			0.10µF	±10%	GRM188R11H104KA93#
		X5R	0.22µF	±10%	GRM188R61H224KAC4#
			0.47µF	±10%	GRM188R61H474KA12#
				±20%	GRM188R61H474MA12#
			1.0µF	±10%	GRM188R61H105KAAL#
				±20%	GRM188R61H105MAAL#
		В	220pF	±10%	GRM188B11H221KA01#
				±20%	GRM188B11H221MA01#
			330pF	±10%	GRM188B11H331KA01#
				±20%	GRM188B11H331MA01#
			470pF	±10%	GRM188B11H471KA01#
				±20%	GRM188B11H471MA01#
			680pF	±10%	GRM188B11H681KA01#
				±20%	GRM188B11H681MA01#
			1000pF	±10%	GRM188B11H102KA01#
				±20%	GRM188B11H102MA01#
			1500pF	±10%	GRM188B11H152KA01#
				±20%	GRM188B11H152MA01#
			2200pF	±10%	GRM188B11H222KA01#
				±20%	GRM188B11H222MA01#
			3300pF	±10%	GRM188B11H332KA01#
			Part nun	her # indic	cates the package specification code

(→ ■ 1	.6×0.8ı	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	50Vdc	В	3300pF	±20%	GRM188B11H332MA01#
			4700pF	±10%	GRM188B11H472KA01#
				±20%	GRM188B11H472MA01#
			6800pF	±10%	GRM188B11H682KA01#
				±20%	GRM188B11H682MA01#
			10000pF	±10%	GRM188B11H103KA01#
				±20%	GRM188B11H103MA01#
			15000pF	±10%	GRM188B11H153KA01#
				±20%	GRM188B11H153MA01#
			22000pF	±10%	GRM188B11H223KA01#
				±20%	GRM188B11H223MA01#
			33000pF	±10%	GRM188B11H333KA61#
				±20%	GRM188B11H333MA61#
			47000pF	±10%	GRM188B11H473KA61#
				±20%	GRM188B11H473MA61#
			68000pF	±10%	GRM188B31H683KA92#
				±20%	GRM188B31H683MA92#
			0.10µF	±10%	GRM188B31H104KA92#
				±20%	GRM188B31H104MA92#
			0.15µF	±10%	GRM188B31H154KAC4#
				±20%	GRM188B31H154MAC4#
			0.22µF	±10%	GRM188B31H224KAC4#
				±20%	GRM188B31H224MAC4#
			1.0µF	±10%	GRM188B31H105KAAL#
				±20%	GRM188B31H105MAAL#
	25Vdc	X7R	33000pF	±10%	GRM188R71E333KA01#
			47000pF	±10%	GRM188R71E473KA01#
			68000pF	±10%	GRM188R71E683KA01#
			0.15µF	±10%	GRM188R71E154KA01#
			0.22µF	±10%	GRM188R71E224KA88#
			0.47µF	±10%	GRM188R71E474KA12#
				±20%	GRM188R71E474MA12#
			1.0µF	±10%	GRM188R71E105KA12#
				±20%	GRM188R71E105MA12#
		R	33000pF	±10%	GRM188R11E333KA01#
			47000pF	±10%	GRM188R11E473KA01#
			68000pF	±10%	GRM188R11E683KA01#
			0.15µF	±10%	GRM188R11E154KA01#
			0.13μ1 0.22μF	±10%	GRM188R11E224KA88#
		X5R	0.22μF	±10%	GRM188R61E224KA88#
		7,511	0.47μF	±10%	GRM188R61E474KA12#
			υτ/μι	±10%	GRM188R61E474MA12#
			0.68µF	±10%	GRM188R61E684KA75#
			υ.σομη		
			1 00-	±20%	GRM188R61E684MA75#
			1.0µF	±10%	GRM188R61E105KA12#
			2 200	±20%	GRM188R61E105MA12#
			2.2µF	±10%	GRM188R61E225KA12#
			10000 -	±20%	GRM188R61E225MA12#
		В	10000pF	±10%	GRM188B11E103KA01#
			15000 -	±20%	GRM188B11E103MA01#
			15000pF	±10%	GRM188B11E153KA01#
				±20%	GRM188B11E153MA01#
			22000pF	±10%	GRM188B11E223KA01#
				±20%	GRM188B11E223MA01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	25Vdc	В	33000pF	±10%	GRM188B11E333KA01#
				±20%	GRM188B11E333MA01#
			47000pF	±10%	GRM188B11E473KA01#
				±20%	GRM188B11E473MA01#
			68000pF	±10%	GRM188B11E683KA01#
				±20%	GRM188B11E683MA01#
			0.10µF	±10%	GRM188B11E104KA01#
				±20%	GRM188B11E104MA01#
			0.15µF	±10%	GRM188B11E154KA01#
			0.22µF	±10%	GRM188B31E224KA87#
			0.47µF	±10%	GRM188B31E474KA75#
				±20%	GRM188B31E474MA75#
			0.68µF	±10%	GRM188B31E684KA75#
				±20%	GRM188B31E684MA75#
			1.0µF	±10%	GRM188B31E105KA75#
				±20%	GRM188B31E105MA75#
			2.2µF	±10%	GRM188B31E225KA12#
				±20%	GRM188B31E225MA12#
	16Vdc	X7R	0.15µF	±10%	GRM188R71C154KA01#
			0.22µF	±10%	GRM188R71C224KA01#
			0.33µF	±10%	GRM188R71C334KA01#
			0.47µF	±10%	GRM188R71C474KA88#
			1.0µF	±10%	GRM188R71C105KE15#
				±20%	GRM188R71C105ME15#
		X7S	0.68µF	±10%	GRM188C71C684KA12#
				±20%	GRM188C71C684MA12#
		R	0.33µF	±10%	GRM188R11C334KA01#
			0.47µF	±10%	GRM188R11C474KA88#
		X6S	2.2µF	±10%	GRM188C81C225KA12#
				±20%	GRM188C81C225MA12#
		X5R	0.68µF	±10%	GRM188R61C684KA75#
				±20%	GRM188R61C684MA75#
			2.2µF	±10%	GRM188R61C225KE15#
		В	0.33µF	±10%	GRM188B11C334KA01#
				±20%	GRM188B11C334MA01#
			0.68µF	±10%	GRM188B31C684KA75#
				±20%	GRM188B31C684MA75#
			2.2µF	±10%	GRM188B31C225KE14#
	10Vdc	X7R	0.33µF	±10%	GRM188R71A334KA61#
				±20%	GRM188R71A334MA61#
			0.68µF	±10%	GRM188R71A684KA61#
				±20%	GRM188R71A684MA61#
			2.2µF	±10%	GRM188R71A225KE15#
				±20%	GRM188R71A225ME15#
		X7T	2.2µF	±10%	GRM188D71A225KE34#
				±20%	GRM188D71A225ME34#
		X5R	0.33µF	±10%	GRM188R61A334KA61#
				±20%	GRM188R61A334MA61#
		В	0.33µF	±10%	GRM188B11A334KA61#
				±20%	GRM188B11A334MA61#
	6.3Vdc	В	10µF	±20%	GRM188B30J106ME47#
0.95mm	25Vdc	X5R	4.7µF	±10%	GRM188R61E475KE11#
				±20%	GRM188R61E475ME11#
	16Vdc	X6S	4.7µF	±10%	GRM188C81C475KE11#

(→ **■** 1.6×0.8mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.95mm	16Vdc	X6S	4.7µF	±20%	GRM188C81C475ME11#	
		X5R	4.7µF	±10%	GRM188R61C475KE11#	
				±20%	GRM188R61C475ME11#	
			10µF	±10%	GRM188R61C106KAAL#	
				±20%	GRM188R61C106MAAL#	
		В	4.7µF	±10%	GRM188B31C475KAAJ#	Derating
				±20%	GRM188B31C475MAAJ#	Derating
	10Vdc	X7S	4.7µF	±10%	GRM188C71A475KE11#	
				±20%	GRM188C71A475ME11#	
		X5R	10µF	±10%	GRM188R61A106KAAL#	
				±20%	GRM188R61A106MAAL#	
		В	10µF	±20%	GRM188B31A106ME69#	Derating
1.0mm	50Vdc	X5R	2.2µF	±10%	GRM188R61H225KE11#	
				±20%	GRM188R61H225ME11#	
	35Vdc	X6S	2.2µF	±10%	GRM188C8YA225KE11#	
				±20%	GRM188C8YA225ME11#	
		X5R	4.7µF	±10%	GRM188R6YA475KE15#	
				±20%	GRM188R6YA475ME15#	
	25Vdc	X7S	X7S 2.2μF	±10%	GRM188C71E225KE11#	
				±20%	GRM188C71E225ME11#	
		X6S	2.2µF	±10%	GRM188C81E225KE11#	
				±20%	GRM188C81E225ME11#	
			4.7µF	±10%	GRM188C81E475KE11#	Derating
				±20%	GRM188C81E475ME11#	Derating
		X5R	10µF	±20%	GRM188R61E106MA73#	
	16Vdc	X7S	2.2µF	±10%	GRM188C71C225KE11#	
				±20%	GRM188C71C225ME11#	
		X6S	10µF	±20%	GRM188C81C106MA73#	
	10Vdc	X7T	10µF	±20%	GRM188D71A106MA73#	
	6.3Vdc	X7T	10µF	±20%	GRM188D70J106MA73#	
		X5R	22µF	±20%	GRM188R60J226MEA0#	Derating
		В	22µF	±20%	GRM188B30J226MEA0#	Derating
	4Vdc	X6S	22µF	±20%	GRM188C80G226MEA0#	Derating
		X5R	22µF	±20%	GRM188R60G226MEA0#	
		В	22µF	±20%	GRM188B30G226MEA0#	

■ 2.0×1.25mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.7mm	16Vdc	X6S	1.0µF	±10%	GRM216C81C105KA12#	
0.95mm	100Vdc	X7R	10000pF	±10%	GRM219R72A103KA01#	
				±20%	GRM219R72A103MA01#	_
	50Vdc	X7R	10000pF	±10%	GRM219R71H103KA01#	
				±20%	GRM219R71H103MA01#	
			15000pF	±10%	GRM219R71H153KA01#	
				±20%	GRM219R71H153MA01#	
			33000pF	±10%	GRM219R71H333KA01#	
			0.33µF	±10%	GRM219R71H334KA88#	
		R	33000pF	±10%	GRM219R11H333KA01#	
		X5R	1.0µF	±10%	GRM219R61H105KA73#	
				±20%	GRM219R61H105MA73#	
			2.2µF	±10%	GRM219R61H225KE15#	
				±20%	GRM219R61H225ME15#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.95mm	50Vdc	В	0.33µF	±10%	GRM219B31H334KA87#	
				±20%	GRM219B31H334MA87#	
			1.0µF	±10%	GRM219B31H105KA73#	
				±20%	GRM219B31H105MA73#	
			2.2µF	±10%	GRM219B31H225KE15#	
				±20%	GRM219B31H225ME15#	
	35Vdc	X6S	2.2µF	±10%	GRM219C8YA225KE15#	
				±20%	GRM219C8YA225ME15#	
		X5R	4.7µF	±10%	GRM219R6YA475KA73#	Derating
				±20%	GRM219R6YA475MA73#	Derating
	25Vdc	X7R	0.10µF	±10%	GRM219R71E104KA01#	_
				±20%	GRM219R71E104MA01#	
			0.68µF	±10%	GRM219R71E684KA88#	
			1.0µF	±10%	GRM219R71E105KA88#	_
		R	68000pF	±10%	GRM219R11E683KA01#	+
		X6S	2.2µF	±10%	GRM219C81E225KE15#	+
		7.00	p.	±20%	GRM219C81E225ME15#	_
		X5R	2.2µF	±10%	GRM219R61E225KA12#	\vdash
		AJN	Ζ.Ζμι	±20%	GRM219R61E225MA12#	-
			4 7uE		GRM219R61E475KA73#	-
			4.7µF	±10%		\vdash
			10	±20%	GRM219R61E475MA73#	Darries
			10µF	±10%	GRM219R61E106KA12#	Derating
			00.5	±20%	GRM219R61E106MA12#	Derating
		В	2.2µF	±10%	GRM219B31E225KA75#	-
				±20%	GRM219B31E225MA75#	
			10µF	±10%	GRM219B31E106KA12#	Derating
				±20%	GRM219B31E106MA12#	Derating
	16Vdc	X7R	0.33µF	±10%	GRM219R71C334KA88#	₩
			2.2µF	±10%	GRM219R71C225KE15#	<u> </u>
				±20%	GRM219R71C225ME15#	<u> </u>
		R	0.68µF	±10%	GRM219R11C684KA01#	<u> </u>
		X6S	4.7µF	±10%	GRM219C81C475KA73#	<u> </u>
				±20%	GRM219C81C475MA73#	
		X5R	4.7µF	±10%	GRM219R61C475KE15#	
			10µF	±10%	GRM219R61C106KA73#	
				±20%	GRM219R61C106MA73#	
		В	4.7µF	±10%	GRM219B31C475KE15#	
			10µF	±10%	GRM219B31C106KA73#	
				±20%	GRM219B31C106MA73#	
	10Vdc	X7R	2.2µF	±10%	GRM219R71A225KE15#	
				±20%	GRM219R71A225ME15#	
		X7T	4.7µF	±10%	GRM219D71A475KE15#	Derating
				±20%	GRM219D71A475ME15#	Derating
		X5R	22µF	±20%	GRM219R61A226MEA0#	Derating
		В	22µF	±20%	GRM219B31A226MEA0#	Derating
	6.3Vdc	X6S	10µF	±10%	GRM219C80J106KE39#	
				±20%	GRM219C80J106ME39#	
		X5R	22µF	±20%	GRM219R60J226ME47#	Derating
		В	22µF	±20%	GRM219B30J226ME47#	Derating
	4Vdc	X6S	10µF	±10%	GRM219C80G106KE19#	
				±20%	GRM219C80G106ME19#	+
		X5R	47µF	±20%	GRM219R60G476ME44#	Derating
	2.5Vdc	X6T	47μF	±20%	GRM219D80E476ME44#	
1.0mm	250Vdc	X7R	1000pF	±10%	GRM21AR72E102KW01#	+
	200 4 00	73711	Госорі	_ 10/0		

$(\rightarrow \blacksquare 2.0 \times 1.25 \text{mm})$

<u>(→ ■ 2</u>	2.0×1.2	ōmm)				
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.0mm	250Vdc	X7R	1500pF	±10%	GRM21AR72E152KW01#	
			2200pF	±10%	GRM21AR72E222KW01#	
			3300pF	±10%	GRM21AR72E332KW01#	
			4700pF	±10%	GRM21AR72E472KW01#	
			6800pF	±10%	GRM21AR72E682KW01#	
	200Vdc	X7R	1000pF	±10%	GRM21AR72D102KW01#	
			1500pF	±10%	GRM21AR72D152KW01#	
			2200pF	±10%	GRM21AR72D222KW01#	
			3300pF	±10%	GRM21AR72D332KW01#	
			4700pF	±10%	GRM21AR72D472KW01#	
			6800pF	±10%	GRM21AR72D682KW01#	
	100Vdc	X7R	0.22µF	±10%	GRM21AR72A224KAC5#	
			0.33µF	±10%	GRM21AR72A334KAC5#	
	50Vdc	X7R	22000pF	±10%	GRM219R71H223KA17#	
				±20%	GRM219R71H223MA17#	
	35Vdc	X6S	4.7µF	±10%	GRM219C8YA475KE21#	Derating
				±20%	GRM219C8YA475ME21#	Derating
	25Vdc	X7S	4.7µF	±10%	GRM219C71E475KE21#	Derating
				±20%	GRM219C71E475ME21#	Derating
		X6S	4.7µF	±10%	GRM219C81E475KE21#	Derating
				±20%	GRM219C81E475ME21#	Derating
	16Vdc	X7S	4.7µF	±10%	GRM219C71C475KE21#	
				±20%	GRM219C71C475ME21#	_
		X5R	22µF	±20%	GRM219R61C226ME15#	Derating
1.35mm	100Vdc	X7R	10000pF	±10%	GRM21BR72A103KA01#	_
			15000pF	±10%	GRM21BR72A153KA01#	_
			22000pF	±10%	GRM21BR72A223KA01#	-
			33000pF	±10%	GRM21BR72A333KA01#	-
			47000pF	±10%	GRM21BR72A473KA01#	-
			68000pF	±10%	GRM21BR72A683KAC4#	-
				±20%	GRM21BR72A683MAC4#	-
			0.10µF	±10%	GRM21BR72A104KAC4#	-
				±20%	GRM21BR72A104MAC4#	_
	50Vdc	X7R	47000pF	±10%	GRM21BR71H473KA01#	<u> </u>
			68000pF	±10%	GRM21BR71H683KA01#	
			0.10µF	±10%	GRM21BR71H104KA01#	
			0.45.5	±20%	GRM21BR71H104MA01#	_
			0.15µF	±10%	GRM21BR71H154KA01#	_
			0.22µF	±10%	GRM21BR71H224KA01#	-
			0.47µF	±10%	GRM21BR71H474KA88#	-
		R	0.10µF	±10%	GRM21BR11H104KA01#	
		V=D		±20%	GRM21BR11H104MA01#	-
		X5R	1.0µF	±10%	GRM21BR61H105KA12#	-
		В	0.15µF	±10%	GRM21BB31H154KA88#	-
			0.00 =	±20%	GRM21BB31H154MA88#	-
			0.22µF	±10%	GRM21BB31H224KA88#	
			0.47	±20%	GRM21BB31H224MA88#	-
			0.47µF	±10%	GRM21BB31H474KA87#	-
			0.005	±20%	GRM21BB31H474MA87#	-
			0.68µF	±10%	GRM21BB31H684KAC4#	-
			1.00-	±20%	GRM21BB31H684MAC4#	-
			1.0µF	±10%	GRM21BB31H105KA12#	-
	0E//4-	В	0.15	±20%	GRM21BB31H105MA12#	-
	25Vdc	R	0.15µF	±10%	GRM21BR11E154KA01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.35mm	25Vdc	R	0.15µF	±20%	GRM21BR11E154MA01#	
		X6S	4.7µF	±10%	GRM21BC81E475KA12#	
				±20%	GRM21BC81E475MA12#	
		X5R	4.7µF	±10%	GRM21BR61E475KA12#	
				±20%	GRM21BR61E475MA12#	
		В	2.2µF	±10%	GRM21BB31E225KA75#	
				±20%	GRM21BB31E225MA75#	
			4.7µF	±10%	GRM21BB31E475KA75#	
			·	±20%	GRM21BB31E475MA75#	
	16Vdc	X7R	2.2µF	±10%	GRM21BR71C225KA12#	
				±20%	GRM21BR71C225MA12#	
		X5R	10µF	±10%	GRM21BR61C106KE15#	
		/	. σμ.	±20%	GRM21BR61C106ME15#	
		В	10µF	±10%	GRM21BB31C106KE15#	
			ΙΟμί	±20%	GRM21BB31C106ME15#	
1.4mm	100Vdc	X7R	0.47µF	±10%	GRM21BB72A474KA73#	
1.4111111			·			
	50Vdc	X5R	2.2µF	±10%	GRM21BR61H225KA73#	
			47.5	±20%	GRM21BR61H225MA73#	
			4.7µF	±10%	GRM21BR61H475KE51#	
				±20%	GRM21BR61H475ME51#	
		В	2.2µF	±10%	GRM21BB31H225KA73#	
				±20%	GRM21BB31H225MA73#	
			4.7µF	±10%	GRM21BB31H475KE51#	
				±20%	GRM21BB31H475ME51#	
	25Vdc	X7R	1.0µF	±10%	GRM21BR71E105KA99#	
			2.2µF	±10%	GRM21BR71E225KE11#	
				±20%	GRM21BR71E225ME11#	
			4.7µF	±10%	GRM21BR71E475KA73#	Derating
				±20%	GRM21BR71E475MA73#	Derating
		R	1.0µF	±10%	GRM21BR11E105KA99#	
		X5R	10µF	±10%	GRM21BR61E106KA73#	
				±20%	GRM21BR61E106MA73#	
		В	10µF	±10%	GRM21BB31E106KA73#	
				±20%	GRM21BB31E106MA73#	
	16Vdc	X7R	4.7µF	±10%	GRM21BR71C475KA73#	
				±20%	GRM21BR71C475MA73#	
		X6S	10µF	±10%	GRM21BC81C106KA73#	
		7.00	Ισμι	±20%	GRM21BC81C106MA73#	
	10Vdc	X7R	4.7µF	±10%	GRM21BR71A475KA73#	
	1000	Α/11	4.7μι	±20%	GRM21BR71A475MA73#	
			10uE	±10%	GRM21BR71A106KE51#	
			10μF			
				±20%	GRM21BR71A106ME51#	
		В	22µF	±20%	GRM21BB31A226ME51#	Derating
	6.3Vdc	X7R	10µF	±10%	GRM21BR70J106KE76#	
				±20%	GRM21BR70J106ME76#	
		X6S	22µF	±20%	GRM21BC80J226ME51#	Derating
	4Vdc	X7U	22µF	±20%	GRM21BE70G226ME51#	
		X6S	22µF	±20%	GRM21BC80G226ME39#	
1.45mm	250Vdc	X7R	10000pF	±10%	GRM21BR72E103KW03#	
			15000pF	±10%	GRM21BR72E153KW03#	
			22000pF	±10%	GRM21BR72E223KW03#	
	200Vdc	X7R	10000pF	±10%	GRM21BR72D103KW03#	
			15000pF	±10%	GRM21BR72D153KW03#	
		1			1	_

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
1.45mm	50Vdc	X7S	4.7µF	±10%	GRM21BC71H475KE11#	
				±20%	GRM21BC71H475ME11#	
		X6S	4.7µF	±10%	GRM21BC81H475KE11#	
				±20%	GRM21BC81H475ME11#	
	35Vdc	X7S	4.7µF	±10%	GRM21BC7YA475KE11#	
				±20%	GRM21BC7YA475ME11#	
		X6S	10µF	±10%	GRM21BC8YA106KE11#	Derating
				±20%	GRM21BC8YA106ME11#	Derating
		X5R	10µF	±10%	GRM21BR6YA106KE43#	Derating
				±20%	GRM21BR6YA106ME43#	Derating
	25Vdc	X7S	4.7µF	±10%	GRM21BC71E475KE11#	
				±20%	GRM21BC71E475ME11#	
			10µF	±10%	GRM21BC71E106KE11#	Derating
				±20%	GRM21BC71E106ME11#	Derating
		X6S	10µF	±10%	GRM21BC81E106KE11#	Derating
				±20%	GRM21BC81E106ME11#	Derating
		X5R	22µF	±20%	GRM21BR61E226ME44#	
	16Vdc	X7S	10µF	±10%	GRM21BC71C106KE11#	
				±20%	GRM21BC71C106ME11#	
		X6S	22µF	±20%	GRM21BC81C226ME44#	Derating
		X5R	22µF	±20%	GRM21BR61C226ME44#	
	10Vdc	X7T	22µF	±20%	GRM21BD71A226ME44#	Derating
		X6S	22µF	±20%	GRM21BC81A226ME44#	
		X5R	22µF	±20%	GRM21BR61A226ME44#	
			47µF	±20%	GRM21BR61A476ME15#	Derating
	6.3Vdc	X7T	22µF	±20%	GRM21BD70J226ME44#	
		X5R	47µF	±20%	GRM21BR60J476ME15#	Derating
		В	47µF	±20%	GRM21BB30J476ME15#	Derating
	4Vdc	X6S	47µF	±20%	GRM21BC80G476ME15#	Derating
		X5R	47µF	±20%	GRM21BR60G476ME15#	
		В	47µF	±20%	GRM21BB30G476ME15#	

■ 3.2×1.6mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.95mm	35Vdc	X5R	10µF	±10%	GRM319R6YA106KA12#	Derating
				±20%	GRM319R6YA106MA12#	Derating
	25Vdc	R	0.33µF	±10%	GRM319R11E334KA01#	
	16Vdc	X5R	10µF	±10%	GRM319R61C106KE15#	
				±20%	GRM319R61C106ME15#	
			22µF	±20%	GRM319R61C226ME15#	Derating
		В	10µF	±10%	GRM319B31C106KE15#	
				±20%	GRM319B31C106ME15#	
			22µF	±20%	GRM319B31C226ME15#	Derating
	10Vdc	X5R	22µF	±20%	GRM319R61A226ME15#	
		В	22µF	±20%	GRM319B31A226ME15#	
	6.3Vdc	X6S	22µF	±20%	GRM319C80J226ME15#	
		X5R	22µF	±20%	GRM319R60J226ME15#	
		В	22µF	±20%	GRM319B30J226ME15#	
1.0mm	630Vdc	X7R	1000pF	±10%	GRM31AR72J102KW01#	
			1500pF	±10%	GRM31AR72J152KW01#	
			2200pF	±10%	GRM31AR72J222KW01#	
			3300pF	±10%	GRM31AR72J332KW01#	

Т	Rated	TC	Can	Tol.	Part Number
max.	Voltage		Cap.		
1.0mm	630Vdc	X7R	4700pF	±10%	GRM31AR72J472KW01#
			6800pF	±10%	GRM31AR72J682KW01#
			10000pF	±10%	GRM31AR72J103KW01#
1.25mm	1000Vdc	X7R	470pF	±10%	GRM31BR73A471KW01#
			680pF	±10%	GRM31BR73A681KW01#
			1000pF	±10%	GRM31BR73A102KW01#
			1500pF	±10%	GRM31BR73A152KW01#
			2200pF	±10%	GRM31BR73A222KW01#
			3300pF	±10%	GRM31BR73A332KW01#
			4700pF	±10%	GRM31BR73A472KW01#
	630Vdc	X7R	6800pF	±10%	GRM31BR72J682KW01#
	250Vdc	X7R	15000pF	±10%	GRM31BR72E153KW01#
			22000pF	±10%	GRM31BR72E223KW01#
			68000pF	±10%	GRM31BR72E683KW01#
	200Vdc	X7R	15000pF	±10%	GRM31BR72D153KW01#
			22000pF	±10%	GRM31BR72D223KW01#
			68000pF	±10%	GRM31BR72D683KW01#
	50Vdc	X7R	0.47µF	±10%	GRM31MR71H474KA01#
			0.68µF	±10%	GRM31MR71H684KA88#
			1.0µF	±10%	GRM31MR71H105KA88#
		В	1.0µF	±10%	GRM31MB31H105KA87#
	25Vdc	X5R	10µF	±20%	GRM31MR61E106MA12#
1.3mm	100Vdc	X7R	0.47µF	±10%	GRM31MR72A474KA35#
1.0111111	100 4 00	////	0.17 д1	±20%	GRM31MR72A474MA35#
			0.68µF	±10%	GRM31MR72A684KA35#
1.8mm	1000Vdc	X7R	6800pF	±10%	GRM31CR73A682KW03#
1.011111	1000 vuc	λ/Π		±10%	GRM31CR73A103KW03#
	630Vdc	X7R	10000pF		
	630 Vac	A/H	15000pF	±10%	GRM31CR72J153KW03# GRM31CR72J223KW03#
	050)/40	VZD	22000pF	±10%	
	250Vdc	X7R	33000pF	±10%	GRM31CR72E333KW03#
			47000pF	±10%	GRM31CR72E473KW03#
	000)//	V7D	0.10µF	±10%	GRM31CR72E104KW03#
	200Vdc	X7R	33000pF	±10%	GRM31CR72D333KW03#
			47000pF	±10%	GRM31CR72D473KW03#
			0.10µF	±10%	GRM31CR72D104KW03#
	100Vdc		1.0µF	±10%	GRM31CR72A105KA01#
	50Vdc	X7R	2.2µF	±10%	GRM31CR71H225KA88#
			4.7µF	±10%	GRM31CR71H475KA12#
				±20%	GRM31CR71H475MA12#
		X5R	10µF	±10%	GRM31CR61H106KA12#
				±20%	GRM31CR61H106MA12#
		В	2.2µF	±10%	GRM31CB31H225KA87#
				±20%	GRM31CB31H225MA87#
			4.7µF	±10%	GRM31CB31H475KA12#
				±20%	GRM31CB31H475MA12#
			10µF	±10%	GRM31CB31H106KA12#
				±20%	GRM31CB31H106MA12#
	25Vdc	X7R	4.7µF	±10%	GRM31CR71E475KA88#
			10µF	±10%	GRM31CR71E106KA12#
				±20%	GRM31CR71E106MA12#
		X5R	22µF	±20%	GRM31CR61E226ME15#
		В	10µF	±10%	GRM31CB31E106KA75#
			22µF	±20%	GRM31CB31E226ME15#
	16Vdc	X7R	4.7µF	±20%	GRM31CR71C475MA01#

(→ **■** 3.2×1.6mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.8mm	16Vdc	X6S	22µF	±20%	GRM31CC81C226ME15#	
		X5R	22µF	±20%	GRM31CR61C226ME15#	
		В	22µF	±20%	GRM31CB31C226ME15#	
	10Vdc	X7R	22µF	±20%	GRM31CR71A226ME15#	
		X5R	47µF	±20%	GRM31CR61A476ME15#	
		В	47µF	±20%	GRM31CB31A476ME15#	
	6.3Vdc	X7R	22µF	±20%	GRM31CR70J226ME19#	
		X7U	47µF	±20%	GRM31CE70J476ME15#	Derating
		X6S	47µF	±20%	GRM31CC80J476ME18#	
		X5R	47µF	±20%	GRM31CR60J476ME19#	
		В	47µF	±20%	GRM31CB30J476ME18#	
	4Vdc	X7U	47µF	±20%	GRM31CE70G476ME15#	
		X6S	47µF	±20%	GRM31CC80G476ME19#	
1.9mm	100Vdc	X7R	2.2µF	±10%	GRM31CR72A225KA73#	
				±20%	GRM31CR72A225MA73#	
	25Vdc	X6S	22µF	±20%	GRM31CC81E226ME11#	
	16Vdc	X7S	22µF	±20%	GRM31CC71C226ME11#	
	6.3Vdc	X6T	100µF	±20%	GRM31CD80J107ME39#	Derating
		X5R	100µF	±20%	GRM31CR60J107ME39#	
	4Vdc	X7U	100µF	±20%	GRM31CE70G107ME39#	Derating
		X6T	100µF	±20%	GRM31CD80G107ME39#	
		X5R	100µF	±20%	GRM31CR60G107ME39#	
			220µF	±20%	GRM31CR60G227ME11#	Derating

■ 3.2×2.5mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
1.5mm	1000Vdc	X7R	6800pF	±10%	GRM32QR73A682KW01#	
			10000pF	±10%	GRM32QR73A103KW01#	
	630Vdc	X7R	22000pF	±10%	GRM32QR72J223KW01#	
	250Vdc	X7R	68000pF	±10%	GRM32QR72E683KW01#	
			0.15µF	±10%	GRM32QR72E154KW01#	
	200Vdc	X7R	68000pF	±10%	GRM32QR72D683KW01#	
			0.15µF	±10%	GRM32QR72D154KW01#	
1.8mm	100Vdc	X7R	1.0µF	±10%	GRM32CR72A105KA35#	
				±20%	GRM32CR72A105MA35#	
2.0mm	1000Vdc	X7R	15000pF	±10%	GRM32DR73A153KW01#	
			22000pF	±10%	GRM32DR73A223KW01#	
	630Vdc	X7R	33000pF	±10%	GRM32DR72J333KW01#	
			47000pF	±10%	GRM32DR72J473KW01#	
	250Vdc	X7R	0.10µF	±10%	GRM32DR72E104KW01#	
			0.22µF	±10%	GRM32DR72E224KW01#	
	200Vdc	X7R	0.10µF	±10%	GRM32DR72D104KW01#	
			0.22µF	±10%	GRM32DR72D224KW01#	
2.2mm	25Vdc	X7R	10µF	±10%	GRM32DR71E106KA12#	
2.7mm	100Vdc	X7R	2.2µF	±10%	GRM32ER72A225KA35#	
				±20%	GRM32ER72A225MA35#	
	80Vdc	X7R	4.7µF	±10%	GRM32ER71K475KE14#	Derating
				±20%	GRM32ER71K475ME14#	Derating
	63Vdc	X7R	10µF	±10%	GRM32ER71J106KA12#	Derating
				±20%	GRM32ER71J106MA12#	Derating
	50Vdc	X7R	4.7µF	±10%	GRM32ER71H475KA88#	
			10µF	±10%	GRM32ER71H106KA12#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
2.7mm	50Vdc	X7R	10µF	±20%	GRM32ER71H106MA12#	
		X5R	10µF	±10%	GRM32ER61H106KA12#	
				±20%	GRM32ER61H106MA12#	
		В	10µF	±10%	GRM32EB31H106KA12#	
				±20%	GRM32EB31H106MA12#	
	35Vdc	X7R	10µF	±10%	GRM32ER7YA106KA12#	
				±20%	GRM32ER7YA106MA12#	
		X5R	10µF	±10%	GRM32ER6YA106KA12#	
				±20%	GRM32ER6YA106MA12#	
		В	10µF	±10%	GRM32EB3YA106KA12#	
				±20%	GRM32EB3YA106MA12#	
	25Vdc	X7R	22µF	±20%	GRM32ER71E226ME15#	
		X5R	22µF	±20%	GRM32ER61E226ME15#	
		В	22µF	±20%	GRM32EB31E226ME15#	
	16Vdc	X7R	22µF	±20%	GRM32ER71C226MEA8#	
		X6S	47µF	±20%	GRM32EC81C476ME15#	Derating
		X5R	47µF	±20%	GRM32ER61C476ME15#	
		В	47µF	±20%	GRM32EB31C476ME15#	
	10Vdc	X7R	47µF	±20%	GRM32ER71A476ME15#	
		X5R	47µF	±20%	GRM32ER61A476ME20#	
			100µF	±20%	GRM32ER61A107ME20#	Derating
		В	47µF	±20%	GRM32EB31A476ME20#	
	6.3Vdc	X7R	47µF	±20%	GRM32ER70J476ME20#	
		X7U	100µF	±20%	GRM32EE70J107ME15#	Derating
		X5R	100µF	±20%	GRM32ER60J107ME20#	
		В	100µF	±20%	GRM32EB30J107ME16#	
	4Vdc	X7U	100µF	±20%	GRM32EE70G107ME19#	

■ 4.5×3.2mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
1.5mm	630Vdc	X7R	68000pF	±10%	GRM43QR72J683KW01#	
	250Vdc	X7R	0.15µF	±10%	GRM43QR72E154KW01#	
	200Vdc	X7R	0.15µF	±10%	GRM43QR72D154KW01#	
2.0mm	1000Vdc	X7R	33000pF	±10%	GRM43DR73A333KW01#	
			47000pF	±10%	GRM43DR73A473KW01#	
	630Vdc	X7R	0.10µF	±10%	GRM43DR72J104KW01#	
	250Vdc	X7R	0.22µF	±10%	GRM43DR72E224KW01#	
			0.33µF	±10%	GRM43DR72E334KW01#	
			0.47µF	±10%	GRM43DR72E474KW01#	
	200Vdc	X7R	0.22µF	±10%	GRM43DR72D224KW01#	
			0.33µF	±10%	GRM43DR72D334KW01#	
			0.47µF	±10%	GRM43DR72D474KW01#	

■ 5.7×5.0mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
2.0mm	1000Vdc	X7R	68000pF	±10%	GRM55DR73A683KW01#
			0.10µF	±10%	GRM55DR73A104KW01#
	630Vdc	X7R	0.15µF	±10%	GRM55DR72J154KW01#
			0.22µF	±10%	GRM55DR72J224KW01#
	250Vdc	X7R	0.33µF	±10%	GRM55DR72E334KW01#

Part number # indicates the package specification code.

(→ **■** 5.7×5.0mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
2.0mm	250Vdc	X7R	0.47µF	±10%	GRM55DR72E474KW01#
			0.68µF	±10%	GRM55DR72E684KW01#
			1.0µF	±10%	GRM55DR72E105KW01#
	200Vdc	X7R	0.33µF	±10%	GRM55DR72D334KW01#
			0.47µF	±10%	GRM55DR72D474KW01#
			0.68µF	±10%	GRM55DR72D684KW01#
			1.0µF	±10%	GRM55DR72D105KW01#

muRata

High Frequency High Q Type 1005(in mm)/0402(in inch) Size Max.

GJM Series






This product improves the high frequency characteristics and contributes to a reduction of power consumption by the High Q and low ESR.

Features


1 Mainly ideal for mobile communication devices and temperature compensation of related modules.


This product is ideal for temperature compensation of high frequency circuits, such as resonant circuits, tuning circuits, and impedance matching circuits where the operating characteristics of the device are greatly affected by the capacitance fluctuation.



2 High Q and low ESR in VHF, UHF and microwave frequency bands.

High Q and low ESR were achieved at a high frequency by adopting ceramic material as the dielectric material which enables an extremely low loss at high frequency, and base metal electrodes as the internal electrodes.






3 Can be used for tight tolerance.

In addition to standard tolerance, the allowable range of this product is also suitable for the following tight tolerance.

Capacitance Range	Standard Capacitance Tolerance (Capacitance Tolerance Symbol)	Narrow Capacitance Tolerance (Capacitance Tolerance Symbol)
<=0.9pF	±0.1pF (B)	±0.05pF (W)
1.0 to 5.0pF	±0.25pF (C)	±0.05pF (W), ±0.1pF (B)
5.1 to 9.9pF	±0.5pF (D)	±0.05pF (W), ±0.1pF (B), ±0.25pF (C)
>=10pF	±5% (J)	±2% (G)

Specifications

Size	0.4×0.2mm to 1.0×0.5mm
Rated Voltage	DC6.3V to 50V
Capacitance	0.1pF to 47pF
Main Applications	Small communication devices, such as mobile phones and high frequency communication modules



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.

■ 0.4	د0.2mı	m comp	a- eact		
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	25Vdc	COG	0.20pF	±0.05pF	GJM0225C1ER20WB01#
				±0.1pF	GJM0225C1ER20BB01#
			0.30pF	±0.05pF	GJM0225C1ER30WB01#
				±0.1pF	GJM0225C1ER30BB01#
			0.40pF	±0.05pF	GJM0225C1ER40WB01#
				±0.1pF	GJM0225C1ER40BB01#
			0.50pF	±0.05pF	GJM0225C1ER50WB01#
				±0.1pF	GJM0225C1ER50BB01#
			0.60pF	±0.05pF	GJM0225C1ER60WB01#
				±0.1pF	GJM0225C1ER60BB01#
			0.70pF	±0.05pF	GJM0225C1ER70WB01#
				±0.1pF	GJM0225C1ER70BB01#
			0.80pF	±0.05pF	GJM0225C1ER80WB01#
				±0.1pF	GJM0225C1ER80BB01#
			0.90pF	±0.05pF	GJM0225C1ER90WB01#
				±0.1pF	GJM0225C1ER90BB01#
			1.0pF	±0.05pF	GJM0225C1E1R0WB01#
				±0.1pF	GJM0225C1E1R0BB01#
				±0.25pF	GJM0225C1E1R0CB01#
			1.1pF	±0.05pF	GJM0225C1E1R1WB01#
				±0.1pF	GJM0225C1E1R1BB01#
				±0.25pF	GJM0225C1E1R1CB01#
			1.2pF	±0.05pF	GJM0225C1E1R2WB01#
				±0.1pF	GJM0225C1E1R2BB01#
				±0.25pF	GJM0225C1E1R2CB01#
			1.3pF	±0.05pF	GJM0225C1E1R3WB01#
				±0.1pF	GJM0225C1E1R3BB01#
				±0.25pF	GJM0225C1E1R3CB01#
			1.4pF	±0.05pF	GJM0225C1E1R4WB01#
				±0.1pF	GJM0225C1E1R4BB01#
				±0.25pF	GJM0225C1E1R4CB01#
			1.5pF	±0.05pF	GJM0225C1E1R5WB01#
				±0.1pF	GJM0225C1E1R5BB01#
				±0.25pF	GJM0225C1E1R5CB01#
			1.6pF	±0.05pF	GJM0225C1E1R6WB01#
				±0.1pF	GJM0225C1E1R6BB01#
				±0.25pF	
			1.7pF	±0.05pF	
				±0.1pF	GJM0225C1E1R7BB01#
				±0.25pF	GJM0225C1E1R7CB01#
			1.8pF	±0.05pF	GJM0225C1E1R8WB01#
				±0.1pF	GJM0225C1E1R8BB01#
			10.5	±0.25pF	GJM0225C1E1R8CB01#
			1.9pF	±0.05pF	
				±0.1pF	GJM0225C1E1R9BB01#
			0.0-5	±0.25pF	GJM0225C1E1R9CB01#
			2.0pF	±0.05pF	GJM0225C1E2R0WB01#
				±0.1pF	GJM0225C1E2R0BB01#
			215	±0.25pF	GJM0225C1E2R0CB01#
			2.1pF	±0.05pF	GJM0225C1E2R1WB01#
				±0.1pF	GJM0225C1E2R1BB01#
				±0.25pF	GJM0225C1E2R1CB01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	25Vdc	COG	2.2pF	±0.05pF	GJM0225C1E2R2WB01#
				±0.1pF	GJM0225C1E2R2BB01#
				±0.25pF	GJM0225C1E2R2CB01#
			2.3pF	±0.05pF	GJM0225C1E2R3WB01#
				±0.1pF	GJM0225C1E2R3BB01#
				±0.25pF	GJM0225C1E2R3CB01#
			2.4pF	±0.05pF	
				±0.1pF	GJM0225C1E2R4BB01#
				±0.25pF	
			2.5pF	±0.05pF	
			2.001	±0.1pF	GJM0225C1E2R5BB01#
				±0.25pF	
			2.6pF	±0.05pF	
			2.0pi	<u> </u>	
				±0.1pF	GJM0225C1E2R6BB01#
			0.7.5	±0.25pF	
			2.7pF	±0.05pF	GJM0225C1E2R7WB01#
				±0.1pF	GJM0225C1E2R7BB01#
				±0.25pF	GJM0225C1E2R7CB01#
			2.8pF	±0.05pF	GJM0225C1E2R8WB01#
				±0.1pF	GJM0225C1E2R8BB01#
				±0.25pF	GJM0225C1E2R8CB01#
			2.9pF	±0.05pF	GJM0225C1E2R9WB01#
				±0.1pF	GJM0225C1E2R9BB01#
				±0.25pF	GJM0225C1E2R9CB01#
			3.0pF	±0.05pF	GJM0225C1E3R0WB01#
				±0.1pF	GJM0225C1E3R0BB01#
				±0.25pF	GJM0225C1E3R0CB01#
			3.1pF	±0.05pF	GJM0225C1E3R1WB01#
			·	±0.1pF	GJM0225C1E3R1BB01#
				±0.25pF	GJM0225C1E3R1CB01#
			3.2pF	±0.05pF	GJM0225C1E3R2WB01#
			Jp.	±0.1pF	GJM0225C1E3R2BB01#
				±0.25pF	GJM0225C1E3R2CB01#
			3.3pF	±0.05pF	
			0.0	±0.1pF	GJM0225C1E3R3BB01#
				±0.25pF	
			3.4pF	±0.05pF	
			5. 4 pi	-	
				±0.1pF	GJM0225C1E3R4BB01#
			25-5	±0.25pF	
			3.5pF	±0.05pF	
				±0.1pF	GJM0225C1E3R5BB01#
		-		±0.25pF	
			3.6pF	±0.05pF	
				±0.1pF	GJM0225C1E3R6BB01#
				±0.25pF	GJM0225C1E3R6CB01#
			3.7pF	±0.05pF	GJM0225C1E3R7WB01#
				±0.1pF	GJM0225C1E3R7BB01#
				±0.25pF	GJM0225C1E3R7CB01#
			3.8pF	±0.05pF	GJM0225C1E3R8WB01#
				±0.1pF	GJM0225C1E3R8BB01#
				±0.25pF	GJM0225C1E3R8CB01#
			3.9pF	±0.05pF	GJM0225C1E3R9WB01#
			-	±0.1pF	GJM0225C1E3R9BB01#
	I			-	

GRM Series

3JM Series

GMA Series

GQM Series GMD Series

GR3 Series GRJ Series

GJM Series Temperature Compensating Type Hono Part Number List

(→ **■** 0.4×0.2mm)

(→ ■ 0	.4×0.2r	nm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.22mm	25Vdc	COG	4.0pF	±0.05pF	GJM0225C1E4R0WB01#
				±0.1pF	GJM0225C1E4R0BB01#
				±0.25pF	GJM0225C1E4R0CB01#
			4.1pF	±0.05pF	GJM0225C1E4R1WB01#
				±0.1pF	GJM0225C1E4R1BB01#
				±0.25pF	GJM0225C1E4R1CB01#
			4.2pF	±0.05pF	GJM0225C1E4R2WB01#
				±0.1pF	GJM0225C1E4R2BB01#
				±0.25pF	GJM0225C1E4R2CB01#
			4.3pF	±0.05pF	GJM0225C1E4R3WB01#
				±0.1pF	GJM0225C1E4R3BB01#
				±0.25pF	GJM0225C1E4R3CB01#
			4.4pF	±0.05pF	GJM0225C1E4R4WB01#
				±0.1pF	GJM0225C1E4R4BB01#
				±0.25pF	GJM0225C1E4R4CB01#
			4.5pF	±0.05pF	GJM0225C1E4R5WB01#
				±0.1pF	GJM0225C1E4R5BB01#
				±0.25pF	GJM0225C1E4R5CB01#
			4.6pF	±0.05pF	GJM0225C1E4R6WB01#
				±0.1pF	GJM0225C1E4R6BB01#
				±0.25pF	GJM0225C1E4R6CB01#
			4.7pF	±0.05pF	GJM0225C1E4R7WB01#
				±0.1pF	GJM0225C1E4R7BB01#
				±0.25pF	GJM0225C1E4R7CB01#
			4.8pF	±0.05pF	GJM0225C1E4R8WB01#
				±0.1pF	GJM0225C1E4R8BB01#
				±0.25pF	GJM0225C1E4R8CB01#
			4.9pF	±0.05pF	GJM0225C1E4R9WB01#
				±0.1pF	GJM0225C1E4R9BB01#
				±0.25pF	GJM0225C1E4R9CB01#
			5.0pF	±0.05pF	GJM0225C1E5R0WB01#
				±0.1pF	GJM0225C1E5R0BB01#
				±0.25pF	GJM0225C1E5R0CB01#
			5.1pF	±0.05pF	GJM0225C1E5R1WB01#
				±0.1pF	GJM0225C1E5R1BB01#
				±0.25pF	GJM0225C1E5R1CB01#
				±0.5pF	GJM0225C1E5R1DB01#
			5.2pF	±0.05pF	GJM0225C1E5R2WB01#
				±0.1pF	GJM0225C1E5R2BB01#
				±0.25pF	GJM0225C1E5R2CB01#
				±0.5pF	GJM0225C1E5R2DB01#
			5.3pF	±0.05pF	GJM0225C1E5R3WB01#
				±0.1pF	GJM0225C1E5R3BB01#
				±0.25pF	GJM0225C1E5R3CB01#
			_	±0.5pF	GJM0225C1E5R3DB01#
			5.4pF	±0.05pF	GJM0225C1E5R4WB01#
				±0.1pF	GJM0225C1E5R4BB01#
				±0.25pF	GJM0225C1E5R4CB01#
			_	±0.5pF	GJM0225C1E5R4DB01#
			5.5pF	±0.05pF	GJM0225C1E5R5WB01#
				±0.1pF	GJM0225C1E5R5BB01#
				±0.25pF	GJM0225C1E5R5CB01#
				±0.5pF	GJM0225C1E5R5DB01#
			5.6pF	±0.05pF	GJM0225C1E5R6WB01#

25Vdc COG 5.6pF	T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
### 1.5pF GJM0225C1E5R7B01# ### 2.5pF GJM0225C1E5R7B01# ### 2.5pF GJM0225C1E5R7B01# ### 2.5pF GJM0225C1E5R7B01# ### 2.05pF GJM0225C1E5R7B01# ### 2.05pF GJM0225C1E5R8B01# ### 2.05pF GJM0225C1E5R9B01# ### 2.05pF GJM0225C1E5R9B01# ### 2.05pF GJM0225C1E5R9B01# ### 2.05pF GJM0225C1E6R0B01# ### 2.05pF GJM0225C1E6R1B01# ### 2.05pF GJM0225C1E6R1B01# ### 2.05pF GJM0225C1E6R2B01# ### 2.05pF GJM0225C1E6R2B01# ### 2.05pF GJM0225C1E6R2B01# ### 2.05pF GJM0225C1E6R2B01# ### 2.05pF GJM0225C1E6R3B01# ### 2.05pF GJM0225C1E6RSB01# #### 2.05pF GJM0225C1E6RSB01# #### 2.05pF GJM0225C1E6RBB01# ##### 2.05pF GJM0225C1E6RBB01# ##### 2.05pF GJM0225C1E6RBB01# ##### 2.05pF GJM0225C1E6RBB01# ###################################	0.22mm	25Vdc	COG	5.6pF	±0.1pF	GJM0225C1E5R6BB01#
5.7pF					±0.25pF	GJM0225C1E5R6CB01#
#0.1pF					±0.5pF	GJM0225C1E5R6DB01#
#0.5pF GJM0225C1E5R7CB01# #0.5pF GJM0225C1E5R8W801# #0.1pF GJM0225C1E5R8W801# #0.25pF GJM0225C1E5R8B001# #0.5pF GJM0225C1E5R8B001# #0.5pF GJM0225C1E5R9W801# #0.1pF GJM0225C1E5R9W801# #0.1pF GJM0225C1E5R9W801# #0.1pF GJM0225C1E5R9D801# #0.5pF GJM0225C1E5R9D801# #0.5pF GJM0225C1E5R9D801# #0.5pF GJM0225C1E5R9D801# #0.5pF GJM0225C1E5R9D801# #0.5pF GJM0225C1E5R9D801# #0.5pF GJM0225C1E5R0D801# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R1B801# #0.5pF GJM0225C1E6R1B801# #0.5pF GJM0225C1E6R1B801# #0.5pF GJM0225C1E6R1B801# #0.5pF GJM0225C1E6R1B801# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R3W801# #0.5pF GJM0225C1E6R3W801# #0.5pF GJM0225C1E6R3B01# #0.5pF GJM0225C1E6R4B01# #0.5pF GJM0225C1E6R6B001# #0.5pF GJM0225C1E6R7D01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R7D01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R9B01# #0.5pF GJM0225C1E6R8D01# #0.5pF GJM0225C1E6R9B01# #0.5pF GJM0225C1E6R9B01#				5.7pF	±0.05pF	GJM0225C1E5R7WB01#
#0.5pF GJM0225C1E5R8WB01# #0.1pF GJM0225C1E5R8WB01# #0.5pF GJM0225C1E5R8B01# #0.5pF GJM0225C1E5R8B01# #0.5pF GJM0225C1E5R9B01# #0.5pF GJM0225C1E5R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R1B01# #0.5pF GJM0225C1E6R1B01# #0.5pF GJM0225C1E6R1B01# #0.5pF GJM0225C1E6R1B01# #0.5pF GJM0225C1E6R1B01# #0.5pF GJM0225C1E6R1B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R3B01# #0.5pF GJM0225C1E6R3B01# #0.5pF GJM0225C1E6R3B01# #0.5pF GJM0225C1E6R3B01# #0.5pF GJM0225C1E6R3B01# #0.5pF GJM0225C1E6R4W801# #0.5pF GJM0225C1E6R4W801# #0.5pF GJM0225C1E6R4B01# #0.5pF GJM0225C1E6R4B01# #0.5pF GJM0225C1E6R5B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R5B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R8B01# #0.5p					±0.1pF	GJM0225C1E5R7BB01#
5.8pF #0.1pF GJM0225C1E5R8WB01# #0.1pF GJM0225C1E5R8B01# #0.5pF GJM0225C1E5R8B01# #0.5pF GJM0225C1E5R8B01# #0.5pF GJM0225C1E5R9WB01# #0.5pF GJM0225C1E5R9WB01# #0.5pF GJM0225C1E5R9WB01# #0.5pF GJM0225C1E5R9WB01# #0.5pF GJM0225C1E5R9WB01# #0.5pF GJM0225C1E5R9WB01# #0.5pF GJM0225C1E6R0WB01# #0.5pF GJM0225C1E6R0WB01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R1WB01# #0.5pF GJM0225C1E6R1WB01# #0.5pF GJM0225C1E6R1WB01# #0.5pF GJM0225C1E6R1WB01# #0.5pF GJM0225C1E6R1WB01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R2B01# #0.5pF GJM0225C1E6R3B01# #0.5pF GJM0225C1E6R4B01# #0.5pF GJM0225C1E6R4B01# #0.5pF GJM0225C1E6R4B01# #0.5pF GJM0225C1E6R4B01# #0.5pF GJM0225C1E6R5B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R6B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R7B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B001# #0.5pF GJM0225C1E6R8B001# #0.5pF GJM0225C1E6R8B001# #0.5pF GJM0225C1E6R8B001# #0.5pF GJM0225C1E6R8B001# #0.5pF GJM0225C1E6R9B001# #0.5pF GJM0225C1E6R9B001# #0.5pF GJM0225C1E6R9B001#					±0.25pF	GJM0225C1E5R7CB01#
#0.1pF GJM0225C1E5R8BB01# #0.5pF GJM0225C1E5R8CB01# #0.5pF GJM0225C1E5R9B01# #0.5pF GJM0225C1E5R9B001# #0.5pF GJM0225C1E5R9B001# #0.5pF GJM0225C1E5R9B001# #0.5pF GJM0225C1E5R9B001# #0.5pF GJM0225C1E5R9B001# #0.5pF GJM0225C1E5R0B001# #0.5pF GJM0225C1E6R0B001# #0.5pF GJM0225C1E6R0B001# #0.5pF GJM0225C1E6R0B001# #0.5pF GJM0225C1E6R0B001# #0.5pF GJM0225C1E6R1B001# #0.5pF GJM0225C1E6R1B001# #0.5pF GJM0225C1E6R1B001# #0.5pF GJM0225C1E6R1B001# #0.5pF GJM0225C1E6R1B001# #0.5pF GJM0225C1E6R1B001# #0.5pF GJM0225C1E6R2B001# #0.5pF GJM0225C1E6R2B001# #0.5pF GJM0225C1E6R3B001# #0.5pF GJM0225C1E6R3B001# #0.5pF GJM0225C1E6R3B001# #0.5pF GJM0225C1E6R3B001# #0.5pF GJM0225C1E6R3B001# #0.5pF GJM0225C1E6R3B001# #0.5pF GJM0225C1E6R4B001# #0.5pF GJM0225C1E6R4B001# #0.5pF GJM0225C1E6R4B001# #0.5pF GJM0225C1E6R4B001# #0.5pF GJM0225C1E6R5B001# #0.5pF GJM0225C1E6R6B001# #0.5pF GJM0225C1E6R6B001# #0.5pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R8B001# #0.5pF GJM0225C1E6R9B001#					±0.5pF	GJM0225C1E5R7DB01#
#0.5pF GJM0225C1E5R8DB01# #0.5pF GJM0225C1E5R9BB01# #0.1pF GJM0225C1E5R9BB01# #0.25pF GJM0225C1E5R9BB01# #0.5pF GJM0225C1E5R9BB01# #0.5pF GJM0225C1E5R9DB01# #0.5pF GJM0225C1E5R9DB01# #0.5pF GJM0225C1E6R0DB01# #0.5pF GJM0225C1E6R0DB01# #0.5pF GJM0225C1E6R0DB01# #0.5pF GJM0225C1E6R0DB01# #0.5pF GJM0225C1E6R0DB01# #0.5pF GJM0225C1E6R1DB01# #0.5pF GJM0225C1E6R1DB01# #0.5pF GJM0225C1E6R1DB01# #0.5pF GJM0225C1E6R2DB01# #0.5pF GJM0225C1E6R2DB01# #0.5pF GJM0225C1E6R2DB01# #0.5pF GJM0225C1E6R2DB01# #0.5pF GJM0225C1E6R2DB01# #0.5pF GJM0225C1E6R2DB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R5DB01# #0.5pF GJM0225C1E6R6DB01# #0.5pF GJM0225C1E6R8DB01# #0.5p				5.8pF	±0.05pF	GJM0225C1E5R8WB01#
#0.5pF #0.05pF #0.0					±0.1pF	GJM0225C1E5R8BB01#
5.9pF					±0.25pF	GJM0225C1E5R8CB01#
#0.1pF GJM0225C1E5R9BB01# #0.5pF GJM0225C1E6R0WB01# #0.5pF GJM0225C1E6R0WB01# #0.5pF GJM0225C1E6R0WB01# #0.5pF GJM0225C1E6R0WB01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R1WB01# #0.5pF GJM0225C1E6R1WB01# #0.5pF GJM0225C1E6R1BB01# #0.5pF GJM0225C1E6R1BB01# #0.5pF GJM0225C1E6R2WB01# #0.5pF GJM0225C1E6R2WB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R4WB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R8BB01# #0.5pF GJM0225C1E6R8B					±0.5pF	GJM0225C1E5R8DB01#
#0.25pF GJM0225C1E5R9DB01# #0.5pF GJM0225C1E6R0WB01# #0.1pF GJM0225C1E6R0B01# #0.5pF GJM0225C1E6R0DB01# #0.5pF GJM0225C1E6R0DB01# #0.5pF GJM0225C1E6R1WB01# #0.1pF GJM0225C1E6R1BB01# #0.25pF GJM0225C1E6R1BB01# #0.25pF GJM0225C1E6R1BB01# #0.1pF GJM0225C1E6R1BB01# #0.1pF GJM0225C1E6R1BB01# #0.1pF GJM0225C1E6R2BB01# #0.1pF GJM0225C1E6R2BB01# #0.1pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R3WB01# #0.5pF GJM0225C1E6R3WB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R8BB01#				5.9pF	±0.05pF	GJM0225C1E5R9WB01#
#0.5pF #0.05pF #0.0					±0.1pF	GJM0225C1E5R9BB01#
6.0pF ±0.0pF					±0.25pF	GJM0225C1E5R9CB01#
#0.1pF					±0.5pF	GJM0225C1E5R9DB01#
#0.25pF GJM0225C1E6R0CB01# #0.5pF GJM0225C1E6R0DB01# #0.1pF GJM0225C1E6R1BB01# #0.25pF GJM0225C1E6R1BB01# #0.5pF GJM0225C1E6R1BB01# #0.5pF GJM0225C1E6R1DB01# #0.5pF GJM0225C1E6R2BB01# #0.1pF GJM0225C1E6R2BB01# #0.25pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.1pF GJM0225C1E6R3BB01# #0.1pF GJM0225C1E6R3BB01# #0.25pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.1pF GJM0225C1E6R3BB01# #0.1pF GJM0225C1E6R4BB01# #0.25pF GJM0225C1E6R4BB01# #0.25pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R8BB01#				6.0pF	±0.05pF	GJM0225C1E6R0WB01#
#0.5pF GJM0225C1E6R0DB01# #0.1pF #0.05pF GJM0225C1E6R1BB01# #0.25pF GJM0225C1E6R1BB01# #0.5pF GJM0225C1E6R1DB01# #0.5pF GJM0225C1E6R2BB01# #0.1pF GJM0225C1E6R2BB01# #0.25pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R3BB01# #0.1pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R8BB01#					±0.1pF	GJM0225C1E6R0BB01#
6.1pF					±0.25pF	GJM0225C1E6R0CB01#
#0.1pF GJM0225C1E6R1BB01# #0.5pF GJM0225C1E6R1CB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R2BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R8BB01# #0.5pF GJM0225C1E6					±0.5pF	GJM0225C1E6R0DB01#
#0.25pF GJM0225C1E6R1CB01# #0.5pF GJM0225C1E6R2BB01# #0.25pF GJM0225C1E6R3BB01# #0.25pF GJM0225C1E6R3BB01# #0.25pF GJM0225C1E6R3BB01# #0.25pF GJM0225C1E6R3BB01# #0.25pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R4CB01# #0.5pF GJM0225C1E6R4CB01# #0.5pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R6CB01# #0.5pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B01# #0.5pF GJM0225C1E6R8B001# #0.5pF GJM0225C1E6				6.1pF	±0.05pF	GJM0225C1E6R1WB01#
# 0.5pF GJM0225C1E6R1DB01# # 0.25pF GJM0225C1E6R2WB01# # 0.25pF GJM0225C1E6R2WB01# # 0.25pF GJM0225C1E6R2B01# # 0.25pF GJM0225C1E6R2B01# # 0.5pF GJM0225C1E6R3WB01# # 0.5pF GJM0225C1E6R3WB01# # 0.25pF GJM0225C1E6R3B001# # 0.5pF GJM0225C1E6R3B001# # 0.5pF GJM0225C1E6R3B001# # 0.5pF GJM0225C1E6R3B01# # 0.25pF GJM0225C1E6R4WB01# # 0.5pF GJM0225C1E6R4BB01# # 0.5pF GJM0225C1E6R4DB01# # 0.5pF GJM0225C1E6R4DB01# # 0.25pF GJM0225C1E6R5B001# # 0.25pF GJM0225C1E6R5B001# # 0.25pF GJM0225C1E6R5B001# # 0.25pF GJM0225C1E6R5B001# # 0.5pF GJM0225C1E6R6BB01# # 0.5pF GJM0225C1E6R7B001# # 0.5pF GJM0225C1E6R8B001# # 0.5pF GJM022					±0.1pF	GJM0225C1E6R1BB01#
6.2pF ±0.05pF GJM0225C1E6R2WB01# ±0.25pF GJM0225C1E6R2BB01# ±0.25pF GJM0225C1E6R2BB01# ±0.5pF GJM0225C1E6R2BB01# ±0.5pF GJM0225C1E6R3WB01# ±0.5pF GJM0225C1E6R3WB01# ±0.25pF GJM0225C1E6R3BB01# ±0.5pF GJM0225C1E6R3DB01# ±0.5pF GJM0225C1E6R3DB01# ±0.25pF GJM0225C1E6R4WB01# ±0.25pF GJM0225C1E6R4BB01# ±0.5pF GJM0225C1E6R4BB01# ±0.5pF GJM0225C1E6R5B01# ±0.5pF GJM0225C1E6R5B01# ±0.5pF GJM0225C1E6R5B01# ±0.5pF GJM0225C1E6R5B01# ±0.25pF GJM0225C1E6R5B001# ±0.25pF GJM0225C1E6R6BB01# ±0.5pF GJM0225C1E6R6BB01# ±0.5pF GJM0225C1E6R6BB01# ±0.5pF GJM0225C1E6R6BB01# ±0.5pF GJM0225C1E6R6BB01# ±0.5pF GJM0225C1E6R7WB01# ±0.5pF GJM0225C1E6R7WB01# ±0.5pF GJM0225C1E6R7BB01# ±0.5pF GJM0225C1E6R7BB01# ±0.5pF GJM0225C1E6R7BB01# ±0.5pF GJM0225C1E6R7BB01# ±0.5pF GJM0225C1E6R7BB01# ±0.5pF GJM0225C1E6R8BB01#					±0.25pF	GJM0225C1E6R1CB01#
### ### ##############################					±0.5pF	GJM0225C1E6R1DB01#
#0.25pF GJM0225C1E6R2CB01# #0.5pF GJM0225C1E6R3WB01# #0.1pF GJM0225C1E6R3WB01# #0.25pF GJM0225C1E6R3BB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R4WB01# #0.1pF GJM0225C1E6R4WB01# #0.5pF GJM0225C1E6R4BB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R5WB01# #0.1pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R7WB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R8BB01#				6.2pF	±0.05pF	GJM0225C1E6R2WB01#
#0.5pF GJM0225C1E6R3DB01# #0.1pF GJM0225C1E6R3BB01# #0.25pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R3CB01# #0.5pF GJM0225C1E6R3DB01# #0.5pF GJM0225C1E6R4WB01# #0.1pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R4DB01# #0.5pF GJM0225C1E6R5WB01# #0.1pF GJM0225C1E6R5WB01# #0.1pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6DB01# #0.5pF GJM0225C1E6R6DB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R8BB01# #0.5pF GJM0225C1E6R9BB01#					±0.1pF	GJM0225C1E6R2BB01#
6.3pF					±0.25pF	GJM0225C1E6R2CB01#
### ### ##############################					±0.5pF	GJM0225C1E6R2DB01#
### ±0.25pF GJM0225C1E6R3CB01#				6.3pF	±0.05pF	GJM0225C1E6R3WB01#
### ### ##############################					±0.1pF	GJM0225C1E6R3BB01#
6.4pF					±0.25pF	GJM0225C1E6R3CB01#
### ### ##############################					±0.5pF	GJM0225C1E6R3DB01#
#0.25pF GJM0225C1E6R4CB01# #0.5pF GJM0225C1E6R4DB01# #0.1pF GJM0225C1E6R5BB01# #0.25pF GJM0225C1E6R5BB01# #0.5pF GJM0225C1E6R5DB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.1pF GJM0225C1E6R6BB01# #0.25pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R6BB01# #0.5pF GJM0225C1E6R7BB01# #0.1pF GJM0225C1E6R7BB01# #0.1pF GJM0225C1E6R7BB01# #0.1pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R7BB01# #0.5pF GJM0225C1E6R8BB01#				6.4pF	±0.05pF	GJM0225C1E6R4WB01#
### ### ##############################					±0.1pF	GJM0225C1E6R4BB01#
6.5pF ±0.05pF GJM0225C1E6R5WB01# ±0.1pF GJM0225C1E6R5BB01# ±0.25pF GJM0225C1E6R5DB01# ±0.5pF GJM0225C1E6R6WB01# ±0.1pF GJM0225C1E6R6WB01# ±0.25pF GJM0225C1E6R6BB01# ±0.5pF GJM0225C1E6R6DB01# ±0.5pF GJM0225C1E6R6DB01# ±0.1pF GJM0225C1E6R7WB01# ±0.1pF GJM0225C1E6R7BB01# ±0.25pF GJM0225C1E6R7DB01# ±0.5pF GJM0225C1E6R7DB01# ±0.5pF GJM0225C1E6R7DB01# ±0.5pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8WB01# ±0.25pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.1pF GJM0225C1E6R9BB01#					±0.25pF	GJM0225C1E6R4CB01#
### ### ##############################					±0.5pF	GJM0225C1E6R4DB01#
#0.25pF GJM0225C1E6R5CB01# #0.5pF GJM0225C1E6R5DB01# #0.05pF GJM0225C1E6R6WB01# #0.1pF GJM0225C1E6R6BB01# #0.25pF GJM0225C1E6R6CB01# #0.5pF GJM0225C1E6R6DB01# #0.5pF GJM0225C1E6R7WB01# #0.1pF GJM0225C1E6R7WB01# #0.25pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R7DB01# #0.5pF GJM0225C1E6R7DB01# #0.5pF GJM0225C1E6R8WB01# #0.1pF GJM0225C1E6R8WB01# #0.1pF GJM0225C1E6R8CB01# #0.5pF GJM0225C1E6R8CB01# #0.5pF GJM0225C1E6R8CB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01#				6.5pF	±0.05pF	GJM0225C1E6R5WB01#
#0.5pF GJM0225C1E6R5DB01# 6.6pF #0.05pF GJM0225C1E6R6WB01# #0.1pF GJM0225C1E6R6BB01# #0.25pF GJM0225C1E6R6CB01# #0.5pF GJM0225C1E6R6DB01# #0.1pF GJM0225C1E6R7WB01# #0.1pF GJM0225C1E6R7BB01# #0.25pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R7DB01# #0.5pF GJM0225C1E6R8WB01# #0.1pF GJM0225C1E6R8BB01# #0.1pF GJM0225C1E6R8BB01# #0.5pF GJM0225C1E6R8CB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01#					±0.1pF	GJM0225C1E6R5BB01#
6.6pF ±0.05pF GJM0225C1E6R6WB01# ±0.1pF GJM0225C1E6R6BB01# ±0.25pF GJM0225C1E6R6BB01# ±0.5pF GJM0225C1E6R6DB01# ±0.5pF GJM0225C1E6R7WB01# ±0.1pF GJM0225C1E6R7WB01# ±0.25pF GJM0225C1E6R7CB01# ±0.5pF GJM0225C1E6R7DB01# ±0.5pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8WB01# ±0.25pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.1pF GJM0225C1E6R9BB01#					±0.25pF	GJM0225C1E6R5CB01#
#0.1pF GJM0225C1E6R6BB01# #0.25pF GJM0225C1E6R6CB01# #0.5pF GJM0225C1E6R6DB01# #0.5pF GJM0225C1E6R7WB01# #0.1pF GJM0225C1E6R7BB01# #0.25pF GJM0225C1E6R7CB01# #0.5pF GJM0225C1E6R7DB01# #0.5pF GJM0225C1E6R7DB01# #0.1pF GJM0225C1E6R8WB01# #0.1pF GJM0225C1E6R8BB01# #0.25pF GJM0225C1E6R8CB01# #0.5pF GJM0225C1E6R8CB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.1pF GJM0225C1E6R9BB01#					±0.5pF	GJM0225C1E6R5DB01#
±0.25pF GJM0225C1E6R6CB01# ±0.5pF GJM0225C1E6R6DB01# 6.7pF ±0.05pF GJM0225C1E6R7WB01# ±0.1pF GJM0225C1E6R7BB01# ±0.25pF GJM0225C1E6R7CB01# ±0.5pF GJM0225C1E6R7DB01# ±0.5pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.1pF GJM0225C1E6R9BB01#				6.6pF	±0.05pF	GJM0225C1E6R6WB01#
### ##################################					±0.1pF	GJM0225C1E6R6BB01#
6.7pF ±0.05pF GJM0225C1E6R7WB01# ±0.1pF GJM0225C1E6R7BB01# ±0.25pF GJM0225C1E6R7CB01# ±0.5pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8BB01# ±0.25pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.1pF GJM0225C1E6R9WB01# ±0.1pF GJM0225C1E6R9BB01#					±0.25pF	GJM0225C1E6R6CB01#
±0.1pF GJM0225C1E6R7BB01# ±0.25pF GJM0225C1E6R7CB01# ±0.5pF GJM0225C1E6R7DB01# 6.8pF ±0.05pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8BB01# ±0.25pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.1pF GJM0225C1E6R9BB01#					±0.5pF	GJM0225C1E6R6DB01#
±0.25pF GJM0225C1E6R7CB01# ±0.5pF GJM0225C1E6R7DB01# 6.8pF ±0.05pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8BB01# ±0.25pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# ±0.5pF GJM0225C1E6R8DB01# ±0.1pF GJM0225C1E6R9WB01# ±0.1pF GJM0225C1E6R9BB01#				6.7pF	±0.05pF	GJM0225C1E6R7WB01#
#0.5pF GJM0225C1E6R7DB01# 6.8pF #0.05pF GJM0225C1E6R8WB01# #0.1pF GJM0225C1E6R8BB01# #0.25pF GJM0225C1E6R8CB01# #0.5pF GJM0225C1E6R8DB01# #0.5pF GJM0225C1E6R8DB01# #0.1pF GJM0225C1E6R9WB01# #0.1pF GJM0225C1E6R9BB01#					±0.1pF	GJM0225C1E6R7BB01#
6.8pF ±0.05pF GJM0225C1E6R8WB01# ±0.1pF GJM0225C1E6R8BB01# ±0.25pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# ±0.05pF GJM0225C1E6R9WB01# ±0.1pF GJM0225C1E6R9BB01#					±0.25pF	GJM0225C1E6R7CB01#
±0.1pF GJM0225C1E6R8BB01# ±0.25pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# ±0.05pF GJM0225C1E6R9WB01# ±0.1pF GJM0225C1E6R9BB01#					±0.5pF	GJM0225C1E6R7DB01#
±0.25pF GJM0225C1E6R8CB01# ±0.5pF GJM0225C1E6R8DB01# 6.9pF ±0.05pF GJM0225C1E6R9WB01# ±0.1pF GJM0225C1E6R9BB01#				6.8pF	±0.05pF	GJM0225C1E6R8WB01#
±0.5pF GJM0225C1E6R8DB01# 6.9pF ±0.05pF GJM0225C1E6R9WB01# ±0.1pF GJM0225C1E6R9BB01#					±0.1pF	GJM0225C1E6R8BB01#
6.9pF ±0.05pF GJM0225C1E6R9WB01# ±0.1pF GJM0225C1E6R9BB01#					±0.25pF	GJM0225C1E6R8CB01#
±0.1pF GJM0225C1E6R9BB01#					±0.5pF	GJM0225C1E6R8DB01#
				6.9pF	±0.05pF	GJM0225C1E6R9WB01#
±0.25pF GJM0225C1E6R9CB01#					±0.1pF	GJM0225C1E6R9BB01#
					±0.25pF	GJM0225C1E6R9CB01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
).22mm	25Vdc	COG	6.9pF	±0.5pF	GJM0225C1E6R9DB01#
			7.0pF	±0.05pF	GJM0225C1E7R0WB01#
				±0.1pF	GJM0225C1E7R0BB01#
				±0.25pF	GJM0225C1E7R0CB01#
				±0.5pF	GJM0225C1E7R0DB01#
			7.1pF	±0.05pF	GJM0225C1E7R1WB01#
			•	±0.1pF	GJM0225C1E7R1BB01#
				-	GJM0225C1E7R1CB01#
				±0.5pF	GJM0225C1E7R1DB01#
			7.2pF	±0.05pF	GJM0225C1E7R2WB01#
			•	±0.1pF	GJM0225C1E7R2BB01#
				±0.25pF	GJM0225C1E7R2CB01#
				±0.5pF	GJM0225C1E7R2DB01#
			7.3pF	±0.05pF	GJM0225C1E7R3WB01#
				±0.1pF	GJM0225C1E7R3BB01#
				±0.25pF	GJM0225C1E7R3CB01#
				±0.5pF	GJM0225C1E7R3DB01#
			7.4pF	±0.05pF	GJM0225C1E7R4WB01#
			7. 4 pi	±0.1pF	GJM0225C1E7R4BB01#
				±0.25pF	GJM0225C1E7R4CB01#
				-	GJM0225C1E7R4DB01#
			7.5pF	±0.5pF	
			7.5pF	±0.05pF	GJM0225C1E7R5WB01#
				±0.1pF	GJM0225C1E7R5BB01#
					GJM0225C1E7R5CB01#
			7.65	±0.5pF	GJM0225C1E7R5DB01#
			7.6pF	±0.05pF	GJM0225C1E7R6WB01#
				±0.1pF	GJM0225C1E7R6BB01#
				±0.25pF	GJM0225C1E7R6CB01#
			7 7 - 5	±0.5pF	GJM0225C1E7R6DB01#
			7.7pF	±0.05pF	GJM0225C1E7R7WB01#
				±0.1pF	GJM0225C1E7R7BB01#
				±0.25pF	GJM0225C1E7R7CB01#
			70.5	±0.5pF	GJM0225C1E7R7DB01#
			7.8pF	±0.05pF	GJM0225C1E7R8WB01#
				±0.1pF	GJM0225C1E7R8BB01#
				-	GJM0225C1E7R8CB01#
				±0.5pF	GJM0225C1E7R8DB01#
			7.9pF	±0.05pF	GJM0225C1E7R9WB01#
				±0.1pF	GJM0225C1E7R9BB01#
				±0.25pF	GJM0225C1E7R9CB01#
				±0.5pF	GJM0225C1E7R9DB01#
			8.0pF	±0.05pF	GJM0225C1E8R0WB01#
				±0.1pF	GJM0225C1E8R0BB01#
				±0.25pF	GJM0225C1E8R0CB01#
				±0.5pF	GJM0225C1E8R0DB01#
			8.1pF	±0.05pF	GJM0225C1E8R1WB01#
				±0.1pF	GJM0225C1E8R1BB01#
				±0.25pF	GJM0225C1E8R1CB01#
				±0.5pF	GJM0225C1E8R1DB01#
			8.2pF	±0.05pF	GJM0225C1E8R2WB01#
				±0.1pF	GJM0225C1E8R2BB01#
				±0.25pF	GJM0225C1E8R2CB01#
				±0.5pF	GJM0225C1E8R2DB01#
			8.3pF	±0.05pF	GJM0225C1E8R3WB01#

Т	Rated	тс	Cap.	Tol.	Part Number	
max.	Voltage					
0.22mm	25Vdc	COG	8.3pF	±0.1pF	GJM0225C1E8R3BB01#	
				±0.25pF	GJM0225C1E8R3CB01#	
			0.4-5	±0.5pF	GJM0225C1E8R3DB01#	
			8.4pF	±0.05pF	GJM0225C1E8R4WB01#	
				±0.1pF	GJM0225C1E8R4BB01#	
				±0.25pF	GJM0225C1E8R4CB01#	
			8.5pF	±0.5pF	GJM0225C1E8R4DB01# GJM0225C1E8R5WB01#	
			0.5pi	±0.05pF ±0.1pF	GJM0225C1E8R5BB01#	
				±0.1pi	GJM0225C1E8R5CB01#	
				±0.5pF	GJM0225C1E8R5DB01#	
			8.6pF	±0.05pF	GJM0225C1E8R6WB01#	
			0.0рі	±0.1pF	GJM0225C1E8R6BB01#	
				±0.25pF	GJM0225C1E8R6CB01#	
				±0.5pF	GJM0225C1E8R6DB01#	
			8.7pF	±0.05pF	GJM0225C1E8R7WB01#	
			o p.	±0.1pF	GJM0225C1E8R7BB01#	
				±0.25pF	GJM0225C1E8R7CB01#	
				±0.5pF	GJM0225C1E8R7DB01#	
			8.8pF	±0.05pF	GJM0225C1E8R8WB01#	
				±0.1pF	GJM0225C1E8R8BB01#	
				±0.25pF	GJM0225C1E8R8CB01#	
				±0.5pF	GJM0225C1E8R8DB01#	
			8.9pF	±0.05pF	GJM0225C1E8R9WB01#	
			0.00	±0.1pF	GJM0225C1E8R9BB01#	
				±0.25pF	GJM0225C1E8R9CB01#	
				±0.5pF	GJM0225C1E8R9DB01#	
			9.0pF	±0.05pF	GJM0225C1E9R0WB01#	
				±0.1pF	GJM0225C1E9R0BB01#	
				±0.25pF	GJM0225C1E9R0CB01#	
				±0.5pF	GJM0225C1E9R0DB01#	
			9.1pF	±0.05pF	GJM0225C1E9R1WB01#	
				±0.1pF	GJM0225C1E9R1BB01#	
				±0.25pF	GJM0225C1E9R1CB01#	
				±0.5pF	GJM0225C1E9R1DB01#	
			9.2pF	±0.05pF	GJM0225C1E9R2WB01#	
				±0.1pF	GJM0225C1E9R2BB01#	
				±0.25pF	GJM0225C1E9R2CB01#	
				±0.5pF	GJM0225C1E9R2DB01#	
			9.3pF	±0.05pF	GJM0225C1E9R3WB01#	
				±0.1pF	GJM0225C1E9R3BB01#	
				±0.25pF	GJM0225C1E9R3CB01#	
				±0.5pF	GJM0225C1E9R3DB01#	
			9.4pF	±0.05pF	GJM0225C1E9R4WB01#	
				±0.1pF	GJM0225C1E9R4BB01#	
				±0.25pF	GJM0225C1E9R4CB01#	
			0.5~5	±0.5pF	GJM0225C1E9R4DB01#	
			9.5pF	±0.05pF	GJM0225C1E9R5WB01#	
				±0.1pF	GJM0225C1E9R5BB01#	
				±0.25pF	GJM0225C1E9R5CB01#	
			Q GnE	±0.5pF	GJM0225C1E9R5DB01#	
			9.6pF	±0.05pF	GJM0225C1E9R6WB01#	
				±0.1pF	GJM0225C1E9R6BB01#	
				±0.25pF	GJM0225C1E9R6CB01#	

(→ **■** 0.4×0.2mm)

(→ ■ 0	.4×0.2ı	nm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	25Vdc	COG	9.6pF	±0.5pF	GJM0225C1E9R6DB01#
			9.7pF	±0.05pF	GJM0225C1E9R7WB01#
				±0.1pF	GJM0225C1E9R7BB01#
				±0.25pF	GJM0225C1E9R7CB01#
				±0.5pF	GJM0225C1E9R7DB01#
			9.8pF	±0.05pF	GJM0225C1E9R8WB01#
				±0.1pF	GJM0225C1E9R8BB01#
				±0.25pF	GJM0225C1E9R8CB01#
				±0.5pF	GJM0225C1E9R8DB01#
			9.9pF	±0.05pF	GJM0225C1E9R9WB01#
				±0.1pF	GJM0225C1E9R9BB01#
				±0.25pF	GJM0225C1E9R9CB01#
				±0.5pF	GJM0225C1E9R9DB01#
			10pF	±2%	GJM0225C1E100GB01#
				±5%	GJM0225C1E100JB01#
			11pF	±2%	GJM0225C1E110GB01#
				±5%	GJM0225C1E110JB01#
			12pF	±2%	GJM0225C1E120GB01#
				±5%	GJM0225C1E120JB01#
			13pF	±2%	GJM0225C1E130GB01#
				±5%	GJM0225C1E130JB01#
			15pF	±2%	GJM0225C1E150GB01#
				±5%	GJM0225C1E150JB01#
			16pF	±2%	GJM0225C1E160GB01#
				±5%	GJM0225C1E160JB01#
			18pF	±2%	GJM0225C1E180GB01#
				±5%	GJM0225C1E180JB01#
			20pF	±2%	GJM0225C1E200GB01#
				±5%	GJM0225C1E200JB01#
			22pF	±2%	GJM0225C1E220GB01#
				±5%	GJM0225C1E220JB01#
		CK	0.20pF	±0.05pF	GJM0224C1ER20WB01#
				±0.1pF	GJM0224C1ER20BB01#
			0.30pF	±0.05pF	GJM0224C1ER30WB01#
				±0.1pF	GJM0224C1ER30BB01#
			0.40pF	±0.05pF	GJM0224C1ER40WB01#
				±0.1pF	GJM0224C1ER40BB01#
			0.50pF	±0.05pF	GJM0224C1ER50WB01#
				±0.1pF	GJM0224C1ER50BB01#
			0.60pF	±0.05pF	GJM0224C1ER60WB01#
				±0.1pF	GJM0224C1ER60BB01#
			0.70pF	±0.05pF	GJM0224C1ER70WB01#
				±0.1pF	GJM0224C1ER70BB01#
			0.80pF	±0.05pF	GJM0224C1ER80WB01#
			0.00 =	±0.1pF	GJM0224C1ER80BB01#
			0.90pF	±0.05pF	GJM0224C1ER90WB01#
			10.5	±0.1pF	GJM0224C1ER90BB01#
			1.0pF	±0.05pF	GJM0224C1E1R0WB01#
				±0.1pF	GJM0224C1E1R0BB01#
			4.4-5	±0.25pF	GJM0224C1E1R0CB01#
			1.1pF	±0.05pF	GJM0224C1E1R1WB01#
				±0.1pF	GJM0224C1E1R1BB01#
			10-5	±0.25pF	
			1.2pF	±0.05pF	GJM0224C1E1R2WB01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.22mm	25Vdc	СК	1.2pF	±0.1pF	GJM0224C1E1R2BB01#
				±0.25pF	GJM0224C1E1R2CB01#
			1.3pF	±0.05pF	GJM0224C1E1R3WB01#
				±0.1pF	GJM0224C1E1R3BB01#
				±0.25pF	GJM0224C1E1R3CB01#
			1.4pF	±0.05pF	GJM0224C1E1R4WB01#
				±0.1pF	GJM0224C1E1R4BB01#
				±0.25pF	GJM0224C1E1R4CB01#
			1.5pF	±0.05pF	GJM0224C1E1R5WB01#
				±0.1pF	GJM0224C1E1R5BB01#
				±0.25pF	GJM0224C1E1R5CB01#
			1.6pF	±0.05pF	GJM0224C1E1R6WB01#
				±0.1pF	GJM0224C1E1R6BB01#
				±0.25pF	GJM0224C1E1R6CB01#
			1.7pF	±0.05pF	GJM0224C1E1R7WB01#
				±0.1pF	GJM0224C1E1R7BB01#
				±0.25pF	GJM0224C1E1R7CB01#
			1.8pF	±0.05pF	GJM0224C1E1R8WB01#
				±0.1pF	GJM0224C1E1R8BB01#
				±0.25pF	GJM0224C1E1R8CB01#
			1.9pF	±0.05pF	GJM0224C1E1R9WB01#
				±0.1pF	GJM0224C1E1R9BB01#
				±0.25pF	GJM0224C1E1R9CB01#
			2.0pF	±0.05pF	GJM0224C1E2R0WB01#
				±0.1pF	GJM0224C1E2R0BB01#
				±0.25pF	GJM0224C1E2R0CB01#
		CJ	2.1pF	±0.05pF	GJM0223C1E2R1WB01#
				±0.1pF	GJM0223C1E2R1BB01#
				±0.25pF	GJM0223C1E2R1CB01#
			2.2pF	±0.05pF	GJM0223C1E2R2WB01#
				±0.1pF	GJM0223C1E2R2BB01#
				±0.25pF	GJM0223C1E2R2CB01#
			2.3pF	±0.05pF	GJM0223C1E2R3WB01#
				±0.1pF	GJM0223C1E2R3BB01#
				±0.25pF	GJM0223C1E2R3CB01#
			2.4pF	±0.05pF	GJM0223C1E2R4WB01#
				±0.1pF	GJM0223C1E2R4BB01#
				±0.25pF	GJM0223C1E2R4CB01#
			2.5pF	±0.05pF	GJM0223C1E2R5WB01#
				±0.1pF	GJM0223C1E2R5BB01#
				±0.25pF	GJM0223C1E2R5CB01#
			2.6pF	±0.05pF	GJM0223C1E2R6WB01#
				±0.1pF	GJM0223C1E2R6BB01#
				±0.25pF	GJM0223C1E2R6CB01#
			2.7pF	±0.05pF	GJM0223C1E2R7WB01#
				±0.1pF	GJM0223C1E2R7BB01#
				±0.25pF	GJM0223C1E2R7CB01#
			2.8pF	±0.05pF	GJM0223C1E2R8WB01#
				±0.1pF	GJM0223C1E2R8BB01#
				±0.25pF	GJM0223C1E2R8CB01#
			2.9pF	±0.05pF	GJM0223C1E2R9WB01#
				±0.1pF	GJM0223C1E2R9BB01#
				±0.25pF	GJM0223C1E2R9CB01#
			3.0pF	±0.05pF	GJM0223C1E3R0WB01#
			Part nur	nber # indic	cates the package specification code

(→ ■ 0	.4×0.2ı	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.22mm	25Vdc	CJ	3.0pF	±0.1pF	GJM0223C1E3R0BB01#
				±0.25pF	GJM0223C1E3R0CB01#
			3.1pF	±0.05pF	GJM0223C1E3R1WB01#
				±0.1pF	GJM0223C1E3R1BB01#
				±0.25pF	GJM0223C1E3R1CB01#
			3.2pF	±0.05pF	GJM0223C1E3R2WB01#
				±0.1pF	GJM0223C1E3R2BB01#
				±0.25pF	GJM0223C1E3R2CB01#
			3.3pF	±0.05pF	GJM0223C1E3R3WB01#
				±0.1pF	GJM0223C1E3R3BB01#
				±0.25pF	GJM0223C1E3R3CB01#
			3.4pF	±0.05pF	GJM0223C1E3R4WB01#
				±0.1pF	GJM0223C1E3R4BB01#
				±0.25pF	GJM0223C1E3R4CB01#
			3.5pF	±0.05pF	GJM0223C1E3R5WB01#
				±0.1pF	GJM0223C1E3R5BB01#
				±0.25pF	GJM0223C1E3R5CB01#
			3.6pF	±0.05pF	GJM0223C1E3R6WB01#
				±0.1pF	GJM0223C1E3R6BB01#
				±0.25pF	GJM0223C1E3R6CB01#
			3.7pF	±0.05pF	GJM0223C1E3R7WB01#
				±0.1pF	GJM0223C1E3R7BB01#
				±0.25pF	GJM0223C1E3R7CB01#
			3.8pF	±0.05pF	GJM0223C1E3R8WB01#
				±0.1pF	GJM0223C1E3R8BB01#
				±0.25pF	GJM0223C1E3R8CB01#
			3.9pF	±0.05pF	GJM0223C1E3R9WB01#
				±0.1pF	GJM0223C1E3R9BB01#
				±0.25pF	GJM0223C1E3R9CB01#
		СН	4.0pF	±0.05pF	GJM0222C1E4R0WB01#
				±0.1pF	GJM0222C1E4R0BB01#
			44.5	±0.25pF	GJM0222C1E4R0CB01#
			4.1pF	±0.05pF	GJM0222C1E4R1WB01#
				±0.1pF	GJM0222C1E4R1BB01#
			4.0pF	±0.25pF	GJM0222C1E4R1CB01#
			4.2pF	±0.05pF	GJM0222C1E4R2WB01#
				±0.1pF	GJM0222C1E4R2BB01# GJM0222C1E4R2CB01#
			4.2nE	±0.25pF ±0.05pF	GJM0222C1E4R3WB01#
			4.3pF	-	GJM0222C1E4R3BB01#
				±0.1pF ±0.25pF	GJM0222C1E4R3CB01#
			4.4pF	±0.05pF	GJM0222C1E4R4WB01#
			4.4pi	±0.05pi	GJM0222C1E4R4BB01#
				±0.25pF	GJM0222C1E4R4CB01#
			4.5pF	±0.05pF	GJM0222C1E4R5WB01#
				±0.1pF	GJM0222C1E4R5BB01#
				±0.25pF	GJM0222C1E4R5CB01#
			4.6pF	±0.05pF	GJM0222C1E4R6WB01#
				±0.1pF	GJM0222C1E4R6BB01#
				±0.25pF	GJM0222C1E4R6CB01#
			4.7pF	±0.05pF	GJM0222C1E4R7WB01#
			•	±0.1pF	GJM0222C1E4R7BB01#
				±0.25pF	GJM0222C1E4R7CB01#
			4.8pF	±0.05pF	GJM0222C1E4R8WB01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.22mm	25Vdc	СН	4.8pF	±0.1pF	GJM0222C1E4R8BB01#	
				±0.25pF	GJM0222C1E4R8CB01#	
			4.9pF	±0.05pF	GJM0222C1E4R9WB01#	
				±0.1pF	GJM0222C1E4R9BB01#	
				±0.25pF	GJM0222C1E4R9CB01#	
			5.0pF	±0.05pF	GJM0222C1E5R0WB01#	
				±0.1pF	GJM0222C1E5R0BB01#	
				±0.25pF	GJM0222C1E5R0CB01#	
			5.1pF	±0.05pF	GJM0222C1E5R1WB01#	
				±0.1pF	GJM0222C1E5R1BB01#	
				±0.25pF	GJM0222C1E5R1CB01#	
				±0.5pF	GJM0222C1E5R1DB01#	
			5.2pF	±0.05pF	GJM0222C1E5R2WB01#	
				±0.1pF	GJM0222C1E5R2BB01#	
				±0.25pF	GJM0222C1E5R2CB01#	
				±0.5pF	GJM0222C1E5R2DB01#	
			5.3pF	±0.05pF	GJM0222C1E5R3WB01#	
				±0.1pF	GJM0222C1E5R3BB01#	
				±0.25pF	GJM0222C1E5R3CB01#	
				±0.5pF	GJM0222C1E5R3DB01#	
			5.4pF	±0.05pF	GJM0222C1E5R4WB01#	
				±0.1pF	GJM0222C1E5R4BB01#	
				±0.25pF	GJM0222C1E5R4CB01#	
				±0.5pF	GJM0222C1E5R4DB01#	
			5.5pF	±0.05pF	GJM0222C1E5R5WB01#	
				±0.1pF	GJM0222C1E5R5BB01#	
				±0.25pF	GJM0222C1E5R5CB01#	
				±0.5pF	GJM0222C1E5R5DB01#	
			5.6pF	±0.05pF	GJM0222C1E5R6WB01#	
				±0.1pF	GJM0222C1E5R6BB01#	
				±0.25pF	GJM0222C1E5R6CB01#	
				±0.5pF	GJM0222C1E5R6DB01#	
			5.7pF	±0.05pF	GJM0222C1E5R7WB01#	
				±0.1pF	GJM0222C1E5R7BB01#	
				±0.25pF	GJM0222C1E5R7CB01#	
				±0.5pF	GJM0222C1E5R7DB01#	
			5.8pF	±0.05pF	GJM0222C1E5R8WB01#	
				±0.1pF	GJM0222C1E5R8BB01#	
				±0.25pF	GJM0222C1E5R8CB01#	
			_	±0.5pF	GJM0222C1E5R8DB01#	
			5.9pF	±0.05pF	GJM0222C1E5R9WB01#	
				±0.1pF	GJM0222C1E5R9BB01#	
				±0.25pF	GJM0222C1E5R9CB01#	
				±0.5pF	GJM0222C1E5R9DB01#	
			6.0pF	±0.05pF	GJM0222C1E6R0WB01#	
				±0.1pF	GJM0222C1E6R0BB01#	
				±0.25pF	GJM0222C1E6R0CB01#	
				±0.5pF	GJM0222C1E6R0DB01#	
			6.1pF	±0.05pF	GJM0222C1E6R1WB01#	
				±0.1pF	GJM0222C1E6R1BB01#	
				±0.25pF	GJM0222C1E6R1CB01#	
				±0.5pF	GJM0222C1E6R1DB01#	
			6.2pF	±0.05pF	GJM0222C1E6R2WB01#	
				±0.1pF	GJM0222C1E6R2BB01#	

max.

0.22mm

GRM Series

GJM Series

GMA Series GMD Series

GQM Series

GRJ Series GR3 Series

KRM Series KR3 Series

LLA Series LLL Series

LLM Series

GJM Series Temperature Compensating Type Part Number List

■ 0.4×0.2mm)

(→ ■ 0	.4×0.2ı	nm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.22mm	25Vdc	СН	6.2pF	±0.25pF	GJM0222C1E6R2CB01#
				±0.5pF	GJM0222C1E6R2DB01#
			6.3pF	±0.05pF	GJM0222C1E6R3WB01#
				±0.1pF	GJM0222C1E6R3BB01#
				±0.25pF	GJM0222C1E6R3CB01#
				±0.5pF	GJM0222C1E6R3DB01#
			6.4pF	±0.05pF	GJM0222C1E6R4WB01#
				±0.1pF	GJM0222C1E6R4BB01#
				±0.25pF	GJM0222C1E6R4CB01#
				±0.5pF	GJM0222C1E6R4DB01#
			6.5pF	±0.05pF	GJM0222C1E6R5WB01#
				±0.1pF	GJM0222C1E6R5BB01#
				±0.25pF	GJM0222C1E6R5CB01#
				±0.5pF	GJM0222C1E6R5DB01#
			6.6pF	±0.05pF	GJM0222C1E6R6WB01#
				±0.1pF	GJM0222C1E6R6BB01#
				±0.25pF	GJM0222C1E6R6CB01#
				±0.5pF	GJM0222C1E6R6DB01#
			6.7pF	±0.05pF	GJM0222C1E6R7WB01#
				±0.1pF	GJM0222C1E6R7BB01#
				±0.25pF	GJM0222C1E6R7CB01#
				±0.5pF	GJM0222C1E6R7DB01#
			6.8pF	±0.05pF	GJM0222C1E6R8WB01#
				±0.1pF	GJM0222C1E6R8BB01#
				±0.25pF	GJM0222C1E6R8CB01#
				±0.5pF	GJM0222C1E6R8DB01#
			6.9pF	±0.05pF	GJM0222C1E6R9WB01#
				±0.1pF	GJM0222C1E6R9BB01#
				±0.25pF	GJM0222C1E6R9CB01#
			70.5	±0.5pF	GJM0222C1E6R9DB01#
			7.0pF	±0.05pF	GJM0222C1E7R0WB01#
				±0.1pF	GJM0222C1E7R0BB01#
				±0.25pF	GJM0222C1E7R0CB01#
			7155	±0.5pF	GJM0222C1E7R0DB01#
			7.1pF	±0.05pF	GJM0222C1E7R1WB01# GJM0222C1E7R1BB01#
				±0.1pF	
				±0.25pF ±0.5pF	GJM0222C1E7R1CB01# GJM0222C1E7R1DB01#
			7.2pF	±0.05pF	GJM0222C1E7R1DB01#
			، .۷۲۱	±0.05pF	GJM0222C1E7R2BB01#
				±0.1pi	GJM0222C1E7R2CB01#
				±0.5pF	GJM0222C1E7R2DB01#
			7.3pF	±0.05pF	GJM0222C1E7R3WB01#
			7.0pi	±0.1pF	GJM0222C1E7R3BB01#
				±0.1pi	GJM0222C1E7R3CB01#
				±0.5pF	GJM0222C1E7R3DB01#
			7.4pF	±0.05pF	GJM0222C1E7R4WB01#
			P. C.	±0.1pF	GJM0222C1E7R4BB01#
				±0.25pF	GJM0222C1E7R4CB01#
				±0.5pF	GJM0222C1E7R4DB01#
			7.5pF	±0.05pF	GJM0222C1E7R5WB01#
			- I _{2,2}	±0.1pF	GJM0222C1E7R5BB01#
				±0.25pF	GJM0222C1E7R5CB01#
				±0.5pF	GJM0222C1E7R5DB01#
				· · · ·	

Rated Voltage	TC Code	Сар.	Tol.	Part Number	
25Vdc	СН	7.6pF	±0.05pF	GJM0222C1E7R6WB01#	
			±0.1pF	GJM0222C1E7R6BB01#	
			±0.25pF	GJM0222C1E7R6CB01#	
			±0.5pF	GJM0222C1E7R6DB01#	
		7.7pF	±0.05pF	GJM0222C1E7R7WB01#	
			±0.1pF	GJM0222C1E7R7BB01#	
			±0.25pF	GJM0222C1E7R7CB01#	
			±0.5pF	GJM0222C1E7R7DB01#	
		7.8pF	±0.05pF	GJM0222C1E7R8WB01#	
			±0.1pF	GJM0222C1E7R8BB01#	
			±0.25pF	GJM0222C1E7R8CB01#	
			±0.5pF	GJM0222C1E7R8DB01#	
		7.9pF	±0.05pF	GJM0222C1E7R9WB01#	
			±0.1pF	GJM0222C1E7R9BB01#	
			±0.25pF	GJM0222C1E7R9CB01#	
			±0.5pF	GJM0222C1E7R9DB01#	
		8.0pF	±0.05pF	GJM0222C1E8R0WB01#	
			±0.1pF	GJM0222C1E8R0BB01#	
			±0.25pF	GJM0222C1E8R0CB01#	
			±0.5pF	GJM0222C1E8R0DB01#	
		8.1pF	±0.05pF	GJM0222C1E8R1WB01#	
			±0.1pF	GJM0222C1E8R1BB01#	
			±0.25pF	GJM0222C1E8R1CB01#	
			±0.5pF	GJM0222C1E8R1DB01#	
		8.2pF	±0.05pF	GJM0222C1E8R2WB01#	
			±0.1pF	GJM0222C1E8R2BB01#	
			±0.25pF	GJM0222C1E8R2CB01#	
			±0.5pF	GJM0222C1E8R2DB01#	
		8.3pF	±0.05pF	GJM0222C1E8R3WB01#	
			±0.1pF	GJM0222C1E8R3BB01#	
			±0.25pF	GJM0222C1E8R3CB01#	
			±0.5pF	GJM0222C1E8R3DB01#	
		8.4pF	±0.05pF	GJM0222C1E8R4WB01#	
			±0.1pF	GJM0222C1E8R4BB01#	
			±0.25pF	GJM0222C1E8R4CB01#	
			±0.5pF	GJM0222C1E8R4DB01#	
		8.5pF	±0.05pF	GJM0222C1E8R5WB01#	
			±0.1pF	GJM0222C1E8R5BB01#	
			±0.25pF	GJM0222C1E8R5CB01#	
			±0.5pF	GJM0222C1E8R5DB01#	
		8.6pF	±0.05pF	GJM0222C1E8R6WB01#	
			±0.1pF	GJM0222C1E8R6BB01#	
			±0.25pF	GJM0222C1E8R6CB01#	
			±0.5pF	GJM0222C1E8R6DB01#	
		8.7pF	±0.05pF	GJM0222C1E8R7WB01#	
			±0.1pF	GJM0222C1E8R7BB01#	
			±0.25pF	GJM0222C1E8R7CB01#	
			±0.5pF	GJM0222C1E8R7DB01#	
		8.8pF	±0.05pF	GJM0222C1E8R8WB01#	
			±0.1pF	GJM0222C1E8R8BB01#	
			±0.25pF	GJM0222C1E8R8CB01#	
			±0.5pF	GJM0222C1E8R8DB01#	
		8.9pF	±0.05pF	GJM0222C1E8R9WB01#	
			±0.1pF	GJM0222C1E8R9BB01#	

Part number # indicates the package specification code.

(→ **■** 0.4×0.2mm)

T max.	Rated Voltage	TC	Сар.	Tol.	Part Number	
0.22mm	25Vdc	СН	8.9pF	±0.25pF	GJM0222C1E8R9CB01#	
			•	±0.5pF	GJM0222C1E8R9DB01#	
			9.0pF	±0.05pF	GJM0222C1E9R0WB01#	
			·	±0.1pF	GJM0222C1E9R0BB01#	
				±0.25pF	GJM0222C1E9R0CB01#	
				±0.5pF	GJM0222C1E9R0DB01#	
			9.1pF	±0.05pF	GJM0222C1E9R1WB01#	
				±0.1pF	GJM0222C1E9R1BB01#	
				±0.25pF	GJM0222C1E9R1CB01#	
				±0.5pF	GJM0222C1E9R1DB01#	
			9.2pF	±0.05pF	GJM0222C1E9R2WB01#	
				±0.1pF	GJM0222C1E9R2BB01#	
				±0.25pF	GJM0222C1E9R2CB01#	
				±0.5pF	GJM0222C1E9R2DB01#	
			9.3pF	±0.05pF	GJM0222C1E9R3WB01#	
				±0.1pF	GJM0222C1E9R3BB01#	
				±0.25pF	GJM0222C1E9R3CB01#	
				±0.5pF	GJM0222C1E9R3DB01#	
			9.4pF	±0.05pF	GJM0222C1E9R4WB01#	
				±0.1pF	GJM0222C1E9R4BB01#	
				±0.25pF	GJM0222C1E9R4CB01#	
				±0.5pF	GJM0222C1E9R4DB01#	
			9.5pF	±0.05pF	GJM0222C1E9R5WB01#	
				±0.1pF	GJM0222C1E9R5BB01#	
				±0.25pF	GJM0222C1E9R5CB01#	
				±0.5pF	GJM0222C1E9R5DB01#	
			9.6pF	±0.05pF	GJM0222C1E9R6WB01#	
				±0.1pF	GJM0222C1E9R6BB01#	
				±0.25pF	GJM0222C1E9R6CB01#	
				±0.5pF	GJM0222C1E9R6DB01#	
			9.7pF	· ·	GJM0222C1E9R7WB01#	
				±0.1pF	GJM0222C1E9R7BB01#	
					GJM0222C1E9R7CB01#	
				±0.5pF	GJM0222C1E9R7DB01#	
			9.8pF	±0.05pF	GJM0222C1E9R8WB01#	
				±0.1pF	GJM0222C1E9R8BB01#	
				±0.25pF		
			0.0-5	±0.5pF	GJM0222C1E9R8DB01#	
			9.9pF	±0.05pF		
				±0.1pF	GJM0222C1E9R9BB01#	
				±0.25pF ±0.5pF	GJM0222C1E9R9CB01# GJM0222C1E9R9DB01#	
			10pF	±2%	GJM0222C1E9R9DB01#	
			ТОРІ	±5%	GJM0222C1E100JB01#	
			11pF	±2%	GJM0222C1E110GB01#	
			. ' [±5%	GJM0222C1E110JB01#	
			12pF	±2%	GJM0222C1E120GB01#	
				±5%	GJM0222C1E120JB01#	
			13pF	±2%	GJM0222C1E130GB01#	
				±5%	GJM0222C1E130JB01#	
			15pF	±2%	GJM0222C1E150GB01#	
				±5%	GJM0222C1E150JB01#	
			16pF	±2%	GJM0222C1E160GB01#	
				±5%	GJM0222C1E160JB01#	
					<u> </u>	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.22mm	25Vdc	СН	18pF	±2%	GJM0222C1E180GB01#	
				±5%	GJM0222C1E180JB01#	
			20pF	±2%	GJM0222C1E200GB01#	
				±5%	GJM0222C1E200JB01#	
			22pF	±2%	GJM0222C1E220GB01#	
				±5%	GJM0222C1E220JB01#	

■ 0.6×0.3mm Ultra-

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	25Vdc	COG	0.20pF	±0.05pF	GJM0335C1ER20WB01#
				±0.1pF	GJM0335C1ER20BB01#
			0.30pF	±0.05pF	GJM0335C1ER30WB01#
				±0.1pF	GJM0335C1ER30BB01#
			0.40pF	±0.05pF	GJM0335C1ER40WB01#
				±0.1pF	GJM0335C1ER40BB01#
			0.50pF	±0.05pF	GJM0335C1ER50WB01#
				±0.1pF	GJM0335C1ER50BB01#
			0.60pF	±0.05pF	GJM0335C1ER60WB01#
				±0.1pF	GJM0335C1ER60BB01#
			0.70pF	±0.05pF	GJM0335C1ER70WB01#
				±0.1pF	GJM0335C1ER70BB01#
			0.80pF	±0.05pF	GJM0335C1ER80WB01#
				±0.1pF	GJM0335C1ER80BB01#
			0.90pF	±0.05pF	GJM0335C1ER90WB01#
				±0.1pF	GJM0335C1ER90BB01#
			1.0pF	±0.05pF	GJM0335C1E1R0WB01#
				±0.1pF	GJM0335C1E1R0BB01#
				±0.25pF	GJM0335C1E1R0CB01#
			1.1pF	±0.05pF	GJM0335C1E1R1WB01#
				±0.1pF	GJM0335C1E1R1BB01#
				±0.25pF	GJM0335C1E1R1CB01#
			1.2pF	±0.05pF	GJM0335C1E1R2WB01#
				±0.1pF	GJM0335C1E1R2BB01#
				±0.25pF	GJM0335C1E1R2CB01#
			1.3pF	±0.05pF	GJM0335C1E1R3WB01#
				±0.1pF	GJM0335C1E1R3BB01#
				±0.25pF	GJM0335C1E1R3CB01#
			1.4pF	±0.05pF	GJM0335C1E1R4WB01#
				±0.1pF	GJM0335C1E1R4BB01#
				±0.25pF	GJM0335C1E1R4CB01#
			1.5pF	±0.05pF	GJM0335C1E1R5WB01#
				±0.1pF	GJM0335C1E1R5BB01#
				±0.25pF	GJM0335C1E1R5CB01#
			1.6pF	±0.05pF	GJM0335C1E1R6WB01#
				±0.1pF	GJM0335C1E1R6BB01#
				±0.25pF	GJM0335C1E1R6CB01#
			1.7pF	±0.05pF	GJM0335C1E1R7WB01#
				±0.1pF	GJM0335C1E1R7BB01#
				±0.25pF	GJM0335C1E1R7CB01#
			1.8pF	±0.05pF	GJM0335C1E1R8WB01#
				±0.1pF	GJM0335C1E1R8BB01#
				±0.25pF	GJM0335C1E1R8CB01#

Part number # indicates the package specification code.



(→ ■ 0	.6×0.3ı	mm)					
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	T max	Rated Voltage
0.33mm	25Vdc	C0G	1.9pF	±0.05pF	GJM0335C1E1R9WB01#	0.33m	m 25Vdc
				±0.1pF	GJM0335C1E1R9BB01#		
				±0.25pF	GJM0335C1E1R9CB01#		
			2.0pF	±0.05pF	GJM0335C1E2R0WB01#		
				±0.1pF	GJM0335C1E2R0BB01#		
				±0.25pF			
			2.1pF	±0.05pF			
				±0.1pF	GJM0335C1E2R1BB01#		
				±0.25pF			
			2.2pF	-	GJM0335C1E2R2WB01#		
				±0.1pF	GJM0335C1E2R2BB01#		
			00.5	±0.25pF			
			2.3pF	±0.05pF			
				±0.1pF	GJM0335C1E2R3BB01#		
			2.4pE	±0.25pF	GJM0335C1E2R3CB01#		
			2.4pF	±0.05pF			
				±0.1pF	GJM0335C1E2R4BB01#		
			2.5pF	-	GJM0335C1E2R4CB01# GJM0335C1E2R5WB01#		
			2.5pF	±0.05pF ±0.1pF	GJM0335C1E2R5BB01#		
				±0.25pF			
			2.6pF	±0.05pF			
			2.001	±0.1pF	GJM0335C1E2R6BB01#		
				±0.25pF			
			2.7pF	±0.05pF			
				±0.1pF	GJM0335C1E2R7BB01#		
				±0.25pF			
			2.8pF	±0.05pF			
				±0.1pF	GJM0335C1E2R8BB01#		
				±0.25pF	GJM0335C1E2R8CB01#		
			2.9pF	±0.05pF	GJM0335C1E2R9WB01#		
				±0.1pF	GJM0335C1E2R9BB01#		
				±0.25pF	GJM0335C1E2R9CB01#		
			3.0pF	±0.05pF	GJM0335C1E3R0WB01#		
				±0.1pF	GJM0335C1E3R0BB01#		
				±0.25pF	GJM0335C1E3R0CB01#		
			3.1pF	±0.05pF	GJM0335C1E3R1WB01#		
				±0.1pF	GJM0335C1E3R1BB01#		
				±0.25pF	GJM0335C1E3R1CB01#		
			3.2pF	±0.05pF	GJM0335C1E3R2WB01#		
				±0.1pF	GJM0335C1E3R2BB01#		
				±0.25pF	GJM0335C1E3R2CB01#		
			3.3pF	±0.05pF	GJM0335C1E3R3WB01#		
				±0.1pF	GJM0335C1E3R3BB01#		
				±0.25pF	GJM0335C1E3R3CB01#		
			3.4pF	±0.05pF	GJM0335C1E3R4WB01#		
				±0.1pF	GJM0335C1E3R4BB01#		
				±0.25pF	GJM0335C1E3R4CB01#		
			3.5pF	±0.05pF	GJM0335C1E3R5WB01#		
				±0.1pF	GJM0335C1E3R5BB01#		
				±0.25pF			
			3.6pF	±0.05pF			
				±0.1pF	GJM0335C1E3R6BB01#		
				±0.25pF	GJM0335C1E3R6CB01#		

25Vdc COG 3.7pF	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
#0.1pF #0.25pF #0.05pF #0.0	25Vdc	COG	3.7pF	±0.05pF	GJM0335C1E3R7WB01#	
3.8pF				±0.1pF	GJM0335C1E3R7BB01#	
#0.1pF #0.05pF #0.0				±0.25pF	GJM0335C1E3R7CB01#	
### ### ##############################			3.8pF	±0.05pF	GJM0335C1E3R8WB01#	
3.9pF ±0.05pF GJM0335C1E3R9WB01# ±0.1pF GJM0335C1E4R0WB01# ±0.25pF GJM0335C1E4R0WB01# ±0.25pF GJM0335C1E4R0WB01# ±0.25pF GJM0335C1E4R0WB01# ±0.25pF GJM0335C1E4R0WB01# ±0.25pF GJM0335C1E4R1WB01# ±0.25pF GJM0335C1E4R1WB01# ±0.25pF GJM0335C1E4R1WB01# ±0.25pF GJM0335C1E4R1WB01# ±0.25pF GJM0335C1E4R2WB01# ±0.25pF GJM0335C1E4R2WB01# ±0.25pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R3WB01# ±0.05pF GJM0335C1E4R3WB01# ±0.05pF GJM0335C1E4R3WB01# ±0.05pF GJM0335C1E4R4WB01# ±0.05pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E4R9B001# ±0.25pF GJM0335C1E5R0WB01#				±0.1pF	GJM0335C1E3R8BB01#	
#0.1pF GJM0335C1E3R9BB01# #0.25pF GJM0335C1E4R0WB01# #0.5pF GJM0335C1E4R0B01# #0.5pF GJM0335C1E4R0B01# #0.5pF GJM0335C1E4R0B01# #0.5pF GJM0335C1E4R0B01# #0.25pF GJM0335C1E4R1WB01# #0.25pF GJM0335C1E4R1BB01# #0.25pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0BB01#				±0.25pF	GJM0335C1E3R8CB01#	
#0.25pF GJM0335C1E3R9CB01# #0.05pF GJM0335C1E4R0WB01# #0.25pF GJM0335C1E4R0CB01# #0.1pF GJM0335C1E4R0CB01# #0.25pF GJM0335C1E4R1WB01# #0.25pF GJM0335C1E4R1WB01# #0.25pF GJM0335C1E4R1BB01# #0.25pF GJM0335C1E4R2WB01# #0.25pF GJM0335C1E4R2WB01# #0.25pF GJM0335C1E4R2WB01# #0.25pF GJM0335C1E4R2WB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R4WB01# #0.25pF GJM0335C1E4R5WB01# #0.25pF GJM0335C1E4R5WB01# #0.25pF GJM0335C1E4R5WB01# #0.25pF GJM0335C1E4R5WB01# #0.25pF GJM0335C1E4R6WB01# #0.25pF GJM0335C1E4R6WB01# #0.25pF GJM0335C1E4R6WB01# #0.25pF GJM0335C1E4R6WB01# #0.25pF GJM0335C1E4R7WB01# #0.25pF GJM0335C1E4R7WB01# #0.25pF GJM0335C1E4R7WB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E5R0B01#			3.9pF	±0.05pF	GJM0335C1E3R9WB01#	
4.0pF ±0.05pF GJM0335C1E4R0WB01# ±0.25pF GJM0335C1E4R0BB01# ±0.25pF GJM0335C1E4R1WB01# ±0.25pF GJM0335C1E4R1WB01# ±0.25pF GJM0335C1E4R1BB01# ±0.25pF GJM0335C1E4R2WB01# ±0.1pF GJM0335C1E4R2WB01# ±0.25pF GJM0335C1E4R2BB01# ±0.25pF GJM0335C1E4R2WB01# ±0.25pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R6BB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E5R0WB01#				±0.1pF	GJM0335C1E3R9BB01#	
### ### ##############################				±0.25pF	GJM0335C1E3R9CB01#	
#0.25pF GJM0335C1E4R1WB01# #0.1pF GJM0335C1E4R1WB01# #0.25pF GJM0335C1E4R1BB01# #0.25pF GJM0335C1E4R1CB01# #0.25pF GJM0335C1E4R2WB01# #0.1pF GJM0335C1E4R2WB01# #0.25pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R4WB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4BB01# #0.1pF GJM0335C1E4R5WB01# #0.1pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R6WB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0BB01#			4.0pF	±0.05pF	GJM0335C1E4R0WB01#	
### ##################################				±0.1pF	GJM0335C1E4R0BB01#	
#0.1pF GJM0335C1E4R1BB01# #0.25pF GJM0335C1E4R1CB01# #0.1pF GJM0335C1E4R2WB01# #0.1pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R2CB01# #0.25pF GJM0335C1E4R3WB01# #0.1pF GJM0335C1E4R3WB01# #0.1pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R3BB01# #0.1pF GJM0335C1E4R4WB01# #0.1pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4CB01# #0.1pF GJM0335C1E4R5WB01# #0.1pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R6WB01# #0.1pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R7WB01# #0.1pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R1WB01# #0.1pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E4R0CB01#	
#0.25pF GJM0335C1E4R1CB01# #0.1pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R3BB01# #0.1pF GJM0335C1E4R3CB01# #0.1pF GJM0335C1E4R4BB01# #0.1pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4CB01# #0.25pF GJM0335C1E4R4CB01# #0.25pF GJM0335C1E4R5WB01# #0.25pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R6WB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6CB01# #0.25pF GJM0335C1E4R6CB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R8WB01# #0.1pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R9WB01# #0.1pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0BB01#			4.1pF	±0.05pF	GJM0335C1E4R1WB01#	
4.2pF ±0.05pF GJM0335C1E4R2WB01# ±0.25pF GJM0335C1E4R2BB01# ±0.25pF GJM0335C1E4R3WB01# ±0.1pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R3CB01# ±0.25pF GJM0335C1E4R4WB01# ±0.1pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R4CB01# ±0.25pF GJM0335C1E4R4CB01# ±0.25pF GJM0335C1E4R5WB01# ±0.1pF GJM0335C1E4R5CB01# ±0.25pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R6BB01# ±0.25pF GJM0335C1E4R6CB01# ±0.25pF GJM0335C1E4R6CB01# ±0.25pF GJM0335C1E4R7WB01# ±0.1pF GJM0335C1E4R7WB01# ±0.1pF GJM0335C1E4R7BB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8BB01# ±0.25pF GJM0335C1E4R8BB01# ±0.25pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E5R0WB01#				±0.1pF	GJM0335C1E4R1BB01#	
#0.1pF GJM0335C1E4R2BB01# #0.25pF GJM0335C1E4R3WB01# #0.1pF GJM0335C1E4R3WB01# #0.25pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R3CB01# #0.1pF GJM0335C1E4R4WB01# #0.1pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4CB01# #0.25pF GJM0335C1E4R5BB01# #0.1pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R5BB01# #0.1pF GJM0335C1E4R6WB01# #0.1pF GJM0335C1E4R6BB01# #0.1pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R7WB01# #0.1pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0BB01#				±0.25pF	GJM0335C1E4R1CB01#	
### ### ##############################			4.2pF	±0.05pF	GJM0335C1E4R2WB01#	
4.3pF ±0.05pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R3WB01# ±0.25pF GJM0335C1E4R4WB01# ±0.1pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5CB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.05pF GJM0335C1E4R7WB01# ±0.1pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7CB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E5R0WB01# ±0.05pF GJM0335C1E5R0WB01# ±0.05pF GJM0335C1E5R1WB01# ±0.05pF GJM0335C1E5R1WB01# ±0.05pF GJM0335C1E5R1WB01#				±0.1pF	GJM0335C1E4R2BB01#	
#0.1pF GJM0335C1E4R3BB01# #0.25pF GJM0335C1E4R4WB01# #0.1pF GJM0335C1E4R4WB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R5WB01# #0.1pF GJM0335C1E4R5WB01# #0.25pF GJM0335C1E4R5CB01# #0.1pF GJM0335C1E4R6WB01# #0.1pF GJM0335C1E4R6WB01# #0.1pF GJM0335C1E4R6CB01# #0.25pF GJM0335C1E4R6CB01# #0.25pF GJM0335C1E4R7WB01# #0.1pF GJM0335C1E4R7WB01# #0.25pF GJM0335C1E4R7WB01# #0.25pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R8WB01# #0.1pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R1WB01# #0.1pF GJM0335C1E5R1WB01# #0.1pF GJM0335C1E5R1WB01#				±0.25pF	GJM0335C1E4R2CB01#	
### ### ##############################			4.3pF	±0.05pF	GJM0335C1E4R3WB01#	
4.4pF ±0.05pF GJM0335C1E4R4WB01# ±0.25pF GJM0335C1E4R4BB01# ±0.25pF GJM0335C1E4R5WB01# ±0.1pF GJM0335C1E4R5BB01# ±0.25pF GJM0335C1E4R5BB01# ±0.25pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R6BB01# ±0.25pF GJM0335C1E4R6BB01# ±0.25pF GJM0335C1E4R6BB01# ±0.25pF GJM0335C1E4R7WB01# ±0.1pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7BB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E5R0WB01# ±0.25pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01#				±0.1pF	GJM0335C1E4R3BB01#	
#0.1pF GJM0335C1E4R4BB01# #0.25pF GJM0335C1E4R4CB01# #0.1pF GJM0335C1E4R5WB01# #0.1pF GJM0335C1E4R5CB01# #0.25pF GJM0335C1E4R5CB01# #0.1pF GJM0335C1E4R6WB01# #0.1pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6CB01# #0.25pF GJM0335C1E4R7WB01# #0.1pF GJM0335C1E4R7WB01# #0.1pF GJM0335C1E4R7CB01# #0.25pF GJM0335C1E4R7CB01# #0.25pF GJM0335C1E4R8WB01# #0.1pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R9WB01# #0.1pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.1pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E4R3CB01#	
### ### ##############################			4.4pF	±0.05pF	GJM0335C1E4R4WB01#	
4.5pF ±0.05pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R5WB01# ±0.25pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R6WB01# ±0.25pF GJM0335C1E4R6B01# ±0.25pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R7WB01# ±0.1pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7B01# ±0.25pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8CB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0WB01# ±0.25pF GJM0335C1E5R0WB01# ±0.25pF GJM0335C1E5R0WB01# ±0.25pF GJM0335C1E5R0WB01# ±0.25pF GJM0335C1E5R1WB01# ±0.25pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01#				±0.1pF	GJM0335C1E4R4BB01#	
#0.1pF GJM0335C1E4R5BB01# #0.25pF GJM0335C1E4R6WB01# #0.1pF GJM0335C1E4R6WB01# #0.25pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6CB01# #0.1pF GJM0335C1E4R7WB01# #0.1pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7CB01# #0.25pF GJM0335C1E4R8WB01# #0.1pF GJM0335C1E4R8WB01# #0.1pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R9WB01# #0.1pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E5R0WB01# #0.1pF GJM0335C1E5R0WB01# #0.1pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E4R4CB01#	
### ### ##############################			4.5pF	±0.05pF	GJM0335C1E4R5WB01#	
4.6pF ±0.05pF GJM0335C1E4R6WB01# ±0.1pF GJM0335C1E4R6BB01# ±0.25pF GJM0335C1E4R7WB01# ±0.1pF GJM0335C1E4R7WB01# ±0.25pF GJM0335C1E4R7CB01# ±0.25pF GJM0335C1E4R7CB01# ±0.1pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R8BB01# ±0.25pF GJM0335C1E4R8CB01# ±0.25pF GJM0335C1E4R8WB01# ±0.25pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0WB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01#				±0.1pF	GJM0335C1E4R5BB01#	
#0.1pF GJM0335C1E4R6BB01# #0.25pF GJM0335C1E4R6CB01# 4.7pF #0.05pF GJM0335C1E4R7WB01# #0.1pF GJM0335C1E4R7BB01# #0.25pF GJM0335C1E4R7CB01# 4.8pF #0.05pF GJM0335C1E4R8WB01# #0.25pF GJM0335C1E4R8BB01# #0.25pF GJM0335C1E4R8CB01# #0.25pF GJM0335C1E4R9WB01# #0.1pF GJM0335C1E4R9WB01# #0.25pF GJM0335C1E4R9BB01# #0.25pF GJM0335C1E5R0WB01# #0.1pF GJM0335C1E5R0WB01# #0.25pF GJM0335C1E5R0B01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R0BB01# #0.25pF GJM0335C1E5R1WB01# #0.1pF GJM0335C1E5R1WB01#				±0.25pF	GJM0335C1E4R5CB01#	
### ### ##############################			4.6pF	±0.05pF	GJM0335C1E4R6WB01#	
4.7pF ±0.05pF GJM0335C1E4R7WB01# ±0.1pF GJM0335C1E4R7CB01# ±0.25pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8BB01# ±0.25pF GJM0335C1E4R8WB01# ±0.05pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.1pF	GJM0335C1E4R6BB01#	
±0.1pF GJM0335C1E4R7BB01# ±0.25pF GJM0335C1E4R7CB01# 4.8pF ±0.05pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8BB01# ±0.25pF GJM0335C1E4R8CB01# 4.9pF ±0.05pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9CB01# ±0.25pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E4R6CB01#	
### ### ##############################			4.7pF	±0.05pF	GJM0335C1E4R7WB01#	
4.8pF ±0.05pF GJM0335C1E4R8WB01# ±0.1pF GJM0335C1E4R8BB01# ±0.25pF GJM0335C1E4R8CB01# 4.9pF ±0.05pF GJM0335C1E4R9WB01# ±0.25pF GJM0335C1E4R9CB01# ±0.25pF GJM0335C1E4R9CB01# ±0.05pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0CB01# ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.1pF	GJM0335C1E4R7BB01#	
±0.1pF GJM0335C1E4R8BB01# ±0.25pF GJM0335C1E4R8CB01# 4.9pF ±0.05pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9CB01# ±0.05pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R1BB01# ±0.1pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E4R7CB01#	
±0.25pF GJM0335C1E4R8CB01# 4.9pF ±0.05pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9CB01# 5.0pF ±0.05pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0CB01# 5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1WB01#			4.8pF	±0.05pF	GJM0335C1E4R8WB01#	
4.9pF ±0.05pF GJM0335C1E4R9WB01# ±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9CB01# 5.0pF ±0.05pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0CB01# 5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.1pF	GJM0335C1E4R8BB01#	
±0.1pF GJM0335C1E4R9BB01# ±0.25pF GJM0335C1E4R9CB01# 5.0pF ±0.05pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0CB01# 5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E4R8CB01#	
±0.25pF GJM0335C1E4R9CB01# 5.0pF ±0.05pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0CB01# 5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#			4.9pF	±0.05pF	GJM0335C1E4R9WB01#	
5.0pF ±0.05pF GJM0335C1E5R0WB01# ±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0CB01# 5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.1pF	GJM0335C1E4R9BB01#	
±0.1pF GJM0335C1E5R0BB01# ±0.25pF GJM0335C1E5R0CB01# 5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E4R9CB01#	
±0.25pF GJM0335C1E5R0CB01# 5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#			5.0pF	±0.05pF	GJM0335C1E5R0WB01#	
5.1pF ±0.05pF GJM0335C1E5R1WB01# ±0.1pF GJM0335C1E5R1BB01#				±0.1pF	GJM0335C1E5R0BB01#	
±0.1pF GJM0335C1E5R1BB01#				±0.25pF	GJM0335C1E5R0CB01#	
· · ·			5.1pF	±0.05pF	GJM0335C1E5R1WB01#	
±0.25pF GJM0335C1E5R1CB01#				±0.1pF	GJM0335C1E5R1BB01#	
				±0.25pF	GJM0335C1E5R1CB01#	
±0.5pF GJM0335C1E5R1DB01#				±0.5pF	GJM0335C1E5R1DB01#	
5.2pF ±0.05pF GJM0335C1E5R2WB01#			5.2pF	±0.05pF	GJM0335C1E5R2WB01#	
±0.1pF GJM0335C1E5R2BB01#				±0.1pF	GJM0335C1E5R2BB01#	
±0.25pF GJM0335C1E5R2CB01#				±0.25pF	GJM0335C1E5R2CB01#	
±0.5pF GJM0335C1E5R2DB01#				±0.5pF	GJM0335C1E5R2DB01#	
5.3pF ±0.05pF GJM0335C1E5R3WB01#			5.3pF	±0.05pF	GJM0335C1E5R3WB01#	
±0.1pF GJM0335C1E5R3BB01#				±0.1pF	GJM0335C1E5R3BB01#	
±0.25pF GJM0335C1E5R3CB01#				±0.25pF	GJM0335C1E5R3CB01#	
±0.5pF GJM0335C1E5R3DB01# Part number # indicates the package specification code						

(→ **■** 0.6×0.3mm)

	.6×0.3				
max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.33mm	25Vdc	C0G	5.4pF	±0.05pF	GJM0335C1E5R4WB01#
				±0.1pF	GJM0335C1E5R4BB01#
				±0.25pF	GJM0335C1E5R4CB01#
				±0.5pF	GJM0335C1E5R4DB01#
			5.5pF	±0.05pF	GJM0335C1E5R5WB01#
				±0.1pF	GJM0335C1E5R5BB01#
				±0.25pF	GJM0335C1E5R5CB01#
				±0.5pF	GJM0335C1E5R5DB01#
			5.6pF	±0.05pF	GJM0335C1E5R6WB01#
				±0.1pF	GJM0335C1E5R6BB01#
				±0.25pF	GJM0335C1E5R6CB01#
				±0.5pF	GJM0335C1E5R6DB01#
			5.7pF	±0.05pF	GJM0335C1E5R7WB01#
				±0.1pF	GJM0335C1E5R7BB01#
				±0.25pF	GJM0335C1E5R7CB01#
				±0.5pF	GJM0335C1E5R7DB01#
			5.8pF	±0.05pF	GJM0335C1E5R8WB01#
			0.0рі	±0.1pF	GJM0335C1E5R8BB01#
				±0.1pi	GJM0335C1E5R8CB01#
				-	
			F 0=F	±0.5pF	GJM0335C1E5R8DB01#
			5.9pF	±0.05pF	GJM0335C1E5R9WB01#
				±0.1pF	GJM0335C1E5R9BB01#
				±0.25pF	GJM0335C1E5R9CB01#
				±0.5pF	GJM0335C1E5R9DB01#
			6.0pF	±0.05pF	GJM0335C1E6R0WB01#
				±0.1pF	GJM0335C1E6R0BB01#
				±0.25pF	GJM0335C1E6R0CB01#
				±0.5pF	GJM0335C1E6R0DB01#
			6.1pF	±0.05pF	GJM0335C1E6R1WB01#
				±0.1pF	GJM0335C1E6R1BB01#
				±0.25pF	GJM0335C1E6R1CB01#
				±0.5pF	GJM0335C1E6R1DB01#
			6.2pF	±0.05pF	GJM0335C1E6R2WB01#
				±0.1pF	GJM0335C1E6R2BB01#
				±0.25pF	GJM0335C1E6R2CB01#
				±0.5pF	GJM0335C1E6R2DB01#
			6.3pF	±0.05pF	GJM0335C1E6R3WB01#
				±0.1pF	GJM0335C1E6R3BB01#
				±0.25pF	GJM0335C1E6R3CB01#
				±0.5pF	GJM0335C1E6R3DB01#
			6.4pF	±0.05pF	GJM0335C1E6R4WB01#
			·	±0.1pF	GJM0335C1E6R4BB01#
				±0.25pF	GJM0335C1E6R4CB01#
				±0.5pF	GJM0335C1E6R4DB01#
			6.5pF	±0.05pF	GJM0335C1E6R5WB01#
			p	±0.1pF	GJM0335C1E6R5BB01#
				±0.1pi	GJM0335C1E6R5CB01#
				±0.5pF	GJM0335C1E6R5DB01#
			6 6 5 5	-	
			6.6pF	±0.05pF	GJM0335C1E6R6WB01#
				±0.1pF	GJM0335C1E6R6BB01#
				±0.25pF	GJM0335C1E6R6CB01#
				±0.5pF	GJM0335C1E6R6DB01#
			6.7pF	±0.05pF	GJM0335C1E6R7WB01#
				±0.1pF	GJM0335C1E6R7BB01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.33mm	25Vdc	COG	6.7pF	±0.25pF	GJM0335C1E6R7CB01#	
				±0.5pF	GJM0335C1E6R7DB01#	
			6.8pF	±0.05pF	GJM0335C1E6R8WB01#	
				±0.1pF	GJM0335C1E6R8BB01#	
				±0.25pF	GJM0335C1E6R8CB01#	
				±0.5pF	GJM0335C1E6R8DB01#	
			6.9pF	±0.05pF	GJM0335C1E6R9WB01#	
				±0.1pF	GJM0335C1E6R9BB01#	
				±0.25pF	GJM0335C1E6R9CB01#	
				±0.5pF	GJM0335C1E6R9DB01#	
			7.0pF	±0.05pF	GJM0335C1E7R0WB01#	
				±0.1pF	GJM0335C1E7R0BB01#	
				±0.25pF	GJM0335C1E7R0CB01#	
				±0.5pF	GJM0335C1E7R0DB01#	
			7.1pF	±0.05pF	GJM0335C1E7R1WB01#	
				±0.1pF	GJM0335C1E7R1BB01#	
				±0.25pF	GJM0335C1E7R1CB01#	
				±0.5pF	GJM0335C1E7R1DB01#	
			7.2pF	±0.05pF	GJM0335C1E7R2WB01#	
				±0.1pF	GJM0335C1E7R2BB01#	
				±0.25pF	GJM0335C1E7R2CB01#	
		7.0-5	±0.5pF	GJM0335C1E7R2DB01#		
			7.3pF	±0.05pF	GJM0335C1E7R3WB01#	
				±0.1pF	GJM0335C1E7R3BB01#	
				±0.25pF	GJM0335C1E7R3CB01#	
			7 15 5	±0.5pF	GJM0335C1E7R3DB01#	
			7.4pF	±0.05pF	GJM0335C1E7R4WB01#	
				±0.1pF ±0.25pF	GJM0335C1E7R4BB01# GJM0335C1E7R4CB01#	
				±0.25pi	GJM0335C1E7R4DB01#	
			7.5pF	±0.05pF	GJM0335C1E7R5WB01#	
			7.001	±0.1pF	GJM0335C1E7R5BB01#	
					GJM0335C1E7R5CB01#	
				±0.5pF	GJM0335C1E7R5DB01#	
			7.6pF	±0.05pF	GJM0335C1E7R6WB01#	
				±0.1pF	GJM0335C1E7R6BB01#	
				±0.25pF	GJM0335C1E7R6CB01#	
				±0.5pF	GJM0335C1E7R6DB01#	
			7.7pF	±0.05pF	GJM0335C1E7R7WB01#	
				±0.1pF	GJM0335C1E7R7BB01#	
				±0.25pF	GJM0335C1E7R7CB01#	
				±0.5pF	GJM0335C1E7R7DB01#	
			7.8pF	±0.05pF	GJM0335C1E7R8WB01#	
				±0.1pF	GJM0335C1E7R8BB01#	
				±0.25pF	GJM0335C1E7R8CB01#	
				±0.5pF	GJM0335C1E7R8DB01#	
			7.9pF	±0.05pF	GJM0335C1E7R9WB01#	
				±0.1pF	GJM0335C1E7R9BB01#	
				±0.25pF	GJM0335C1E7R9CB01#	
				±0.5pF	GJM0335C1E7R9DB01#	
			8.0pF	±0.05pF	GJM0335C1E8R0WB01#	
				±0.1pF	GJM0335C1E8R0BB01#	
				±0.25pF	GJM0335C1E8R0CB01#	
				±0.5pF	GJM0335C1E8R0DB01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number		T max.	,
0.33mm	25Vdc	COG	8.1pF	±0.05pF	GJM0335C1E8R1WB01#		0.33mn	n
				±0.1pF	GJM0335C1E8R1BB01#			
				±0.25pF	GJM0335C1E8R1CB01#	-		
				±0.5pF	GJM0335C1E8R1DB01#			
			8.2pF	±0.05pF	GJM0335C1E8R2WB01#			
				±0.1pF	GJM0335C1E8R2BB01#	-		İ
				±0.25pF	GJM0335C1E8R2CB01#	-		
				±0.5pF	GJM0335C1E8R2DB01#	-		İ
			8.3pF	±0.05pF	GJM0335C1E8R3WB01#			
				±0.1pF	GJM0335C1E8R3BB01#			
				±0.25pF	GJM0335C1E8R3CB01#			
				±0.5pF	GJM0335C1E8R3DB01#			
			8.4pF	±0.05pF	GJM0335C1E8R4WB01#			
				±0.1pF	GJM0335C1E8R4BB01#			
				±0.25pF	GJM0335C1E8R4CB01#			
				±0.5pF	GJM0335C1E8R4DB01#			
			8.5pF	±0.05pF	GJM0335C1E8R5WB01#			
				±0.1pF	GJM0335C1E8R5BB01#			
				±0.25pF	GJM0335C1E8R5CB01#			
				±0.5pF	GJM0335C1E8R5DB01#			
			8.6pF	±0.05pF	GJM0335C1E8R6WB01#			
				±0.1pF	GJM0335C1E8R6BB01#			
				±0.25pF	GJM0335C1E8R6CB01#			
				±0.5pF	GJM0335C1E8R6DB01#			
			8.7pF	±0.05pF	GJM0335C1E8R7WB01#			
				±0.1pF	GJM0335C1E8R7BB01#			
				±0.25pF	GJM0335C1E8R7CB01#			
				±0.5pF	GJM0335C1E8R7DB01#			
			8.8pF	±0.05pF				
				±0.1pF	GJM0335C1E8R8BB01#			
				±0.25pF				
			00.5	±0.5pF	GJM0335C1E8R8DB01#	-		
			8.9pF	-	GJM0335C1E8R9WB01#			
				±0.1pF	GJM0335C1E8R9BB01#			
				-	GJM0335C1E8R9CB01#	-		
			9.0pF	±0.5pF ±0.05pF	GJM0335C1E8R9DB01# GJM0335C1E9R0WB01#	-		
			3.0pi	±0.03pi	GJM0335C1E9R0BB01#			
				±0.25pF		=		
				±0.5pF	GJM0335C1E9R0DB01#	-		
			9.1pF	±0.05pF				
			J. 1 pi	±0.1pF	GJM0335C1E9R1BB01#			
					GJM0335C1E9R1CB01#			
				±0.5pF	GJM0335C1E9R1DB01#			
			9.2pF	±0.05pF		-		
				±0.1pF	GJM0335C1E9R2BB01#	-		
				±0.25pF				
				±0.5pF	GJM0335C1E9R2DB01#	-		
			9.3pF	±0.05pF				
			- 14.	±0.1pF	GJM0335C1E9R3BB01#			
				±0.25pF				
				±0.5pF	GJM0335C1E9R3DB01#			
			9.4pF	±0.05pF				
				±0.1pF	GJM0335C1E9R4BB01#			

Rated TC Voltage Code	Cap.	Tol.	Part Number	
25Vdc C0G		+0.2525	G IM0335C1E0D4CD01#	
25000 000	9. 4 pr	±0.25pF	GJM0335C1E9R4CB01#	
	0.555	±0.5pF	GJM0335C1E9R4DB01#	
	9.5pF	±0.05pF	GJM0335C1E9R5WB01#	
		±0.1pF	GJM0335C1E9R5BB01#	
		±0.25pF ±0.5pF	GJM0335C1E9R5CB01# GJM0335C1E9R5DB01#	
	9.6pF	±0.05pF	GJM0335C1E9R6WB01#	
	Э.орі	±0.05pi	GJM0335C1E9R6BB01#	
		±0.25pF	GJM0335C1E9R6CB01#	
		±0.5pF	GJM0335C1E9R6DB01#	
	9.7pF	±0.05pF	GJM0335C1E9R7WB01#	
	0.7 pi	±0.1pF	GJM0335C1E9R7BB01#	
		±0.25pF	GJM0335C1E9R7CB01#	
		±0.5pF	GJM0335C1E9R7DB01#	
	9.8pF	±0.05pF	GJM0335C1E9R8WB01#	
	0.00	±0.1pF	GJM0335C1E9R8BB01#	
		±0.25pF	GJM0335C1E9R8CB01#	
		±0.5pF	GJM0335C1E9R8DB01#	
	9.9pF	±0.05pF	GJM0335C1E9R9WB01#	
		±0.1pF	GJM0335C1E9R9BB01#	
		±0.25pF	GJM0335C1E9R9CB01#	
		±0.5pF	GJM0335C1E9R9DB01#	
	10pF	±2%	GJM0335C1E100GB01#	
		±5%	GJM0335C1E100JB01#	
	11pF	±2%	GJM0335C1E110GB01#	
		±5%	GJM0335C1E110JB01#	
	12pF	±2%	GJM0335C1E120GB01#	
		±5%	GJM0335C1E120JB01#	
	13pF	±2%	GJM0335C1E130GB01#	
		±5%	GJM0335C1E130JB01#	
	15pF	±2%	GJM0335C1E150GB01#	
		±5%	GJM0335C1E150JB01#	
	16pF	±2%	GJM0335C1E160GB01#	
		±5%	GJM0335C1E160JB01#	
	18pF	±2%	GJM0335C1E180GB01#	
		±5%	GJM0335C1E180JB01#	
	20pF	±2%	GJM0335C1E200GB01#	
		±5%	GJM0335C1E200JB01#	
	22pF	±2%	GJM0335C1E220GB01#	
		±5%	GJM0335C1E220JB01#	
	24pF	±2%	GJM0335C1E240GB01#	
		±5%	GJM0335C1E240JB01#	
	27pF	±2%	GJM0335C1E270GB01#	
		±5%	GJM0335C1E270JB01#	
	30pF	±2%	GJM0335C1E300GB01#	
		±5%	GJM0335C1E300JB01#	
	33pF	±2%	GJM0335C1E330GB01#	
		±5%	GJM0335C1E330JB01#	
CK	0.20pF	±0.05pF	GJM0334C1ER20WB01#	
		±0.1pF	GJM0334C1ER20BB01#	
	0.30pF	±0.05pF	GJM0334C1ER30WB01#	
		±0.1pF	GJM0334C1ER30BB01#	
	0.40pF	±0.05pF	GJM0334C1ER40WB01#	
		±0.1pF	GJM0334C1ER40BB01# cates the package specification	

Part number # indicates the package specification code.

Tol. Part Number	(→ ■ 0	.6×0.3ı	mm)		ı	
#0.1pF				Cap.	Tol.	Part Number
0.60pF ±0.05pF GJM0334C1ER60WB01# ±0.1pF GJM0334C1ER70WB01# ±0.0pF GJM0334C1ER80BB01# ±0.1pF GJM0334C1ER80BB01# ±0.1pF GJM0334C1ER80BB01# ±0.1pF GJM0334C1ER80BB01# ±0.1pF GJM0334C1ER80BB01# ±0.1pF GJM0334C1ER80BB01# ±0.25pF GJM0334C1E1R0WB01# ±0.25pF GJM0334C1E1R0BB01# ±0.25pF GJM0334C1E2R0BB01# ±0.25pF GJM0334C1E2R0BB01# ±0.25pF GJM0334C1E2R0BB01# ±0.25pF GJM0333C1E2R0BB01# ±0.25pF GJM033C1E2R0BB01# ±0.25pF GJM0	0.33mm	25Vdc	CK	0.50pF	±0.05pF	GJM0334C1ER50WB01#
### 1.0.1pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2.0.5pF ### 2					±0.1pF	GJM0334C1ER50BB01#
0.70pF ±0.05pF dJM0334C1ER70WB01# ±0.1pF dJM0334C1ER80WB01# ±0.1pF dJM0334C1ER80WB01# ±0.05pF dJM0334C1ER80WB01# ±0.1pF dJM0334C1ER80WB01# ±0.1pF dJM0334C1ER80WB01# ±0.1pF dJM0334C1ER80WB01# ±0.25pF dJM0334C1E1R0WB01# ±0.25pF dJM0334C1E1R0WB01# ±0.25pF dJM0334C1E1R1WB01# ±0.25pF dJM0334C1E1R1WB01# ±0.25pF dJM0334C1E1R1WB01# ±0.25pF dJM0334C1E1R2B001# ±0.25pF dJM0334C1E1R2B001# ±0.25pF dJM0334C1E1R2B001# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R3B01# ±0.05pF dJM0334C1E1R5B01# ±0.05pF dJM0334C1E1R6B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E2R0B01# ±0.05pF dJM0334C1E2R0B01# ±0.05pF dJM0334C1E2R0B01# ±0.05pF dJM0333C1E2R2B001# ±0.05pF dJM0333C1E2R2B001# ±0.05pF dJM0333C1E2R2B001# ±0.05pF dJM0333C1E2R3B001# ±0.05pF dJM				0.60pF	±0.05pF	GJM0334C1ER60WB01#
#0.1pF GJM0334C1ER80WB01# ±0.1pF GJM0334C1ER80WB01# ±0.1pF GJM0334C1ER80WB01# ±0.1pF GJM0334C1ER80WB01# ±0.1pF GJM0334C1ER80WB01# ±0.25pF GJM0334C1ER80WB01# ±0.25pF GJM0334C1ER80B01# ±0.25pF GJM0334C1ER8B01# ±0.25pF GJM0334C1ER8CB01# ±0.25pF GJM0334C1ERRCB01# ±0.25pF GJM0333C1ERRCB01# ±0.25pF GJM0333C1ERRCB01# ±0.25pF GJM0333C1ERRBB01# ±0.25pF GJM0333C1ERRBB01# ±0.25pF GJM0333C1ERRBB01# ±0.25pF GJM0333C1ERRBB01# ±0.25pF GJM0333C1ERRBB01# ±0.25pF GJM0333C1E					±0.1pF	GJM0334C1ER60BB01#
0.80pF ±0.05pF GJM0334C1ER80WB01# ±0.1pF GJM0334C1ER90WB01# ±0.1pF GJM034C1ER90WB01# ±0.1pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1E1R0WB01# ±0.25pF GJM0334C1E1R0WB01# ±0.25pF GJM0334C1E1R1BB01# ±0.25pF GJM0334C1E1R1BB01# ±0.25pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R4WB01# ±0.25pF GJM0334C1E1R4WB01# ±0.05pF GJM0334C1E1R4WB01# ±0.05pF GJM0334C1E1R4WB01# ±0.05pF GJM0334C1E1R4WB01# ±0.05pF GJM0334C1E1R6WB01# ±0.05pF GJM0334C1E1R6WB01# ±0.05pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.05pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R2WB01# ±0.05pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3B				0.70pF	±0.05pF	GJM0334C1ER70WB01#
#0.1pF GJM0334C1ER80BB01# 1.0pF ±0.05pF GJM0334C1ER90WB01# ±0.1pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1ER90WB01# ±0.1pF GJM0334C1ER90WB01# ±0.1pF GJM0334C1ER90WB01# ±0.1pF GJM0334C1ER90WB01# ±0.1pF GJM0334C1ER90WB01# ±0.1pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1ER80BB01# ±0.25pF GJM0334C1ER80BB01# ±0.25pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1ER90WB01# ±0.25pF GJM0334C1ER90BB01# ±0.25pF GJM0334C1ER90BB01# ±0.25pF GJM0334C1ER90BB01# ±0.25pF GJM0334C1ER90BB01# ±0.25pF GJM0334C1ER90BB01# ±0.25pF GJM0334C1ER90BB01# ±0.25pF GJM0333C1E2R10BB01# ±0.25pF GJM0333C1E2R10BB01# ±0.25pF GJM0333C1E2R10BB01# ±0.25pF GJM0333C1E2R10BB01# ±0.25pF GJM0333C1E2R10BB01# ±0.25pF GJM0333C1E2R30BB01# ±0.25pF GJM					±0.1pF	GJM0334C1ER70BB01#
0.90pF ±0.05pF dJM0334C1ER90WB01# ±0.1pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.25pF dJM0334C1E1R0B01# ±0.25pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.25pF dJM0334C1E1R0B01# ±0.25pF dJM0334C1E1R0B01# ±0.25pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E1R0B01# ±0.05pF dJM0334C1E2R0B01# ±0.05pF dJM0334C1E2R0B01# ±0.05pF dJM0334C1E2R0B01# ±0.05pF dJM0334C1E2R0B01# ±0.05pF dJM0333C1E2R1B01# ±0.05pF dJM0333C1E2R1B01# ±0.05pF dJM0333C1E2R1B01# ±0.05pF dJM0333C1E2R0B01# ±0.05pF dJ				0.80pF	±0.05pF	GJM0334C1ER80WB01#
#0.1pF GJM0334C1E1R0WB01# ±0.25pF GJM0334C1E1R1WB01# ±0.25pF GJM0334C1E1R1WB01# ±0.25pF GJM0334C1E1R1BB01# ±0.25pF GJM0334C1E1R1BB01# ±0.25pF GJM0334C1E1R2BB01# ±0.25pF GJM0334C1E1R2BB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3BB01# ±					±0.1pF	GJM0334C1ER80BB01#
1.0pF ±0.05pF GJM0334C1E1R0WB01# ±0.25pF GJM0334C1E1R1BB01# ±0.25pF GJM0334C1E1R1BB01# ±0.25pF GJM0334C1E1R1BB01# ±0.25pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2WB01# ±0.25pF GJM0334C1E1R2WB01# ±0.25pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R0WB01# ±0.25pF GJM0333C1E2R0WB01# ±0.25pF GJM0333C1E2R0WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R3WB01#			0.90pF	±0.05pF	GJM0334C1ER90WB01#	
#0.1pF GJM0334C1E1R0BB01# #0.25pF GJM0334C1E1R1WB01# #0.1pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R3WB01# #0.1pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R3WB01#				±0.1pF	GJM0334C1ER90BB01#	
#0.1pF GJM0334C1E1R0BB01# #0.25pF GJM0334C1E1R1WB01# #0.1pF GJM0334C1E1R2BB01# #0.1pF GJM0334C1E1R2BB01# #0.25pF GJM0334C1E1R2BB01# #0.25pF GJM0334C1E1R2BB01# #0.25pF GJM0334C1E1R2BB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3BB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM0333C1E2R3BB01# #0.25pF GJM033C1E2R3BB01# #0.25pF GJM033C1				1.0pF	±0.05pF	GJM0334C1E1R0WB01#
#0.25pF GJM0334C1E1R0CB01# #0.1pF #0.05pF GJM0334C1E1R1WB01# #0.25pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0333C1E2R0WB01# #0.25pF GJM0333C1E2R0WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25p				•	±0.1pF	GJM0334C1E1R0BB01#
1.1pF					-	
#0.1pF GJM0334C1E1R1BB01# #0.25pF GJM0334C1E1R2WB01# #0.1pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.1pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.1pF GJM0334C1E1R5WB01# #0.1pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.1pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.1pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.1pF GJM033C1E2R2WB01# #0.1pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.1pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.1pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3				1 1pF		
#0.25pF GJM0334C1E1R1CB01# #0.05pF GJM0334C1E1R2WB01# #0.1pF GJM0334C1E1R2WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R4WB01# #0.1pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R2WB01# #0.1pF GJM033C1E2R2WB01# #0.1pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM03				p.	-	
1.2pF ±0.05pF GJM0334C1E1R2WB01# ±0.1pF GJM0334C1E1R2BB01# ±0.25pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R4WB01# ±0.1pF GJM0334C1E1R4WB01# ±0.25pF GJM0334C1E1R4WB01# ±0.1pF GJM0334C1E1R4WB01# ±0.1pF GJM0334C1E1R5WB01# ±0.25pF GJM0334C1E1R5WB01# ±0.25pF GJM0334C1E1R5WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R7WB01# ±0.1pF GJM0334C1E1R7WB01# ±0.25pF GJM0334C1E1R7WB01# ±0.25pF GJM0334C1E1R7WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R9WB01# ±0.25pF GJM0334C1E1R9WB01# ±0.25pF GJM0334C1E1R9WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM033C1E2R3WB01# ±0.25pF GJM033C1E2R4WB01#					-	
#0.1pF GJM0334C1E1R2BB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R3WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R4WB01#				1 2nE		
#0.25pF GJM0334C1E1R2CB01# #0.05pF GJM0334C1E1R3WB01# #0.1pF GJM0334C1E1R3B001# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.1pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R7WB01# #0.1pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.1pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM033C1E2R3WB01#				1.2pr	-	
1.3pF ±0.05pF GJM0334C1E1R3WB01# ±0.1pF GJM0334C1E1R3WB01# ±0.25pF GJM0334C1E1R4WB01# ±0.25pF GJM0334C1E1R4WB01# ±0.25pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R5WB01# ±0.05pF GJM0334C1E1R7WB01# ±0.05pF GJM0334C1E1R7WB01# ±0.05pF GJM0334C1E1R8WB01# ±0.05pF GJM0334C1E1R8WB01# ±0.05pF GJM0334C1E1R8WB01# ±0.05pF GJM0334C1E1R8WB01# ±0.05pF GJM0334C1E1R8WB01# ±0.05pF GJM0334C1E1R9WB01# ±0.05pF GJM0334C1E1R9WB01# ±0.05pF GJM0334C1E1R9WB01# ±0.05pF GJM0334C1E2R0WB01# ±0.05pF GJM0334C1E2R0WB01# ±0.05pF GJM0334C1E2R0WB01# ±0.05pF GJM0333C1E2R1WB01# ±0.05pF GJM0333C1E2R1WB01# ±0.05pF GJM0333C1E2R1WB01# ±0.05pF GJM0333C1E2R1WB01# ±0.05pF GJM033C1E2R2WB01# ±0.05pF GJM033C1E2R3WB01# ±0.05pF GJM033C1E2R4WB01#					-	
#0.1pF GJM0334C1E1R3BB01# #0.25pF GJM0334C1E1R4WB01# #0.1pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R7WB01# #0.1pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R1BB01# #0.25pF GJM033C1E2R2BB01# #0.25pF GJM033C1E2R3BB01#				40.5		
#0.25pF GJM0334C1E1R3CB01# #0.05pF GJM0334C1E1R4WB01# #0.25pF GJM0334C1E1R4BB01# #0.25pF GJM0334C1E1R5WB01# #0.1pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5CB01# #0.25pF GJM0334C1E1R5CB01# #0.25pF GJM0334C1E1R5CB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R6BB01# #0.25pF GJM0334C1E1R7WB01# #0.1pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM033C1E2R2BB01# #0.25pF GJM033C1E2R3BB01#				1.3pF	-	
1.4pF ±0.05pF GJM0334C1E1R4WB01# ±0.25pF GJM0334C1E1R4CB01# ±0.25pF GJM0334C1E1R5BB01# ±0.25pF GJM0334C1E1R5BB01# ±0.25pF GJM0334C1E1R5BB01# ±0.25pF GJM0334C1E1R5CB01# ±0.05pF GJM0334C1E1R6CB01# ±0.1pF GJM0334C1E1R6CB01# ±0.25pF GJM0334C1E1R6CB01# ±0.25pF GJM0334C1E1R7WB01# ±0.1pF GJM0334C1E1R7CB01# ±0.25pF GJM0334C1E1R7CB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R9WB01# ±0.1pF GJM0334C1E1R9WB01# ±0.1pF GJM0334C1E1R9WB01# ±0.25pF GJM0334C1E1R9CB01# ±0.25pF GJM0334C1E1R9CB01# ±0.25pF GJM0334C1E2R0WB01# ±0.05pF GJM0334C1E2R0WB01# ±0.05pF GJM033C1E2R0CB01# ±0.05pF GJM033C1E2R1WB01# ±0.05pF GJM033C1E2R1WB01# ±0.05pF GJM033C1E2R1WB01# ±0.05pF GJM033C1E2R2WB01# ±0.05pF GJM033C1E2R2WB01# ±0.05pF GJM033C1E2R2WB01# ±0.05pF GJM033C1E2R2WB01# ±0.05pF GJM033C1E2R2BB01# ±0.05pF GJM033C1E2R3BB01# ±0.05pF GJM033C1E2R					-	
#0.1pF GJM0334C1E1R4BB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6CB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.1pF GJM0334C1E1R8WB01# #0.1pF GJM0334C1E1R9WB01# #0.1pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM033C1E2R0BB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R1WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R3WB01# #0.25pF GJM033C1E2R3BB01#						
#0.25pF GJM0334C1E1R5WB01# #0.05pF GJM0334C1E1R5WB01# #0.25pF GJM0334C1E1R5CB01# #0.25pF GJM0334C1E1R5CB01# #0.1pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6GB01# #0.25pF GJM0334C1E1R6CB01# #0.1pF GJM0334C1E1R7WB01# #0.1pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R7CB01# #0.1pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E2R0WB01# #0.1pF GJM0334C1E2R0WB01# #0.1pF GJM033C1E2R0BB01# #0.25pF GJM033C1E2R1WB01# #0.1pF GJM033C1E2R1WB01# #0.1pF GJM033C1E2R1BB01# #0.25pF GJM033C1E2R2WB01# #0.25pF GJM033C1E2R2BB01# #0.25pF GJM033C1E2R2BB01# #0.25pF GJM033C1E2R2BB01# #0.25pF GJM033C1E2R3BB01#				1.4pF	±0.05pF	GJM0334C1E1R4WB01#
1.5pF					±0.1pF	
#0.1pF GJM0334C1E1R5BB01# #0.25pF GJM0334C1E1R6WB01# #0.25pF GJM0334C1E1R6CB01# #0.25pF GJM0334C1E1R6CB01# #0.25pF GJM0334C1E1R6CB01# #0.25pF GJM0334C1E1R7WB01# #0.1pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3BB01# #0.25pF GJM0333C1E2R3CB01# #0.25pF GJM0333C1E2R3CB01# #0.25pF GJM0333C1E2R3CB01# #0.25pF GJM0333C1E2R3CB01# #0.25pF GJM0333C1E2R3CB01# #0.25pF GJM0333C1E2R3CB01#					±0.25pF	GJM0334C1E1R4CB01#
#0.25pF GJM0334C1E1R5CB01# 1.6pF #0.05pF GJM0334C1E1R6WB01# #0.1pF GJM0334C1E1R6CB01# 1.7pF #0.05pF GJM0334C1E1R7WB01# #0.1pF GJM0334C1E1R7WB01# #0.25pF GJM0334C1E1R7CB01# 1.8pF #0.05pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8CB01# 1.9pF #0.05pF GJM0334C1E1R9WB01# #0.1pF GJM0334C1E1R9WB01# #0.25pF GJM0334C1E1R9CB01# 2.0pF #0.05pF GJM0334C1E1R9CB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1CB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3BB01#				1.5pF	±0.05pF	GJM0334C1E1R5WB01#
1.6pF ±0.05pF GJM0334C1E1R6WB01# ±0.25pF GJM0334C1E1R6CB01# ±0.25pF GJM0334C1E1R7WB01# ±0.25pF GJM0334C1E1R7WB01# ±0.25pF GJM0334C1E1R7WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.1pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R9WB01# ±0.25pF GJM0334C1E1R9WB01# ±0.25pF GJM0334C1E1R9WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.1pF GJM0334C1E2R0WB01# ±0.25pF GJM0334C1E2R0WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R1WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R3WB01#					±0.1pF	GJM0334C1E1R5BB01#
### ##################################					±0.25pF	GJM0334C1E1R5CB01#
#0.25pF GJM0334C1E1R6CB01# 1.7pF				1.6pF	±0.05pF	GJM0334C1E1R6WB01#
1.7pF ±0.05pF GJM0334C1E1R7WB01# ±0.1pF GJM0334C1E1R7BB01# ±0.25pF GJM0334C1E1R8WB01# ±0.1pF GJM0334C1E1R8WB01# ±0.25pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R9WB01# ±0.1pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E2R0WB01# ±0.1pF GJM0334C1E2R0WB01# ±0.1pF GJM0334C1E2R0BB01# ±0.25pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3CB01# ±0.25pF GJM0333C1E2R3CB01#					±0.1pF	GJM0334C1E1R6BB01#
#0.1pF GJM0334C1E1R7BB01# #0.25pF GJM0334C1E1R8WB01# #0.1pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8WB01# #0.25pF GJM0334C1E1R8CB01# 1.9pF #0.05pF GJM0334C1E1R9WB01# #0.1pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9CB01# 2.0pF #0.05pF GJM0334C1E2R0WB01# #0.1pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0CB01# CJ 2.1pF #0.05pF GJM0333C1E2R1WB01# #0.1pF GJM0333C1E2R1WB01# #0.25pF GJM0333C1E2R1CB01# 2.2pF #0.05pF GJM0333C1E2R2WB01# #0.1pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.1pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01#					±0.25pF	GJM0334C1E1R6CB01#
#0.25pF GJM0334C1E1R7CB01# 1.8pF				1.7pF	±0.05pF	GJM0334C1E1R7WB01#
1.8pF ±0.05pF GJM0334C1E1R8WB01# ±0.1pF GJM0334C1E1R8BB01# ±0.25pF GJM0334C1E1R8CB01# ±0.05pF GJM0334C1E1R9WB01# ±0.1pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9CB01# ±0.1pF GJM0334C1E2R0BB01# ±0.25pF GJM0334C1E2R0BB01# ±0.25pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# ±0.1pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3CB01# ±0.25pF GJM0333C1E2R3CB01#					±0.1pF	GJM0334C1E1R7BB01#
#0.1pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R8CB01# 1.9pF #0.05pF GJM0334C1E1R9WB01# #0.1pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9CB01# 2.0pF #0.05pF GJM0334C1E2R0WB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0334C1E2R0B01# #0.1pF GJM0333C1E2R1WB01# #0.1pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R1CB01# 2.2pF #0.05pF GJM0333C1E2R2WB01# #0.1pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM0333C1E2R2BB01# #0.25pF GJM0333C1E2R3BB01# #0.25pF GJM0333C1E2R3BB01# #0.25pF GJM0333C1E2R3BB01# #0.25pF GJM0333C1E2R3BB01# #0.25pF GJM0333C1E2R3CB01# #0.25pF GJM0333C1E2R3CB01#					±0.25pF	GJM0334C1E1R7CB01#
#0.1pF GJM0334C1E1R8BB01# #0.25pF GJM0334C1E1R9WB01# #0.1pF GJM0334C1E1R9WB01# #0.1pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E1R9BB01# #0.25pF GJM0334C1E2R0WB01# #0.1pF GJM0334C1E2R0BB01# #0.25pF GJM0334C1E2R0BB01# #0.25pF GJM0333C1E2R1WB01# #0.1pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R1BB01# #0.25pF GJM0333C1E2R2WB01# #0.1pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R2WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3WB01# #0.25pF GJM0333C1E2R3CB01# #0.25pF GJM0333C1E2R3CB01#				1.8pF	±0.05pF	GJM0334C1E1R8WB01#
#0.25pF GJM0334C1E1R8CB01# 1.9pF				•	-	GJM0334C1E1R8BB01#
1.9pF ±0.05pF GJM0334C1E1R9WB01# ±0.1pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9CB01# 2.0pF ±0.05pF GJM0334C1E2R0WB01# ±0.1pF GJM0334C1E2R0CB01# ±0.25pF GJM0334C1E2R0CB01# ±0.1pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 20.25pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2CB01# 20.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3CB01# 20.25pF GJM0333C1E2R3CB01#					-	GJM0334C1E1R8CB01#
±0.1pF GJM0334C1E1R9BB01# ±0.25pF GJM0334C1E1R9CB01# 2.0pF ±0.05pF GJM0334C1E2R0WB01# ±0.1pF GJM0334C1E2R0BB01# ±0.25pF GJM0334C1E2R0CB01# CJ 2.1pF ±0.05pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01#				1,9pF		
±0.25pF GJM0334C1E1R9CB01# 2.0pF ±0.05pF GJM0334C1E2R0WB01# ±0.1pF GJM0334C1E2R0BB01# ±0.25pF GJM0334C1E2R0CB01# 2.1pF ±0.05pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3WB01#						
2.0pF ±0.05pF GJM0334C1E2R0WB01# ±0.1pF GJM0334C1E2R0BB01# ±0.25pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2WB01# ±0.25pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R3CB01#						
±0.1pF GJM0334C1E2R0BB01# ±0.25pF GJM0334C1E2R0CB01# CJ 2.1pF ±0.05pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3CB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R3CB01#				2 0nF		
±0.25pF GJM0334C1E2R0CB01# CJ 2.1pF ±0.05pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3CB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R3CB01#				2.0pi	-	
CJ 2.1pF ±0.05pF GJM0333C1E2R1WB01# ±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R3CB01#					-	
±0.1pF GJM0333C1E2R1BB01# ±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R3CB01#			C.	01=	-	
±0.25pF GJM0333C1E2R1CB01# 2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R4WB01#			UJ	∠.1pF	-	
2.2pF ±0.05pF GJM0333C1E2R2WB01# ±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R4WB01#					-	
±0.1pF GJM0333C1E2R2BB01# ±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R4WB01#				00 -	-	
±0.25pF GJM0333C1E2R2CB01# 2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R4WB01#				2.2pF	-	
2.3pF ±0.05pF GJM0333C1E2R3WB01# ±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R4WB01#					-	
±0.1pF GJM0333C1E2R3BB01# ±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R4WB01#					±0.25pF	GJM0333C1E2R2CB01#
±0.25pF GJM0333C1E2R3CB01# 2.4pF ±0.05pF GJM0333C1E2R4WB01#				2.3pF	±0.05pF	GJM0333C1E2R3WB01#
2.4pF ±0.05pF GJM0333C1E2R4WB01#					±0.1pF	GJM0333C1E2R3BB01#
					±0.25pF	GJM0333C1E2R3CB01#
±0.1pF GJM0333C1E2R4BB01 #				2.4pF	±0.05pF	GJM0333C1E2R4WB01#
					±0.1pF	GJM0333C1E2R4BB01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.33mm	25Vdc	CJ	2.4pF	±0.25pF	GJM0333C1E2R4CB01#
			2.5pF	±0.05pF	GJM0333C1E2R5WB01#
				±0.1pF	GJM0333C1E2R5BB01#
				±0.25pF	GJM0333C1E2R5CB01#
			2.6pF	±0.05pF	GJM0333C1E2R6WB01#
				±0.1pF	GJM0333C1E2R6BB01#
				±0.25pF	GJM0333C1E2R6CB01#
			2.7pF	±0.05pF	GJM0333C1E2R7WB01#
				±0.1pF	GJM0333C1E2R7BB01#
				±0.25pF	GJM0333C1E2R7CB01#
			2.8pF	±0.05pF	GJM0333C1E2R8WB01#
				±0.1pF	GJM0333C1E2R8BB01#
				±0.25pF	GJM0333C1E2R8CB01#
			2.9pF	±0.05pF	GJM0333C1E2R9WB01#
				±0.1pF	GJM0333C1E2R9BB01#
				±0.25pF	GJM0333C1E2R9CB01#
			3.0pF	±0.05pF	GJM0333C1E3R0WB01#
				±0.1pF	GJM0333C1E3R0BB01#
			0.4.5	±0.25pF	GJM0333C1E3R0CB01#
			3.1pF	±0.05pF	GJM0333C1E3R1WB01#
				±0.1pF	GJM0333C1E3R1BB01#
		,		±0.25pF	GJM0333C1E3R1CB01#
			3.2pF	±0.05pF	GJM0333C1E3R2WB01#
				±0.1pF	GJM0333C1E3R2BB01#
			2 2nE	±0.25pF	GJM0333C1E3R2CB01#
			3.3pF 3.4pF	±0.05pF	GJM0333C1E3R3WB01#
				±0.1pF	GJM0333C1E3R3BB01#
				±0.25pF	GJM0333C1E3R3CB01#
				±0.05pF	GJM0333C1E3R4WB01#
				±0.1pF	GJM0333C1E3R4BB01#
			0.5.5	±0.25pF	
			3.5pF	±0.05pF	GJM0333C1E3R5WB01#
				±0.1pF	GJM0333C1E3R5BB01#
			0.05	±0.25pF	GJM0333C1E3R5CB01#
			3.6pF	±0.05pF	GJM0333C1E3R6WB01#
				±0.1pF	GJM0333C1E3R6BB01#
			2.75	±0.25pF	GJM0333C1E3R6CB01#
			3.7pF	±0.05pF ±0.1pF	GJM0333C1E3R7WB01# GJM0333C1E3R7BB01#
				<u> </u>	
			3 2n⊑	±0.25pF	GJM0333C1E3R7CB01# GJM0333C1E3R8WB01#
			3.8pF	±0.05pF ±0.1pF	GJM0333C1E3R8BB01#
				±0.1pF	GJM0333C1E3R8CB01#
			3.9pF	±0.25pF	GJM0333C1E3R9WB01#
			0.5pi	±0.05pi	GJM0333C1E3R9BB01#
				±0.25pF	GJM0333C1E3R9CB01#
		CH	4.0pF	±0.05pF	GJM0332C1E4R0WB01#
				±0.1pF	GJM0332C1E4R0BB01#
				±0.25pF	GJM0332C1E4R0CB01#
			4.1pF	±0.25pi	GJM0332C1E4R1WB01#
	1			-	
				±0.1n⊢	GJIVIU332C E4B BBU #
				±0.1pF ±0.25pF	GJM0332C1E4R1BB01# GJM0332C1E4R1CB01#
			4.2pF	±0.1pF ±0.25pF ±0.05pF	GJM0332C1E4R1CB01# GJM0332C1E4R2WB01#

■ 0.6×0.3mm)

(→ ■ 0	.6×0.3ı	mm)					
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number		
0.33mm	25Vdc	СН	4.2pF	±0.25pF	GJM0332C1E4R2CB01#		
			4.3pF	±0.05pF	GJM0332C1E4R3WB01#		
				±0.1pF	GJM0332C1E4R3BB01#		
				±0.25pF	GJM0332C1E4R3CB01#		
			4.4pF	±0.05pF	GJM0332C1E4R4WB01#		
				±0.1pF	GJM0332C1E4R4BB01#		
				±0.25pF	GJM0332C1E4R4CB01#		
			4.5pF	±0.05pF	GJM0332C1E4R5WB01#		
				±0.1pF	GJM0332C1E4R5BB01#		
				±0.25pF	GJM0332C1E4R5CB01#		
			4.6pF	±0.05pF	GJM0332C1E4R6WB01#		
				±0.1pF	GJM0332C1E4R6BB01#		
				±0.25pF	GJM0332C1E4R6CB01#		
			4.7pF	±0.05pF	GJM0332C1E4R7WB01#		
				±0.1pF	GJM0332C1E4R7BB01#		
				±0.25pF	GJM0332C1E4R7CB01#		
			4.8pF	±0.05pF	GJM0332C1E4R8WB01#		
				±0.1pF	GJM0332C1E4R8BB01#		
				±0.25pF	GJM0332C1E4R8CB01#		
			4.9pF	±0.05pF	GJM0332C1E4R9WB01#		
				±0.1pF	GJM0332C1E4R9BB01#		
				±0.25pF	GJM0332C1E4R9CB01#		
		,	5.0pF	±0.05pF	GJM0332C1E5R0WB01#		
				±0.1pF	GJM0332C1E5R0BB01#		
				±0.25pF	GJM0332C1E5R0CB01#		
			5.1pF	±0.05pF	GJM0332C1E5R1WB01#		
				±0.1pF	GJM0332C1E5R1BB01#		
				±0.25pF	GJM0332C1E5R1CB01#		
				±0.5pF	GJM0332C1E5R1DB01#		
			5.2pF	±0.05pF	GJM0332C1E5R2WB01#		
				±0.1pF	GJM0332C1E5R2BB01#		
				±0.25pF	GJM0332C1E5R2CB01#		
				±0.5pF	GJM0332C1E5R2DB01#		
			5.3pF	±0.05pF	GJM0332C1E5R3WB01#		
				±0.1pF	GJM0332C1E5R3BB01#		
				±0.25pF	GJM0332C1E5R3CB01#		
				±0.5pF	GJM0332C1E5R3DB01#		
			5.4pF	±0.05pF	GJM0332C1E5R4WB01#		
			•	±0.1pF	GJM0332C1E5R4BB01#		
				±0.25pF	GJM0332C1E5R4CB01#		
				±0.5pF	GJM0332C1E5R4DB01#		
			5.5pF	±0.05pF	GJM0332C1E5R5WB01#		
			•	±0.1pF	GJM0332C1E5R5BB01#		
				±0.25pF			
				±0.5pF	GJM0332C1E5R5DB01#		
			5.6pF	±0.05pF			
			•	±0.1pF	GJM0332C1E5R6BB01#		
				±0.25pF	GJM0332C1E5R6CB01#		
				±0.5pF	GJM0332C1E5R6DB01#		
			5.7pF	±0.05pF	GJM0332C1E5R7WB01#		
			- F-:	±0.1pF	GJM0332C1E5R7BB01#		
				±0.25pF	GJM0332C1E5R7CB01#		
						±0.5pF	GJM0332C1E5R7DB01#
			5.8pF	±0.05pF	GJM0332C1E5R8WB01#		
	L		J.0pi	_0.00pi			

-	Detect	то.				
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
.33mm	25Vdc	CH	5.8pF	±0.1pF	GJM0332C1E5R8BB01#	
				±0.25pF		_
				±0.5pF	GJM0332C1E5R8DB01#	_
			5.9pF	±0.05pF	GJM0332C1E5R9WB01#	
				±0.1pF	GJM0332C1E5R9BB01#	
				±0.25pF	GJM0332C1E5R9CB01#	
				±0.5pF	GJM0332C1E5R9DB01#	
			6.0pF	±0.05pF	GJM0332C1E6R0WB01#	
				±0.1pF	GJM0332C1E6R0BB01#	
				±0.25pF	GJM0332C1E6R0CB01#	
				±0.5pF	GJM0332C1E6R0DB01#	_
			6.1pF	±0.05pF	GJM0332C1E6R1WB01#	_
				±0.1pF	GJM0332C1E6R1BB01#	
				±0.25pF	GJM0332C1E6R1CB01#	
				±0.5pF	GJM0332C1E6R1DB01#	
			6.2pF	±0.05pF	GJM0332C1E6R2WB01#	
				±0.1pF	GJM0332C1E6R2BB01#	
				±0.25pF	GJM0332C1E6R2CB01#	
				±0.5pF	GJM0332C1E6R2DB01#	
			6.3pF	±0.05pF	GJM0332C1E6R3WB01#	
				±0.1pF	GJM0332C1E6R3BB01#	
				±0.25pF	GJM0332C1E6R3CB01#	
				±0.5pF	GJM0332C1E6R3DB01#	
			6.4pF	±0.05pF	GJM0332C1E6R4WB01#	
				±0.1pF	GJM0332C1E6R4BB01#	_
				±0.25pF	GJM0332C1E6R4CB01#	_
				±0.5pF	GJM0332C1E6R4DB01#	_
			6.5pF	±0.05pF	GJM0332C1E6R5WB01#	_
				±0.1pF	GJM0332C1E6R5BB01#	_
				±0.25pF	GJM0332C1E6R5CB01#	_
				±0.5pF	GJM0332C1E6R5DB01#	_
			6.6pF	±0.05pF	GJM0332C1E6R6WB01#	_
				±0.1pF	GJM0332C1E6R6BB01#	_
				±0.25pF	GJM0332C1E6R6CB01#	_
				±0.5pF	GJM0332C1E6R6DB01#	
			6.7pF	±0.05pF	GJM0332C1E6R7WB01#	
				±0.1pF	GJM0332C1E6R7BB01#	_
				±0.25pF		_
				±0.5pF	GJM0332C1E6R7DB01#	_
			6.8pF	±0.05pF	GJM0332C1E6R8WB01#	_
				±0.1pF	GJM0332C1E6R8BB01#	_
				±0.25pF		_
				±0.5pF	GJM0332C1E6R8DB01#	_
			6.9pF	±0.05pF	GJM0332C1E6R9WB01#	_
				±0.1pF	GJM0332C1E6R9BB01#	_
				±0.25pF	GJM0332C1E6R9CB01#	_
				±0.5pF	GJM0332C1E6R9DB01#	_
			7.0pF	±0.05pF	GJM0332C1E7R0WB01#	_
				±0.1pF	GJM0332C1E7R0BB01#	_
				±0.25pF	GJM0332C1E7R0CB01#	—
			7455	±0.5pF	GJM0332C1E7R0DB01#	—
			7.1pF	±0.05pF	GJM0332C1E7R1WB01#	—
				±0.1pF	GJM0332C1E7R1BB01#	—
				±0.25pF	GJM0332C1E7R1CB01#	_

(→ **■** 0.6×0.3mm)

(→ ■ 0	.6×0.31	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	25Vdc	СН	7.1pF	±0.5pF	GJM0332C1E7R1DB01#
			7.2pF	±0.05pF	GJM0332C1E7R2WB01#
				±0.1pF	GJM0332C1E7R2BB01#
				±0.25pF	GJM0332C1E7R2CB01#
				±0.5pF	GJM0332C1E7R2DB01#
			7.3pF	±0.05pF	GJM0332C1E7R3WB01#
				±0.1pF	GJM0332C1E7R3BB01#
				±0.25pF	GJM0332C1E7R3CB01#
				±0.5pF	GJM0332C1E7R3DB01#
			7.4pF	±0.05pF	GJM0332C1E7R4WB01#
				±0.1pF	GJM0332C1E7R4BB01#
				±0.25pF	GJM0332C1E7R4CB01#
				±0.5pF	GJM0332C1E7R4DB01#
			7.5pF	±0.05pF	GJM0332C1E7R5WB01#
			•	±0.1pF	GJM0332C1E7R5BB01#
				±0.25pF	GJM0332C1E7R5CB01#
				±0.5pF	GJM0332C1E7R5DB01#
			7.6pF	±0.05pF	GJM0332C1E7R6WB01#
			7.0pi	±0.1pF	GJM0332C1E7R6BB01#
				-	
			±0.25pF	GJM0332C1E7R6CB01#	
			7 7 2 5	±0.5pF	GJM0332C1E7R6DB01#
			7.7pF	±0.05pF	GJM0332C1E7R7WB01#
				±0.1pF	GJM0332C1E7R7BB01#
				±0.25pF	GJM0332C1E7R7CB01#
		7.0-5	±0.5pF	GJM0332C1E7R7DB01#	
			7.8pF	±0.05pF	GJM0332C1E7R8WB01#
			±0.1pF	GJM0332C1E7R8BB01#	
				±0.25pF	GJM0332C1E7R8CB01#
				±0.5pF	GJM0332C1E7R8DB01#
			7.9pF	±0.05pF	GJM0332C1E7R9WB01#
				±0.1pF	GJM0332C1E7R9BB01#
				±0.25pF	GJM0332C1E7R9CB01#
				±0.5pF	GJM0332C1E7R9DB01#
			8.0pF	±0.05pF	GJM0332C1E8R0WB01#
				±0.1pF	GJM0332C1E8R0BB01#
				±0.25pF	GJM0332C1E8R0CB01#
				±0.5pF	GJM0332C1E8R0DB01#
			8.1pF	±0.05pF	GJM0332C1E8R1WB01#
				±0.1pF	GJM0332C1E8R1BB01#
				±0.25pF	GJM0332C1E8R1CB01#
				±0.5pF	GJM0332C1E8R1DB01#
			8.2pF	±0.05pF	GJM0332C1E8R2WB01#
				±0.1pF	GJM0332C1E8R2BB01#
				±0.25pF	GJM0332C1E8R2CB01#
				±0.5pF	GJM0332C1E8R2DB01#
			8.3pF	±0.05pF	GJM0332C1E8R3WB01#
			•	±0.1pF	GJM0332C1E8R3BB01#
				±0.25pF	GJM0332C1E8R3CB01#
				±0.5pF	GJM0332C1E8R3DB01#
			8.4pF	±0.05pF	GJM0332C1E8R4WB01#
			J. 161	±0.1pF	GJM0332C1E8R4BB01#
				-	GJM0332C1E8R4CB01#
				±0.25pF	GJM0332C1E8R4DB01#
			0 5 5 7	±0.5pF	
			8.5pF	±0.05pF	GJM0332C1E8R5WB01#

Т	Rated	тс				
max.	Voltage	_	Сар.	Tol.	Part Number	
0.33mm	25Vdc	СН	8.5pF	±0.1pF	GJM0332C1E8R5BB01#	
				±0.25pF	GJM0332C1E8R5CB01#	
				±0.5pF	GJM0332C1E8R5DB01#	
			8.6pF	±0.05pF	GJM0332C1E8R6WB01#	
				±0.1pF	GJM0332C1E8R6BB01#	
				±0.25pF	GJM0332C1E8R6CB01#	
				±0.5pF	GJM0332C1E8R6DB01#	
			8.7pF	±0.05pF	GJM0332C1E8R7WB01#	
				±0.1pF	GJM0332C1E8R7BB01#	
				±0.25pF	GJM0332C1E8R7CB01#	
			0.0-5	±0.5pF	GJM0332C1E8R7DB01#	
			8.8pF	±0.05pF	GJM0332C1E8R8WB01#	
				±0.1pF	GJM0332C1E8R8BB01#	
				±0.25pF	GJM0332C1E8R8CB01#	
			8.9pF	±0.5pF ±0.05pF	GJM0332C1E8R8DB01#	
			о.эрг	±0.05pF	GJM0332C1E8R9WB01# GJM0332C1E8R9BB01#	
				<u> </u>		
				±0.25pF	GJM0332C1E8R9CB01# GJM0332C1E8R9DB01#	
			9.0pF	±0.5pF ±0.05pF	GJM0332C1E9R0WB01#	
			9.0pi	±0.05pi	GJM0332C1E9R0BB01#	
				±0.25pF	GJM0332C1E9R0CB01#	
				±0.5pF	GJM0332C1E9R0DB01#	
			9.1pF	±0.05pF	GJM0332C1E9R1WB01#	
			0p.	±0.1pF	GJM0332C1E9R1BB01#	
				±0.25pF	GJM0332C1E9R1CB01#	
					±0.5pF	GJM0332C1E9R1DB01#
			9.2pF	±0.05pF	GJM0332C1E9R2WB01#	
				±0.1pF	GJM0332C1E9R2BB01#	
				±0.25pF	GJM0332C1E9R2CB01#	
				±0.5pF	GJM0332C1E9R2DB01#	
			9.3pF	±0.05pF	GJM0332C1E9R3WB01#	
				±0.1pF	GJM0332C1E9R3BB01#	
				±0.25pF	GJM0332C1E9R3CB01#	
				±0.5pF	GJM0332C1E9R3DB01#	
			9.4pF	±0.05pF	GJM0332C1E9R4WB01#	
				±0.1pF	GJM0332C1E9R4BB01#	
				±0.25pF	GJM0332C1E9R4CB01#	
				±0.5pF	GJM0332C1E9R4DB01#	
		[9.5pF	±0.05pF	GJM0332C1E9R5WB01#	
				±0.1pF	GJM0332C1E9R5BB01#	
				±0.25pF	GJM0332C1E9R5CB01#	
				±0.5pF	GJM0332C1E9R5DB01#	
			9.6pF	±0.05pF	GJM0332C1E9R6WB01#	
				±0.1pF	GJM0332C1E9R6BB01#	
				±0.25pF	GJM0332C1E9R6CB01#	
				±0.5pF	GJM0332C1E9R6DB01#	
			9.7pF	±0.05pF	GJM0332C1E9R7WB01#	
				±0.1pF	GJM0332C1E9R7BB01#	
				±0.25pF	GJM0332C1E9R7CB01#	
				±0.5pF	GJM0332C1E9R7DB01#	
			9.8pF	±0.05pF	GJM0332C1E9R8WB01#	
				±0.1pF	GJM0332C1E9R8BB01#	
				±0.25pF	GJM0332C1E9R8CB01#	

GMA Series GJM Series GRM Series

GMD Series GQM Series

GRJ Series GR3 Series

GJM Series Temperature Compensating Type High Q Part Number List

Т

max.

0.55mm

TC Code

COG

Cap.

1.0pF

Tol.

±0.05pF

±0.1pF ±0.25pF

±0.05pF

Part Number

GJM1555C1H1R0WB01#

GJM1555C1H1R0BB01#

GJM1555C1H1R0CB01# GJM1555C1H1R1WB01#

GJM1555C1H1R1BB01#

Rated

Voltage

50Vdc

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number					
).33mm	25Vdc	СН	9.8pF	±0.5pF	GJM0332C1E9R8DB01#					
			9.9pF	±0.05pF	GJM0332C1E9R9WB01#					
				±0.1pF	GJM0332C1E9R9BB01#					
			±0.25pF	GJM0332C1E9R9CB01#						
			±0.5pF	GJM0332C1E9R9DB01#						
			10pF	±2%	GJM0332C1E100GB01#					
				±5%	GJM0332C1E100JB01#					
		11pF	±2%	GJM0332C1E110GB01#						
				±5%	GJM0332C1E110JB01#					
		12pF	±2%	GJM0332C1E120GB01#						
				±5%	GJM0332C1E120JB01#					
								13pF	±2%	GJM0332C1E130GB01#
			±5%	GJM0332C1E130JB01#						
		15pF 16pF	±2%	GJM0332C1E150GB01#						
				±5%	GJM0332C1E150JB01#					
			16pF	±2%	GJM0332C1E160GB01#					
				±5%	GJM0332C1E160JB01#					
			18pF	±2%	GJM0332C1E180GB01#					
				±5%	GJM0332C1E180JB01#					
		Ī	20pF	±2%	GJM0332C1E200GB01#					
				±5%	GJM0332C1E200JB01#					
			22pF	±2%	GJM0332C1E220GB01#					
				±5%	GJM0332C1E220JB01#					
			24pF	±2%	GJM0332C1E240GB01#					
				±5%	GJM0332C1E240JB01#					
			27pF	±2%	GJM0332C1E270GB01#					
				±5%	GJM0332C1E270JB01#					
			30pF	±2%	GJM0332C1E300GB01#					
				±5%	GJM0332C1E300JB01#					
			33pF	±2%	GJM0332C1E330GB01#					
				±5%	GJM0332C1E330JB01#					

1 .	0x	0.5	mm
------------	----	-----	----

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.55mm	50Vdc	COG	0.10pF	±0.05pF	GJM1555C1HR10WB01#	
				±0.1pF	GJM1555C1HR10BB01#	
			0.20pF	±0.05pF	GJM1555C1HR20WB01#	
				±0.1pF	GJM1555C1HR20BB01#	
			0.30pF	±0.05pF	GJM1555C1HR30WB01#	
				±0.1pF	GJM1555C1HR30BB01#	
			0.40pF	±0.05pF	GJM1555C1HR40WB01#	
				±0.1pF	GJM1555C1HR40BB01#	
			0.50pF	±0.05pF	GJM1555C1HR50WB01#	
					±0.1pF	GJM1555C1HR50BB01#
			0.60pF	±0.05pF	GJM1555C1HR60WB01#	
				±0.1pF	GJM1555C1HR60BB01#	
			0.70pF	±0.05pF	GJM1555C1HR70WB01#	
				±0.1pF	GJM1555C1HR70BB01#	
			0.80pF	±0.05pF	GJM1555C1HR80WB01#	
				±0.1pF	GJM1555C1HR80BB01#	
			0.90pF	±0.05pF	GJM1555C1HR90WB01#	
				±0.1pF	GJM1555C1HR90BB01#	

	±0.1pr	GJWI1555CTHTHTBBUT#	
	±0.25pF	GJM1555C1H1R1CB01#	
1.2pF	±0.05pF	GJM1555C1H1R2WB01#	
	±0.1pF	GJM1555C1H1R2BB01#	
	±0.25pF	GJM1555C1H1R2CB01#	
1.3pF	±0.05pF	GJM1555C1H1R3WB01#	
	±0.1pF	GJM1555C1H1R3BB01#	
	±0.25pF	GJM1555C1H1R3CB01#	
1.4pF	±0.05pF	GJM1555C1H1R4WB01#	
	±0.1pF	GJM1555C1H1R4BB01#	
	±0.25pF	GJM1555C1H1R4CB01#	
1.5pF	±0.05pF	GJM1555C1H1R5WB01#	
	±0.1pF	GJM1555C1H1R5BB01#	
	±0.25pF	GJM1555C1H1R5CB01#	
1.6pF	±0.05pF	GJM1555C1H1R6WB01#	
	±0.1pF	GJM1555C1H1R6BB01#	
	±0.25pF	GJM1555C1H1R6CB01#	
1.7pF	±0.05pF	GJM1555C1H1R7WB01#	
	±0.1pF	GJM1555C1H1R7BB01#	
	±0.25pF	GJM1555C1H1R7CB01#	
1.8pF	±0.05pF	GJM1555C1H1R8WB01#	
	±0.1pF	GJM1555C1H1R8BB01#	
	±0.25pF	GJM1555C1H1R8CB01#	
1.9pF	±0.05pF	GJM1555C1H1R9WB01#	
	±0.1pF	GJM1555C1H1R9BB01#	
	±0.25pF	GJM1555C1H1R9CB01#	
2.0pF	±0.05pF	GJM1555C1H2R0WB01#	
	±0.1pF	GJM1555C1H2R0BB01#	
	±0.25pF	GJM1555C1H2R0CB01#	
2.1pF	±0.05pF	GJM1555C1H2R1WB01#	
	±0.1pF	GJM1555C1H2R1BB01#	
	±0.25pF	GJM1555C1H2R1CB01#	
2.2pF	±0.05pF	GJM1555C1H2R2WB01#	
	±0.1pF	GJM1555C1H2R2BB01#	
	±0.25pF	GJM1555C1H2R2CB01#	
2.3pF	±0.05pF	GJM1555C1H2R3WB01#	
	±0.1pF	GJM1555C1H2R3BB01#	
	±0.25pF	GJM1555C1H2R3CB01#	
2.4pF	±0.05pF	GJM1555C1H2R4WB01#	
	±0.1pF	GJM1555C1H2R4BB01#	
	±0.25pF	GJM1555C1H2R4CB01#	
2.5pF	±0.05pF	GJM1555C1H2R5WB01#	
	±0.1pF	GJM1555C1H2R5BB01#	
	±0.25pF	GJM1555C1H2R5CB01#	
2.6pF	±0.05pF	GJM1555C1H2R6WB01#	
	±0.1pF	GJM1555C1H2R6BB01#	
	±0.25pF	GJM1555C1H2R6CB01#	
2.7pF	±0.05pF	GJM1555C1H2R7WB01#	
	±0.1pF	GJM1555C1H2R7BB01#	
		0 1111-1-0 1110-0-0-1	

Part number # indicates the package specification code.

±0.25pF | GJM1555C1H2R7CB01#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
.55mm	50Vdc	COG	2.8pF	±0.05pF	GJM1555C1H2R8WB01#
				±0.1pF	GJM1555C1H2R8BB01#
				±0.25pF	GJM1555C1H2R8CB01#
			2.9pF	±0.05pF	GJM1555C1H2R9WB01#
				±0.1pF	GJM1555C1H2R9BB01#
				±0.25pF	GJM1555C1H2R9CB01#
			3.0pF	±0.05pF	GJM1555C1H3R0WB01#
				±0.1pF	GJM1555C1H3R0BB01#
				±0.25pF	GJM1555C1H3R0CB01#
			3.1pF	±0.05pF	GJM1555C1H3R1WB01#
				±0.1pF	GJM1555C1H3R1BB01#
				±0.25pF	GJM1555C1H3R1CB01#
			3.2pF	±0.05pF	GJM1555C1H3R2WB01#
			•	±0.1pF	GJM1555C1H3R2BB01#
				±0.25pF	GJM1555C1H3R2CB01#
			3.3pF	±0.05pF	GJM1555C1H3R3WB01#
				±0.1pF	GJM1555C1H3R3BB01#
				±0.25pF	GJM1555C1H3R3CB01#
			3.4pF	±0.05pF	GJM1555C1H3R4WB01#
			о. грт	±0.1pF	GJM1555C1H3R4BB01#
				±0.25pF	GJM1555C1H3R4CB01#
			3.5pF	±0.05pF	GJM1555C1H3R5WB01#
			5.5pi	±0.05pi	GJM1555C1H3R5BB01#
			2.65	±0.25pF	GJM1555C1H3R5CB01#
			3.6pF	±0.05pF	GJM1555C1H3R6WB01#
				±0.1pF	GJM1555C1H3R6BB01#
			0.7.5	±0.25pF	GJM1555C1H3R6CB01#
			3.7pF	±0.05pF	GJM1555C1H3R7WB01#
				±0.1pF	GJM1555C1H3R7BB01#
				±0.25pF	GJM1555C1H3R7CB01#
			3.8pF	±0.05pF	GJM1555C1H3R8WB01#
				±0.1pF	GJM1555C1H3R8BB01#
				±0.25pF	GJM1555C1H3R8CB01#
			3.9pF	±0.05pF	GJM1555C1H3R9WB01#
				±0.1pF	GJM1555C1H3R9BB01#
				±0.25pF	GJM1555C1H3R9CB01#
			4.0pF	±0.05pF	GJM1555C1H4R0WB01#
				±0.1pF	GJM1555C1H4R0BB01#
				±0.25pF	GJM1555C1H4R0CB01#
			4.1pF	±0.05pF	GJM1555C1H4R1WB01#
				±0.1pF	GJM1555C1H4R1BB01#
				±0.25pF	GJM1555C1H4R1CB01#
			4.2pF	±0.05pF	GJM1555C1H4R2WB01#
				±0.1pF	GJM1555C1H4R2BB01#
				±0.25pF	GJM1555C1H4R2CB01#
			4.3pF	±0.05pF	GJM1555C1H4R3WB01#
				±0.1pF	GJM1555C1H4R3BB01#
				±0.25pF	GJM1555C1H4R3CB01#
			4.4pF	±0.05pF	GJM1555C1H4R4WB01#
			•	±0.1pF	GJM1555C1H4R4BB01#
				±0.25pF	GJM1555C1H4R4CB01#
			4.5pF	±0.05pF	GJM1555C1H4R5WB01#
				±0.1pF	GJM1555C1H4R5BB01#
				±0.25pF	GJM1555C1H4R5CB01#

0.55mm 50Vdc COQ	T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
#0.25pF	0.55mm	50Vdc	COG	4.6pF	±0.05pF	GJM1555C1H4R6WB01#	
4.7pF ±0.05pF GJM1555C1H4R7WB01# ±0.25pF GJM1555C1H4R8BM01# ±0.25pF GJM1555C1H4R8BM01# ±0.25pF GJM1555C1H4R8WB01# ±0.25pF GJM1555C1H4R8WB01# ±0.25pF GJM1555C1H4R8WB01# ±0.25pF GJM1555C1H4R9WB01# ±0.25pF GJM1555C1H4R9WB01# ±0.25pF GJM1555C1H5R0WB01# ±0.25pF GJM1555C1H5R2WB01# ±0.25pF GJM1555C1H5R2WB01# ±0.25pF GJM1555C1H5R2WB01# ±0.25pF GJM1555C1H5R2WB01# ±0.25pF GJM1555C1H5R3WB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R9B001# ±0.25pF GJM1555					±0.1pF	GJM1555C1H4R6BB01#	
#0.1pF					±0.25pF	GJM1555C1H4R6CB01#	
#0.25pF GJM1555C1H4R7CB01# #				4.7pF	±0.05pF	GJM1555C1H4R7WB01#	
4.8pF ±0.05pF GJM1555C1H4R8WB01# ±0.25pF GJM1555C1H4R9B01# ±0.1pF GJM1555C1H4R9B01# ±0.1pF GJM1555C1H4R9B01# ±0.25pF GJM1555C1H4R9B01# ±0.25pF GJM1555C1H5R0B01# ±0.25pF GJM1555C1H5R0B01# ±0.25pF GJM1555C1H5R0B01# ±0.25pF GJM1555C1H5R1B01# ±0.25pF GJM155C1H5R1B01# ±0.5pF GJM1555C1H5R1B01# ±0.5pF GJM1555C1H5R1B01# ±0.5pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R2B01# ±0.5pF GJM1555C1H5R2B01# ±0.5pF GJM1555C1H5R3B01# ±0.25pF GJM1555C1H5R3B01# ±0.25pF GJM1555C1H5R3B01# ±0.05pF GJM1555C1H5R3B01# ±0.05pF GJM1555C1H5R3B01# ±0.05pF GJM155C1H5R4B001# ±0.05pF GJM155C1H5R4B01# ±0.25pF GJM1555C1H5R4B001# ±0.25pF GJM1555C1H5R4B001# ±0.5pF GJM1555C1H5R4B001# ±0.5pF GJM1555C1H5R5W01# ±0.5pF GJM1555C1H5R5W01# ±0.5pF GJM1555C1H5R6W01# ±0.5pF GJM1555C1H5R6D01# ±0.5pF GJM1555C1H5R6D01# ±0.5pF GJM1555C1H5R6D01# ±0.5pF GJM1555C1H5R6D01# ±0.5pF GJM1555C1H5R6D01# ±0.5pF GJM1555C1H5R6D01# ±0.5pF GJM1555C1H5R6D001# ±0.5pF GJM1555C1H5R6D001# ±0.5pF GJM1555C1H5R6D001# ±0.5pF GJM1555C1H5R6D001# ±0.5pF GJM1555C1H5R6D001# ±0.5pF GJM1555C1H5R8D001# ±0.5pF GJM1555C1H5R8D001# ±0.5pF GJM1555C1H5R8D001# ±0.5pF GJM1555C1H5R8D001# ±0.5pF GJM1555C1H5R8D001# ±0.5pF GJM1555C1H5R8D001# ±0.5pF GJM155C1H5R8D001# ±0.5pF GJM155C1H5R9D001# ±0.5pF					±0.1pF	GJM1555C1H4R7BB01#	
#0.1pF GJM1555C1H4R8BB01# ±0.25pF GJM1555C1H4R9CB01# ±0.1pF GJM1555C1H4R9CB01# ±0.25pF GJM1555C1H5R9CB01# ±0.25pF GJM1555C1H5R0CB01# ±0.25pF GJM1555C1H5R0CB01# ±0.25pF GJM1555C1H5R0CB01# ±0.25pF GJM1555C1H5R0CB01# ±0.25pF GJM1555C1H5R1CB01# ±0.25pF GJM1555C1H5R1CB01# ±0.25pF GJM1555C1H5R1CB01# ±0.25pF GJM1555C1H5R1CB01# ±0.25pF GJM1555C1H5R1CB01# ±0.25pF GJM1555C1H5R2CB01# ±0.25pF GJM1555C1H5R2CB01# ±0.25pF GJM1555C1H5R2CB01# ±0.25pF GJM1555C1H5R3CB01# ±0.25pF GJM1555C1H5R3CB01# ±0.25pF GJM1555C1H5R3CB01# ±0.25pF GJM1555C1H5R3CB01# ±0.25pF GJM1555C1H5R3CB01# ±0.25pF GJM1555C1H5R3CB01# ±0.25pF GJM1555C1H5R4CB01# ±0.25pF GJM1555C1H5R4CB01# ±0.25pF GJM1555C1H5R4CB01# ±0.25pF GJM1555C1H5R5CB01# ±0.25pF GJM1555C1H5R5CB01# ±0.25pF GJM1555C1H5R5CB01# ±0.25pF GJM1555C1H5R5CB01# ±0.25pF GJM1555C1H5R6CB01# ±0.25pF GJM1555C1H5R8CB01# ±0.25pF GJM1555C1H5R9CB01# ±0.25pF GJM1555C1H5R9CB01# ±0.25pF GJM1555C1H5R9CB01# ±0.25pF GJM1555C1H5R9CB01# ±0					±0.25pF	GJM1555C1H4R7CB01#	
#0.25pF GJM1555C1H4R8CB01# #0.1pF GJM1555C1H4R9WB01# #0.25pF GJM1555C1H4R9WB01# #0.25pF GJM1555C1H5R0WB01# #0.25pF GJM1555C1H5R0WB01# #0.25pF GJM1555C1H5R1WB01# #0.25pF GJM1555C1H5R2WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R5CB01# #0.25pF GJM1555C1H5R5CB01# #0.25pF GJM1555C1H5R5CB01# #0.25pF GJM1555C1H5R5CB01# #0.25pF GJM1555C1H5R5CB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6DB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B001# #0.25pF GJM1555C1H5R9B				4.8pF	±0.05pF	GJM1555C1H4R8WB01#	
4.9pF ±0.05pF GJM1555C1H4R9WB01# ±0.1pF GJM1555C1H4R9B01# ±0.25pF GJM1555C1H5R0BB01# ±0.25pF GJM1555C1H5R0BB01# ±0.25pF GJM1555C1H5R10B01# ±0.25pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R1B01# ±0.5pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R1B01# ±0.25pF GJM1555C1H5R12B01# ±0.25pF GJM1555C1H5R12B01# ±0.25pF GJM1555C1H5R2B01# ±0.5pF GJM1555C1H5R3B01# ±0.5pF GJM1555C1H5R4B001# ±0.5pF GJM1555C1H5R4B001# ±0.5pF GJM1555C1H5R4B001# ±0.5pF GJM1555C1H5R5B01# ±0.5pF GJM1555C1H5R5B01# ±0.5pF GJM1555C1H5R5B01# ±0.5pF GJM1555C1H5R5B01# ±0.5pF GJM1555C1H5R5B01# ±0.5pF GJM1555C1H5R5B01# ±0.5pF GJM1555C1H5R5B01# ±0.5pF GJM1555C1H5R6C001# ±0.5pF GJM1555C1H5R6C001# ±0.5pF GJM1555C1H5R6B001# ±0.5pF GJM1555C1H5R6B001# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B01# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM1555C1H5R0B001# ±0.5pF GJM155C					±0.1pF	GJM1555C1H4R8BB01#	
#0.1pF GJM1555C1H4R9B01# #0.25pF GJM1555C1H5R0WB01# #0.1pF GJM1555C1H5R0WB01# #0.25pF GJM1555C1H5R0WB01# #0.25pF GJM1555C1H5R0WB01# #0.25pF GJM1555C1H5R0WB01# #0.25pF GJM1555C1H5R1WB01# #0.25pF GJM1555C1H5R1WB01# #0.5pF GJM1555C1H5R1WB01# #0.5pF GJM1555C1H5R1WB01# #0.5pF GJM1555C1H5R2WB01# #0.5pF GJM1555C1H5R2WB01# #0.5pF GJM1555C1H5R2WB01# #0.5pF GJM1555C1H5R2WB01# #0.25pF GJM1555C1H5R2WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R5WB01# #0.5pF GJM1555C1H5R6WB01# #0.5pF GJM1555C1H5R8WB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01# #0.5					±0.25pF	GJM1555C1H4R8CB01#	
#0.25pF GJM1555C1H4R9CB01# #0.1pF GJM155SC1H5R0WB01# #0.25pF GJM155SC1H5R0WB01# #0.25pF GJM155SC1H5R0WB01# #0.25pF GJM155SC1H5R1WB01# #0.25pF GJM155SC1H5R1WB01# #0.25pF GJM155SC1H5R1BB01# #0.25pF GJM155SC1H5R1BB01# #0.25pF GJM155SC1H5R2WB01# #0.1pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R2WB01# #0.5pF GJM155SC1H5R2WB01# #0.5pF GJM155SC1H5R3WB01# #0.5pF GJM155SC1H5R4WB01# #0.5pF GJM155SC1H5R4WB01# #0.5pF GJM155SC1H5R5WB01# #0.5pF GJM155SC1H5R5BB01# #0.5pF GJM155SC1H5R5BB01# #0.5pF GJM155SC1H5R5BB01# #0.5pF GJM155SC1H5R5BB01# #0.5pF GJM155SC1H5R6BB01# #0.5pF GJM155SC1H5R8BB01# #0.5pF GJM155SC1H5R9BB01#				4.9pF	±0.05pF	GJM1555C1H4R9WB01#	
5.0pF					±0.1pF	GJM1555C1H4R9BB01#	
#0.1pF GJM1555C1H5R0BB01# #0.25pF GJM1555C1H5R1WB01# #0.25pF GJM1555C1H5R1WB01# #0.25pF GJM1555C1H5R1WB01# #0.25pF GJM1555C1H5R1BB01# #0.25pF GJM1555C1H5R2WB01# #0.25pF GJM1555C1H5R2WB01# #0.5pF GJM1555C1H5R2WB01# #0.5pF GJM1555C1H5R2WB01# #0.5pF GJM1555C1H5R2WB01# #0.5pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.5pF GJM1555C1H5R3WB01# #0.5pF GJM1555C1H5R3WB01# #0.5pF GJM1555C1H5R3WB01# #0.5pF GJM1555C1H5R3WB01# #0.5pF GJM1555C1H5R3WB01# #0.5pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R4DB01# #0.5pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF					±0.25pF	GJM1555C1H4R9CB01#	
#0.25pF GJM1555C1H5R0CB01# #0.05pF GJM1555C1H5R1WB01# #0.25pF GJM1555C1H5R1BB01# #0.25pF GJM1555C1H5R1DB01# #0.5pF GJM1555C1H5R1DB01# #0.1pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R2WB01# #0.25pF GJM155SC1H5R3WB01# #0.25pF GJM155SC1H5R3WB01# #0.25pF GJM155SC1H5R3WB01# #0.05pF GJM155SC1H5R3WB01# #0.05pF GJM155SC1H5R3WB01# #0.05pF GJM155SC1H5R3WB01# #0.05pF GJM155SC1H5R4WB01# #0.05pF GJM155SC1H5R4WB01# #0.05pF GJM155SC1H5R4WB01# #0.05pF GJM155SC1H5R5WB01# #0.05pF GJM155SC1H5R5WB01# #0.05pF GJM155SC1H5R5WB01# #0.05pF GJM155SC1H5R5WB01# #0.05pF GJM155SC1H5R5WB01# #0.05pF GJM155SC1H5R6BB01# #0.05pF GJM155SC1H5R6BB01# #0.05pF GJM155SC1H5R6BB01# #0.25pF GJM155SC1H5R6BB01# #0.25pF GJM155SC1H5R6BB01# #0.25pF GJM155SC1H5R6BB01# #0.25pF GJM155SC1H5R6BB01# #0.25pF GJM155SC1H5R7WB01# #0.05pF GJM155SC1H5R7BB01# #0.05pF GJM155SC1H5R7BB01# #0.05pF GJM155SC1H5R7BB01# #0.05pF GJM155SC1H5R7BB01# #0.05pF GJM155SC1H5R7BB01# #0.05pF GJM155SC1H5R8BB01# #0.05pF GJM155SC1H5R9BB01#				5.0pF	±0.05pF	GJM1555C1H5R0WB01#	
5.1pF					±0.1pF	GJM1555C1H5R0BB01#	
#0.1pF GJM1555C1H5R1BB01# #0.25pF GJM1555C1H5R1CB01# #0.5pF GJM1555C1H5R1DB01# #0.05pF GJM1555C1H5R2BB01# #0.1pF GJM1555C1H5R2BB01# #0.25pF GJM1555C1H5R2BB01# #0.5pF GJM1555C1H5R2BB01# #0.5pF GJM1555C1H5R2BB01# #0.1pF GJM1555C1H5R3BB01# #0.1pF GJM1555C1H5R3BB01# #0.25pF GJM1555C1H5R3BB01# #0.25pF GJM1555C1H5R3BB01# #0.1pF GJM1555C1H5R3BB01# #0.25pF GJM1555C1H5R4BB01# #0.1pF GJM1555C1H5R4BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.1pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01#					±0.25pF	GJM1555C1H5R0CB01#	
#0.25pF GJM1555C1H5R1CB01# #0.5pF GJM1555C1H5R1DB01# #0.05pF GJM1555C1H5R2WB01# #0.1pF GJM1555C1H5R2BB01# #0.25pF GJM1555C1H5R2CB01# #0.5pF GJM1555C1H5R2DB01# #0.5pF GJM1555C1H5R3WB01# #0.1pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3DB01# #0.05pF GJM1555C1H5R3DB01# #0.05pF GJM1555C1H5R4WB01# #0.1pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4WB01# #0.1pF GJM1555C1H5R5WB01# #0.25pF GJM1555C1H5R5WB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R6WB01# #0.25pF GJM1555C1H5R6WB01# #0.25pF GJM1555C1H5R6WB01# #0.5pF GJM1555C1H5R6WB01# #0.5pF GJM1555C1H5R6WB01# #0.5pF GJM1555C1H5R7WB01# #0.5pF GJM1555C1H5R7WB01# #0.5pF GJM1555C1H5R7WB01# #0.5pF GJM1555C1H5R7WB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01#				5.1pF	±0.05pF	GJM1555C1H5R1WB01#	
#0.5pF GJM1555C1H5R1DB01# #0.05pF GJM1555C1H5R2WB01# #0.1pF GJM1555C1H5R2BB01# #0.25pF GJM1555C1H5R2BB01# #0.25pF GJM1555C1H5R2DB01# #0.05pF GJM1555C1H5R3WB01# #0.1pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3WB01# #0.05pF GJM1555C1H5R3WB01# #0.1pF GJM1555C1H5R3WB01# #0.1pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4WB01# #0.1pF GJM1555C1H5R4WB01# #0.1pF GJM1555C1H5R4WB01# #0.1pF GJM1555C1H5R4WB01# #0.1pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R6WB01# #0.1pF GJM1555C1H5R6WB01# #0.25pF GJM1555C1H5R6WB01# #0.1pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R7WB01# #0.1pF GJM1555C1H5R7WB01# #0.1pF GJM1555C1H5R7WB01# #0.25pF GJM1555C1H5R7WB01# #0.25pF GJM1555C1H5R8WB01# #0.25pF GJM1555C1H5R8WB01# #0.25pF GJM1555C1H5R8WB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R9BB01#					±0.1pF	GJM1555C1H5R1BB01#	
5.2pF ±0.05pF GJM1555C1H5R2WB01# ±0.1pF GJM1555C1H5R2BB01# ±0.25pF GJM1555C1H5R2BB01# ±0.5pF GJM1555C1H5R3WB01# ±0.25pF GJM1555C1H5R3WB01# ±0.5pF GJM1555C1H5R3WB01# ±0.5pF GJM1555C1H5R3WB01# ±0.5pF GJM1555C1H5R3WB01# ±0.25pF GJM1555C1H5R4WB01# ±0.25pF GJM1555C1H5R4WB01# ±0.5pF GJM1555C1H5R4WB01# ±0.5pF GJM1555C1H5R5WB01# ±0.5pF GJM1555C1H5R5WB01# ±0.5pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R6WB01# ±0.5pF GJM1555C1H5R6WB01# ±0.5pF GJM1555C1H5R6WB01# ±0.5pF GJM1555C1H5R6WB01# ±0.5pF GJM1555C1H5R6WB01# ±0.5pF GJM1555C1H5R6WB01# ±0.5pF GJM1555C1H5R7BB01# ±0.5pF GJM1555C1H5R7BB01# ±0.5pF GJM1555C1H5R7BB01# ±0.5pF GJM1555C1H5R7BB01# ±0.5pF GJM1555C1H5R8WB01# ±0.5pF GJM1555C1H5R8WB01# ±0.5pF GJM1555C1H5R8WB01# ±0.5pF GJM1555C1H5R8BB01# ±0.5pF GJM1555C1H5R9BB01#					±0.25pF	GJM1555C1H5R1CB01#	
#0.1pF GJM1555C1H5R2BB01# #0.25pF GJM1555C1H5R2CB01# #0.5pF GJM1555C1H5R3WB01# #0.1pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3BB01# #0.25pF GJM1555C1H5R3BB01# #0.25pF GJM1555C1H5R3BB01# #0.25pF GJM1555C1H5R3DB01# #0.5pF GJM1555C1H5R3DB01# #0.1pF GJM1555C1H5R4BB01# #0.25pF GJM1555C1H5R4BB01# #0.25pF GJM1555C1H5R4DB01# #0.5pF GJM1555C1H5R5WB01# #0.5pF GJM1555C1H5R5WB01# #0.5pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R7BB01# #0.25pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01#					±0.5pF	GJM1555C1H5R1DB01#	
#0.25pF GJM1555C1H5R2CB01# #0.5pF GJM1555C1H5R3WB01# #0.1pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3CB01# #0.25pF GJM1555C1H5R3CB01# #0.5pF GJM1555C1H5R3CB01# #0.5pF GJM1555C1H5R3CB01# #0.5pF GJM1555C1H5R3CB01# #0.1pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R5WB01# #0.5pF GJM155C1H5R5WB01# #0.5pF GJM1555C1H5R5CB01# #0.5pF GJM1555C1H5R5CB01# #0.5pF GJM1555C1H5R6WB01# #0.25pF GJM1555C1H5R6WB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R7WB01# #0.1pF GJM1555C1H5R7BB01# #0.25pF GJM1555C1H5R7BB01# #0.25pF GJM1555C1H5R8WB01# #0.25pF GJM1555C1H5R8WB01# #0.5pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM155C1H5R9BB01#				5.2pF	±0.05pF	GJM1555C1H5R2WB01#	
#0.5pF GJM1555C1H5R2DB01# #0.05pF GJM1555C1H5R3WB01# #0.25pF GJM1555C1H5R3DB01# #0.25pF GJM1555C1H5R3DB01# #0.5pF GJM1555C1H5R3DB01# #0.5pF GJM1555C1H5R4WB01# #0.5pF GJM1555C1H5R4BB01# #0.5pF GJM1555C1H5R4BB01# #0.5pF GJM1555C1H5R4BB01# #0.5pF GJM1555C1H5R4DB01# #0.5pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R5DB01# #0.5pF GJM1555C1H5R5DB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R7BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01#					±0.1pF	GJM1555C1H5R2BB01#	
5.3pF ±0.05pF GJM1555C1H5R3WB01# ±0.25pF GJM1555C1H5R3DB01# ±0.25pF GJM1555C1H5R3DB01# ±0.05pF GJM1555C1H5R3DB01# ±0.05pF GJM1555C1H5R4WB01# ±0.1pF GJM1555C1H5R4BB01# ±0.25pF GJM1555C1H5R4DB01# ±0.5pF GJM1555C1H5R4DB01# ±0.5pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.5pF GJM1555C1H5R6BB01# ±0.5pF GJM1555C1H5R6DB01# ±0.5pF GJM1555C1H5R6DB01# ±0.5pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7BB01# ±0.5pF GJM1555C1H5R8BB01# ±0.5pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.5pF GJM1555C1H5R8BB01# ±0.5pF GJM1555C1H5R9BB01#					±0.25pF	GJM1555C1H5R2CB01#	
# ±0.1pF GJM1555C1H5R3BB01# ±0.25pF GJM1555C1H5R3CB01# ±0.5pF GJM1555C1H5R3DB01# ±0.1pF GJM1555C1H5R4WB01# ±0.25pF GJM1555C1H5R4DB01# ±0.25pF GJM1555C1H5R4DB01# ±0.25pF GJM1555C1H5R4DB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R5DB01# ±0.5pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.5pF GJM1555C1H5R6DB01# ±0.5pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7DB01# ±0.5pF GJM1555C1H5R7DB01# ±0.5pF GJM1555C1H5R8WB01# ±0.5pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R0DB01# ±0.5pF GJM1555C1H5R					±0.5pF	GJM1555C1H5R2DB01#	
#0.25pF GJM1555C1H5R3CB01# #0.5pF GJM1555C1H5R3DB01# #0.1pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4CB01# #0.25pF GJM1555C1H5R4CB01# #0.25pF GJM1555C1H5R4CB01# #0.1pF GJM1555C1H5R5WB01# #0.1pF GJM1555C1H5R5WB01# #0.1pF GJM1555C1H5R5DB01# #0.5pF GJM1555C1H5R5DB01# #0.5pF GJM1555C1H5R6WB01# #0.1pF GJM1555C1H5R6WB01# #0.1pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.5pF GJM1555C1H5R7WB01# #0.1pF GJM1555C1H5R7WB01# #0.1pF GJM1555C1H5R7CB01# #0.5pF GJM1555C1H5R7CB01# #0.5pF GJM1555C1H5R7DB01# #0.5pF GJM1555C1H5R8WB01# #0.1pF GJM1555C1H5R8WB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R9WB01# #0.1pF GJM1555C1H5R9WB01# #0.1pF GJM1555C1H5R9WB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H6R0WB01# #0.5pF GJM1555C1H6R0WB01# #0.5pF GJM1555C1H6R0WB01#				5.3pF	±0.05pF	GJM1555C1H5R3WB01#	
#0.5pF GJM1555C1H5R3DB01# #0.1pF GJM1555C1H5R4WB01# #0.25pF GJM1555C1H5R4CB01# #0.25pF GJM1555C1H5R4CB01# #0.25pF GJM1555C1H5R5WB01# #0.1pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.5pF GJM1555C1H5R5DB01# #0.5pF GJM1555C1H5R5DB01# #0.1pF GJM1555C1H5R6WB01# #0.1pF GJM1555C1H5R6BB01# #0.5pF GJM1555C1H5R6DB01# #0.5pF GJM1555C1H5R6DB01# #0.5pF GJM1555C1H5R6DB01# #0.5pF GJM1555C1H5R7WB01# #0.1pF GJM1555C1H5R7BB01# #0.25pF GJM1555C1H5R7DB01# #0.25pF GJM1555C1H5R7BB01# #0.25pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H6R0WB01# #0.5pF GJM1555C1H6R0WB01# #0.1pF GJM1555C1H6R0BB01#					±0.1pF	GJM1555C1H5R3BB01#	
5.4pF					±0.25pF	GJM1555C1H5R3CB01#	
# ±0.1pF GJM1555C1H5R4BB01# ±0.25pF GJM1555C1H5R4CB01# ±0.5pF GJM1555C1H5R5WB01# ±0.1pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R6WB01# ±0.1pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.5pF GJM1555C1H5R7BB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7BB01# ±0.5pF GJM1555C1H5R7BB01# ±0.5pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.5pF GJM1555C1H5R8BB01# ±0.5pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H6R0WB01# ±0.5pF GJM1555C1H					±0.5pF	GJM1555C1H5R3DB01#	
#0.25pF GJM1555C1H5R4CB01# #0.5pF GJM1555C1H5R4DB01# #0.1pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5BB01# #0.25pF GJM1555C1H5R5CB01# #0.5pF GJM1555C1H5R5DB01# #0.5pF GJM1555C1H5R6DB01# #0.1pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.5pF GJM1555C1H5R7BB01# #0.1pF GJM1555C1H5R7BB01# #0.25pF GJM1555C1H5R7DB01# #0.25pF GJM1555C1H5R7DB01# #0.5pF GJM1555C1H5R7BB01# #0.1pF GJM1555C1H5R8BB01# #0.1pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01# #0.1pF GJM1555C1H5R9BB01# #0.1pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H5R9DB01# #0.5pF GJM1555C1H6R0BB01# #0.5pF GJM1555C1H6R0BB01#				5.4pF	±0.05pF	GJM1555C1H5R4WB01#	
±0.5pF GJM1555C1H5R4DB01# ±0.1pF GJM1555C1H5R5WB01# ±0.25pF GJM1555C1H5R5CB01# ±0.25pF GJM1555C1H5R5CB01# ±0.5pF GJM1555C1H5R6WB01# ±0.1pF GJM1555C1H5R6WB01# ±0.25pF GJM1555C1H5R6CB01# ±0.25pF GJM1555C1H5R6CB01# ±0.25pF GJM1555C1H5R6CB01# ±0.05pF GJM1555C1H5R6CB01# ±0.1pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7CB01# ±0.25pF GJM1555C1H5R7CB01# ±0.25pF GJM1555C1H5R7DB01# ±0.5pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8DB01# ±0.25pF GJM1555C1H5R9WB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#					±0.1pF	GJM1555C1H5R4BB01#	
5.5pF ±0.05pF GJM1555C1H5R5WB01#					±0.25pF	GJM1555C1H5R4CB01#	
±0.1pF GJM1555C1H5R5BB01# ±0.25pF GJM1555C1H5R5CB01# ±0.5pF GJM1555C1H5R6WB01# ±0.1pF GJM1555C1H5R6WB01# ±0.25pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6CB01# ±0.5pF GJM1555C1H5R6DB01# 5.7pF ±0.05pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# 5.8pF ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.05pF GJM1555C1H5R9DB01# ±0.05pF GJM1555C1H5R9DB01# ±0.05pF GJM1555C1H5R9DB01# ±0.05pF GJM1555C1H5R9DB01# ±0.05pF GJM1555C1H6R0BB01# ±0.1pF GJM1555C1H6R0BB01#					±0.5pF	GJM1555C1H5R4DB01#	
#0.25pF GJM1555C1H5R5CB01# #0.5pF GJM1555C1H5R6WB01# #0.1pF GJM1555C1H5R6BB01# #0.25pF GJM1555C1H5R6CB01# #0.25pF GJM1555C1H5R6CB01# #0.5pF GJM1555C1H5R6CB01# #0.5pF GJM1555C1H5R7WB01# #0.1pF GJM1555C1H5R7WB01# #0.25pF GJM1555C1H5R7CB01# #0.25pF GJM1555C1H5R7CB01# #0.5pF GJM1555C1H5R8WB01# #0.1pF GJM1555C1H5R8WB01# #0.1pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.25pF GJM1555C1H5R8BB01# #0.5pF GJM1555C1H5R9BB01# #0.1pF GJM1555C1H5R9BB01# #0.1pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H5R9BB01# #0.5pF GJM1555C1H6R0BB01# #0.5pF GJM1555C1H6R0BB01#				5.5pF	±0.05pF	GJM1555C1H5R5WB01#	
±0.5pF GJM1555C1H5R5DB01# ±0.1pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6BB01# ±0.5pF GJM1555C1H5R6BB01# ±0.5pF GJM1555C1H5R6DB01# ±0.1pF GJM1555C1H5R7BB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7DB01# ±0.5pF GJM1555C1H5R8BB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0BB01# ±0.5pF GJM1555C1H6R0BB01#					±0.1pF	GJM1555C1H5R5BB01#	
5.6pF ±0.05pF GJM1555C1H5R6WB01# ±0.1pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6CB01# ±0.5pF GJM1555C1H5R6DB01# ±0.5pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# ±0.5pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8DB01# ±0.25pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9DB01# ±0.25pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#					±0.25pF	GJM1555C1H5R5CB01#	
±0.1pF GJM1555C1H5R6BB01# ±0.25pF GJM1555C1H5R6CB01# ±0.5pF GJM1555C1H5R6CB01# 5.7pF ±0.05pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# 5.8pF ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9WB01# ±0.5pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#					±0.5pF	GJM1555C1H5R5DB01#	
±0.25pF GJM1555C1H5R6CB01# ±0.5pF GJM1555C1H5R6DB01# 5.7pF ±0.05pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7CB01# ±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# ±0.5pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8CB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9WB01# ±0.5pF GJM1555C1H5R9WB01# ±0.5pF GJM1555C1H5R9BB01# ±0.5pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#				5.6pF	±0.05pF	GJM1555C1H5R6WB01#	
±0.5pF GJM1555C1H5R6DB01# 5.7pF ±0.05pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#					±0.1pF	GJM1555C1H5R6BB01#	
5.7pF ±0.05pF GJM1555C1H5R7WB01# ±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# 5.8pF ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.5pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#					±0.25pF	GJM1555C1H5R6CB01#	
±0.1pF GJM1555C1H5R7BB01# ±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# 5.8pF ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.05pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#					±0.5pF	GJM1555C1H5R6DB01#	
±0.25pF GJM1555C1H5R7CB01# ±0.5pF GJM1555C1H5R7DB01# 5.8pF ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.1pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.25pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#				5.7pF	±0.05pF	GJM1555C1H5R7WB01#	
±0.5pF GJM1555C1H5R7DB01# 5.8pF ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.05pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#					±0.1pF	GJM1555C1H5R7BB01#	
5.8pF ±0.05pF GJM1555C1H5R8WB01# ±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# ±0.1pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#					±0.25pF	GJM1555C1H5R7CB01#	
±0.1pF GJM1555C1H5R8BB01# ±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# 5.9pF ±0.05pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9CB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.5pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0WB01#					±0.5pF	GJM1555C1H5R7DB01#	
±0.25pF GJM1555C1H5R8CB01# ±0.5pF GJM1555C1H5R8DB01# 5.9pF ±0.05pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.05pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#				5.8pF	±0.05pF	GJM1555C1H5R8WB01#	
±0.5pF GJM1555C1H5R8DB01# 5.9pF ±0.05pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# ±0.05pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#					±0.1pF	GJM1555C1H5R8BB01#	
5.9pF ±0.05pF GJM1555C1H5R9WB01# ±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# 6.0pF ±0.05pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#					±0.25pF	GJM1555C1H5R8CB01#	
±0.1pF GJM1555C1H5R9BB01# ±0.25pF GJM1555C1H5R9CB01# ±0.5pF GJM1555C1H5R9DB01# 6.0pF ±0.05pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#					±0.5pF	GJM1555C1H5R8DB01#	
±0.25pF				5.9pF	±0.05pF	GJM1555C1H5R9WB01#	
±0.5pF GJM1555C1H5R9DB01# 6.0pF ±0.05pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#					±0.1pF	GJM1555C1H5R9BB01#	
6.0pF ±0.05pF GJM1555C1H6R0WB01# ±0.1pF GJM1555C1H6R0BB01#					±0.25pF	GJM1555C1H5R9CB01#	
±0.1pF GJM1555C1H6R0BB01#					±0.5pF	GJM1555C1H5R9DB01#	
				6.0pF	±0.05pF	GJM1555C1H6R0WB01#	
±0.25pF GJM1555C1H6R0CB01#					±0.1pF	GJM1555C1H6R0BB01#	
					±0.25pF	GJM1555C1H6R0CB01#	

max. Voltage

(→ ■ 1	.0×0.5ı	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	COG	6.0pF	±0.5pF	GJM1555C1H6R0DB01#
			6.1pF	±0.05pF	GJM1555C1H6R1WB01#
				±0.1pF	GJM1555C1H6R1BB01#
				±0.25pF	GJM1555C1H6R1CB01#
				±0.5pF	GJM1555C1H6R1DB01#
			6.2pF	±0.05pF	GJM1555C1H6R2WB01#
				±0.1pF	GJM1555C1H6R2BB01#
				±0.25pF	GJM1555C1H6R2CB01#
				±0.5pF	GJM1555C1H6R2DB01#
			6.3pF	±0.05pF	GJM1555C1H6R3WB01#
				±0.1pF	GJM1555C1H6R3BB01#
				±0.25pF	GJM1555C1H6R3CB01#
				±0.5pF	GJM1555C1H6R3DB01#
			6.4pF	±0.05pF	GJM1555C1H6R4WB01#
				±0.1pF	GJM1555C1H6R4BB01#
				±0.25pF	GJM1555C1H6R4CB01#
				±0.5pF	GJM1555C1H6R4DB01#
			6.5pF	±0.05pF	GJM1555C1H6R5WB01#
				±0.1pF	GJM1555C1H6R5BB01#
				±0.25pF	GJM1555C1H6R5CB01#
				±0.5pF	GJM1555C1H6R5DB01#
			6.6pF	±0.05pF	GJM1555C1H6R6WB01#
				±0.1pF	GJM1555C1H6R6BB01#
				±0.25pF	GJM1555C1H6R6CB01#
				±0.5pF	GJM1555C1H6R6DB01#
			6.7pF	±0.05pF	GJM1555C1H6R7WB01#
				±0.1pF	GJM1555C1H6R7BB01#
				±0.25pF	GJM1555C1H6R7CB01#
				±0.5pF	GJM1555C1H6R7DB01#
			6.8pF	±0.05pF	GJM1555C1H6R8WB01#
				±0.1pF	GJM1555C1H6R8BB01#
				±0.25pF	GJM1555C1H6R8CB01#
				±0.5pF	GJM1555C1H6R8DB01#
			6.9pF	±0.05pF	GJM1555C1H6R9WB01#
				±0.1pF	GJM1555C1H6R9BB01#
				±0.25pF	GJM1555C1H6R9CB01#
				±0.5pF	GJM1555C1H6R9DB01#
			7.0pF	±0.05pF	GJM1555C1H7R0WB01#
				±0.1pF	GJM1555C1H7R0BB01#
				±0.25pF	GJM1555C1H7R0CB01#
				±0.5pF	GJM1555C1H7R0DB01#
			7.1pF	±0.05pF	GJM1555C1H7R1WB01#
				±0.1pF	GJM1555C1H7R1BB01#
				±0.25pF	
				±0.5pF	GJM1555C1H7R1DB01#
			7.2pF	±0.05pF	
				±0.1pF	GJM1555C1H7R2BB01#
				±0.25pF	
				±0.5pF	GJM1555C1H7R2DB01#
			7.3pF	±0.05pF	GJM1555C1H7R3WB01#
				±0.1pF	GJM1555C1H7R3BB01#
				±0.25pF	
				±0.5pF	GJM1555C1H7R3DB01#
			7.4pF	±0.05pF	GJM1555C1H7R4WB01#

Rated	тс			_	
Voltage		Cap.	Tol.	Part Number	
50Vdc	COG	7.4pF	±0.1pF	GJM1555C1H7R4BB01#	
			±0.25pF	GJM1555C1H7R4CB01#	
			±0.5pF	GJM1555C1H7R4DB01#	
		7.5pF	±0.05pF	GJM1555C1H7R5WB01#	
			±0.1pF	GJM1555C1H7R5BB01#	
			±0.25pF	GJM1555C1H7R5CB01#	
			±0.5pF	GJM1555C1H7R5DB01#	
		7.6pF	±0.05pF	GJM1555C1H7R6WB01#	
			±0.1pF	GJM1555C1H7R6BB01#	
			±0.25pF	GJM1555C1H7R6CB01#	
			±0.5pF	GJM1555C1H7R6DB01#	
		7.7pF	±0.05pF	GJM1555C1H7R7WB01#	
			±0.1pF	GJM1555C1H7R7BB01#	
			±0.25pF	GJM1555C1H7R7CB01#	
			±0.5pF	GJM1555C1H7R7DB01#	
		7.8pF	±0.05pF	GJM1555C1H7R8WB01#	
			±0.1pF	GJM1555C1H7R8BB01#	
			±0.25pF	GJM1555C1H7R8CB01#	
			±0.5pF	GJM1555C1H7R8DB01#	
		7.9pF	±0.05pF	GJM1555C1H7R9WB01#	
			±0.1pF	GJM1555C1H7R9BB01#	
			±0.25pF	GJM1555C1H7R9CB01#	
			±0.5pF	GJM1555C1H7R9DB01#	
		8.0pF	±0.05pF	GJM1555C1H8R0WB01#	
		о.ор.	±0.1pF	GJM1555C1H8R0BB01#	
			±0.25pF	GJM1555C1H8R0CB01#	
			±0.5pF	GJM1555C1H8R0DB01#	
		8.1pF	±0.05pF	GJM1555C1H8R1WB01#	
		0.101	±0.1pF	GJM1555C1H8R1BB01#	
			±0.1pi	GJM1555C1H8R1CB01#	
			<u> </u>	GJM1555C1H8R1DB01#	
		0 2nE	±0.5pF		
		8.2pF	±0.05pF	GJM1555C1H8R2WB01#	
			±0.1pF	GJM1555C1H8R2BB01#	
			±0.25pF	GJM1555C1H8R2CB01#	
		0.0-5	±0.5pF	GJM1555C1H8R2DB01#	
		8.3pF	±0.05pF	GJM1555C1H8R3WB01#	
			±0.1pF	GJM1555C1H8R3BB01#	
			±0.25pF	GJM1555C1H8R3CB01#	
		0	±0.5pF	GJM1555C1H8R3DB01#	
		8.4pF	±0.05pF	GJM1555C1H8R4WB01#	
			±0.1pF	GJM1555C1H8R4BB01#	
			±0.25pF	GJM1555C1H8R4CB01#	
			±0.5pF	GJM1555C1H8R4DB01#	
		8.5pF	±0.05pF	GJM1555C1H8R5WB01#	
			±0.1pF	GJM1555C1H8R5BB01#	
			±0.25pF	GJM1555C1H8R5CB01#	
			±0.5pF	GJM1555C1H8R5DB01#	
		8.6pF	±0.05pF	GJM1555C1H8R6WB01#	
			±0.1pF	GJM1555C1H8R6BB01#	
			±0.25pF	GJM1555C1H8R6CB01#	
			±0.5pF	GJM1555C1H8R6DB01#	
		8.7pF	±0.05pF	GJM1555C1H8R7WB01#	
			±0.1pF	GJM1555C1H8R7BB01#	
			±0.25pF	GJM1555C1H8R7CB01#	
		Part nur	nber#indio	ates the package specification	code

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.55mm	50Vdc	COG	8.7pF	±0.5pF	GJM1555C1H8R7DB01#
			8.8pF	±0.05pF	GJM1555C1H8R8WB01#
				±0.1pF	GJM1555C1H8R8BB01#
				±0.25pF	GJM1555C1H8R8CB01#
				±0.5pF	GJM1555C1H8R8DB01#
			8.9pF	±0.05pF	GJM1555C1H8R9WB01#
			·	±0.1pF	GJM1555C1H8R9BB01#
				±0.25pF	GJM1555C1H8R9CB01#
				±0.5pF	GJM1555C1H8R9DB01#
			9.0pF	±0.05pF	GJM1555C1H9R0WB01#
			о.ор.	±0.1pF	GJM1555C1H9R0BB01#
				±0.25pF	GJM1555C1H9R0CB01#
				±0.5pF	GJM1555C1H9R0DB01#
			9.1pF		
			9.1pr	±0.05pF	GJM1555C1H9R1WB01#
				±0.1pF	GJM1555C1H9R1BB01#
				±0.25pF	GJM1555C1H9R1CB01#
			00-	±0.5pF	GJM1555C1H9R1DB01#
			9.2pF	±0.05pF	GJM1555C1H9R2WB01#
				±0.1pF	GJM1555C1H9R2BB01#
				±0.25pF	GJM1555C1H9R2CB01#
				±0.5pF	GJM1555C1H9R2DB01#
			9.3pF	±0.05pF	GJM1555C1H9R3WB01#
				±0.1pF	GJM1555C1H9R3BB01#
				±0.25pF	GJM1555C1H9R3CB01#
				±0.5pF	GJM1555C1H9R3DB01#
			9.4pF	±0.05pF	GJM1555C1H9R4WB01#
				±0.1pF	GJM1555C1H9R4BB01#
				±0.25pF	GJM1555C1H9R4CB01#
				±0.5pF	GJM1555C1H9R4DB01#
			9.5pF	±0.05pF	GJM1555C1H9R5WB01#
				±0.1pF	GJM1555C1H9R5BB01#
			9.6pF	±0.25pF	GJM1555C1H9R5CB01#
				±0.5pF	GJM1555C1H9R5DB01#
				±0.05pF	GJM1555C1H9R6WB01#
				±0.1pF	GJM1555C1H9R6BB01#
				±0.25pF	GJM1555C1H9R6CB01#
				±0.5pF	GJM1555C1H9R6DB01#
			0 7nE	-	GJM1555C1H9R7WB01#
			9.7pF	±0.05pF	
				±0.1pF	GJM1555C1H9R7BB01#
				±0.25pF	GJM1555C1H9R7CB01#
				±0.5pF	GJM1555C1H9R7DB01#
			9.8pF	±0.05pF	GJM1555C1H9R8WB01#
				±0.1pF	GJM1555C1H9R8BB01#
				±0.25pF	GJM1555C1H9R8CB01#
				±0.5pF	GJM1555C1H9R8DB01#
			9.9pF	±0.05pF	GJM1555C1H9R9WB01#
				±0.1pF	GJM1555C1H9R9BB01#
				±0.25pF	GJM1555C1H9R9CB01#
				±0.5pF	GJM1555C1H9R9DB01#
			10pF	±2%	GJM1555C1H100GB01#
				±5%	GJM1555C1H100JB01#
			11pF	±2%	GJM1555C1H110GB01#
			•	±5%	GJM1555C1H110JB01#
			12pF	±2%	GJM1555C1H120GB01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.55mm	50Vdc	COG	12pF	±5%	GJM1555C1H120JB01#
			13pF	±2%	GJM1555C1H130GB01#
				±5%	GJM1555C1H130JB01#
			15pF	±2%	GJM1555C1H150GB01#
				±5%	GJM1555C1H150JB01#
			16pF	±2%	GJM1555C1H160GB01#
				±5%	GJM1555C1H160JB01#
			18pF	±2%	GJM1555C1H180GB01#
				±5%	GJM1555C1H180JB01#
			20pF	±2%	GJM1555C1H200GB01#
				±5%	GJM1555C1H200JB01#
			22pF	±1%	GJM1555C1H220FB01#
				±2%	GJM1555C1H220GB01#
				±5%	GJM1555C1H220JB01#
			24pF	±1%	GJM1555C1H240FB01#
				±2%	GJM1555C1H240GB01#
				±5%	GJM1555C1H240JB01#
			27pF	±1%	GJM1555C1H270FB01#
				±2%	GJM1555C1H270GB01#
				±5%	GJM1555C1H270JB01#
			30pF	±1%	GJM1555C1H300FB01#
				±2%	GJM1555C1H300GB01#
				±5%	GJM1555C1H300JB01#
			33pF	±1%	GJM1555C1H330FB01#
				±2%	GJM1555C1H330GB01#
				±5%	GJM1555C1H330JB01#
			36pF	±1%	GJM1555C1H360FB01#
				±2%	GJM1555C1H360GB01#
				±5%	GJM1555C1H360JB01#
			39pF	±1%	GJM1555C1H390FB01#
				±2%	GJM1555C1H390GB01#
				±5%	GJM1555C1H390JB01#
			43pF	±1%	GJM1555C1H430FB01#
				±2%	GJM1555C1H430GB01#
				±5%	GJM1555C1H430JB01#
			47pF	±1%	GJM1555C1H470FB01#
				±2%	GJM1555C1H470GB01#
				±5%	GJM1555C1H470JB01#
		СК	0.10pF	±0.05pF	GJM1554C1HR10WB01#
				±0.1pF	GJM1554C1HR10BB01#
			0.20pF	±0.05pF	GJM1554C1HR20WB01#
				±0.1pF	GJM1554C1HR20BB01#
			0.30pF	±0.05pF	GJM1554C1HR30WB01#
				±0.1pF	GJM1554C1HR30BB01#
			0.40pF	±0.05pF	GJM1554C1HR40WB01#
				±0.1pF	GJM1554C1HR40BB01#
			0.50pF	±0.05pF	GJM1554C1HR50WB01#
				±0.1pF	GJM1554C1HR50BB01#
					I
			0.60pF	±0.05pF	GJM1554C1HR60WB01#
			0.60pF	±0.05pF ±0.1pF	GJM1554C1HR60WB01# GJM1554C1HR60BB01#
			0.60pF 0.70pF		
			•	±0.1pF	GJM1554C1HR60BB01#
			•	±0.1pF ±0.05pF	GJM1554C1HR60BB01# GJM1554C1HR70WB01# GJM1554C1HR70BB01#

GJM Series GRM Series

GMA Series

GMD Series

GQM Series GRJ Series

GJM Series Temperature Compensating Type Part Number List

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
).55mm	50Vdc	CK	0.90pF	±0.05pF	GJM1554C1HR90WB01#
				±0.1pF	GJM1554C1HR90BB01#
			1.0pF	±0.05pF	GJM1554C1H1R0WB01#
				±0.1pF	GJM1554C1H1R0BB01#
				±0.25pF	GJM1554C1H1R0CB01#
			1.1pF	±0.05pF	GJM1554C1H1R1WB01#
				±0.1pF	GJM1554C1H1R1BB01#
				±0.25pF	GJM1554C1H1R1CB01#
			1.2pF	±0.05pF	GJM1554C1H1R2WB01#
				±0.1pF	GJM1554C1H1R2BB01#
				±0.25pF	GJM1554C1H1R2CB01#
			1.3pF	±0.05pF	GJM1554C1H1R3WB01#
			-1-	±0.1pF	GJM1554C1H1R3BB01#
				±0.25pF	GJM1554C1H1R3CB01#
			1.4pF	±0.05pF	
			1.401	-	
				±0.1pF	GJM1554C1H1R4BB01#
			15-5	±0.25pF	
			1.5pF	±0.05pF	
				±0.1pF	GJM1554C1H1R5BB01#
				±0.25pF	GJM1554C1H1R5CB01#
			1.6pF	±0.05pF	GJM1554C1H1R6WB01#
				±0.1pF	GJM1554C1H1R6BB01#
				±0.25pF	GJM1554C1H1R6CB01#
			1.7pF	±0.05pF	GJM1554C1H1R7WB01#
				±0.1pF	GJM1554C1H1R7BB01#
				±0.25pF	GJM1554C1H1R7CB01#
			1.8pF	±0.05pF	GJM1554C1H1R8WB01#
				±0.1pF	GJM1554C1H1R8BB01#
				±0.25pF	GJM1554C1H1R8CB01#
			1.9pF	±0.05pF	GJM1554C1H1R9WB01#
				±0.1pF	GJM1554C1H1R9BB01#
				±0.25pF	GJM1554C1H1R9CB01#
			2.0pF	±0.05pF	GJM1554C1H2R0WB01#
			F	±0.1pF	GJM1554C1H2R0BB01#
				±0.25pF	
		CJ	2.1pF	±0.05pF	
			p.	±0.1pF	GJM1553C1H2R1BB01#
				±0.1pi	
			2 2nE	-	
			2.2pF	±0.05pF	
				±0.1pF	GJM1553C1H2R2BB01#
			00.5	±0.25pF	
			2.3pF	±0.05pF	
				±0.1pF	GJM1553C1H2R3BB01#
				±0.25pF	
			2.4pF	±0.05pF	
				±0.1pF	GJM1553C1H2R4BB01#
				±0.25pF	GJM1553C1H2R4CB01#
			2.5pF	±0.05pF	GJM1553C1H2R5WB01#
				±0.1pF	GJM1553C1H2R5BB01#
				±0.25pF	GJM1553C1H2R5CB01#
			2.6pF	±0.05pF	GJM1553C1H2R6WB01#
				±0.1pF	GJM1553C1H2R6BB01#
				±0.25pF	GJM1553C1H2R6CB01#
			2.7pF	±0.05pF	

т	Rated	TC			
max.	Voltage		Сар.	Tol.	Part Number
0.55mm	50Vdc	CJ	2.7pF	±0.1pF	GJM1553C1H2R7BB01#
				±0.25pF	GJM1553C1H2R7CB01#
			2.8pF	±0.05pF	GJM1553C1H2R8WB01#
				±0.1pF	GJM1553C1H2R8BB01#
				±0.25pF	GJM1553C1H2R8CB01#
			2.9pF	±0.05pF	GJM1553C1H2R9WB01#
				±0.1pF	GJM1553C1H2R9BB01#
				±0.25pF	GJM1553C1H2R9CB01#
			3.0pF	±0.05pF	GJM1553C1H3R0WB01#
				±0.1pF	GJM1553C1H3R0BB01#
				±0.25pF	GJM1553C1H3R0CB01#
			3.1pF	±0.05pF	GJM1553C1H3R1WB01#
				±0.1pF	GJM1553C1H3R1BB01#
				±0.25pF	GJM1553C1H3R1CB01#
			3.2pF	±0.05pF	GJM1553C1H3R2WB01#
				±0.1pF	GJM1553C1H3R2BB01#
				±0.25pF	GJM1553C1H3R2CB01#
			3.3pF	±0.05pF	GJM1553C1H3R3WB01#
				±0.1pF	GJM1553C1H3R3BB01#
				±0.25pF	GJM1553C1H3R3CB01#
			3.4pF	±0.05pF	GJM1553C1H3R4WB01#
				±0.1pF	GJM1553C1H3R4BB01#
				±0.25pF	GJM1553C1H3R4CB01#
			3.5pF	±0.05pF	GJM1553C1H3R5WB01#
				±0.1pF	GJM1553C1H3R5BB01#
				±0.25pF	GJM1553C1H3R5CB01#
			3.6pF	±0.05pF	GJM1553C1H3R6WB01#
				±0.1pF	GJM1553C1H3R6BB01#
				±0.25pF	GJM1553C1H3R6CB01#
			3.7pF	±0.05pF	GJM1553C1H3R7WB01#
				±0.1pF	GJM1553C1H3R7BB01#
				±0.25pF	GJM1553C1H3R7CB01#
			3.8pF	±0.05pF	GJM1553C1H3R8WB01#
				±0.1pF	GJM1553C1H3R8BB01#
				±0.25pF	GJM1553C1H3R8CB01#
			3.9pF	±0.05pF	GJM1553C1H3R9WB01#
				±0.1pF	GJM1553C1H3R9BB01#
				±0.25pF	GJM1553C1H3R9CB01#
		СН	4.0pF	±0.05pF	GJM1552C1H4R0WB01#
				±0.1pF	GJM1552C1H4R0BB01#
				±0.25pF	GJM1552C1H4R0CB01#
			4.1pF	±0.05pF	GJM1552C1H4R1WB01#
				±0.1pF	GJM1552C1H4R1BB01#
				±0.25pF	GJM1552C1H4R1CB01#
			4.2pF	±0.05pF	GJM1552C1H4R2WB01#
				±0.1pF	GJM1552C1H4R2BB01#
				±0.25pF	GJM1552C1H4R2CB01#
			4.3pF	±0.05pF	GJM1552C1H4R3WB01#
				±0.1pF	GJM1552C1H4R3BB01#
				±0.25pF	GJM1552C1H4R3CB01#
			4.4pF	±0.05pF	GJM1552C1H4R4WB01#
				±0.1pF	GJM1552C1H4R4BB01#
				±0.25pF	GJM1552C1H4R4CB01#
			4.5pF	±0.05pF	GJM1552C1H4R5WB01#

(→ ■ 1	.0×0.5ı	mm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.55mm	50Vdc	СН	4.5pF	±0.1pF	GJM1552C1H4R5BB01#
				±0.25pF	GJM1552C1H4R5CB01#
			4.6pF	±0.05pF	GJM1552C1H4R6WB01#
				±0.1pF	GJM1552C1H4R6BB01#
				±0.25pF	GJM1552C1H4R6CB01#
			4.7pF	±0.05pF	GJM1552C1H4R7WB01#
				±0.1pF	GJM1552C1H4R7BB01#
				±0.25pF	GJM1552C1H4R7CB01#
			4.8pF	±0.05pF	GJM1552C1H4R8WB01#
				±0.1pF	GJM1552C1H4R8BB01#
				±0.25pF	GJM1552C1H4R8CB01#
			4.9pF	±0.05pF	GJM1552C1H4R9WB01#
				±0.1pF	GJM1552C1H4R9BB01#
				±0.25pF	GJM1552C1H4R9CB01#
			5.0pF	±0.05pF	GJM1552C1H5R0WB01#
				±0.1pF	GJM1552C1H5R0BB01#
				±0.25pF	GJM1552C1H5R0CB01#
			5.1pF	±0.05pF	GJM1552C1H5R1WB01#
				±0.1pF	GJM1552C1H5R1BB01#
				±0.25pF	GJM1552C1H5R1CB01#
				±0.5pF	GJM1552C1H5R1DB01#
			5.2pF	±0.05pF	GJM1552C1H5R2WB01#
				±0.1pF	GJM1552C1H5R2BB01#
				±0.25pF	GJM1552C1H5R2CB01#
				±0.5pF	GJM1552C1H5R2DB01#
			5.3pF	±0.05pF	GJM1552C1H5R3WB01#
				±0.1pF	GJM1552C1H5R3BB01#
				±0.25pF	GJM1552C1H5R3CB01#
			F 15F	±0.5pF	GJM1552C1H5R3DB01#
			5.4pF	±0.05pF	GJM1552C1H5R4WB01#
				±0.1pF ±0.25pF	GJM1552C1H5R4BB01# GJM1552C1H5R4CB01#
				±0.25pF	
			5.5pF		GJM1552C1H5R4DB01# GJM1552C1H5R5WB01#
			5.5pr	±0.05pF ±0.1pF	GJM1552C1H5R5WB01#
				±0.1pi	GJM1552C1H5R5CB01#
				±0.5pF	GJM1552C1H5R5DB01#
			5.6pF	±0.05pF	GJM1552C1H5R6WB01#
			J.0pi	±0.1pF	GJM1552C1H5R6BB01#
				±0.25pF	GJM1552C1H5R6CB01#
				±0.5pF	GJM1552C1H5R6DB01#
			5.7pF	±0.05pF	GJM1552C1H5R7WB01#
			3.7 pi	±0.1pF	GJM1552C1H5R7BB01#
				±0.25pF	GJM1552C1H5R7CB01#
				±0.5pF	GJM1552C1H5R7DB01#
			5.8pF	±0.05pF	GJM1552C1H5R8WB01#
			op.	±0.1pF	GJM1552C1H5R8BB01#
				±0.25pF	GJM1552C1H5R8CB01#
				±0.5pF	GJM1552C1H5R8DB01#
			5.9pF	±0.05pF	GJM1552C1H5R9WB01#
				±0.1pF	GJM1552C1H5R9BB01#
				±0.25pF	GJM1552C1H5R9CB01#
				±0.5pF	GJM1552C1H5R9DB01#
			6.0pF	±0.05pF	GJM1552C1H6R0WB01#
			J. J.	_0.00pi	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
).55mm	50Vdc	СН	6.0pF	±0.1pF	GJM1552C1H6R0BB01#	
				±0.25pF	GJM1552C1H6R0CB01#	
				±0.5pF	GJM1552C1H6R0DB01#	
			6.1pF	±0.05pF	GJM1552C1H6R1WB01#	
				±0.1pF	GJM1552C1H6R1BB01#	
				±0.25pF	GJM1552C1H6R1CB01#	
				±0.5pF	GJM1552C1H6R1DB01#	
			6.2pF	±0.05pF	GJM1552C1H6R2WB01#	
				±0.1pF	GJM1552C1H6R2BB01#	
				±0.25pF	GJM1552C1H6R2CB01#	
				±0.5pF	GJM1552C1H6R2DB01#	
			6.3pF	±0.05pF	GJM1552C1H6R3WB01#	
				±0.1pF	GJM1552C1H6R3BB01#	
				±0.25pF	GJM1552C1H6R3CB01#	
				±0.5pF	GJM1552C1H6R3DB01#	
			6.4pF	±0.05pF	GJM1552C1H6R4WB01#	
				±0.1pF	GJM1552C1H6R4BB01#	
				±0.25pF	GJM1552C1H6R4CB01#	
				±0.5pF	GJM1552C1H6R4DB01#	
			6.5pF	±0.05pF	GJM1552C1H6R5WB01#	
				±0.1pF	GJM1552C1H6R5BB01#	
				±0.25pF	GJM1552C1H6R5CB01#	
				±0.5pF	GJM1552C1H6R5DB01#	
			6.6pF	±0.05pF	GJM1552C1H6R6WB01#	
				±0.1pF	GJM1552C1H6R6BB01#	
				±0.25pF	GJM1552C1H6R6CB01#	
				±0.5pF	GJM1552C1H6R6DB01#	
			6.7pF	±0.05pF	GJM1552C1H6R7WB01#	
				±0.1pF	GJM1552C1H6R7BB01#	
				±0.25pF	GJM1552C1H6R7CB01#	
				±0.5pF	GJM1552C1H6R7DB01#	
			6.8pF	±0.05pF	GJM1552C1H6R8WB01#	
				±0.1pF	GJM1552C1H6R8BB01#	
				±0.25pF	GJM1552C1H6R8CB01#	
				±0.5pF	GJM1552C1H6R8DB01#	
			6.9pF	±0.05pF	GJM1552C1H6R9WB01#	
				±0.1pF	GJM1552C1H6R9BB01#	
				±0.25pF	GJM1552C1H6R9CB01#	
				±0.5pF	GJM1552C1H6R9DB01#	
			7.0pF	±0.05pF	GJM1552C1H7R0WB01#	
				±0.1pF	GJM1552C1H7R0BB01#	
				±0.25pF	GJM1552C1H7R0CB01#	
				±0.5pF	GJM1552C1H7R0DB01#	
			7.1pF	±0.05pF	GJM1552C1H7R1WB01#	
				±0.1pF	GJM1552C1H7R1BB01#	
				±0.25pF	GJM1552C1H7R1CB01#	
				±0.5pF	GJM1552C1H7R1DB01#	
			7.2pF	±0.05pF	GJM1552C1H7R2WB01#	
				±0.1pF	GJM1552C1H7R2BB01#	
				±0.25pF	GJM1552C1H7R2CB01#	
				±0.5pF	GJM1552C1H7R2DB01#	
			7.3pF	±0.05pF	GJM1552C1H7R3WB01#	
						_
				±0.1pF	GJM1552C1H7R3BB01#	

GRM Series

GMA Series **GMD** Series

GQM Series

GRJ Series GR3 Series

KRM Series

KR3 Series

LLA Series

LLM Series LLR Series

GJM Series Temperature Compensating Type Part Number List

max.

0.55mm 50Vdc

(→ ■ 1	.0×0.5ı	mm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	СН	7.3pF	±0.5pF	GJM1552C1H7R3DB01#
			7.4pF	±0.05pF	GJM1552C1H7R4WB01#
				±0.1pF	GJM1552C1H7R4BB01#
				±0.25pF	GJM1552C1H7R4CB01#
				±0.5pF	GJM1552C1H7R4DB01#
			7.5pF	±0.05pF	GJM1552C1H7R5WB01#
				±0.1pF	GJM1552C1H7R5BB01#
				±0.25pF	GJM1552C1H7R5CB01#
				±0.5pF	GJM1552C1H7R5DB01#
			7.6pF	±0.05pF	GJM1552C1H7R6WB01#
				±0.1pF	GJM1552C1H7R6BB01#
				±0.25pF	GJM1552C1H7R6CB01#
				±0.5pF	GJM1552C1H7R6DB01#
			7.7pF	±0.05pF	GJM1552C1H7R7WB01#
				±0.1pF	GJM1552C1H7R7BB01#
				±0.25pF	GJM1552C1H7R7CB01#
				±0.5pF	GJM1552C1H7R7DB01#
			7.8pF	±0.05pF	GJM1552C1H7R8WB01#
				±0.1pF	GJM1552C1H7R8BB01#
				±0.25pF	GJM1552C1H7R8CB01#
				±0.5pF	GJM1552C1H7R8DB01#
			7.9pF	±0.05pF	GJM1552C1H7R9WB01#
				±0.1pF	GJM1552C1H7R9BB01#
				±0.25pF	GJM1552C1H7R9CB01#
				±0.5pF	GJM1552C1H7R9DB01#
			8.0pF	±0.05pF	GJM1552C1H8R0WB01#
				±0.1pF	GJM1552C1H8R0BB01#
				±0.25pF	GJM1552C1H8R0CB01#
				±0.5pF	GJM1552C1H8R0DB01#
			8.1pF	±0.05pF	GJM1552C1H8R1WB01#
				±0.1pF	GJM1552C1H8R1BB01#
				±0.25pF	
				±0.5pF	GJM1552C1H8R1DB01#
			8.2pF	±0.05pF	GJM1552C1H8R2WB01#
				±0.1pF	GJM1552C1H8R2BB01#
				±0.25pF	
				±0.5pF	GJM1552C1H8R2DB01#
			8.3pF	±0.05pF	
				±0.1pF	GJM1552C1H8R3BB01#
				±0.25pF	
			0.4.5	±0.5pF	GJM1552C1H8R3DB01#
			8.4pF	±0.05pF	
				±0.1pF	GJM1552C1H8R4BB01#
					GJM1552C1H8R4CB01#
			0.5-5	±0.5pF	GJM1552C1H8R4DB01#
			8.5pF	±0.05pF	
				±0.1pF	GJM1552C1H8R5BB01#
				±0.25pF	
			8 6 n E	±0.5pF	GJM1552C1H8R5DB01# GJM1552C1H8R6WB01#
			8.6pF	±0.05pF	GJM1552C1H8R6WB01#
				±0.1pF	
				±0.25pF ±0.5pF	GJM1552C1H8R6DB01#
			8 7n=	-	
			8.7pF	±0.05pF	GJM1552C1H8R7WB01#

Rated Voltage	TC Code	Сар.	Tol.	Part Number	
50Vdc	СН	8.7pF	±0.1pF	GJM1552C1H8R7BB01#	
			±0.25pF	GJM1552C1H8R7CB01#	
			±0.5pF	GJM1552C1H8R7DB01#	
		8.8pF	±0.05pF	GJM1552C1H8R8WB01#	
			±0.1pF	GJM1552C1H8R8BB01#	
			±0.25pF	GJM1552C1H8R8CB01#	
			±0.5pF	GJM1552C1H8R8DB01#	
		8.9pF	±0.05pF	GJM1552C1H8R9WB01#	
			±0.1pF	GJM1552C1H8R9BB01#	
			±0.25pF	GJM1552C1H8R9CB01#	
			±0.5pF	GJM1552C1H8R9DB01#	
		9.0pF	±0.05pF	GJM1552C1H9R0WB01#	
			±0.1pF	GJM1552C1H9R0BB01#	
			±0.25pF	GJM1552C1H9R0CB01#	
			±0.5pF	GJM1552C1H9R0DB01#	
		9.1pF	±0.05pF	GJM1552C1H9R1WB01#	
			±0.1pF	GJM1552C1H9R1BB01#	
			±0.25pF	GJM1552C1H9R1CB01#	
			±0.5pF	GJM1552C1H9R1DB01#	
		9.2pF	±0.05pF	GJM1552C1H9R2WB01#	
			±0.1pF	GJM1552C1H9R2BB01#	
			±0.25pF	GJM1552C1H9R2CB01#	
			±0.5pF	GJM1552C1H9R2DB01#	
		9.3pF	±0.05pF	GJM1552C1H9R3WB01#	
			±0.1pF	GJM1552C1H9R3BB01#	
			±0.25pF	GJM1552C1H9R3CB01#	
			±0.5pF	GJM1552C1H9R3DB01#	
		9.4pF	±0.05pF	GJM1552C1H9R4WB01#	
			±0.1pF	GJM1552C1H9R4BB01#	
			±0.25pF	GJM1552C1H9R4CB01#	
		0.5-5	±0.5pF	GJM1552C1H9R4DB01#	
		9.5pF	±0.05pF ±0.1pF	GJM1552C1H9R5WB01# GJM1552C1H9R5BB01#	
			±0.1pi	GJM1552C1H9R5CB01#	
			±0.5pF	GJM1552C1H9R5DB01#	
		9.6pF	±0.05pF	GJM1552C1H9R6WB01#	
		0.001	±0.1pF	GJM1552C1H9R6BB01#	
			±0.25pF	GJM1552C1H9R6CB01#	
			±0.5pF	GJM1552C1H9R6DB01#	
		9.7pF	±0.05pF	GJM1552C1H9R7WB01#	
		1	±0.1pF	GJM1552C1H9R7BB01#	
			±0.25pF	GJM1552C1H9R7CB01#	
			±0.5pF	GJM1552C1H9R7DB01#	
		9.8pF	±0.05pF	GJM1552C1H9R8WB01#	
			±0.1pF	GJM1552C1H9R8BB01#	
			±0.25pF	GJM1552C1H9R8CB01#	
			±0.5pF	GJM1552C1H9R8DB01#	
		9.9pF	±0.05pF	GJM1552C1H9R9WB01#	
			±0.1pF	GJM1552C1H9R9BB01#	
			±0.25pF	GJM1552C1H9R9CB01#	
			±0.5pF	GJM1552C1H9R9DB01#	
		10pF	±2%	GJM1552C1H100GB01#	
			±5%	GJM1552C1H100JB01#	
		11pF	±2%	GJM1552C1H110GB01#	
		Part nur	nber # indic	cates the package specification	code.

muRata

0.55mm 50Vdc CH 11pF ±5% GJM1552C1H10JB01# ±2% GJM1552C1H10JB01# ±5% GJM1552C1H10JB01# ±5% GJM1552C1H10JB01# ±5% GJM1552C1H130JB01# ±5% GJM1552C1H130JB01# ±5% GJM1552C1H150JB01# ±5% GJM1552C1H150JB01# ±5% GJM1552C1H150JB01# ±5% GJM1552C1H160JB01# ±5% GJM1552C1H160JB01# ±5% GJM1552C1H160JB01# ±5% GJM1552C1H180JB01# ±5% GJM1552C1H200JB01# ±5% GJM1552C1H200JB01# ±5% GJM1552C1H20JB01# ±2% GJM1552C1H220JB01# ±2% GJM1552C1H220JB01# ±2% GJM1552C1H240JB01# ±2% GJM1552C1H240JB01# ±2% GJM1552C1H270JB01# ±2% GJM1552C1H270JB01# ±2% GJM1552C1H270JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H430GB01# T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number			
### ### ##############################	0.55mm	50Vdc	СН	11pF	±5%	GJM1552C1H110JB01#		
13pF ±2% GJM1552C1H130JB01# ±5% GJM1552C1H150JB01# ±5% GJM1552C1H150JB01# ±5% GJM1552C1H150JB01# 16pF ±2% GJM1552C1H160JB01# ±5% GJM1552C1H160JB01# ±5% GJM1552C1H160JB01# 20pF ±2% GJM1552C1H180JB01# 20pF ±2% GJM1552C1H200JB01# ±5% GJM1552C1H20JB01# 22pF ±1% GJM1552C1H220JB01# ±2% GJM1552C1H220JB01# ±2% GJM1552C1H220JB01# ±2% GJM1552C1H240GB01# ±5% GJM1552C1H240JB01# ±2% GJM1552C1H240JB01# 27pF ±1% GJM1552C1H240JB01# ±2% GJM1552C1H240JB01# ±5% GJM1552C1H270JB01# 30pF ±1% GJM1552C1H270JB01# ±2% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#				12pF	±2%	GJM1552C1H120GB01#		
#5% GJM1552C1H130JB01# #5% GJM1552C1H150GB01# #5% GJM1552C1H150JB01# #5% GJM1552C1H160GB01# #5% GJM1552C1H160GB01# #5% GJM1552C1H160JB01# #5% GJM1552C1H160JB01# #5% GJM1552C1H180GB01# #5% GJM1552C1H180JB01# #5% GJM1552C1H180JB01# #5% GJM1552C1H200GB01# #5% GJM1552C1H200JB01# #5% GJM1552C1H20JB01# #5% GJM1552C1H220JB01# #5% GJM1552C1H220JB01# #5% GJM1552C1H240FB01# #5% GJM1552C1H240JB01# #5% GJM1552C1H240JB01# #5% GJM1552C1H240JB01# #5% GJM1552C1H240JB01# #5% GJM1552C1H270JB01# #5% GJM1552C1H270JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H30JB01# #5% GJM1552C1H30JB01# #5% GJM1552C1H30JB01# #5% GJM1552C1H30JB01# #5% GJM1552C1H30JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H390JB01# #5% GJM1552C1H390JB01# #5% GJM1552C1H390JB01# #5% GJM1552C1H390JB01# #5% GJM1552C1H390JB01# #5% GJM1552C1H390JB01#					±5%	GJM1552C1H120JB01#		
15pF ±2% GJM1552C1H150GB01# ±5% GJM1552C1H160JB01# 16pF ±2% GJM1552C1H160JB01# ±5% GJM1552C1H160JB01# 18pF ±2% GJM1552C1H180GB01# ±5% GJM1552C1H180JB01# 20pF ±2% GJM1552C1H200JB01# ±5% GJM1552C1H20JB01# 22pF ±1% GJM1552C1H220GB01# ±2% GJM1552C1H220JB01# ±2% GJM1552C1H220JB01# 24pF ±1% GJM1552C1H240FB01# ±2% GJM1552C1H240JB01# 27pF ±1% GJM1552C1H240JB01# ±5% GJM1552C1H240JB01# 27pF ±1% GJM1552C1H270FB01# ±2% GJM1552C1H270JB01# 30pF ±1% GJM1552C1H270JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# 33pF ±1% GJM1552C1H30JB01# ±2% GJM1552C1H30JB01# ±2% GJM1552C1H30JB01# 33pF ±1% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#				13pF	±2%	GJM1552C1H130GB01#		
### ### ##############################					±5%	GJM1552C1H130JB01#		
16pF ±2% GJM1552C1H160GB01# ±5% GJM1552C1H160JB01# 18pF ±2% GJM1552C1H180JB01# ±5% GJM1552C1H180JB01# ±5% GJM1552C1H200GB01# ±5% GJM1552C1H200JB01# ±5% GJM1552C1H220GB01# ±5% GJM1552C1H220GB01# ±5% GJM1552C1H220JB01# ±5% GJM1552C1H240GB01# ±5% GJM1552C1H240JB01# ±5% GJM1552C1H240JB01# ±5% GJM1552C1H270GB01# ±5% GJM1552C1H270GB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H30JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H390JB01#				15pF	±2%	GJM1552C1H150GB01#		
### ### ##############################					±5%	GJM1552C1H150JB01#		
18pF ±2% GJM1552C1H180GB01# ±5% GJM1552C1H180JB01# 20pF ±2% GJM1552C1H200GB01# ±5% GJM1552C1H200GB01# ±5% GJM1552C1H220FB01# ±2% GJM1552C1H220GB01# ±5% GJM1552C1H220JB01# ±2% GJM1552C1H240GB01# ±5% GJM1552C1H240GB01# ±5% GJM1552C1H240JB01# ±2% GJM1552C1H270FB01# ±2% GJM1552C1H270GB01# ±5% GJM1552C1H270JB01# ±2% GJM1552C1H270JB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300JB01# ±2% GJM1552C1H300GB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H360GB01# ±2% GJM1552C1H360GB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#				16pF	±2%	GJM1552C1H160GB01#		
### ### ##############################					±5%	GJM1552C1H160JB01#		
20pF ±2% GJM1552C1H200GB01# ±5% GJM1552C1H220FB01# ±2% GJM1552C1H220GB01# ±2% GJM1552C1H220GB01# ±5% GJM1552C1H220JB01# ±5% GJM1552C1H240FB01# ±2% GJM1552C1H240GB01# ±5% GJM1552C1H240GB01# ±5% GJM1552C1H240JB01# ±5% GJM1552C1H270FB01# ±2% GJM1552C1H270GB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H300GB01# ±5% GJM1552C1H300GB01# ±2% GJM1552C1H330GB01# ±5% GJM1552C1H330GB01# ±5% GJM1552C1H330GB01# ±2% GJM1552C1H330GB01# ±5% GJM1552C1H330GB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01#				18pF	±2%	GJM1552C1H180GB01#		
### ### ##############################					±5%	GJM1552C1H180JB01#		
22pF ±1% GJM1552C1H220FB01# ±2% GJM1552C1H220GB01# ±5% GJM1552C1H220JB01# 24pF ±1% GJM1552C1H240FB01# ±2% GJM1552C1H240JB01# ±5% GJM1552C1H240JB01# ±5% GJM1552C1H270FB01# ±2% GJM1552C1H270GB01# ±2% GJM1552C1H270JB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H300FB01# ±2% GJM1552C1H300JB01# ±2% GJM1552C1H300JB01# ±5% GJM1552C1H330GB01# ±5% GJM1552C1H330GB01# ±5% GJM1552C1H330JB01# ±2% GJM1552C1H330JB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01#				20pF	±2%	GJM1552C1H200GB01#		
±2% GJM1552C1H220GB01# ±5% GJM1552C1H220JB01# 24pF ±1% GJM1552C1H240FB01# ±2% GJM1552C1H240GB01# ±5% GJM1552C1H240JB01# ±5% GJM1552C1H270FB01# ±2% GJM1552C1H270GB01# ±5% GJM1552C1H270JB01# 30pF ±1% GJM1552C1H300FB01# ±2% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330GB01# ±5% GJM1552C1H330GB01# ±2% GJM1552C1H330JB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01#					±5%	GJM1552C1H200JB01#		
### ### ##############################				22pF	±1%	GJM1552C1H220FB01#		
24pF ±1% GJM1552C1H240FB01# ±2% GJM1552C1H240GB01# ±5% GJM1552C1H240JB01# 27pF ±1% GJM1552C1H270FB01# ±2% GJM1552C1H270JB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H300FB01# ±2% GJM1552C1H300GB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330FB01# ±5% GJM1552C1H330FB01# ±2% GJM1552C1H330GB01# ±2% GJM1552C1H330JB01# 36pF ±1% GJM1552C1H360FB01# ±2% GJM1552C1H360JB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H390JB01# ±5% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01#				·	±2%	GJM1552C1H220GB01#		
±2% GJM1552C1H240GB01# ±5% GJM1552C1H240JB01# 27pF ±1% GJM1552C1H270FB01# ±2% GJM1552C1H270GB01# ±5% GJM1552C1H270JB01# ±5% GJM1552C1H300FB01# ±2% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330GB01# ±5% GJM1552C1H330GB01# ±2% GJM1552C1H330JB01# ±2% GJM1552C1H330JB01# ±5% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±5% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±2% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01#					±5%	GJM1552C1H220JB01#		
#5% GJM1552C1H240JB01# #27pF #1% GJM1552C1H270FB01# #28 GJM1552C1H270GB01# #5% GJM1552C1H270JB01# #5% GJM1552C1H300FB01# #2% GJM1552C1H300GB01# #5% GJM1552C1H300JB01# #5% GJM1552C1H30JB01# #5% GJM1552C1H330GB01# #2% GJM1552C1H330GB01# #5% GJM1552C1H330JB01# #5% GJM1552C1H360GB01# #2% GJM1552C1H360GB01# #5% GJM1552C1H360JB01# #5% GJM1552C1H360JB01# #5% GJM1552C1H390GB01# #5% GJM1552C1H390GB01# #5% GJM1552C1H390GB01# #5% GJM1552C1H390GB01# #5% GJM1552C1H390JB01# #5% GJM1552C1H390JB01#				24pF	±1%	GJM1552C1H240FB01#		
27pF ±1% GJM1552C1H270FB01# ±2% GJM1552C1H270GB01# ±5% GJM1552C1H270JB01# 30pF ±1% GJM1552C1H300FB01# ±2% GJM1552C1H300GB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330FB01# ±2% GJM1552C1H330GB01# ±2% GJM1552C1H330JB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H360GB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#					±2%	GJM1552C1H240GB01#		
±2% GJM1552C1H270GB01# ±5% GJM1552C1H270JB01# 30pF ±1% GJM1552C1H300FB01# ±2% GJM1552C1H300GB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330FB01# ±2% GJM1552C1H330GB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H360FB01# ±2% GJM1552C1H360GB01# ±2% GJM1552C1H360JB01# ±5% GJM1552C1H390JB01# ±5% GJM1552C1H390GB01# ±2% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#					±5%	GJM1552C1H240JB01#		
±5% GJM1552C1H270JB01# 30pF ±1% GJM1552C1H300FB01# ±2% GJM1552C1H300JB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330FB01# ±2% GJM1552C1H330JB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H360JB01# ±2% GJM1552C1H360JB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±2% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#				27pF	±1%	GJM1552C1H270FB01#		
30pF ±1% GJM1552C1H300FB01# ±2% GJM1552C1H300GB01# ±5% GJM1552C1H300JB01# ±5% GJM1552C1H330FB01# ±2% GJM1552C1H330GB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H360FB01# ±2% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±2% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#					±2%	GJM1552C1H270GB01#		
±2% GJM1552C1H300GB01# ±5% GJM1552C1H300JB01# 33pF ±1% GJM1552C1H330FB01# ±2% GJM1552C1H330JB01# ±5% GJM1552C1H330JB01# ±5% GJM1552C1H360FB01# ±2% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01# ±4% GJM1552C1H390JB01#					±5%	GJM1552C1H270JB01#		
### ### ##############################				30pF	±1%	GJM1552C1H300FB01#		
33pF ±1% GJM1552C1H330FB01# ±2% GJM1552C1H330GB01# ±5% GJM1552C1H330JB01# 36pF ±1% GJM1552C1H360FB01# ±2% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# 25% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H390JB01#					±2%	GJM1552C1H300GB01#		
±2% GJM1552C1H330GB01# ±5% GJM1552C1H330JB01# 36pF ±1% GJM1552C1H360FB01# ±2% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# ±5% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±2% GJM1552C1H390JB01# ±5% GJM1552C1H390JB01#					±5%	GJM1552C1H300JB01#		
±5% GJM1552C1H330JB01# 36pF ±1% GJM1552C1H360FB01# ±2% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# 39pF ±1% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H430FB01#				33pF	±1%	GJM1552C1H330FB01#		
36pF ±1% GJM1552C1H360FB01# ±2% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# 39pF ±1% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H430FB01#					±2%	GJM1552C1H330GB01#		
±2% GJM1552C1H360GB01# ±5% GJM1552C1H360JB01# 39pF ±1% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H430FB01#					±5%	GJM1552C1H330JB01#		
±5% GJM1552C1H360JB01# 39pF ±1% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H430FB01#						36pF	±1%	GJM1552C1H360FB01#
39pF ±1% GJM1552C1H390FB01# ±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H430FB01#					±2%	GJM1552C1H360GB01#		
±2% GJM1552C1H390GB01# ±5% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H430FB01#					±5%	GJM1552C1H360JB01#		
±5% GJM1552C1H390JB01# 43pF ±1% GJM1552C1H430FB01#				39pF	±1%	GJM1552C1H390FB01#		
43pF ±1% GJM1552C1H430FB01#					±2%	GJM1552C1H390GB01#		
					±5%	GJM1552C1H390JB01#		
±2% GJM1552C1H430GB01#				43pF	±1%	GJM1552C1H430FB01#		
					±2%	GJM1552C1H430GB01#		
±5% GJM1552C1H430JB01#					±5%	GJM1552C1H430JB01#		
47pF ±1% GJM1552C1H470FB01#				47pF	±1%	GJM1552C1H470FB01#		
±2% GJM1552C1H470GB01#					±2%	GJM1552C1H470GB01#		
±5% GJM1552C1H470JB01#					±5%	GJM1552C1H470JB01#		

Top & Bottom Electrode Type for Bonding

GMA Series




This capacitor is suitable for wire bonding mounting by the external electrodes of

Mounting in IC packages is also possible with the upper/lower electrode structure!

Features

Allows for high density mounting.

Noise can be reduced by eliminating the routing of the wire, and high efficiency can be achieved with a built-in capacitor in a package, such as IC. Miniaturization of the set is also possible.




Ideal for bypass applications.

Achieved small size and large capacity with a multilayer structure.


Excellent in high frequency characteristics.

Since the capacitor consists of an upper/lower electrode structure, the current path becomes shorter and lowers the ESL. Compared with the general purpose GRM series of the same capacity, the impedance of this product becomes lower at high frequencies.



Specifications

Size	0.38×0.38mm to 0.8×0.8mm
Rated Voltage	DC6.3V to 100V
Capacitance	100pF to 0.47μF
Main Applications	Optical communication related equipment Various device related, such as GaAsIC (mounted in IC packages) Measuring instruments, other ultra compact/thin devices



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.



GMA Series High Dielectric Constant Type Part Number List

■ 0.38×0.38mm Ultra-

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.35mm	10Vdc	X7R	1000pF	±20%	GMA0D3R71A102MA01#
			1500pF	±20%	GMA0D3R71A152MA01#
			1800pF	±20%	GMA0D3R71A182MA01#
			10000pF	±20%	GMA0D3R71A103MA01#
		R	1000pF	±20%	GMA0D3R11A102MA01#
			1500pF	±20%	GMA0D3R11A152MA01#
			1800pF	±20%	GMA0D3R11A182MA01#
			10000pF	±20%	GMA0D3R11A103MA01#
		В	1000pF	±20%	GMA0D3B11A102MA01#
			1500pF	±20%	GMA0D3B11A152MA01#
			1900pE	+20%	GMA0D3B11A182MA01#

■ 0.5×0.5mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.4mm	100Vdc	X7R	100pF	±20%	GMA05XR72A101MA01#
			150pF	±20%	GMA05XR72A151MA01#
			220pF	±20%	GMA05XR72A221MA01#
			330pF	±20%	GMA05XR72A331MA01#
			470pF	±20%	GMA05XR72A471MA01#
			680pF	±20%	GMA05XR72A681MA01#
			1000pF	±20%	GMA05XR72A102MA01#
	25Vdc	X7R	1500pF	±20%	GMA05XR71E152MA11#
			2200pF	±20%	GMA05XR71E222MA11#
			3300pF	±20%	GMA05XR71E332MA11#
			4700pF	±20%	GMA05XR71E472MA11#
		В	1500pF	±20%	GMA05XB31E152MA11#
			2200pF	±20%	GMA05XB31E222MA11#
			3300pF	±20%	GMA05XB31E332MA11#
			4700pF	±20%	GMA05XB31E472MA11#
	10Vdc	X7R	6800pF	±20%	GMA05XR71A682MA01#
			10000pF	±20%	GMA05XR71A103MA01#
			15000pF	±20%	GMA05XR71A153MA01#
			22000pF	±20%	GMA05XR71A223MA01#
			6800pF	±20%	GMA05XR11A682MA01#
			10000pF	±20%	GMA05XR11A103MA01#
			15000pF	±20%	GMA05XR11A153MA01#
			22000pF	±20%	GMA05XR11A223MA01#
		В	6800pF	±20%	GMA05XB11A682MA01#
			10000pF	±20%	GMA05XB11A103MA01#
			15000pF	±20%	GMA05XB11A153MA01#
			22000pF	±20%	GMA05XB11A223MA01#
	6.3Vdc	X5R	0.10µF	±20%	GMA05XR60J104ME12#
		В	0.10µF	±20%	GMA05XB30J104ME12#

■ 0.8×0.8mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.6mm	100Vdc	X7R	1500pF	±20%	GMA085R72A152MA01#	
			2200pF	±20%	GMA085R72A222MA01#	

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.6mm	100Vdc	X7R	3300pF	±20%	GMA085R72A332MA01#
			4700pF	±20%	GMA085R72A472MA01#
			6800pF	±20%	GMA085R72A682MA01#
	25Vdc	X7R	10000pF	±20%	GMA085R71E103MA11#
			15000pF	±20%	GMA085R71E153MA11#
			22000pF	±20%	GMA085R71E223MA11#
		В	10000pF	±20%	GMA085B31E103MA11#
			15000pF	±20%	GMA085B31E153MA11#
			22000pF	±20%	GMA085B31E223MA11#
	10Vdc	X7R	33000pF	±20%	GMA085R71A333MA01#
			47000pF	±20%	GMA085R71A473MA01#
			68000pF	±20%	GMA085R71A683MA01#
			0.10µF	±20%	GMA085R71A104MA01#
		R	33000pF	±20%	GMA085R11A333MA01#
			47000pF	±20%	GMA085R11A473MA01#
			68000pF	±20%	GMA085R11A683MA01#
			0.10µF	±20%	GMA085R11A104MA01#
		В	33000pF	±20%	GMA085B11A333MA01#
			47000pF	±20%	GMA085B11A473MA01#
			68000pF	±20%	GMA085B11A683MA01#
			0.10µF	±20%	GMA085B11A104MA01#
	6.3Vdc	X5R	0.47µF	±20%	GMA085R60J474ME12#
		В	0.47µF	±20%	GMA085B30J474ME12#

LLR Series

Product for Bonding/AuSn Soldering

GMD Series




This capacitor is compatible to wire bonding mounting by the external electrodes of Au plating.

Features

Can be mounted by wire bonding and AuSn soldering.

Since the external electrodes are based on the Au plating specification, mounting by wire/die bonding is possible.



Ideal for mounting in packages, such as optical communication related devices, IC and etc.


Noise can be reduced by eliminating the routing of the wire, and high efficiency can be achieved with a built-in capacitor in the package, such as TO-CAN, IC and etc. by wire bonding mounting.

Contributes to the miniaturization of the set.

Murata offers a lineup of small size products, such as the 0603 (0201) and 1005 (0402) in mm (inch).

Specifications

Size	0.6×0.3mm to 1.0×0.5mm		
Rated Voltage	DC6.3V to 50V		
Capacitance	100pF to 1.0μF		
Main Applications	Optical communication related equipment Mounting in IC packages		



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.

GMD Series High Dielectric Constant Type Part Number List

■ 0.6×	×0.3mı	m comp	ra- pact		
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.33mm	25Vdc	X7R	100pF	±10%	GMD033R71E101KA01#
			120pF	±10%	GMD033R71E121KA01#
			150pF	±10%	GMD033R71E151KA01#
			180pF	±10%	GMD033R71E181KA01#
			220pF	±10%	GMD033R71E221KA01#
			270pF	±10%	GMD033R71E271KA01#
			330pF	±10%	GMD033R71E331KA01#
			390pF	±10%	GMD033R71E391KA01#
			470pF	±10%	GMD033R71E471KA01#
			560pF	±10%	GMD033R71E561KA01#
			680pF	±10%	GMD033R71E681KA01#
			820pF	±10%	GMD033R71E821KA01#
			1000pF	±10%	GMD033R71E102KA01#
			1200pF	±10%	GMD033R71E122KA01#
			1500pF	±10%	GMD033R71E152KA01#
		R	100pF	±10%	GMD033R11E101KA01#
			120pF	±10%	GMD033R11E121KA01#
			150pF	±10%	GMD033R11E151KA01#
			180pF	±10%	GMD033R11E181KA01#
			220pF	±10%	GMD033R11E221KA01#
			270pF	±10%	GMD033R11E271KA01#
			330pF	±10%	GMD033R11E331KA01#
			390pF	±10%	GMD033R11E391KA01#
			470pF	±10%	GMD033R11E471KA01#
			560pF	±10%	GMD033R11E561KA01#
			680pF	±10%	GMD033R11E681KA01#
			820pF	±10%	GMD033R11E821KA01#
			1000pF	±10%	GMD033R11E102KA01#
			1200pF	±10%	GMD033R11E122KA01#
			1500pF	±10%	GMD033R11E152KA01#
		В	100pF	±10%	GMD033B11E101KA01#
			120pF	±10%	GMD033B11E121KA01#
			150pF	±10%	GMD033B11E151KA01#
			180pF	±10%	GMD033B11E181KA01#
			220pF 270pF	±10%	GMD033B11E221KA01# GMD033B11E271KA01#
			· '	±10%	
			330pF	±10%	GMD033B11E331KA01# GMD033B11E391KA01#
			390pF	±10%	GMD033B11E471KA01#
			470pF	±10%	
			560pF	±10%	GMD033B11E561KA01#
			680pF	±10%	GMD033B11E681KA01# GMD033B11E821KA01#
			820pF	±10%	
			1000pF	±10%	GMD033B11E102KA01#
			1200pF	±10%	GMD033B11E122KA01#
	16//4-	VZD	1500pF	±10%	GMD033B11E152KA01#
	16Vdc	X7R	1800pF	±10%	GMD033R71C182KA11#
			2200pF	±10%	GMD033R71C222KA11#
			2700pF	±10%	GMD033R71C272KA11#
		В	3300pF	±10%	GMD033R71C332KA11#
		R	1800pF	±10%	GMD033R11C182KA11#
			2200pF	±10%	GMD033R11C222KA11#
			2700pF	±10%	GMD033R11C272KA11#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.33mm	16Vdc	R	3300pF	±10%	GMD033R11C332KA11#	
		В	1800pF	±10%	GMD033B31C182KA11#	
			2200pF	±10%	GMD033B31C222KA11#	
			2700pF	±10%	GMD033B31C272KA11#	
			3300pF	±10%	GMD033B31C332KA11#	
	10Vdc	X7R	3900pF	±10%	GMD033R71A392KA01#	
			4700pF	±10%	GMD033R71A472KA01#	
			5600pF	±10%	GMD033R71A562KA01#	
			6800pF	±10%	GMD033R71A682KA01#	
			8200pF	±10%	GMD033R71A822KA01#	
			10000pF	±10%	GMD033R71A103KA01#	
		R	3900pF	±10%	GMD033R11A392KA01#	
			4700pF	±10%	GMD033R11A472KA01#	
			5600pF	±10%	GMD033R11A562KA01#	
			6800pF	±10%	GMD033R11A682KA01#	
			8200pF	±10%	GMD033R11A822KA01#	
			10000pF	±10%	GMD033R11A103KA01#	
		В	3900pF	±10%	GMD033B11A392KA01#	
			4700pF	±10%	GMD033B11A472KA01#	
			5600pF	±10%	GMD033B11A562KA01#	
			6800pF	±10%	GMD033B11A682KA01#	
			8200pF	±10%	GMD033B11A822KA01#	
			10000pF	±10%	GMD033B11A103KA01#	
	6.3Vdc	X5R	56000pF	±10%	GMD033R60J563KE11#	
			68000pF	±10%	GMD033R60J683KE11#	
			82000pF	±10%	GMD033R60J823KE11#	
			0.10µF	±10%	GMD033R60J104KE11#	
		В	56000pF	±10%	GMD033B30J563KE11#	
			68000pF	±10%	GMD033B30J683KE11#	
			82000pF	±10%	GMD033B30J823KE11#	
			0.10µF	±10%	GMD033B30J104KE11#	

■ 1.0×0.5mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	X7R	220pF	±10%	GMD155R71H221KA01#
			270pF	±10%	GMD155R71H271KA01#
			330pF	±10%	GMD155R71H331KA01#
			390pF	±10%	GMD155R71H391KA01#
			470pF	±10%	GMD155R71H471KA01#
			560pF	±10%	GMD155R71H561KA01#
			680pF	±10%	GMD155R71H681KA01#
			820pF	±10%	GMD155R71H821KA01#
			1000pF	±10%	GMD155R71H102KA01#
			1200pF	±10%	GMD155R71H122KA01#
			1500pF	±10%	GMD155R71H152KA01#
			1800pF	±10%	GMD155R71H182KA01#
			2200pF	±10%	GMD155R71H222KA01#
			2700pF	±10%	GMD155R71H272KA01#
			3300pF	±10%	GMD155R71H332KA01#
			3900pF	±10%	GMD155R71H392KA01#
			4700pF	±10%	GMD155R71H472KA01#
		R	220pF	±10%	GMD155R11H221KA01#

Part number # indicates the package specification code.

GMD Series High Dielectric Constant Type Part Number List

(→ ■ 1	.0×0.5r	nm)			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	50Vdc	R	270pF	±10%	GMD155R11H271KA01#
			330pF	±10%	GMD155R11H331KA01#
			390pF	±10%	GMD155R11H391KA01#
			470pF	±10%	GMD155R11H471KA01#
			560pF	±10%	GMD155R11H561KA01#
			680pF	±10%	GMD155R11H681KA01#
			820pF	±10%	GMD155R11H821KA01#
			1000pF	±10%	GMD155R11H102KA01#
			1200pF	±10%	GMD155R11H122KA01#
			1500pF	±10%	GMD155R11H152KA01#
			1800pF	±10%	GMD155R11H182KA01#
			2200pF	±10%	GMD155R11H222KA01#
			2700pF	±10%	GMD155R11H272KA01#
			3300pF	±10%	GMD155R11H332KA01#
			3900pF	±10%	GMD155R11H392KA01#
			4700pF	±10%	GMD155R11H472KA01#
		В	220pF	±10%	GMD155B11H221KA01#
			270pF	±10%	GMD155B11H271KA01#
			330pF	±10%	GMD155B11H331KA01#
			390pF	±10%	GMD155B11H391KA01#
			470pF	±10%	GMD155B11H471KA01#
			560pF	±10%	GMD155B11H561KA01#
			680pF	±10%	GMD155B11H681KA01#
			820pF	±10%	GMD155B11H821KA01#
			1000pF	±10%	GMD155B11H102KA01# GMD155B11H122KA01#
			1200pF	±10% ±10%	GMD155B11H152KA01#
			1500pF 1800pF	±10%	GMD155B11H182KA01#
			2200pF	±10%	GMD155B11H222KA01#
			2700pF	±10%	GMD155B11H272KA01#
			3300pF	±10%	GMD155B11H332KA01#
			3900pF	±10%	GMD155B11H392KA01#
			4700pF	±10%	GMD155B11H472KA01#
	25Vdc	X7R	5600pF	±10%	GMD155R71E562KA01#
	20100	7,711	6800pF	±10%	GMD155R71E682KA01#
			8200pF	±10%	GMD155R71E822KA01#
			10000pF	±10%	GMD155R71E103KA01#
			12000pF	±10%	GMD155R71E123KA01#
			15000pF	±10%	GMD155R71E153KA01#
			18000pF	±10%	GMD155R71E183KA01#
			22000pF	±10%	GMD155R71E223KA01#
			27000pF	±10%	GMD155R71E273KA11#
			33000pF	±10%	GMD155R71E333KA11#
			39000pF	±10%	GMD155R71E393KA11#
			47000pF	±10%	GMD155R71E473KA11#
		R	5600pF	±10%	GMD155R11E562KA01#
			6800pF	±10%	GMD155R11E682KA01#
			8200pF	±10%	GMD155R11E822KA01#
			10000pF	±10%	GMD155R11E103KA01#
			12000pF	±10%	GMD155R11E123KA01#
			15000pF	±10%	GMD155R11E153KA01#
			18000pF	±10%	GMD155R11E183KA01#
			22000pF	±10%	GMD155R11E223KA01#
			27000pF	±10%	GMD155R11E273KA11#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.55mm	25Vdc	R	33000pF	±10%	GMD155R11E333KA11#	
	1.55mm 25Vdc		39000pF	±10%	GMD155R11E393KA11#	
			47000pF	±10%	GMD155R11E473KA11#	
		В	5600pF	±10%	GMD155B11E562KA01#	
			6800pF	±10%	GMD155B11E682KA01#	
			8200pF	±10%	GMD155B11E822KA01#	
			10000pF	±10%	GMD155B11E103KA01#	
			12000pF	±10%	GMD155B11E123KA01#	
			15000pF	±10%	GMD155B11E153KA01#	
			18000pF	±10%	GMD155B11E183KA01#	
			22000pF	±10%	GMD155B11E223KA01#	
			27000pF	±10%	GMD155B31E273KA11#	
			33000pF	±10%	GMD155B31E333KA11#	
			39000pF	±10%	GMD155B31E393KA11#	
			47000pF	±10%	GMD155B31E473KA11#	
	16Vdc	X7R	56000pF	±10%	GMD155R71C563KA11#	
			68000pF	±10%	GMD155R71C683KA11#	
			82000pF	±10%	GMD155R71C823KA11#	
			0.10µF	±10%	GMD155R71C104KA11#	
		R	56000pF	±10%	GMD155R11C563KA11#	
			68000pF	±10%	GMD155R11C683KA11#	
			82000pF	±10%	GMD155R11C823KA11#	
			0.10µF	±10%	GMD155R11C104KA11#	
		В	56000pF	±10%	GMD155B31C563KA11#	
			68000pF	±10%	GMD155B31C683KA11#	
			82000pF	±10%	GMD155B31C823KA11#	
			0.10µF	±10%	GMD155B31C104KA11#	
	10Vdc	X5R	0.12µF	±10%	GMD155R61A124KE12#	
			0.15µF	±10%	GMD155R61A154KE12#	
			0.18µF	±10%	GMD155R61A184KE12#	
			0.22µF	±10%	GMD155R61A224KE12#	
			0.27µF	±10%	GMD155R61A274KE11#	
			0.33µF	±10%	GMD155R61A334KE11#	
			0.39µF	±10%	GMD155R61A394KE11#	
			0.47µF	±10%	GMD155R61A474KE11#	
		В	0.12µF	±10%	GMD155B31A124KE12#	
			0.15µF	±10%	GMD155B31A154KE12#	
			0.18µF	±10%	GMD155B31A184KE12#	
			0.22µF	±10%	GMD155B31A224KE12#	
			0.27µF	±10%	GMD155B31A274KE11#	
			0.33µF	±10%	GMD155B31A334KE11#	
			0.39µF	±10%	GMD155B31A394KE11#	
			0.47µF	±10%	GMD155B31A474KE11#	_

High Frequency High Q Type 1608(in mm)/0603(in inch) Size Min.

GQM Series






High Frequency Capacitor Ideal for PA Design of Base Stations

Features


Mainly ideal for base stations of mobile communication devices and temperature compensation of related modules.


This product is ideal for temperature compensation of high frequency circuits, such as resonant circuits, tuning circuits, and impedance matching circuits where the operating characteristics of the device are greatly affected by the capacitance fluctuation.



High Q and low ESR in VHF, UHF and microwave frequency bands.

High Q and low ESR were achieved at a high frequency by adopting ceramic material as the dielectric material which enables an extremely low loss at high frequency, and base metal electrodes as the internal electrodes.






Can be used for tight tolerance.

In addition to standard tolerance, the allowable range of this product is also suitable for the following narrow tolerance.

Capacitance Range	Standard Capacitance Tolerance (Capacitance Tolerance Symbol)	Narrow Capacitance Tolerance (Capacitance Tolerance Symbol)
<=0.9pF	±0.1pF (B)	±0.05pF (W)
1.0 to 5.0pF	±0.25pF (C)	±0.05pF (W), ±0.1pF (B)
5.1 to 9.9pF	±0.5pF (D)	±0.05pF (W), ±0.1pF (B), ±0.25pF (C)
>=10pF	±5% (J)	±2% (G)

Specifications

Size	1.0×0.5mm to 2.8×2.8mm
Rated Voltage	DC50V to 500V
Capacitance	0.1pF to 200pF
Main Applications	Mobile phone base stations



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.

GRM Series

GJM Series

GMA Series | G

GMD Series

GRJ Series GQM Series

s | GR3 Series

GQM Series Temperature Compensating Type Part Number List

■ 1.6×0.8mm

■ 1.6×	×0.8mı	n			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.8mm	250Vdc	COG	1.0pF	±0.1pF	GQM1875C2E1R0BB12#
				±0.25pF	GQM1875C2E1R0CB12#
			1.1pF	±0.1pF	GQM1875C2E1R1BB12#
				±0.25pF	GQM1875C2E1R1CB12#
			1.2pF	±0.1pF	GQM1875C2E1R2BB12#
				±0.25pF	GQM1875C2E1R2CB12#
			1.3pF	±0.1pF	GQM1875C2E1R3BB12#
				±0.25pF	GQM1875C2E1R3CB12#
			1.5pF	±0.1pF	GQM1875C2E1R5BB12#
				±0.25pF	GQM1875C2E1R5CB12#
			1.6pF	±0.1pF	GQM1875C2E1R6BB12#
				±0.25pF	GQM1875C2E1R6CB12#
			1.8pF	±0.1pF	GQM1875C2E1R8BB12#
			0.0-5	±0.25pF	GQM1875C2E1R8CB12#
			2.0pF	±0.1pF	GQM1875C2E2R0BB12#
			0.05	±0.25pF	GQM1875C2E2R0CB12#
			2.2pF	±0.1pF	GQM1875C2E2R2BB12#
			2.4pF	±0.25pF ±0.1pF	GQM1875C2E2R2CB12# GQM1875C2E2R4BB12#
			2. 4 µг	±0.1pF ±0.25pF	GQM1875C2E2R4CB12#
			2.7pF	±0.1pF	GQM1875C2E2R7BB12#
			2.7 pi	±0.25pF	GQM1875C2E2R7CB12#
			3.0pF	±0.1pF	GQM1875C2E3R0BB12#
				±0.25pF	GQM1875C2E3R0CB12#
			3.3pF	±0.1pF	GQM1875C2E3R3BB12#
			·	±0.25pF	GQM1875C2E3R3CB12#
			3.6pF	±0.1pF	GQM1875C2E3R6BB12#
				±0.25pF	GQM1875C2E3R6CB12#
			3.9pF	±0.1pF	GQM1875C2E3R9BB12#
				±0.25pF	GQM1875C2E3R9CB12#
			4.0pF	±0.1pF	GQM1875C2E4R0BB12#
				±0.25pF	GQM1875C2E4R0CB12#
			4.3pF	±0.1pF	GQM1875C2E4R3BB12#
				±0.25pF	GQM1875C2E4R3CB12#
			4.7pF	±0.1pF	GQM1875C2E4R7BB12#
				±0.25pF	GQM1875C2E4R7CB12#
			5.0pF	±0.1pF	GQM1875C2E5R0BB12#
				±0.25pF	GQM1875C2E5R0CB12#
			5.1pF	±0.25pF	GQM1875C2E5R1CB12#
				±0.5pF	GQM1875C2E5R1DB12#
			5.6pF	±0.25pF	GQM1875C2E5R6CB12#
			C 0=F	±0.5pF	GQM1875C2E5R6DB12#
			6.0pF	±0.25pF	GQM1875C2E6R0CB12#
			6.2pF	±0.5pF ±0.25pF	GQM1875C2E6R0DB12# GQM1875C2E6R2CB12#
			0. _ pi	±0.5pF	GQM1875C2E6R2DB12#
			6.8pF	±0.25pF	GQM1875C2E6R8CB12#
			•	±0.5pF	GQM1875C2E6R8DB12#
			7.0pF	±0.25pF	GQM1875C2E7R0CB12#
				±0.5pF	GQM1875C2E7R0DB12#
			7.5pF	±0.25pF	GQM1875C2E7R5CB12#
				±0.5pF	GQM1875C2E7R5DB12#

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.8mm	250Vdc	COG	8.0pF	±0.25pF	GQM1875C2E8R0CB12#	
				±0.5pF	GQM1875C2E8R0DB12#	
			8.2pF	±0.25pF	GQM1875C2E8R2CB12#	
				±0.5pF	GQM1875C2E8R2DB12#	
			9.0pF	±0.25pF	GQM1875C2E9R0CB12#	
				±0.5pF	GQM1875C2E9R0DB12#	
			9.1pF	±0.25pF	GQM1875C2E9R1CB12#	
				±0.5pF	GQM1875C2E9R1DB12#	
			10pF	±2%	GQM1875C2E100GB12#	
				±5%	GQM1875C2E100JB12#	
			11pF	±2%	GQM1875C2E110GB12#	
				±5%	GQM1875C2E110JB12#	
			12pF	±2%	GQM1875C2E120GB12#	
			[-	±5%	GQM1875C2E120JB12#	
			13pF	±2%	GQM1875C2E130GB12#	
			. 00.	±5%	GQM1875C2E130JB12#	
			15pF	±2%	GQM1875C2E150GB12#	
			тэрг	±5%	GQM1875C2E150JB12#	
			16pF	±2%	GQM1875C2E160GB12#	
			торі			
			105	±5%	GQM1875C2E160JB12#	
			18pF	±2%	GQM1875C2E180GB12#	
			00-5	±5%	GQM1875C2E180JB12#	
			20pF	±2%	GQM1875C2E200GB12#	
			00.5	±5%	GQM1875C2E200JB12#	
			22pF	±2%	GQM1875C2E220GB12#	
				±5%	GQM1875C2E220JB12#	
			24pF	±2%	GQM1875C2E240GB12#	
				±5%	GQM1875C2E240JB12#	
			27pF	±2%	GQM1875C2E270GB12#	
				±5%	GQM1875C2E270JB12#	
			30pF	±2%	GQM1875C2E300GB12#	
				±5%	GQM1875C2E300JB12#	
			33pF	±2%	GQM1875C2E330GB12#	
				±5%	GQM1875C2E330JB12#	
			36pF	±2%	GQM1875C2E360GB12#	
				±5%	GQM1875C2E360JB12#	
			39pF	±2%	GQM1875C2E390GB12#	
				±5%	GQM1875C2E390JB12#	
			43pF	±2%	GQM1875C2E430GB12#	
				±5%	GQM1875C2E430JB12#	
			47pF	±2%	GQM1875C2E470GB12#	
				±5%	GQM1875C2E470JB12#	
0.9mm	100Vdc	COG	1.0pF	±0.1pF	GQM1885C2A1R0BB01#	
				±0.25pF	GQM1885C2A1R0CB01#	
			1.1pF	±0.1pF	GQM1885C2A1R1BB01#	
				±0.25pF	GQM1885C2A1R1CB01#	
			1.2pF	±0.1pF	GQM1885C2A1R2BB01#	
				±0.25pF	GQM1885C2A1R2CB01#	
			1.3pF	±0.1pF	GQM1885C2A1R3BB01#	
				±0.25pF	GQM1885C2A1R3CB01#	
			1.5pF	±0.1pF	GQM1885C2A1R5BB01#	
				±0.25pF	GQM1885C2A1R5CB01#	
l						
			1.6pF	±0.1pF	GQM1885C2A1R6BB01#	
			1.6pF	±0.1pF ±0.25pF	GQM1885C2A1R6BB01# GQM1885C2A1R6CB01#	

(→ **■** 1.6×0.8mm)

	18.0×0.	,			
T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.9mm	100Vdc	COG	1.8pF	±0.1pF	GQM1885C2A1R8BB01#
				±0.25pF	GQM1885C2A1R8CB01#
			2.0pF	±0.1pF	GQM1885C2A2R0BB01#
				±0.25pF	GQM1885C2A2R0CB01#
			2.2pF	±0.1pF	GQM1885C2A2R2BB01#
			•	±0.25pF	GQM1885C2A2R2CB01#
			2.4pF	±0.1pF	GQM1885C2A2R4BB01#
				±0.25pF	GQM1885C2A2R4CB01#
			2.7pF	±0.1pF	GQM1885C2A2R7BB01#
			2.7 pi	±0.25pF	GQM1885C2A2R7CB01#
			3.0pF	±0.1pF	GQM1885C2A3R0BB01#
			3.0pr	-	
			00.5	±0.25pF	GQM1885C2A3R0CB01#
			3.3pF	±0.1pF	GQM1885C2A3R3BB01#
				±0.25pF	GQM1885C2A3R3CB01#
			3.6pF	±0.1pF	GQM1885C2A3R6BB01#
				±0.25pF	GQM1885C2A3R6CB01#
			3.9pF	±0.1pF	GQM1885C2A3R9BB01#
				±0.25pF	GQM1885C2A3R9CB01#
			4.0pF	±0.1pF	GQM1885C2A4R0BB01#
				±0.25pF	GQM1885C2A4R0CB01#
			4.3pF	±0.1pF	GQM1885C2A4R3BB01#
				±0.25pF	GQM1885C2A4R3CB01#
			4.7pF	±0.1pF	GQM1885C2A4R7BB01#
			•	±0.25pF	GQM1885C2A4R7CB01#
			5.0pF	±0.1pF	GQM1885C2A5R0BB01#
				±0.25pF	GQM1885C2A5R0CB01#
			5.1pF	±0.25pF	GQM1885C2A5R1CB01#
			J. 1pi	-	
			- C F	±0.5pF	GQM1885C2A5R1DB01#
			5.6pF	±0.25pF	GQM1885C2A5R6CB01#
				±0.5pF	GQM1885C2A5R6DB01#
			6.0pF	±0.25pF	GQM1885C2A6R0CB01#
				±0.5pF	GQM1885C2A6R0DB01#
			6.2pF	±0.25pF	GQM1885C2A6R2CB01#
				±0.5pF	GQM1885C2A6R2DB01#
			6.8pF	±0.25pF	GQM1885C2A6R8CB01#
				±0.5pF	GQM1885C2A6R8DB01#
		CK	1.0pF	±0.1pF	GQM1884C2A1R0BB01#
				±0.25pF	GQM1884C2A1R0CB01#
			1.1pF	±0.1pF	GQM1884C2A1R1BB01#
				±0.25pF	GQM1884C2A1R1CB01#
			1.2pF	±0.1pF	GQM1884C2A1R2BB01#
			15.5	±0.25pF	GQM1884C2A1R2CB01#
			1.3pF	±0.1pF	GQM1884C2A1R3BB01#
				±0.25pF	GQM1884C2A1R3CB01#
			1500	-	
			1.5pF	±0.1pF	GQM1884C2A1R5BB01#
				±0.25pF	GQM1884C2A1R5CB01#
			1.6pF	±0.1pF	GQM1884C2A1R6BB01#
				±0.25pF	GQM1884C2A1R6CB01#
			1.8pF	±0.1pF	GQM1884C2A1R8BB01#
				±0.25pF	GQM1884C2A1R8CB01#
			2.0pF	±0.1pF	GQM1884C2A2R0BB01#
				±0.25pF	GQM1884C2A2R0CB01#
		CJ	2.2pF	±0.1pF	GQM1883C2A2R2BB01#
	1			±0.25pF	GQM1883C2A2R2CB01#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.9mm	100Vdc	CJ	2.4pF	±0.1pF	GQM1883C2A2R4BB01#	
				±0.25pF	GQM1883C2A2R4CB01#	
			2.7pF	±0.1pF	GQM1883C2A2R7BB01#	
				±0.25pF	GQM1883C2A2R7CB01#	
			3.0pF	±0.1pF	GQM1883C2A3R0BB01#	
				±0.25pF	GQM1883C2A3R0CB01#	
			3.3pF	±0.1pF	GQM1883C2A3R3BB01#	
				±0.25pF	GQM1883C2A3R3CB01#	
			3.6pF	±0.1pF	GQM1883C2A3R6BB01#	
				±0.25pF	GQM1883C2A3R6CB01#	
			3.9pF	±0.1pF	GQM1883C2A3R9BB01#	
				±0.25pF	GQM1883C2A3R9CB01#	
		СН	4.0pF	±0.1pF	GQM1882C2A4R0BB01#	
				±0.25pF	GQM1882C2A4R0CB01#	
			4.3pF	±0.1pF	GQM1882C2A4R3BB01#	
				±0.25pF	GQM1882C2A4R3CB01#	
			4.7pF	±0.1pF	GQM1882C2A4R7BB01#	
				±0.25pF	GQM1882C2A4R7CB01#	
			5.0pF	±0.1pF	GQM1882C2A5R0BB01#	
				±0.25pF	GQM1882C2A5R0CB01#	
			5.1pF	±0.25pF	GQM1882C2A5R1CB01#	
				±0.5pF	GQM1882C2A5R1DB01#	
			5.6pF	±0.25pF	GQM1882C2A5R6CB01#	
				±0.5pF	GQM1882C2A5R6DB01#	
			6.0pF	±0.25pF	GQM1882C2A6R0CB01#	
				±0.5pF	GQM1882C2A6R0DB01#	
			6.2pF	±0.25pF	GQM1882C2A6R2CB01#	
				±0.5pF	GQM1882C2A6R2DB01#	
			6.8pF	±0.25pF	GQM1882C2A6R8CB01#	
				±0.5pF	GQM1882C2A6R8DB01#	
	50Vdc	COG	7.0pF	±0.25pF	GQM1885C1H7R0CB01#	
				±0.5pF	GQM1885C1H7R0DB01#	
			7.5pF	±0.25pF	GQM1885C1H7R5CB01#	
				±0.5pF	GQM1885C1H7R5DB01#	
			8.0pF	±0.25pF	GQM1885C1H8R0CB01#	
				±0.5pF	GQM1885C1H8R0DB01#	
			8.2pF	±0.25pF	GQM1885C1H8R2CB01#	
				±0.5pF	GQM1885C1H8R2DB01#	
			9.0pF	±0.25pF	GQM1885C1H9R0CB01#	
				±0.5pF	GQM1885C1H9R0DB01#	
			9.1pF	±0.25pF	GQM1885C1H9R1CB01#	
				±0.5pF	GQM1885C1H9R1DB01#	
			10pF	±2%	GQM1885C1H100GB01#	
				±5%	GQM1885C1H100JB01#	
			11pF	±2%	GQM1885C1H110GB01#	
				±5%	GQM1885C1H110JB01#	
			12pF	±2%	GQM1885C1H120GB01#	
				±5%	GQM1885C1H120JB01#	
			13pF	±2%	GQM1885C1H130GB01#	
				±5%	GQM1885C1H130JB01#	
			15pF	±2%	GQM1885C1H150GB01#	
				±5%	GQM1885C1H150JB01#	
			16pF	±2%	GQM1885C1H160GB01#	
				±5%	GQM1885C1H160JB01#	
			Part nur	nber # indic	cates the package specification co	ode.

GRM Series

GJM Series

GMA Series ∬ G

ies | GMD Series

GRJ Series

GQM Series Temperature Compensating Type Part Number List

max.

0.9mm

(→ **■** 1.6×0.8mm)

(→ ■ 1	.6×0.8r	nm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.9mm	50Vdc	COG	18pF	±2%	GQM1885C1H180GB01#
				±5%	GQM1885C1H180JB01#
			20pF	±2%	GQM1885C1H200GB01#
				±5%	GQM1885C1H200JB01#
			22pF	±2%	GQM1885C1H220GB01#
				±5%	GQM1885C1H220JB01#
			24pF	±2%	GQM1885C1H240GB01#
				±5%	GQM1885C1H240JB01#
			27pF	±2%	GQM1885C1H270GB01#
				±5%	GQM1885C1H270JB01#
			30pF	±2%	GQM1885C1H300GB01#
				±5%	GQM1885C1H300JB01#
			33pF	±2%	GQM1885C1H330GB01#
				±5%	GQM1885C1H330JB01#
			36pF	±2%	GQM1885C1H360GB01#
				±5%	GQM1885C1H360JB01#
			39pF	±2%	GQM1885C1H390GB01#
				±5%	GQM1885C1H390JB01#
			43pF	±2%	GQM1885C1H430GB01#
				±5%	GQM1885C1H430JB01#
			47pF	±2%	GQM1885C1H470GB01#
				±5%	GQM1885C1H470JB01#
			51pF	±2%	GQM1885C1H510GB01#
				±5%	GQM1885C1H510JB01#
			56pF	±2%	GQM1885C1H560GB01#
				±5%	GQM1885C1H560JB01#
			62pF	±2%	GQM1885C1H620GB01#
				±5%	GQM1885C1H620JB01#
			68pF	±2%	GQM1885C1H680GB01#
			75.5	±5% ±2%	GQM1885C1H680JB01#
			75pF	±5%	GQM1885C1H750GB01# GQM1885C1H750JB01#
			82pF	±2%	GQM1885C1H820GB01#
			σερι	±5%	GQM1885C1H820JB01#
			91pF	±2%	GQM1885C1H910GB01#
			о.р.	±5%	GQM1885C1H910JB01#
			100pF	±2%	GQM1885C1H101GB01#
			·	±5%	GQM1885C1H101JB01#
		СН	7.0pF	±0.25pF	GQM1882C1H7R0CB01#
				±0.5pF	GQM1882C1H7R0DB01#
			7.5pF	±0.25pF	GQM1882C1H7R5CB01#
				±0.5pF	GQM1882C1H7R5DB01#
			8.0pF	±0.25pF	GQM1882C1H8R0CB01#
				±0.5pF	GQM1882C1H8R0DB01#
			8.2pF	±0.25pF	GQM1882C1H8R2CB01#
				±0.5pF	GQM1882C1H8R2DB01#
			9.0pF	±0.25pF	GQM1882C1H9R0CB01#
				±0.5pF	GQM1882C1H9R0DB01#
			9.1pF	±0.25pF	GQM1882C1H9R1CB01#
				±0.5pF	GQM1882C1H9R1DB01#
			10pF	±2%	GQM1882C1H100GB01#
			44-5	±5%	GQM1882C1H100JB01#
			11pF	±2%	GQM1882C1H110GB01#
				±5%	GQM1882C1H110JB01#

Rated	TC	Cap.	Tol.	Part Number	
Voltage					
50Vdc	CH	12pF	±2%	GQM1882C1H120GB01#	
			±5%	GQM1882C1H120JB01#	
		13pF	±2%	GQM1882C1H130GB01#	
			±5%	GQM1882C1H130JB01#	
		15pF	±2%	GQM1882C1H150GB01#	
			±5%	GQM1882C1H150JB01#	
		16pF	±2%	GQM1882C1H160GB01#	
			±5%	GQM1882C1H160JB01#	
		18pF	±2%	GQM1882C1H180GB01#	
			±5%	GQM1882C1H180JB01#	
		20pF	±2%	GQM1882C1H200GB01#	
			±5%	GQM1882C1H200JB01#	
		22pF	±2%	GQM1882C1H220GB01#	
			±5%	GQM1882C1H220JB01#	
		24pF	±2%	GQM1882C1H240GB01#	
			±5%	GQM1882C1H240JB01#	
		27pF	±2%	GQM1882C1H270GB01#	
			±5%	GQM1882C1H270JB01#	
		30pF	±2%	GQM1882C1H300GB01#	
			±5%	GQM1882C1H300JB01#	
		33pF	±2%	GQM1882C1H330GB01#	
			±5%	GQM1882C1H330JB01#	
		36pF	±2%	GQM1882C1H360GB01#	
			±5%	GQM1882C1H360JB01#	
		39pF	±2%	GQM1882C1H390GB01#	
			±5%	GQM1882C1H390JB01#	
		43pF	±2%	GQM1882C1H430GB01#	
			±5%	GQM1882C1H430JB01#	
		47pF	±2%	GQM1882C1H470GB01#	
			±5%	GQM1882C1H470JB01#	
		51pF	±2%	GQM1882C1H510GB01#	
			±5%	GQM1882C1H510JB01#	
		56pF	±2%	GQM1882C1H560GB01#	
			±5%	GQM1882C1H560JB01#	
		62pF	±2%	GQM1882C1H620GB01#	
			±5%	GQM1882C1H620JB01#	
		68pF	±2%	GQM1882C1H680GB01#	
			±5%	GQM1882C1H680JB01#	
		75pF	±2%	GQM1882C1H750GB01#	
			±5%	GQM1882C1H750JB01#	
		82pF	±2%	GQM1882C1H820GB01#	
			±5%	GQM1882C1H820JB01#	
		91pF	±2%	GQM1882C1H910GB01#	
			±5%	GQM1882C1H910JB01#	
		100pF	±2%	GQM1882C1H101GB01#	
			±5%	GQM1882C1H101JB01#	

■ 2.0×1.25mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.95mm	100Vdc	COG	1.0pF	±0.1pF	GQM2195C2A1R0BB01#	
				±0.25pF	GQM2195C2A1R0CB01#	
			1.1pF	±0.1pF	GQM2195C2A1R1BB01#	

(→ **■** 2.0×1.25mm)

Т	.0×1.2	тс	_		B
max.	Voltage		Cap.	Tol.	Part Number
0.95mm	100Vdc	C0G	1.1pF	±0.25pF	GQM2195C2A1R1CB01#
			1.2pF	±0.1pF	GQM2195C2A1R2BB01#
				±0.25pF	GQM2195C2A1R2CB01#
			1.3pF	±0.1pF	GQM2195C2A1R3BB01#
				±0.25pF	GQM2195C2A1R3CB01#
			1.5pF	±0.1pF	GQM2195C2A1R5BB01#
				±0.25pF	GQM2195C2A1R5CB01#
			1.6pF	±0.1pF	GQM2195C2A1R6BB01#
				±0.25pF	GQM2195C2A1R6CB01#
			1.8pF	±0.1pF	GQM2195C2A1R8BB01#
				±0.25pF	GQM2195C2A1R8CB01#
			2.0pF	±0.1pF	GQM2195C2A2R0BB01#
				±0.25pF	GQM2195C2A2R0CB01#
			2.2pF	±0.1pF	GQM2195C2A2R2BB01#
				±0.25pF	GQM2195C2A2R2CB01#
			2.4pF	±0.1pF	GQM2195C2A2R4BB01#
				±0.25pF	GQM2195C2A2R4CB01#
			2.7pF	±0.1pF	GQM2195C2A2R7BB01#
				±0.25pF	GQM2195C2A2R7CB01#
			3.0pF	±0.1pF	GQM2195C2A3R0BB01#
				±0.25pF	GQM2195C2A3R0CB01#
			3.3pF	±0.1pF	GQM2195C2A3R3BB01#
				±0.25pF	GQM2195C2A3R3CB01#
			3.6pF	±0.1pF	GQM2195C2A3R6BB01#
				±0.25pF	GQM2195C2A3R6CB01#
			3.9pF	±0.1pF	GQM2195C2A3R9BB01#
				±0.25pF	GQM2195C2A3R9CB01#
			4.0pF	±0.1pF	GQM2195C2A4R0BB01#
				±0.25pF	GQM2195C2A4R0CB01#
			4.3pF	±0.1pF	GQM2195C2A4R3BB01#
				±0.25pF	GQM2195C2A4R3CB01#
			4.7pF	±0.1pF	GQM2195C2A4R7BB01#
				±0.25pF	GQM2195C2A4R7CB01#
			5.0pF	±0.1pF	GQM2195C2A5R0BB01#
				±0.25pF	GQM2195C2A5R0CB01#
			5.1pF	±0.25pF	GQM2195C2A5R1CB01#
				±0.5pF	GQM2195C2A5R1DB01#
			5.6pF	±0.25pF	GQM2195C2A5R6CB01#
			•	±0.5pF	GQM2195C2A5R6DB01#
			6.0pF	±0.25pF	GQM2195C2A6R0CB01#
			•	±0.5pF	GQM2195C2A6R0DB01#
			6.2pF	±0.25pF	GQM2195C2A6R2CB01#
			•	±0.5pF	GQM2195C2A6R2DB01#
			6.8pF	±0.25pF	GQM2195C2A6R8CB01#
			•	±0.5pF	GQM2195C2A6R8DB01#
			7.0pF	±0.25pF	GQM2195C2A7R0CB01#
				±0.5pF	GQM2195C2A7R0DB01#
			7.5pF	±0.25pF	GQM2195C2A7R5CB01#
				±0.5pF	GQM2195C2A7R5DB01#
			8.0pF	±0.25pF	GQM2195C2A8R0CB01#
				±0.5pF	GQM2195C2A8R0DB01#
			8.2pF	±0.25pF	GQM2195C2A8R2CB01#
			P-	±0.5pF	GQM2195C2A8R2DB01#
			9.0pF	±0.25pF	GQM2195C2A9R0CB01#
			0.0pi	_0.20pi	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
0.95mm	100Vdc	COG	9.0pF	±0.5pF	GQM2195C2A9R0DB01#	
			9.1pF	±0.25pF	GQM2195C2A9R1CB01#	
			·	±0.5pF	GQM2195C2A9R1DB01#	
			10pF	±2%	GQM2195C2A100GB01#	
				±5%	GQM2195C2A100JB01#	
			11pF	±2%	GQM2195C2A110GB01#	
				±5%	GQM2195C2A110JB01#	
			12pF	±2%	GQM2195C2A120GB01#	
				±5%	GQM2195C2A120JB01#	
			13pF	±2%	GQM2195C2A130GB01#	
				±5%	GQM2195C2A130JB01#	
			15pF	±2%	GQM2195C2A150GB01#	
				±5%	GQM2195C2A150JB01#	
			16pF	±2%	GQM2195C2A160GB01#	
				±5%	GQM2195C2A160JB01#	
			18pF	±2%	GQM2195C2A180GB01#	
				±5%	GQM2195C2A180JB01#	
		СК	1.0pF	±0.1pF	GQM2194C2A1R0BB01#	
				±0.25pF	GQM2194C2A1R0CB01#	
			1.1pF	±0.1pF	GQM2194C2A1R1BB01#	
				±0.25pF	GQM2194C2A1R1CB01#	
			1.2pF	±0.1pF	GQM2194C2A1R2BB01#	
			·	±0.25pF	GQM2194C2A1R2CB01#	
			1.3pF	±0.1pF	GQM2194C2A1R3BB01#	
				±0.25pF	GQM2194C2A1R3CB01#	
			1.5pF	±0.1pF	GQM2194C2A1R5BB01#	
			·	±0.25pF	GQM2194C2A1R5CB01#	
			1.6pF	±0.1pF	GQM2194C2A1R6BB01#	
				±0.25pF	GQM2194C2A1R6CB01#	
			1.8pF	±0.1pF	GQM2194C2A1R8BB01#	
				±0.25pF	GQM2194C2A1R8CB01#	
			2.0pF	±0.1pF	GQM2194C2A2R0BB01#	
				±0.25pF	GQM2194C2A2R0CB01#	
		CJ	2.2pF	±0.1pF	GQM2193C2A2R2BB01#	
				±0.25pF	GQM2193C2A2R2CB01#	
			2.4pF	±0.1pF	GQM2193C2A2R4BB01#	
				±0.25pF	GQM2193C2A2R4CB01#	
			2.7pF	±0.1pF	GQM2193C2A2R7BB01#	
				±0.25pF	GQM2193C2A2R7CB01#	
			3.0pF	±0.1pF	GQM2193C2A3R0BB01#	
				±0.25pF	GQM2193C2A3R0CB01#	
			3.3pF	±0.1pF	GQM2193C2A3R3BB01#	
				±0.25pF	GQM2193C2A3R3CB01#	
			3.6pF	±0.1pF	GQM2193C2A3R6BB01#	
				±0.25pF	GQM2193C2A3R6CB01#	
			3.9pF	±0.1pF	GQM2193C2A3R9BB01#	
				±0.25pF	GQM2193C2A3R9CB01#	
		СН	4.0pF	±0.1pF	GQM2192C2A4R0BB01#	
				±0.25pF	GQM2192C2A4R0CB01#	
			4.3pF	±0.1pF	GQM2192C2A4R3BB01#	
				±0.25pF	GQM2192C2A4R3CB01#	
			4.7pF	±0.1pF	GQM2192C2A4R7BB01#	
				±0.25pF	GQM2192C2A4R7CB01#	
			5.0pF	±0.1pF	GQM2192C2A5R0BB01#	
					cates the package specification c	nda

GRM Series

GJM Series

GMA Series

GMD Series

GQM Series Temperature Compensating Type Part Number List

T max.

0.95mm

2.0x1.25mm)

(→ ■ 2	.0×1.2	5mm)			
T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.95mm	100Vdc	СН	5.0pF	±0.25pF	GQM2192C2A5R0CB01#
			5.1pF	±0.25pF	GQM2192C2A5R1CB01#
				±0.5pF	GQM2192C2A5R1DB01#
			5.6pF	±0.25pF	GQM2192C2A5R6CB01#
				±0.5pF	GQM2192C2A5R6DB01#
			6.0pF	±0.25pF	GQM2192C2A6R0CB01#
				±0.5pF	GQM2192C2A6R0DB01#
			6.2pF	±0.25pF	GQM2192C2A6R2CB01#
				±0.5pF	GQM2192C2A6R2DB01#
			6.8pF	±0.25pF	GQM2192C2A6R8CB01#
				±0.5pF	GQM2192C2A6R8DB01#
			7.0pF	±0.25pF	GQM2192C2A7R0CB01#
				±0.5pF	GQM2192C2A7R0DB01#
			7.5pF	±0.25pF	GQM2192C2A7R5CB01#
				±0.5pF	GQM2192C2A7R5DB01#
			8.0pF	±0.25pF	GQM2192C2A8R0CB01#
				±0.5pF	GQM2192C2A8R0DB01#
			8.2pF	±0.25pF	GQM2192C2A8R2CB01#
				±0.5pF	GQM2192C2A8R2DB01#
			9.0pF	±0.25pF	GQM2192C2A9R0CB01#
				±0.5pF	GQM2192C2A9R0DB01#
			9.1pF	±0.25pF	GQM2192C2A9R1CB01#
				±0.5pF	GQM2192C2A9R1DB01#
			10pF	±2%	GQM2192C2A100GB01#
				±5%	GQM2192C2A100JB01#
			11pF	±2%	GQM2192C2A110GB01#
				±5%	GQM2192C2A110JB01#
			12pF	±2%	GQM2192C2A120GB01#
				±5%	GQM2192C2A120JB01#
			13pF	±2%	GQM2192C2A130GB01#
				±5%	GQM2192C2A130JB01#
			15pF	±2%	GQM2192C2A150GB01#
				±5%	GQM2192C2A150JB01#
			16pF	±2%	GQM2192C2A160GB01#
			40 -	±5%	GQM2192C2A160JB01#
			18pF	±2%	GQM2192C2A180GB01#
	50)//	000	00 -	±5%	GQM2192C2A180JB01#
	50Vdc	COG	20pF	±2%	GQM2195C1H200GB01#
			00.5	±5%	GQM2195C1H200JB01#
			22pF	±2%	GQM2195C1H220GB01#
			04.5	±5%	GQM2195C1H220JB01#
			24pF	±2%	GQM2195C1H240GB01#
			07	±5%	GQM2195C1H240JB01#
			27pF	±2%	GQM2195C1H270GB01#
			00.5	±5%	GQM2195C1H270JB01#
			30pF	±2%	GQM2195C1H300GB01#
			20	±5%	GQM2195C1H300JB01#
			33pF	±2%	GQM2195C1H330GB01#
			20-5	±5%	GQM2195C1H330JB01#
			36pF	±2%	GQM2195C1H360GB01#
			20~5	±5%	GQM2195C1H360JB01#
			39pF	±2%	GQM2195C1H390GB01#
			42nF	±5%	GQM2195C1H390JB01#
			43pF	±2%	GQM2195C1H430GB01#

Voltage Code Cap. Tol. Part Number 50Vdc Code 43pF ±5% GQM2195C1H430JB01 47pF ±2% GQM2195C1H470GB0 ±5% GQM2195C1H510GB0 ±5% GQM2195C1H510JB01 56pF ±2% GQM2195C1H560GB0 ±5% GQM2195C1H620GB0 ±5% GQM2195C1H620JB01 ±5% GQM2195C1H620JB01 68pF ±2% GQM2195C1H680JB01 ±5% GQM2195C1H680JB01 75pF ±2% GQM2195C1H750JB01 ±5% GQM2195C1H820JB01 82pF ±2% GQM2195C1H820JB01 ±5% GQM2195C1H910JB01 91pF ±2% GQM2195C1H910JB01 ±5% GQM2195C1H101JB01 100pF ±2% GQM2195C1H101JB01 ±5% GQM2195C1H200JB01 22pF ±2% GQM2192C1H200JB01 ±5% GQM2192C1H200JB01	1#
### ##################################	1#
#5% GQM2195C1H470JB01 51pF #2% GQM2195C1H510GB0 ±5% GQM2195C1H510JB01 56pF #2% GQM2195C1H560GB0 ±5% GQM2195C1H620GB0 ±5% GQM2195C1H620JB01 68pF #2% GQM2195C1H680GB0 ±5% GQM2195C1H680JB01 75pF #2% GQM2195C1H750GB0 ±5% GQM2195C1H750JB01 82pF #2% GQM2195C1H750JB01 82pF #2% GQM2195C1H820JB01 91pF #2% GQM2195C1H910JB01 100pF #2% GQM2195C1H910JB01 CH 20pF #2% GQM2195C1H101JB01 CH 20pF #2% GQM2192C1H200JB01 22pF #2% GQM2192C1H200JB01	1# 1# 1# 1# 1# 1# 1# 1# 1# 1# 1# 1# 1# 1
51pF ±2% GQM2195C1H510GB0 ±5% GQM2195C1H510JB01 56pF ±2% GQM2195C1H560GB0 ±5% GQM2195C1H560JB01 62pF ±2% GQM2195C1H620GB0 ±5% GQM2195C1H620JB01 68pF ±2% GQM2195C1H680JB01 75pF ±2% GQM2195C1H680JB01 25% GQM2195C1H750JB01 82pF ±2% GQM2195C1H750JB01 82pF ±2% GQM2195C1H820JB01 91pF ±2% GQM2195C1H820JB01 100pF ±2% GQM2195C1H910JB01 100pF ±2% GQM2195C1H910JB01 CH 20pF ±2% GQM2192C1H200JB01 22pF ±2% GQM2192C1H200JB01	1# 1# 1# 1# 1# 1# 1# 1#
#5% GQM2195C1H510JB01 56pF #2% GQM2195C1H560GB0 #5% GQM2195C1H560JB01 62pF #2% GQM2195C1H620JB01 68pF #2% GQM2195C1H620JB01 75pF #2% GQM2195C1H680JB01 75pF #2% GQM2195C1H750JB01 82pF #2% GQM2195C1H750JB01 82pF #2% GQM2195C1H820JB01 91pF #2% GQM2195C1H820JB01 100pF #2% GQM2195C1H910JB01 100pF #2% GQM2195C1H101JB01 CH 20pF #2% GQM2192C1H200JB01 22pF #2% GQM2192C1H200JB01	1# 1# 1# 1# 1# 1# 1#
56pF ±2% GQM2195C1H560GB0 ±5% GQM2195C1H560JB01 62pF ±2% GQM2195C1H620GB0 ±5% GQM2195C1H620JB01 68pF ±2% GQM2195C1H680GB0 ±5% GQM2195C1H680JB01 75pF ±2% GQM2195C1H750JB01 82pF ±2% GQM2195C1H750JB01 91pF ±2% GQM2195C1H820JB01 100pF ±2% GQM2195C1H910JB01 100pF ±2% GQM2195C1H101JB01 CH 20pF ±2% GQM2192C1H200JB01 22pF ±2% GQM2192C1H200JB01	1# 1# 1# 1# 1# 1#
#5% GQM2195C1H560JB01 62pF #2% GQM2195C1H620GB0 #5% GQM2195C1H620JB01 68pF #2% GQM2195C1H680GB0 #5% GQM2195C1H680JB01 75pF #2% GQM2195C1H750GB0 #5% GQM2195C1H750JB01 82pF #2% GQM2195C1H820JB01 91pF #2% GQM2195C1H820JB01 100pF #2% GQM2195C1H910JB01 100pF #2% GQM2195C1H101JB01 CH 20pF #2% GQM2192C1H200JB01 22pF #2% GQM2192C1H220JB01	1# 1# 1# 1# 1#
62pF ±2% GQM2195C1H620GB0 ±5% GQM2195C1H620JB01 68pF ±2% GQM2195C1H680GB0 ±5% GQM2195C1H680JB01 75pF ±2% GQM2195C1H750GB0 ±5% GQM2195C1H750JB01 82pF ±2% GQM2195C1H820JB01 91pF ±2% GQM2195C1H820JB01 100pF ±2% GQM2195C1H910JB01 100pF ±2% GQM2195C1H101GB0 ±5% GQM2195C1H101JB01 CH 20pF ±2% GQM2192C1H200GB0 ±5% GQM2192C1H200JB01 22pF ±2% GQM2192C1H220GB0	1# 1# 1# 1#
#5% GQM2195C1H620JB01 68pF #2% GQM2195C1H680GB0 #5% GQM2195C1H680JB01 75pF #2% GQM2195C1H750GB0 #5% GQM2195C1H750JB01 82pF #2% GQM2195C1H820GB0 #5% GQM2195C1H820JB01 91pF #2% GQM2195C1H910JB01 100pF #2% GQM2195C1H910JB01 100pF #2% GQM2195C1H101GB0 #5% GQM2195C1H101JB01 CH 20pF #2% GQM2192C1H200GB0 #5% GQM2192C1H200JB01 22pF #2% GQM2192C1H220GB0	1# 1# 1# 1#
#5% GQM2195C1H680JB01 75pF	1#
#5% GQM2195C1H680JB01 75pF #2% GQM2195C1H750GB0 #5% GQM2195C1H750JB01 82pF #2% GQM2195C1H820GB0 #5% GQM2195C1H820JB01 91pF #2% GQM2195C1H910GB0 #5% GQM2195C1H910JB01 100pF #2% GQM2195C1H101JB01 CH 20pF #2% GQM2192C1H200JB01 22pF #2% GQM2192C1H200JB01	1#
#5% GQM2195C1H750JB01 #82pF	
### ### ##############################	I#
#5% GQM2195C1H820JB01 91pF	1
91pF ±2% GQM2195C1H910GB0 ±5% GQM2195C1H910JB01 100pF ±2% GQM2195C1H101JB01 ±5% GQM2195C1H101JB01 CH 20pF ±2% GQM2192C1H200GB0 ±5% GQM2192C1H200JB01 22pF ±2% GQM2192C1H220GB0	1#
±5% GQM2195C1H910JB01 100pF ±2% GQM2195C1H101GB0 ±5% GQM2195C1H101JB01 CH 20pF ±2% GQM2192C1H200GB0 ±5% GQM2192C1H200JB01 22pF ±2% GQM2192C1H220GB0	1#
100pF ±2% GQM2195C1H101GB0 ±5% GQM2195C1H101JB01 CH 20pF ±2% GQM2192C1H200GB0 ±5% GQM2192C1H200JB01 22pF ±2% GQM2192C1H220GB0	1#
±5% GQM2195C1H101JB01 CH 20pF ±2% GQM2192C1H200GB0 ±5% GQM2192C1H200JB01 22pF ±2% GQM2192C1H220GB0	1#
CH 20pF ±2% GQM2192C1H200GB0 ±5% GQM2192C1H200JB01 22pF ±2% GQM2192C1H220GB0	1#
±5% GQM2192C1H200JB01 22pF ±2% GQM2192C1H220GB0	I#
22pF ±2% GQM2192C1H220GB0	1#
	I#
±5% GQM2192C1H220JB0	1#
	I#
24pF ±2% GQM2192C1H240GB0	1#
±5% GQM2192C1H240JB01	I#
27pF ±2% GQM2192C1H270GB0	1#
±5% GQM2192C1H270JB01	I#
30pF ±2% GQM2192C1H300GB0	1#
±5% GQM2192C1H300JB01	I#
33pF ±2% GQM2192C1H330GB0	1#
±5% GQM2192C1H330JB01	1#
36pF ±2% GQM2192C1H360GB0	1#
±5% GQM2192C1H360JB0	I#
39pF ±2% GQM2192C1H390GB0	
±5% GQM2192C1H390JB0	
43pF ±2% GQM2192C1H430GB0	
±5% GQM2192C1H430JB01	
47pF ±2% GQM2192C1H470GB0	
±5% GQM2192C1H470JB0	
51pF ±2% GQM2192C1H510GB0	
±5% GQM2192C1H510JB01	
56pF ±2% GQM2192C1H560GB0	
±5% GQM2192C1H560JB01	
62pF ±2% GQM2192C1H620GB0	
±5% GQM2192C1H620JB01	
68pF ±2% GQM2192C1H680GB0	
±5% GQM2192C1H680JB01 75pF ±2% GQM2192C1H750GB0	
75pF ±2% GQM2192C1H750GB0 ±5% GQM2192C1H750JB0:	
82pF ±2% GQM2192C1H820GB0	
±5% GQM2192C1H820JB0	
91pF ±2% GQM2192C1H910GB0	
±5% GQM2192C1H910JB0	1#
100pF ±2% GQM2192C1H101GB0	
Part number # indicates the package specification	1#

(→ **■** 2.0×1.25mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
).95mm	50Vdc	СН	100pF	±5%	GQM2192C1H101JB01#
1.0mm	250Vdc	COG	1.0pF	±0.1pF	GQM2195C2E1R0BB12#
				±0.25pF	GQM2195C2E1R0CB12#
			1.1pF	±0.1pF	GQM2195C2E1R1BB12#
				±0.25pF	GQM2195C2E1R1CB12#
			1.2pF	±0.1pF	GQM2195C2E1R2BB12#
				±0.25pF	GQM2195C2E1R2CB12#
			1.3pF	±0.1pF	GQM2195C2E1R3BB12#
				±0.25pF	GQM2195C2E1R3CB12#
			1.5pF	±0.1pF	GQM2195C2E1R5BB12#
			•	±0.25pF	GQM2195C2E1R5CB12#
			1.6pF	±0.1pF	GQM2195C2E1R6BB12#
			•	±0.25pF	GQM2195C2E1R6CB12#
			1.8pF	±0.1pF	GQM2195C2E1R8BB12#
				±0.25pF	GQM2195C2E1R8CB12#
			2.0pF	±0.1pF	GQM2195C2E2R0BB12#
			~p.	±0.25pF	GQM2195C2E2R0CB12#
			2.2pF	±0.25pi	GQM2195C2E2R2BB12#
			2.2pi	±0.1pi	GQM2195C2E2R2CB12#
			2.4pF	±0.25pF	GQM2195C2E2R4BB12#
			∠. 4 µΓ	-	GQM2195C2E2R4CB12#
			0.755	±0.25pF	
			2.7pF	±0.1pF	GQM2195C2E2R7BB12#
			0.0-5	±0.25pF	GQM2195C2E2R7CB12#
			3.0pF	±0.1pF	GQM2195C2E3R0BB12#
			0.0.5	±0.25pF	GQM2195C2E3R0CB12#
			3.3pF	±0.1pF	GQM2195C2E3R3BB12#
				±0.25pF	GQM2195C2E3R3CB12#
			3.6pF	±0.1pF	GQM2195C2E3R6BB12#
				±0.25pF	GQM2195C2E3R6CB12#
			3.9pF	±0.1pF	GQM2195C2E3R9BB12#
				±0.25pF	GQM2195C2E3R9CB12#
			4.0pF	±0.1pF	GQM2195C2E4R0BB12#
				±0.25pF	GQM2195C2E4R0CB12#
			4.3pF	±0.1pF	GQM2195C2E4R3BB12#
				±0.25pF	GQM2195C2E4R3CB12#
			4.7pF	±0.1pF	GQM2195C2E4R7BB12#
				±0.25pF	GQM2195C2E4R7CB12#
			5.0pF	±0.1pF	GQM2195C2E5R0BB12#
				±0.25pF	GQM2195C2E5R0CB12#
			5.1pF	±0.25pF	GQM2195C2E5R1CB12#
				±0.5pF	GQM2195C2E5R1DB12#
			5.6pF	±0.25pF	GQM2195C2E5R6CB12#
				±0.5pF	GQM2195C2E5R6DB12#
			6.0pF	±0.25pF	GQM2195C2E6R0CB12#
				±0.5pF	GQM2195C2E6R0DB12#
			6.2pF	±0.25pF	GQM2195C2E6R2CB12#
				±0.5pF	GQM2195C2E6R2DB12#
			6.8pF	±0.25pF	GQM2195C2E6R8CB12#
				±0.5pF	GQM2195C2E6R8DB12#
			7.0pF	±0.25pF	GQM2195C2E7R0CB12#
			•	±0.5pF	GQM2195C2E7R0DB12#
			7.5pF	±0.25pF	GQM2195C2E7R5CB12#
				±0.5pF	GQM2195C2E7R5DB12#

T	Rated	TC	Cap.	Tol.	Part Number
nax.	Voltage			10 En E	COM0105C050D0DB10#
0mm	250Vdc	COG	8.0pF 8.2pF	±0.5pF ±0.25pF	GQM2195C2E8R0DB12# GQM2195C2E8R2CB12#
			0.2pi	· ·	
			0.05	±0.5pF	GQM2195C2E8R2DB12#
			9.0pF	±0.25pF	GQM2195C2E9R0CB12#
			0.4=5	±0.5pF	GQM2195C2E9R0DB12#
			9.1pF	±0.25pF	GQM2195C2E9R1CB12#
			10.5	±0.5pF	GQM2195C2E9R1DB12#
			10pF	±2%	GQM2195C2E100GB12#
				±5%	GQM2195C2E100JB12#
			11pF	±2%	GQM2195C2E110GB12#
			10.5	±5%	GQM2195C2E110JB12#
			12pF	±2%	GQM2195C2E120GB12#
				±5%	GQM2195C2E120JB12#
			13pF	±2%	GQM2195C2E130GB12#
				±5%	GQM2195C2E130JB12#
			15pF	±2%	GQM2195C2E150GB12#
				±5%	GQM2195C2E150JB12#
			16pF	±2%	GQM2195C2E160GB12#
				±5%	GQM2195C2E160JB12#
			18pF	±2%	GQM2195C2E180GB12#
				±5%	GQM2195C2E180JB12#
			20pF	±2%	GQM2195C2E200GB12#
				±5%	GQM2195C2E200JB12#
			22pF	±2%	GQM2195C2E220GB12#
				±5%	GQM2195C2E220JB12#
			24pF	±2%	GQM2195C2E240GB12#
				±5%	GQM2195C2E240JB12#
			27pF	±2%	GQM2195C2E270GB12#
				±5%	GQM2195C2E270JB12#
			30pF	±2%	GQM2195C2E300GB12#
				±5%	GQM2195C2E300JB12#
			33pF	±2%	GQM2195C2E330GB12#
				±5%	GQM2195C2E330JB12#
			36pF	±2%	GQM2195C2E360GB12#
				±5%	GQM2195C2E360JB12#
			39pF	±2%	GQM2195C2E390GB12#
				±5%	GQM2195C2E390JB12#
			43pF	±2%	GQM2195C2E430GB12#
				±5%	GQM2195C2E430JB12#
			47pF	±2%	GQM2195C2E470GB12#
				±5%	GQM2195C2E470JB12#
			51pF	±2%	GQM2195C2E510GB12#
				±5%	GQM2195C2E510JB12#
			56pF	±2%	GQM2195C2E560GB12#
			00 -	±5%	GQM2195C2E560JB12#
			62pF	±2%	GQM2195C2E620GB12#
			00.5	±5%	GQM2195C2E620JB12#
			68pF	±2%	GQM2195C2E680GB12#
			75-5	±5%	GQM2195C2E680JB12#
			75pF	±2%	GQM2195C2E750GB12#
			00.5	±5%	GQM2195C2E750JB12#
			82pF	±2%	GQM2195C2E820GB12#
			04	±5%	GQM2195C2E820JB12#
			91pF	±2%	GQM2195C2E910GB12#

GRM Series

GJM Series

GMA Series

GMD Series

GRJ Series

GR3 Series KRM Series

GQM Series Temperature Compensating Type Part Number List

(→ **■** 2.0×1.25mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.0mm	250Vdc	COG	91pF	±5%	GQM2195C2E910JB12#	
			100pF	±2%	GQM2195C2E101GB12#	
				±5%	GQM2195C2E101JB12#	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
1.35mm	500Vdc	COG	6.8pF	±0.25pF	GQM22M5C2H6R8C
				±0.5pF	GQM22M5C2H6R8D
			7.0pF	±0.25pF	GQM22M5C2H7R0C

T nax.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.35mm	500Vdc	C0G	1.0pF	±0.1pF	GQM22M5C2H1R0BB01#
				±0.25pF	GQM22M5C2H1R0CB01#
			1.1pF	±0.1pF	GQM22M5C2H1R1BB01#
				±0.25pF	GQM22M5C2H1R1CB01#
			1.2pF	±0.1pF	GQM22M5C2H1R2BB01#
				±0.25pF	GQM22M5C2H1R2CB01#
			1.3pF	±0.1pF	GQM22M5C2H1R3BB01#
				±0.25pF	GQM22M5C2H1R3CB01#
			1.5pF	±0.1pF	GQM22M5C2H1R5BB01#
				±0.25pF	GQM22M5C2H1R5CB01#
			1.6pF	±0.1pF	GQM22M5C2H1R6BB01#
				±0.25pF	GQM22M5C2H1R6CB01#
			1.8pF	±0.1pF	GQM22M5C2H1R8BB01#
				±0.25pF	GQM22M5C2H1R8CB01#
			2.0pF	±0.1pF	GQM22M5C2H2R0BB01#
				±0.25pF	GQM22M5C2H2R0CB01#
			2.2pF	±0.1pF	GQM22M5C2H2R2BB01#
				±0.25pF	GQM22M5C2H2R2CB01#
			2.4pF	±0.1pF	GQM22M5C2H2R4BB01#
				±0.25pF	GQM22M5C2H2R4CB01#
			2.7pF	±0.1pF	GQM22M5C2H2R7BB01#
				±0.25pF	GQM22M5C2H2R7CB01#
			3.0pF	±0.1pF	GQM22M5C2H3R0BB01#
				±0.25pF	GQM22M5C2H3R0CB01#
			3.3pF	±0.1pF	GQM22M5C2H3R3BB01#
				±0.25pF	GQM22M5C2H3R3CB01#
			3.6pF	±0.1pF	GQM22M5C2H3R6BB01#
				±0.25pF	GQM22M5C2H3R6CB01#
			3.9pF	±0.1pF	GQM22M5C2H3R9BB01#
				±0.25pF	GQM22M5C2H3R9CB01#
			4.0pF	±0.1pF	GQM22M5C2H4R0BB01#
			•	±0.25pF	GQM22M5C2H4R0CB01#
			4.3pF	±0.1pF	GQM22M5C2H4R3BB01#
			•	±0.25pF	GQM22M5C2H4R3CB01#
			4.7pF	±0.1pF	GQM22M5C2H4R7BB01#
			•	±0.25pF	
			5.0pF	±0.1pF	GQM22M5C2H5R0BB01#
			I ⁻	±0.25pF	GQM22M5C2H5R0CB01#
			5.1pF	±0.25pF	GQM22M5C2H5R1CB01#
			- 1	±0.5pF	GQM22M5C2H5R1DB01#
			5.6pF	±0.25pF	GQM22M5C2H5R6CB01#
				±0.5pF	GQM22M5C2H5R6DB01#
			6.0pF	±0.25pF	GQM22M5C2H6R0CB01#
			0.0pi	±0.5pF	GQM22M5C2H6R0DB01#
			6.2pF	±0.25pF	GQM22M5C2H6R2CB01#
			0.2pi	±0.25pf	GQM22M5C2H6R2DB01#

Code	Cap.	Tol.	Part Number	
COG	6.8pF	±0.25pF	GQM22M5C2H6R8CB01#	
		±0.5pF	GQM22M5C2H6R8DB01#	
	7.0pF	±0.25pF	GQM22M5C2H7R0CB01#	
		±0.5pF	GQM22M5C2H7R0DB01#	
	7.5pF	±0.25pF	GQM22M5C2H7R5CB01#	
		±0.5pF	GQM22M5C2H7R5DB01#	
	8.0pF	±0.25pF	GQM22M5C2H8R0CB01#	
		±0.5pF	GQM22M5C2H8R0DB01#	
	8.2pF	±0.25pF	GQM22M5C2H8R2CB01#	
		±0.5pF	GQM22M5C2H8R2DB01#	
	9.0pF	±0.25pF	GQM22M5C2H9R0CB01#	
		±0.5pF	GQM22M5C2H9R0DB01#	
	9.1pF	±0.25pF	GQM22M5C2H9R1CB01#	
		±0.5pF	GQM22M5C2H9R1DB01#	
	10pF	±2%	GQM22M5C2H100GB01#	
		±5%	GQM22M5C2H100JB01#	
	11pF	±2%	GQM22M5C2H110GB01#	
		±5%	GQM22M5C2H110JB01#	
	12pF	±2%	GQM22M5C2H120GB01#	
		±5%	GQM22M5C2H120JB01#	
	13pF	±2%	GQM22M5C2H130GB01#	
		±5%	GQM22M5C2H130JB01#	
	15pF	±2%	GQM22M5C2H150GB01#	
		±5%	GQM22M5C2H150JB01#	
	16pF	±2%	GQM22M5C2H160GB01#	
		±5%	GQM22M5C2H160JB01#	
	18pF	±2%	GQM22M5C2H180GB01#	
		±5%	GQM22M5C2H180JB01#	
	20pF	±2%	GQM22M5C2H200GB01#	
		±5%	GQM22M5C2H200JB01#	
	22pF	±2%	GQM22M5C2H220GB01#	
		±5%	GQM22M5C2H220JB01#	
	24pF	±2%	GQM22M5C2H240GB01#	
		±5%	GQM22M5C2H240JB01#	
	27pF	±2%	GQM22M5C2H270GB01#	
		±5%	GQM22M5C2H270JB01#	
	30pF	±2%	GQM22M5C2H300GB01#	
		±5%	GQM22M5C2H300JB01#	
	33pF	±2%	GQM22M5C2H330GB01#	
		±5%	GQM22M5C2H330JB01#	
	36pF	±2%	GQM22M5C2H360GB01#	
		±5%	GQM22M5C2H360JB01#	
	39pF	±2%	GQM22M5C2H390GB01#	
		±5%	GQM22M5C2H390JB01#	
	43pF	±2%	GQM22M5C2H430GB01#	
		±5%	GQM22M5C2H430JB01#	
	47pF	±2%	GQM22M5C2H470GB01#	
		±5%	GQM22M5C2H470JB01#	
	51pF	±2%	GQM22M5C2H510GB01#	
	F0 - F	±5%	GQM22M5C2H510JB01#	
	56pF	±2%	GQM22M5C2H560GB01#	
	CO T	±5%	GQM22M5C2H560JB01#	
	62pF	±2%	GQM22M5C2H620GB01#	
	David	±5%	GQM22M5C2H620JB01#	
	ran nur	inner # itidio	cates the package specification	code.

Part number # indicates the package specification code.

muRata

(→ **■** 2.8×2.8mm)

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.35mm	500Vdc	COG	68pF	±2%	GQM22M5C2H680GB01#
				±5%	GQM22M5C2H680JB01#
			75pF	±2%	GQM22M5C2H750GB01#
				±5%	GQM22M5C2H750JB01#
			82pF	±2%	GQM22M5C2H820GB01#
				±5%	GQM22M5C2H820JB01#
			91pF	±2%	GQM22M5C2H910GB01#
				±5%	GQM22M5C2H910JB01#
			100pF	±2%	GQM22M5C2H101GB01#
				±5%	GQM22M5C2H101JB01#

Resin External Electrode Type

GRJ Series






The resin external electrodes prevent the occurrence of cracking caused by deflection stress after board mounting!


Features


1 The resin external electrodes suppress cracks by board deflection.

Cracking of the ceramic element is suppressed by the resin of the external electrodes, which releases the stress.



Suppresses the occurrence of cracking caused by deflection stress at the time of board mounting, etc.






Due to the specification of the measuring instrument, measurements can be performed up to 8mm.

3 Ideal for consumer and industrial electronic equipment, etc. where there heat stress, vibration and impact are applied.

Specifications

Size	2.0×1.25mm to 5.7×5.0mm				
Rated Voltage	DC6.3V to 1kV				
Capacitance	470pF to 47μF				
Main Applications	Consumer & Industrial Electronic Equipment				



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.



GRJ Series High Dielectric Constant Type Part Number List

■ 2.0×1.25mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.0mm	250Vdc	X7R	1000pF	±10%	GRJ21AR72E102KWJ1#
			1500pF	±10%	GRJ21AR72E152KWJ1#
			2200pF	±10%	GRJ21AR72E222KWJ1#
			3300pF	±10%	GRJ21AR72E332KWJ1#
			4700pF	±10%	GRJ21AR72E472KWJ1#
			6800pF	±10%	GRJ21AR72E682KWJ1#
1.45mm	250Vdc	X7R	10000pF	±10%	GRJ21BR72E103KWJ3#
			15000pF	±10%	GRJ21BR72E153KWJ3#
			22000pF	±10%	GRJ21BR72E223KWJ3#

■ 3.2×1.6mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.25mm	1000Vdc	X7R	470pF	±10%	GRJ31BR73A471KWJ1#
			680pF	±10%	GRJ31BR73A681KWJ1#
			1000pF	±10%	GRJ31BR73A102KWJ1#
			1500pF	±10%	GRJ31BR73A152KWJ1#
			2200pF	±10%	GRJ31BR73A222KWJ1#
			3300pF	±10%	GRJ31BR73A332KWJ1#
			4700pF	±10%	GRJ31BR73A472KWJ1#
	630Vdc	X7R	1000pF	±10%	GRJ31BR72J102KWJ1#
			1500pF	±10%	GRJ31BR72J152KWJ1#
			2200pF	±10%	GRJ31BR72J222KWJ1#
			3300pF	±10%	GRJ31BR72J332KWJ1#
			4700pF	±10%	GRJ31BR72J472KWJ1#
			6800pF	±10%	GRJ31BR72J682KWJ1#
			10000pF	±10%	GRJ31BR72J103KWJ1#
	250Vdc	X7R	15000pF	±10%	GRJ31BR72E153KWJ1#
			22000pF	±10%	GRJ31BR72E223KWJ1#
			68000pF	±10%	GRJ31BR72E683KWJ1#
1.8mm	1000Vdc	X7R	6800pF	±10%	GRJ31CR73A682KWJ3#
			10000pF	±10%	GRJ31CR73A103KWJ3#
	630Vdc	X7R	15000pF	±10%	GRJ31CR72J153KWJ3#
			22000pF	±10%	GRJ31CR72J223KWJ3#
	250Vdc	X7R	33000pF	±10%	GRJ31CR72E333KWJ3#
			47000pF	±10%	GRJ31CR72E473KWJ3#
			0.10µF	±10%	GRJ31CR72E104KWJ3#

■ 3.2×2.5mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.5mm	1000Vdc	X7R	6800pF	±10%	GRJ32QR73A682KWJ1#
			10000pF	±10%	GRJ32QR73A103KWJ1#
	630Vdc	X7R	22000pF	±10%	GRJ32QR72J223KWJ1#
	250Vdc	X7R	68000pF	±10%	GRJ32QR72E683KWJ1#
			0.15µF	±10%	GRJ32QR72E154KWJ1#
2.0mm	1000Vdc	X7R	15000pF	±10%	GRJ32DR73A153KWJ1#
			22000pF	±10%	GRJ32DR73A223KWJ1#
	630Vdc	X7R	33000pF	±10%	GRJ32DR72J333KWJ1#
			47000pF	±10%	GRJ32DR72J473KWJ1#

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
2.0mm	250Vdc	X7R	0.10µF	±10%	GRJ32DR72E104KWJ1#
			0.22µF	±10%	GRJ32DR72E224KWJ1#
2.3mm	100Vdc	X7R	2.2µF	±10%	GRJ32DR72A225KE11#
				±20%	GRJ32DR72A225ME11#
2.8mm	50Vdc	X7R	4.7µF	±10%	GRJ32ER71H475KE11#
		X7S		±20%	GRJ32ER71H475ME11#
			X7S 10μF	±10%	GRJ32EC71H106KE11#
				±20%	GRJ32EC71H106ME11#
	25Vdc	Vdc X7R	10μF	±10%	GRJ32ER71E106KE11#
				±20%	GRJ32ER71E106ME11#
	16Vdc	X7R	22µF	±10%	GRJ32ER71C226KE11#
				±20%	GRJ32ER71C226ME11#
	10Vdc	X7R	22µF	±10%	GRJ32ER71A226KE11#
				±20%	GRJ32ER71A226ME11#
	6.3Vdc	X7R	47µF	±10%	GRJ32ER70J476KE11#
				±20%	GRJ32ER70J476ME11#

■ 4.5×3.2mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
1.5mm	630Vdc	X7R	68000pF	±10%	GRJ43QR72J683KWJ1#
	250Vdc	X7R	0.15µF	±10%	GRJ43QR72E154KWJ1#
2.0mm	1000Vdc	X7R	33000pF	±10%	GRJ43DR73A333KWJ1#
			47000pF	±10%	GRJ43DR73A473KWJ1#
	630Vdc	X7R	0.10µF	±10%	GRJ43DR72J104KWJ1#
	250Vdc	X7R	0.22µF	±10%	GRJ43DR72E224KWJ1#
			0.33µF	±10%	GRJ43DR72E334KWJ1#
			0.47µF	±10%	GRJ43DR72E474KWJ1#

■ 5.7×5.0mm

muRata

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
2.0mm	1000Vdc	X7R	68000pF	±10%	GRJ55DR73A683KWJ1#
			0.10µF	±10%	GRJ55DR73A104KWJ1#
	630Vdc	X7R	0.15µF	±10%	GRJ55DR72J154KWJ1#
			0.22µF	±10%	GRJ55DR72J224KWJ1#
	250Vdc	X7R	0.33µF	±10%	GRJ55DR72E334KWJ1#
			0.47µF	±10%	GRJ55DR72E474KWJ1#
			0.68µF	±10%	GRJ55DR72E684KWJ1#
			1.0µF	±10%	GRJ55DR72E105KWJ1#

High Effective Capacitance & High Allowable Ripple Current

GR3 Series






This is a general purpose high ripple resistance product excellent in DC bias characteristics.

Features


When a DC bias is applied, a capacitance higher than conventional products (X7R characteristics) can be acquired.

About twice the capacitance can be secured when DC200V is applied.




Improved ripple resistance performance compared to conventional products (X7R characteristics).

In the case of a product with a capacitance of 1µF, when the exothermic temperature reaches 20°C at frequency f=300kHz, the amount of resistance of a product with conventional material is 2.9Ar.m.s.; however, the new material is 4.7Ar.m.s..




3 This product has a noise reduction effect.

Since dielectric materials which enable a reduction of noise are used, this product is more effective for reducing noise compared to the general purpose GRM series.



Specifications

Size	2.0×1.25mm to 5.7×5.0mm		
Rated Voltage DC250V to 630V			
Capacitance	0.01μF to 1.0μF		
Main Applications	For PFC (Power Factor Correction) Circuits of Power Supplies, EMI Suppression and Smoothing Circuits		



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.



GR3 Series High Dielectric Constant Type Res Part Number List

■ 2.0×1.25mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.0mm	250Vdc	X7T	10000pF	±10%	GR321AD72E103KW01#	
			15000pF	±10%	GR321AD72E153KW01#	
1.45mm	250Vdc	X7T	22000pF	±10%	GR321BD72E223KW03#	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
2.7mm	630Vdc	X7T	0.27µF	±10%	GR355XD72J274KW05#	
	450Vdc	X7T	0.56µF	±10%	GR355XD72W564KW05#	
	250Vdc	X7T	1.0µF	±10%	GR355XD72E105KW05#	

■ 3.2×1.6mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
1.0mm	450Vdc	X7T	10000pF	±10%	GR331AD72W103KW01#
			15000pF	±10%	GR331AD72W153KW01#
	250Vdc	X7T	33000pF	±10%	GR331AD72E333KW01#
1.25mm	630Vdc	X7T	10000pF	±10%	GR331BD72J103KW01#
	450Vdc	X7T	22000pF	±10%	GR331BD72W223KW01#
			33000pF	±10%	GR331BD72W333KW01#
	250Vdc	X7T	47000pF	±10%	GR331BD72E473KW01#
1.8mm	630Vdc	X7T	15000pF	±10%	GR331CD72J153KW03#
	450Vdc	X7T	47000pF	±10%	GR331CD72W473KW03#
	250Vdc	X7T	68000pF	±10%	GR331CD72E683KW03#

■ 3.2×2.5mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.5mm	630Vdc	X7T	22000pF	±10%	GR332QD72J223KW01#	
	250Vdc	X7T	0.10µF	±10%	GR332QD72E104KW01#	
2.0mm	630Vdc	X7T	33000pF	±10%	GR332DD72J333KW01#	
			47000pF	±10%	GR332DD72J473KW01#	
	450Vdc	X7T	68000pF	±10%	GR332DD72W683KW01#	
			0.10µF	±10%	GR332DD72W104KW01#	
	250Vdc	X7T	0.15µF	±10%	GR332DD72E154KW01#	

■ 4.5×3.2mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
1.5mm	250Vdc	X7T	0.22µF	±10%	GR343QD72E224KW01#	
2.0mm	630Vdc	X7T	68000pF	±10%	GR343DD72J683KW01#	
	450Vdc	X7T	0.15µF	±10%	GR343DD72W154KW01#	
	250Vdc	X7T	0.33µF	±10%	GR343DD72E334KW01#	

■ 5.7×5.0mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
2.0mm	630Vdc	X7T	0.10µF	±10%	GR355DD72J104KW01#
			0.15µF	±10%	GR355DD72J154KW01#
	450Vdc	X7T	0.22µF	±10%	GR355DD72W224KW01#
			0.33µF	±10%	GR355DD72W334KW01#
			0.47µF	±10%	GR355DD72W474KW01#
	250Vdc	X7T	0.47µF	±10%	GR355DD72E474KW01#
			0.68µF	±10%	GR355DD72E684KW01#
2.7mm	630Vdc	X7T	0.22µF	±10%	GR355XD72J224KW05#

muRata

♠Caution/ Notice

Metal Terminal Type For General Purpose

KRM Series








Bonding the metal terminals to external electrodes solves design issues by mounting large size MLCC!

Features

1) Bond metal terminals to the external electrodes of chips.


The stress applied to the chip is relieved by the elastic action of the metal terminal.




2 Substantially reduces noise, board deflection cracks and soldering cracks.

This product is not damaged even with a board deflection of 6 mm. Solder cracks do not occur even with 2,000 cycles of heat stress.


Acoustic Noise is Reduced with Metal Terminals







Suppresses Solder Cracks Caused by Heat Stress



Test Condition: -55 to +125°C, 5min.,(Tank) Board Used: Glass Epoxy Board (FR-4)

Demonstrates replacement value of low noise capacitors Experience the effectiveness of the KRM Series.

• Examples of Noise Countermeasures


(3)

2 chips can be stacked.

Realize large capacity by stacking 2 capacitors.

Specifications

Size	2.2×1.25mm to 6.1×5.3mm
Rated Voltage	DC16V to 1kV
Capacitance	0.068μF to 68μF
Main Applications	For smoothing and noise suppression of DC-DC converters



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.



KRM Series High Dielectric Constant Type Anti- State Part Number List

muRata

■ 3.5×1.7mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
2.0mm	25Vdc	X5R	10µF	±10%	KRM31FR61E106KH01#	
2.9mm	100Vdc	X7R	1.0µF	±10%	KRM31KR72A105KH01#	
	50Vdc	X7R	4.7µF	±10%	KRM31KR71H475KH01#	
	35Vdc	X6S	10µF	±10%	KRM31KC8YA106KH01#	
	25Vdc	X6S	10µF	±10%	KRM31KC81E106KH01#	

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number	
5.0mm	25Vdc	X7R	33µF	±20%	KRM55TR71E336MH01#	
6.7mm	100Vdc	X7R	15µF	±20%	KRM55WR72A156MH01#	
	63Vdc	X7R	22µF	±20%	KRM55WR71J226MH01#	
	50Vdc	X7R	33µF	±20%	KRM55WR71H336MH01#	
	35Vdc	X7R	47µF	±20%	KRM55WR7YA476MH01#	
	25Vdc	X7R	47µF	±20%	KRM55WR71E476MH01#	
			68µF	±20%	KRM55WR71E686MH01#	

■ 3.6×1.7mm

T max.	Rated Voltage		Cap.	Tol.	Part Number	
2.9mm	50Vdc	X7R	2.2µF	±10%	KRM31KR71H225KH01#	

■ 3.7×1.85mm

T max.	Rated Voltage		Cap.	Tol.	Part Number	
2.9mm	100Vdc	X7R	2.2µF	±10%	KRM31KR72A225KH01#	

■ 6.1×5.3mm

T nax.	Rated Voltage	TC Code	Cap.	Tol.	Part Number								
3.0mm	1000Vdc	X7R	68000pF	±10%	KRM55LR73A683KH01#								
	630Vdc		0.10µF	±10%	KRM55LR73A104KH01#								
		X7R	0.15µF	±10%	KRM55LR72J154KH01#								
			0.22µF	±10%	KRM55LR72J224KH01#								
	250Vdc	X7R	0.68µF	±10%	KRM55LR72E684KH01#								
			1.0µF	±10%	KRM55LR72E105KH01#								
	100Vdc	X7R	4.7µF	±10%	KRM55LR72A475KH01#								
	63Vdc	X7R	4.7µF	±10%	KRM55LR71J475KH01#								
	50Vdc	X7R	4.7µF	±10%	KRM55LR71H475KH01#								
			10µF	±10%	KRM55LR71H106KH01#								
	35Vdc	X7R	10µF	±10%	KRM55LR7YA106KH01#								
			15µF	±10%	KRM55LR7YA156KH01#								
	25Vdc	X7R	15µF	±10%	KRM55LR71E156KH01#								
9mm	100Vdc	X7R	6.8µF	±10%	KRM55QR72A685KH01#								
	63Vdc	X7R	10µF	±10%	KRM55QR71J106KH01#								
	50Vdc	X7R	17µF	±10%	KRM55QR71H176KH01#								
	35Vdc	35Vdc	35Vdc	35Vdc	35Vdc	35Vdc	35Vdc	35Vdc	35Vdc	X7R	17µF	±10%	KRM55QR7YA176KH01#
			22µF	±10%	KRM55QR7YA226KH01#								
	25Vdc	X7R	22µF	±10%	KRM55QR71E226KH01#								
			33µF	±10%	KRM55QR71E336KH01#								
mm	1000Vdc	X7R	0.15µF	±20%	KRM55TR73A154MH01#								
			0.22µF	±20%	KRM55TR73A224MH01#								
	630Vdc	X7R	0.33µF	±20%	KRM55TR72J334MH01#								
			0.47µF	±20%	KRM55TR72J474MH01#								
	250Vdc	X7R	1.5µF	±20%	KRM55TR72E155MH01#								
			2.2µF	±20%	KRM55TR72E225MH01#								
	100Vdc	X7R	10µF	±20%	KRM55TR72A106MH01#								
	50Vdc	X7R	22µF	±20%	KRM55TR71H226MH01#								
	35Vdc	X7R	22µF	±20%	KRM55TR7YA226MH01#								
			33µF	±20%	KRM55TR7YA336MH01#								

GRJ Series

Metal Terminal Type High Effective Capacitance & High Allowable Ripple Current

KR3 Series










Bonding the metal terminals to external electrodes solves design issues by mounting large size MLCC!

Features

1) Bond metal terminals to the external electrodes of chips.


The stress applied to the chip is relieved by the elastic action of the metal terminal.



2 Substantially reduces noise, board deflection cracks and soldering cracks.


This product is not damaged even with a board deflection of 6 mm. Solder cracks do not occur even with 2,000 cycles of heat stress.

Comparison of Noise Reduction Effects



Note: Results Using Murata's Evaluation Board

Reduces Stress Caused by Board Deflection



Suppresses Solder Cracks Caused by Heat Stress


Chip Size	Chip Only (5750 (in mm)/2220 (in inch) size)	Metal Terminal Type (5750 (in mm)/2220 (in inch) size)
1000 Cycle	ĵĵSolder Crack	
2000 Cycle	∬Solder Crack	

Test Condition: -55 to +125°C, 5min.,(Tank) Board Used: Glass Epoxy Board (FR-4)

LLR Series


3 Adopted Low Dielectric Constant Materials

Improved effective capacity and ripple resistant performance, compared to conventional products (X7R characteristics).



Specifications

Size	6.1×5.3mm
Rated Voltage	DC250V to 630V
Capacitance	0.1μF to 2.2μF
Main Applications	For DC-DC converters of general electronic equipment



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.

KR3 Series High Dielectric Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Constant Type (Anti- Con

muRata

■ 6.1×5.3mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
3.0mm	630Vdc	X7T	0.10µF	±10%	KR355LD72J104KH01#
			0.15µF	±10%	KR355LD72J154KH01#
	450Vdc	X7T	0.22µF	±10%	KR355LD72W224KH01#
			0.33µF	±10%	KR355LD72W334KH01#
			0.47µF	±10%	KR355LD72W474KH01#
	250Vdc	X7T	0.47µF	±10%	KR355LD72E474KH01#
			0.68µF	±10%	KR355LD72E684KH01#
3.9mm	630Vdc	X7T	0.22µF	±10%	KR355QD72J224KH01#
			0.27µF	±10%	KR355QD72J274KH01#
	450Vdc	X7T	0.56µF	±10%	KR355QD72W564KH01#
	250Vdc	X7T	1.0µF	±10%	KR355QD72E105KH01#
5.0mm	450Vdc	X7T	0.68µF	±20%	KR355TD72W684MH01#
			1.0µF	±20%	KR355TD72W105MH01#
	250Vdc	X7T	1.5µF	±20%	KR355TD72E155MH01#
6.7mm	630Vdc	X7T	0.47µF	±20%	KR355WD72J474MH01#
			0.56µF	±20%	KR355WD72J564MH01#
	450Vdc	X7T	1.2µF	±20%	KR355WD72W125MH01#
	250Vdc	X7T	2.2µF	±20%	KR355WD72E225MH01#

8-Terminal Low ESL Type

LLA Series






8-Terminal Type Low ESL Capacitor Ideal for Power Supply Decoupling of High-speed Operation IC


Features

1 Ultra-low ESL


Since the equivalent series inductance (ESL) is very low with excellent high frequency characteristics due to the design structure, this capacitor is ideal for power supply decoupling of high-speed operation IC.



<Example of Structure>



<Effectiveness of Cancelling Out Inductance by Mutual Inductance>



<Effectiveness of Suppressing Inductance when Mounting a Multi-terminal Capacitor>

The inductance for the boards also becomes lower, not only the capacitor.

2 A maximum operating temperature up to 125°C.


This product is applicable to high temperatures (X7* characteristics); however, Murata also offers numerous thin type products, which are ideal as decoupling capacitors on IC package.

Specifications

Size	1.6×0.8mm to 3.2×1.6mm
Rated Voltage	DC4V to 25V
Capacitance	0.01μF to 4.7μF
Main Applications	Application processor/CPU/GPU

This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.





LLA Series High Dielectric Constant Type <a> Part Number List

■ 1.6×0.8mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	4Vdc	X7S	0.10µF	±20%	LLA185C70G104MA01#
			0.22µF	±20%	LLA185C70G224MA01#
			0.47µF	±20%	LLA185C70G474MA01#
			2.2µF	±20%	LLA185C70G225ME16#

■ 2.0×1.25mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	25Vdc	X7R	10000pF	±20%	LLA215R71E103MA14#
			22000pF	±20%	LLA215R71E223MA14#
	16Vdc	X7R	47000pF	±20%	LLA215R71C473MA14#
			0.10µF	±20%	LLA215R71C104MA14#
	10Vdc	X7R	0.22µF	±20%	LLA215R71A224MA14#
	6.3Vdc	X7R	0.47µF	±20%	LLA215R70J474MA14#
	4Vdc	X7S	1.0µF	±20%	LLA215C70G105MA14#
			4.7µF	±20%	LLA215C70G475ME19#
0.95mm	25Vdc	X7R	10000pF	±20%	LLA219R71E103MA01#
			22000pF	±20%	LLA219R71E223MA01#
			47000pF	±20%	LLA219R71E473MA01#
	16Vdc	X7R	0.10µF	±20%	LLA219R71C104MA01#
			0.22µF	±20%	LLA219R71C224MA01#
	10Vdc	X7R	0.47µF	±20%	LLA219R71A474MA01#
	6.3Vdc	X7R	1.0µF	±20%	LLA219R70J105MA01#
	4Vdc	X7S	2.2µF	±20%	LLA219C70G225MA01#

■ 3.2×1.6mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.55mm	16Vdc	X7R	0.22µF	±20%	LLA315R71C224MA14#	
	10Vdc	X7R	0.47µF	±20%	LLA315R71A474MA14#	
	6.3Vdc	X7R	1.0µF	±20%	LLA315R70J105MA14#	
			2.2µF	±20%	LLA315R70J225MA14#	
0.95mm	16Vdc	X7R	0.47µF	±20%	LLA319R71C474MA01#	
	10Vdc	X7R	1.0µF	±20%	LLA319R71A105MA01#	_
1.25mm	16Vdc	X7R	1.0µF	±20%	LLA31MR71C105MA01#	
	10Vdc	X7R	2.2µF	±20%	LLA31MR71A225MA01#	

muRata

LW Reversed Low ESL Type

LLL Series






This low ESL capacitor is ideal for power supply decoupling of high-speed operation electronic equipment.

Features

1 Low ESL


Since the equivalent series inductance (ESL) is low and excellent in high frequency characteristics, this capacitor is suitable for power supply decoupling of high-speed operation electronic equipment.



2 Contributes to a reduction in the number of components.

The number of components can be reduced by using low ESL capacitors, while maintaining functions equivalent to general purpose capacitors (GRM Series).

Murata proposes the use of the LLL series to reduce the number of components and high costs. Simulation is also possible.




3 A maximum operating temperature up to 125°C.

We also offer an abundant lineup of X7* characteristics that can be used in high temperature locations, such as IC packages.

Specifications

Size	0.5×1.0mm to 1.6×3.2mm
Rated Voltage	DC2.5V to 50V
Capacitance	2,200pF to 10μF
Main Applications	Application processor/CPU/GPU



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.

LLL Series High Dielectric Constant Type Part Number List

■ 0.5×1.0mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.35mm	6.3Vdc	X6S	0.10µF	±20%	LLL153C80J104ME01#	
			0.22µF	±20%	LLL153C80J224ME14#	
	4Vdc	X7S	0.47µF	±20%	LLL153C70G474ME17#	
		X6S	1.0µF	±20%	LLL153C80G105ME21#	

■ 0.6×1.0mm

T max.	Rated Voltage		Сар.	Tol.	Part Number	
0.45mm	4Vdc	X5R	4.3µF	±20%	LLL1U4R60G435ME22#	Derating

■ 0.8×1.6mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.5mm	25Vdc	X7R	10000pF	±20%	LLL185R71E103MA11#
	16Vdc	X7R	22000pF	±20%	LLL185R71C223MA11#
			47000pF	±20%	LLL185R71C473MA11#
	10Vdc	X7R	0.10µF	±20%	LLL185R71A104MA11#
	4Vdc	X7S	0.22µF	±20%	LLL185C70G224MA11#
0.55mm	4Vdc	X7S	2.2µF	±20%	LLL185C70G225ME01#
0.6mm	50Vdc	50Vdc X7R	2200pF	±20%	LLL185R71H222MA01#
			4700pF	±20%	LLL185R71H472MA01#
	25Vdc	X7R	10000pF	±20%	LLL185R71E103MA01#
			22000pF	±20%	LLL185R71E223MA01#
	16Vdc	X7R	47000pF	±20%	LLL185R71C473MA01#
	10Vdc	X7R	0.10µF	±20%	LLL185R71A104MA01#
			0.22µF	±20%	LLL185R71A224MA01#
	4Vdc	X7S	0.47µF	±20%	LLL185C70G474MA01#

■ 1.25×2.0mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.5mm	50Vdc	X7R	10000pF	±20%	LLL215R71H103MA11#
	25Vdc	X7R	22000pF	±20%	LLL215R71E223MA11#
	16Vdc	X7R	47000pF	±20%	LLL215R71C473MA11#
			0.10µF	±20%	LLL215R71C104MA11#
	10Vdc	X7R	0.22µF	±20%	LLL215R71A224MA11#
	6.3Vdc	X7R	0.47µF	±20%	LLL215R70J474MA11#
	4Vdc	X7S	1.0µF	±20%	LLL215C70G105MA11#
0.7mm	50Vdc	X7R	10000pF	±20%	LLL216R71H103MA01#
			22000pF	±20%	LLL216R71H223MA01#
	25Vdc	X7R	47000pF	±20%	LLL216R71E473MA01#
			0.10µF	±20%	LLL216R71E104MA01#
	10Vdc	X7R	0.22µF	±20%	LLL216R71A224MA01#
0.95mm	16Vdc	X7R	0.22µF	±20%	LLL219R71C224MA01#
	10Vdc	X7R	0.47µF	±20%	LLL219R71A474MA01#
			1.0µF	±20%	LLL219R71A105MA01#
	4Vdc	X7S	2.2µF	±20%	LLL219C70G225MA01#

muRata

■ 1.6×3.2mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.5mm	50Vdc	X7R	10000pF	±20%	LLL315R71H103MA11#
			22000pF	±20%	LLL315R71H223MA11#
	25Vdc	X7R	47000pF	±20%	LLL315R71E473MA11#
			0.10µF	±20%	LLL315R71E104MA11#
	16Vdc	X7R	0.22µF	±20%	LLL315R71C224MA11#
	10Vdc	X7R	0.47µF	±20%	LLL315R71A474MA11#
0.8mm	50Vdc	X7R	10000pF	±20%	LLL317R71H103MA01#
			22000pF	±20%	LLL317R71H223MA01#
			47000pF	±20%	LLL317R71H473MA01#
	25Vdc	X7R	0.10µF	±20%	LLL317R71E104MA01#
	16Vdc	X7R	0.22µF	±20%	LLL317R71C224MA01#
			0.47µF	±20%	LLL317R71C474MA01#
	10Vdc	X7R	1.0µF	±20%	LLL317R71A105MA01#
	6.3Vdc	X7R	2.2µF	±20%	LLL317R70J225MA01#
1.25mm	50Vdc	X7R	0.10µF	±20%	LLL31MR71H104MA01#
	25Vdc	X7R	0.22µF	±20%	LLL31MR71E224MA01#
			0.47µF	±20%	LLL31MR71E474MA01#
	16Vdc	X7R	1.0µF	±20%	LLL31MR71C105MA01#
	10Vdc	X7R	2.2µF	±20%	LLL31MR71A225MA01#
	6.3Vdc	X7R	4.7µF	±20%	LLL31MR70J475MA01#
		X5R	10µF	±20%	LLL31MR60J106ME01#

10-Terminal Low ESL Type

LLM Series







10-Terminal Type Low ESL Capacitor Ideal for Power Supply Decoupling of High-speed Operation IC

Features


1) This is the lowest ESL LW reversed type capacitor.

Since the equivalent series inductance (ESL) of this product is even lower than the LLA series (8-terminal product) with excellent high frequency characteristics, this capacitor is ideal for power supply decoupling of high-speed operation IC.





<Effectiveness of Cancelling Out Inductance by Mutual Inductance>



<Effectiveness of Suppressing Inductance when Mounting a Multi-terminal Capacitor>

The inductance for the boards also becomes lower, not only the capacitor.

2 A maximum operating temperature up to 125°C.


This product is applicable to high temperatures (X7* characteristics); however, Murata also offers numerous thin type products, which are ideal as decoupling capacitors on IC package.

Specifications

Size	2.0×1.25mm to 3.2×1.6mm
Rated Voltage	DC4V to 16V
Capacitance	0.1μF to 2.2μF
Main Applications	Application processor/CPU/GPU

This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.



LLM Series High Dielectric Constant Type Part Number List

■ 2.0×1.25mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number
0.55mm	6.3Vdc	X7R	0.22µF	±20%	LLM215R70J224MA11#
			0.47µF	±20%	LLM215R70J474MA11#
	4Vdc	X7S	1.0µF	±20%	LLM215C70G105MA11#

■ 3.2×1.6mm

T max.	Rated Voltage	TC Code	Сар.	Tol.	Part Number	
0.55mm	16Vdc	X7R	0.10µF	±20%	LLM315R71C104MA11#	
			0.22µF	±20%	LLM315R71C224MA11#	
	10Vdc	X7R	0.47µF	±20%	LLM315R71A474MA11#	
	6.3Vdc	X7R	2.2µF	±20%	LLM315R70J225MA11#	

muRata

ESR Controlled Low ESL Type

LLR Series






ESR Controlled Type Low ESL Capacitors Equipped with Anti-resonance Control **Function**

Features

Reduces Anti-resonance

This capacitor is controlled so that the equivalent series resistance (ESR) becomes slightly higher, and is effective in reducing the anti-resonance that occurs when capacitor arrays are used.



Lineup of capacitors with ESR values from 100 to 1,000m Ω .


According to the conditions of the anti-resonance, the most suitable ESR value can be selected from 4 types.

(3) Low ESL

This ESR controlled type capacitor has excellent high frequency characteristics, with low equivalent series inductance (ESL). This is also ideal as a decoupling component.

Specifications

Size	0.8×1.6mm
Rated Voltage	DC4V
Capacitance	1.0μF
Main Applications	Network processor/ASIC/PMIC



This catalog contains only a portion of the product lineup.

Please refer to the capacitor search tool on the Murata Web site for details.

LLR Series High Dielectric Constant Type <a> Part Number List

■ 0.8×1.6mm

T max.	Rated Voltage	TC Code	Cap.	Tol.	Part Number
0.55mm	4Vdc	X7S	1.0µF	±20%	LLR185C70G105ME01#
				±20%	LLR185C70G105ME03#
				±20%	LLR185C70G105ME05#
				±20%	LLR185C70G105ME07#

muRata

GRM Series

GJM Series

GMA Series

GQM Series GMD Series

GRJ Series

GR3 Series

⚠ Caution/Notice

⚠Caution

Storage and Operation Conditions	142
Rating	142
1. Temperature Dependent Characteristics	142
2. Measurement of Capacitance·····	142
3. Applied Voltage ·····	143
Type of Applied Voltage and Self-heating Temperature	143
5. DC Voltage and AC Voltage Characteristics ·····	146
6. Capacitance Aging ·····	146
7. Vibration and Shock ·····	147
Soldering and Mounting	147
1. Mounting Position ·····	147
2. Information before Mounting	148
3. Maintenance of the Mounting (pick and place) Machine	148
4-1. Reflow Soldering ·····	149
4-2. Flow Soldering	150
4-3. Correction of Soldered Portion ······	151
5. Washing	152
6. Electrical Test on Printed Circuit Board	152
7. Printed Circuit Board Cropping·····	152
8. Assembly ·····	155
9. Die Bonding/Wire Bonding ·····	156
Other	156
1. Under Operation of Equipment	156
2. Other	156

Notice

Rating	. 15/
1. Operating Temperature ·····	· 157
Atmosphere Surroundings (gaseous and liquid)	· 157
3. Piezo-electric Phenomenon	· 157
Soldering and Mounting	· 157
1. PCB Design ·····	· 157
1. Notice for Pattern Forms ·····	· 157
2. Land Dimensions	· 158
3. Board Design	· 160
2. Adhesive Application ·····	· 160
3. Adhesive Curing ·····	· 160
4. Flux for Reflow and Flow Soldering	· 161
5. Flow Soldering	· 161
6. Washing·····	· 161
7. Coating ·····	· 161
■ Other ·····	· 162
1. Transportation ·····	162
2. Characteristics Evaluation	400
in the Actual System ·····	· 162

■ Storage and Operation Conditions

- 1. The performance of chip monolithic ceramic capacitors may be affected by the storage conditions.
 - 1-1. Store the capacitors in the following conditions: Room Temperature of +5°C to +40°C and a Relative Humidity of 20% to 70%.
 - (1) Sunlight, dust, rapid temperature changes, corrosive gas atmosphere, or high temperature and humidity conditions during storage may affect solderability and packaging performance. Therefore, please maintain the storage temperature and humidity. Use the product within six months, as prolonged storage may cause oxidation of the electrodes.
 - (2) Please confirm solderability before using after six months. Store the capacitors without opening the original bag. Even if the storage period is short, do not exceed the specified atmospheric conditions.

- 1-2. Corrosive gas can react with the termination (external) electrodes or lead wires of capacitors, and result in poor solderability. Do not store the capacitors in an atmosphere consisting of corrosive gas (e.g., hydrogen sulfide, sulfur dioxide, chlorine, ammonia gas, etc.).
- 1-3. Due to moisture condensation caused by rapid humidity changes, or the photochemical change caused by direct sunlight on the terminal electrodes and/or the resin/epoxy coatings, the solderability and electrical performance may deteriorate. Do not store capacitors under direct sunlight or in high humidity conditions.


Rating

1. Temperature Dependent Characteristics


- 1. The electrical characteristics of a capacitor can change with temperature.
 - 1-1. For capacitors having larger temperature dependency, the capacitance may change with temperature changes.


The following actions are recommended in order to ensure suitable capacitance values.

(1) Select a suitable capacitance for the operating temperature range.



When you use a high dielectric constant type capacitor in a circuit that needs a tight (narrow) capacitance tolerance (e.g., a time-constant circuit), please carefully consider the temperature characteristics, and carefully confirm the various characteristics in actual use conditions and the actual system.





2. Measurement of Capacitance

- 1. Measure capacitance with the voltage and frequency specified in the product specifications.
 - 1-1. The output voltage of the measuring equipment may decrease occasionally when capacitance is high. Please confirm whether a prescribed measured voltage is impressed to the capacitor.

muRata

1-2. The capacitance values of high dielectric constant type capacitors change depending on the AC voltage applied. Please consider the AC voltage characteristics when selecting a capacitor to be used in an AC circuit.

 $\begin{tabular}{|c|c|c|c|}\hline \searrow & Continued from the preceding page. \end{tabular}$

3. Applied Voltage

- 1. Do not apply a voltage to the capacitor that exceeds the rated voltage as called out in the specifications.
 - 1-1. Applied voltage between the terminals of a capacitor shall be less than or equal to the rated voltage.
 - (1) When AC voltage is superimposed on DC voltage, the zero-to-peak voltage shall not exceed the rated DC voltage.
 - When AC voltage or pulse voltage is applied, the peak-to-peak voltage shall not exceed the rated DC voltage.
 - (2) Abnormal voltages (surge voltage, static electricity, pulse voltage, etc.) shall not exceed the rated DC voltage.

Typical Voltage Applied to the DC Capacitor

DC Voltage DC Voltage+AC		AC Voltage	Pulse Voltage	
E	E	0	E	

muRata

(E: Maximum possible applied voltage.)

1-2. Influence of over voltage

Over voltage that is applied to the capacitor may result in an electrical short circuit caused by the breakdown of the internal dielectric layers.

The time duration until breakdown depends on the applied voltage and the ambient temperature.

2. Use a safety standard certified capacitor in a power supply input circuit (AC filter), as it is also necessary to consider the withstand voltage and impulse withstand voltage defined for each device.

4. Type of Applied Voltage and Self-heating Temperature


1. Confirm the operating conditions to make sure that no large current is flowing into the capacitor due to the continuous application of an AC voltage or pulse voltage.

When a DC rated voltage product is used in an AC voltage circuit or a pulse voltage circuit, the AC current or pulse current will flow into the capacitor; therefore check the self-heating condition.


Please confirm the surface temperature of the capacitor so that the temperature remains within the upper limits of the operating temperature, including the rise in temperature due to self-heating. When the capacitor is used with a high-frequency voltage or pulse voltage, heat may be generated by dielectric loss.

<Applicable to Rated Voltage of less than 100VDC>

1-1. The load should be contained to the level such that when measuring at atmospheric temperature of 25°C, the product's self-heating remains below 20°C and the surface temperature of the capacitor in the actual circuit remains within the maximum operating temperature.



Sample: R (R1) characteristics 10µF.



Continued from the preceding page.


< Applicable to Temperature Characteristics X7R (R7), X7T (D7) beyond Rated Voltage of 200VDC>

1-2. The load should be contained so that the self-heating of the capacitor body remains below 20°C, when measuring at an ambient temperature of 25°C. In addition, use a K thermocouple of Ø0.1mm with less heat capacity when measuring, and measure in a condition where there is no effect from the radiant heat of other components or air flow caused by convection. Excessive generation of heat may cause deterioration of the characteristics and reliability of the capacitor. (Absolutely do not perform measurements while the cooling fan is operating, as an accurate measurement may not be performed.)


< Applicable to Temperature Characteristics U2J (7U), C0G (5C) beyond Rated Voltage of 200VDC>

1-3. Since the self-heating is low in the low loss series, the allowable power becomes extremely high compared to the common X7R (R7) characteristics. However, when a load with self-heating of 20°C is applied at the rated voltage, the allowable power may be exceeded. When the capacitor is used in a high-frequency voltage circuit of 1kHz or more, the frequency of the applied voltage should be less than 500kHz sine wave (less than 100kHz for a product with rated voltage of DC3.15kV), to limit the voltage load so that the load remains within the derating shown in the following figure. In the case of non-sine wave, high-frequency components exceeding the fundamental frequency may be included. In such a case, please contact Murata. The excessive generation of heat may cause deterioration of the characteristics and reliability of the capacitor. (Absolutely do not perform measurements while the


cooling fan is operating, as an accurate measurement may not be performed.)




C0G (5C) char., Rated Voltage: DC200V




C0G (5C) char., Rated Voltage: DC250V




C0G (5C) char., Rated Voltage: DC500V



C0G (5C) char., Rated Voltage: DC630V




C0G (5C) char., Rated Voltage: DC1kV



The sine-wave frequency VS allowable voltage

muRata





The sine-wave frequency VS allowable voltage

muRata

<Design Tool>

1000

· Simsurfing

Simsurfing is a web application to display the characteristics charts and download the characteristics data of our products. The frequency characteristics, temperature characteristics, bias characteristics etc. can be checked.

100

Frequency [kHz]

1000

(Address: http://www.murata.com/simsurfing/)

Medium Voltage Ceramic Capacitor Selection Tool
 The selection tool "Murata Medium Voltage Capacitors
 Selection Tool by Voltage Form" is installed in the above
 SimSurfing, where the usability of the preferred medium
 voltage ceramic capacitors can be determined according
 to the application including automobiles.

By using this tool, the preferred products* can be checked by specifications, such as the power, voltage, and fundamental frequency of the voltage waveform to be input into the capacitor.


*Supported Series


Temperature characteristics U2J (7U), C0G (5C) of GRM/DC200V or more

Continued from the preceding page.

5. DC Voltage and AC Voltage Characteristics

- 1. The capacitance value of a high dielectric constant type capacitor changes depending on the DC voltage applied. Please consider the DC voltage characteristics when a capacitor is selected for use in a DC circuit.
 - 1-1. The capacitance of ceramic capacitors may change sharply depending on the applied voltage (see
 - Please confirm the following in order to secure the capacitance.
 - (1) Determine whether the capacitance change caused by the applied voltage is within the allowed range.
 - (2) In the DC voltage characteristics, the rate of capacitance change becomes larger as voltage increases, even if the applied voltage is below the rated voltage. When a high dielectric constant type capacitor is used in a circuit that requires a tight (narrow) capacitance tolerance (e.g., a time constant circuit), please carefully consider the voltage characteristics, and confirm the various characteristics in actual operating conditions in an actual system.
- 2. The capacitance values of high dielectric constant type capacitors changes depending on the AC voltage applied. Please consider the AC voltage characteristics when selecting a capacitor to be used in an AC circuit.






6. Capacitance Aging

1. The high dielectric constant type capacitors have the characteristic in which the capacitance value decreases with the passage of time.

When you use high dielectric constant type capacitors in a circuit that needs a tight (narrow) capacitance tolerance (e.g., a time-constant circuit), please carefully consider the characteristics of these capacitors, such as their aging, voltage, and temperature characteristics. In addition, check capacitors using your actual appliances at the intended environment and operating conditions.

muRata






Continued from the preceding page.


7. Vibration and Shock

- 1. Please confirm the kind of vibration and/or shock, its condition, and any generation of resonance. Please mount the capacitor so as not to generate resonance, and do not allow any impact on the terminals.
- 2. Mechanical shock due to being dropped may cause damage or a crack in the dielectric material of the capacitor.

Do not use a dropped capacitor because the quality and reliability may be deteriorated.

3. When printed circuit boards are piled up or handled, the corner of another printed circuit board should not be allowed to hit the capacitor, in order to avoid a crack or other damage to the capacitor.






■ Soldering and Mounting

1. Mounting Position

- 1. Confirm the best mounting position and direction that minimizes the stress imposed on the capacitor during flexing or bending the printed circuit board.
 - 1-1. Choose a mounting position that minimizes the stress imposed on the chip during flexing or bending of the board.






Locate chip horizontal to the direction in which stress

[Chip Mounting Close to Board Separation Point]

It is effective to implement the following measures, to reduce stress in separating the board.


It is best to implement all of the following three measures; however, implement as many measures as possible to reduce stress.

Contents of Measures	Stress Level
(1) Turn the mounting direction of the component parallel to the board separation surface.	A > D
(2) Add slits in the board separation part.	A > B
(3) Keep the mounting position of the component	A > C



[Mounting Capacitors Near Screw Holes]

When a capacitor is mounted near a screw hole, it may be affected by the board deflection that occurs during the tightening of the screw. Mount the capacitor in a position as far away from the screw holes as possible.





Continued from the preceding page.


2. Information before Mounting

- 1. Do not re-use capacitors that were removed from the equipment.
- 2. Confirm capacitance characteristics under actual applied voltage.
- 3. Confirm the mechanical stress under actual process and equipment use.
- 4. Confirm the rated capacitance, rated voltage and other electrical characteristics before assembly.
- 5. Prior to use, confirm the solderability of capacitors that were in long-term storage.
- 6. Prior to measuring capacitance, carry out a heat treatment for capacitors that were in long-term storage.
- 7. The use of Sn-Zn based solder will deteriorate the reliability of the MLCC. Please contact our sales representative or product
 - engineers on the use of Sn-Zn based solder in advance.
- 8. We have also produced a DVD which shows a summary of our opinions, regarding the precautions for mounting. Please contact our sales representative to request the DVD.

3. Maintenance of the Mounting (pick and place) Machine

- 1. Make sure that the following excessive forces are not applied to the capacitors.
 - 1-1. In mounting the capacitors on the printed circuit board, any bending force against them shall be kept to a minimum to prevent them from any bending damage or cracking. Please take into account the following precautions and recommendations for use in your process.
 - (1) Adjust the lowest position of the pickup nozzle so as not to bend the printed circuit board.
 - (2) Adjust the nozzle pressure within a static load of 1N to 3N during mounting.
- 2. Dirt particles and dust accumulated between the suction nozzle and the cylinder inner wall prevent the nozzle from moving smoothly. This imposes greater force upon the chip during mounting, causing cracked chips. Also, the locating claw, when worn out, imposes uneven forces on the chip when positioning, causing cracked chips. The suction nozzle and the locating claw must be maintained, checked, and replaced periodically.

muRata







GRM Series

∆Caution

Continued from the preceding page.

4-1. Reflow Soldering

- 1. When sudden heat is applied to the components, the mechanical strength of the components will decrease because a sudden temperature change causes deformation inside the components. In order to prevent mechanical damage to the components, preheating is required for both the components and the PCB. Preheating conditions are shown in table 1. It is required to keep the temperature differential between the solder and the components surface (ΔT) as small as possible.
- 2. Solderability of tin plating termination chips might be deteriorated when a low temperature soldering profile where the peak solder temperature is below the melting point of tin is used. Please confirm the solderability of tin plated termination chips before use.
- 3. When components are immersed in solvent after mounting, be sure to maintain the temperature difference (ΔT) between the component and the solvent within the range shown in table 1.

Table 1

Part Number	Temperature Differential	
GJM/GQM/GR3/GRJ/GRM/KRM/LLL/ LLR Series02/03/15/18/21/31 sizes	ΔΤ≦190°C	
LLL Series 1U size		
GR3/GRJ/GRM/KR3/KRM Series 32/43/55 sizes		
LLA/LLM Series 18/21/31 sizes	ΔT≦130°C	
GQM Series 22 size		

Recommended Conditions


	Pb-Sn Solder Lead Free		Lead Free
	Reflow	Vapor Reflow	Solder
Peak Temperature	230 to 250°C	230 to 240°C	240 to 260°C
Atmosphere	Air	Saturated vapor of inactive solvent	Air or N2


Pb-Sn Solder: Sn-37Pb Lead Free Solder: Sn-3.0Ag-0.5Cu

- 4. Optimum Solder Amount for Reflow Soldering
 - 4-1. Overly thick application of solder paste results in a excessive solder fillet height.
 - This makes the chip more susceptible to mechanical and thermal stress on the board and may cause the chips to crack.
 - 4-2. Too little solder paste results in a lack of adhesive strength on the outer electrode, which may result in chips breaking loose from the PCB.
 - 4-3. Make sure the solder has been applied smoothly to the end surface to a height of 0.2mm* min.


Inverting the PCB

Make sure not to impose any abnormal mechanical shocks to the PCB.






[Allowable Reflow Soldering Temperature and Time]



In the case of repeated soldering, the accumulated soldering time must be within the range shown above.





149

Continued from the preceding page.

4-2. Flow Soldering

1. Do not apply flow soldering to chips not listed in table 2.

. 4.6.0		
Part Number	Temperature Differential	
GR3/GRM Series 18/21/31 sizes		
GQM Series 18/21 sizes		
LLL Series 21/31 sizes	ΔT≦150°C	
GRJ Series Rated Voltage 250VDC or more 18/21/31 sizes		


- 2. When sudden heat is applied to the components, the mechanical strength of the components will decrease because a sudden temperature change causes deformation inside the components. In order to prevent mechanical damage to the components, preheating is required for both of the components and the PCB. Preheating conditions are shown in table 2. It is required to keep the temperature differential between the solder and the components surface (ΔT) as low as possible.
- 3. Excessively long soldering time or high soldering temperature can result in leaching of the outer electrodes, causing poor adhesion or a reduction in capacitance value due to loss of contact between the electrodes and end termination.
- 4. When components are immersed in solvent after mounting, be sure to maintain the temperature differential (ΔT) between the component and solvent within the range shown in the table 2.


Recommended Conditions

	Pb-Sn Solder	Lead Free Solder
Preheating Peak Temperature	90 to 110°C	100 to 120°C
Soldering Peak Temperature	240 to 250°C	250 to 260°C
Atmosphere	Air	Air

Pb-Sn Solder: Sn-37Pb Lead Free Solder: Sn-3.0Ag-0.5Cu

- 5. Optimum Solder Amount for Flow Soldering
 - 5-1. The top of the solder fillet should be lower than the thickness of the components. If the solder amount is excessive, the risk of cracking is higher during board bending or any other stressful condition.





muRata



Continued from the preceding page.

4-3. Correction of Soldered Portion

When sudden heat is applied to the capacitor, distortion caused by the large temperature difference occurs internally, and can be the cause of cracks. Capacitors also tend to be affected by mechanical and thermal stress depending on the board preheating temperature or the soldering fillet shape, and can be the cause of cracks. Please refer to "1. PCB Design" or "3. Optimum solder amount" for the solder amount and the fillet shapes.

- 1. Correction with a Soldering Iron
 - 1-1. In order to reduce damage to the capacitor, be sure to preheat the capacitor and the mounting board. Preheat to the temperature range shown in Table 3. A hot plate, hot air type preheater, etc. can be used for preheating.
 - 1-2. After soldering, do not allow the component/PCB to cool down rapidly.
 - 1-3. Perform the corrections with a soldering iron as quickly as possible. If the soldering iron is applied too long, there is a possibility of causing solder leaching on the terminal electrodes, which will cause deterioration of the adhesive strength and other problems.
- 2. Correction with Spot Heater

Compared to local heating with a soldering iron, hot air heating by a spot heater heats the overall component and board, therefore, it tends to lessen the thermal shock. In the case of a high density mounted board, a spot heater can also prevent concerns of the soldering iron making direct contact with the component.

2-1. If the distance from the hot air outlet of the spot heater to the component is too close, cracks may occur due to thermal shock. To prevent this problem, follow the conditions shown in Table 4.

2-2. In order to create an appropriate solder fillet shape, it is recommended that hot air be applied at the angle shown in Figure 1.

3-1. In the case of sizes smaller than 0603, (GJM/GQM/GR3/ GRJ/GRM Series, 03/15/18 sizes), the top of the solder fillet should be lower than 2/3 of the thickness of the component or 0.5mm, whichever is smaller. In the case of 0805 and larger sizes, (GJM/GQM/GR3/GRJ/ GRM Series, 21/22/31/32/43/55 sizes), the top of the solder fillet should be lower than 2/3 of the thickness of the component. If the solder amount is excessive, the risk of cracking is higher during board bending or under any

other stressful condition.

3. Optimum solder amount when re-working with a soldering iron

Table 3

Part Number	Temperature of Soldering Iron Tip	Preheating Temperature	Temperature Differential (∆T)	Atmosphere
GJM/GQM/GR3/ GRJ/GRM Series 03/15/18/21/31 sizes	350°C max.	150°C min.	ΔT≦190°C	Air
GRJ/GRM Series 32/43/55 sizes GQM Series 22 size	280°C max.	150°C min.	ΔT≦130°C	Air


*Applicable for both Pb-Sn and Lead Free Solder.


Pb-Sn Solder: Sn-37Pb

Lead Free Solder: Sn-3.0Ag-0.5Cu

Table 4

Distance	5mm or more
Hot Air Application Angle	45° *Figure 1
Hot Air Temperature Nozzle Outlet	400°C max.
	Less than 10 seconds (1206 (3216 in mm) size or smaller)
Application Time	Less than 30 seconds (1210 (3225 in mm) size or larger)





Continued from the preceding page.

- 3-2. A soldering iron with a tip of ø3mm or smaller should be used. It is also necessary to keep the soldering iron from touching the components during the re-work.
- 3-3. Solder wire with Ø0.5mm or smaller is required for soldering.
- <Applicable to KR3/KRM Series>
- 4. For the shape of the soldering iron tip, refer to the figure on the right.

Regarding the type of solder, use a wire diameter of Ø0.5mm or less (rosin core wire solder).

- 4-1. How to Apply the Soldering Iron Apply the tip of the soldering iron against the lower end of the metal terminal.
 - 1) In order to prevent cracking caused by sudden heating of the ceramic device, do not touch the ceramic base directly.
 - 2) In order to prevent deviations and dislocating of the chip, do not touch the junction of the chip and the metal terminal, and the metal portion on the outside directly.
- 4-2. Appropriate Amount of Solder The amount of solder for corrections by soldering iron, should be lower than the height of the lower side of the chip.

17 26 R_{0.5} (in mm) Tip of Soldering Iron Tip temperature: 350°C or less/ 5 sec. or less/60W or less Copper Land Apply the tip of the soldering iron only on the terminal portion, without touching Wire Solder the body of the chip. Cross Section

5. Washing

Excessive ultrasonic oscillation during cleaning can cause the PCBs to resonate, resulting in cracked chips or broken solder joints. Take note not to vibrate PCBs.

6. Electrical Test on Printed Circuit Board

- 1. Confirm position of the backup pin or specific jig, when inspecting the electrical performance of a capacitor after mounting on the printed circuit board.
 - 1-1. Avoid bending the printed circuit board by the pressure of a test-probe, etc. The thrusting force of the test probe can flex the PCB, resulting in cracked chips or open solder joints. Provide backup pins on the back side of the PCB to

prevent warping or flexing. Install backup pins as close to the test-probe as possible.

1-2. Avoid vibration of the board by shock when a test-probe contacts a printed circuit board.


Peeling Test-probe [Recommended] Backup Pin Test-probe


[Not Recommended]

muRata

7. Printed Circuit Board Cropping

- 1. After mounting a capacitor on a printed circuit board, do not apply any stress to the capacitor that causes bending or twisting the board.
 - 1-1. In cropping the board, the stress as shown at right may cause the capacitor to crack. Cracked capacitors may cause deterioration of the insulation resistance, and result in a short. Avoid this type of stress to a capacitor.







- Continued from the preceding page.
- 2. Check the cropping method for the printed circuit board in advance.
 - 2-1. Printed circuit board cropping shall be carried out by using a jig or an apparatus (Disk separator, router type separator, etc.) to prevent the mechanical stress that can occur to the board.


Board Separation Method	Hand Separation	(1) Board Concretion lie	Board Separation Apparatus	
board Separation Method	Nipper Separation	(1) Board Separation Jig	(2) Disk Separator	(3) Router Type Separator
Level of stress on board	High	Medium	Medium	Low
Recommended	×	△*	△*	0
			· Board handling	
	Notes Hand and nipper separation apply a high level of stress. Use another method.	· Board handling	· Layout of slits	
Notes		· Board bending direction	· Design of V groove	Board handling
		· Layout of capacitors	· Arrangement of blades	
			· Controlling blade life	

^{*} When a board separation jig or disk separator is used, if the following precautions are not observed, a large board deflection stress will occur and the capacitors may crack. Use router type separator if at all possible.

(1) Example of a suitable jig

[In the case of Single-side Mounting]

An outline of the board separation jig is shown as follows. Recommended example: Stress on the component mounting position can be minimized by holding the portion close to the jig, and bend in the direction towards the side where the capacitors are mounted. Not recommended example: The risk of cracks occurring in the capacitors increases due to large stress being applied to the component mounting position, if the portion away from the jig is held and bent in the direction opposite the side where the capacitors are mounted.



Recommended	Not Recommended
Printed Circuit Board — Components Load Point	Printed Circuit Board Components

[In the case of Double-sided Mounting]

Since components are mounted on both sides of the board, the risk of cracks occurring can not be avoided with the above method.

Therefore, implement the following measures to prevent stress from being applied to the components. (Measures)

- Consider introducing a router type separator.
 If it is difficult to introduce a router type separator, implement the following measures. (Refer to item 1. Mounting Position)
- (2) Mount the components parallel to the board separation surface.
- (3) When mounting components near the board separation point, add slits in the separation position near the component.
- (4) Keep the mounting position of the components away from the board separation point.

Continued from the preceding page.


(2) Example of a Disk Separator

An outline of a disk separator is shown as follows. As shown in the Principle of Operation, the top blade and bottom blade are aligned with the V-grooves on the printed circuit board to separate the board.

In the following case, board deflection stress will be applied and cause cracks in the capacitors.

- (1) When the adjustment of the top and bottom blades are misaligned, such as deviating in the top-bottom, left-right or front-rear directions
- (2) The angle of the V groove is too low, depth of the V groove is too shallow, or the V groove is misaligned top-bottom

IF V groove is too deep, it is possible to brake when you handle and carry it. Carefully design depth of the V groove with consideration about strength of material of the printed circuit board.



Recommended	Not Recommended						
neconimended	Top-bottom Misalignment	Left-right Misalignment	Front-rear Misalignment				
Top Blade	Top Blade	Top Blade	Top Blade				
Bottom Blade	Bottom Blade	Bottom Blade	Bottom Blade				


Example of Recommended	Not Recommended						
V-groove Design	V-groove Design Left-right Misalignment Low-Angle		Depth too Shallow	Depth too Deep			

muRata

(3) Example of Router Type Separator

The router type separator performs cutting by a router rotating at a high speed. Since the board does not bend in the cutting process, stress on the board can be suppressed during board separation.

When attaching or removing boards to/from the router type separator, carefully handle the boards to prevent bending.







Continued from the preceding page.

8. Assembly

Handling

If a board mounted with capacitors is held with one hand, the board may bend. Firmly hold the edges of the board with both hands when handling.

If a board mounted with capacitors is dropped, cracks may occur in the capacitors.

Do not use dropped boards, as there is a possibility that the quality of the capacitors may be impaired.

2. Attachment of Other Components

2-1. Mounting of Other Components

Pay attention to the following items, when mounting other components on the back side of the board after capacitors have been mounted on the opposite side. When the bottom dead point of the suction nozzle is set too low, board deflection stress may be applied to the capacitors on the back side (bottom side), and cracks may occur in the capacitors.

- · After the board is straightened, set the bottom dead point of the nozzle on the upper surface of the board.
- · Periodically check and adjust the bottom dead point.
- 2-2. Inserting Components with Leads into Boards When inserting components (transformers, IC, etc.) into boards, bending the board may cause cracks in the capacitors or cracks in the solder.

Pay attention to the following.

- · Increase the size of the holes to insert the leads, to reduce the stress on the board during insertion.
- · Fix the board with backup pins or a dedicated jig before insertion.
- · Support below the board so that the board does not bend. When using multiple backup pins on the board, periodically confirm that there is no difference in the height of each backup pin.

2-3. Attaching/Removing Sockets


When the board itself is a connector, the board may bend when a socket is attached or removed. Plan the work so that the board does not bend when a socket is attached or removed.


2-4. Tightening Screws


The board may be bent, when tightening screws, etc. during the attachment of the board to a shield or chassis.


Pay attention to the following items before performing

- · Plan the work to prevent the board from bending.
- · Use a torque screwdriver, to prevent over-tightening of the screws.
- · The board may bend after mounting by reflow soldering, etc. Please note, as stress may be applied to the chips by forcibly flattening the board when tightening the screws.









Continued on the following page.



155

Ontinued from the preceding page.

<Applicable to GMA or GMD Series>

9. Die Bonding/Wire Bonding

- 1. Die Bonding of Capacitors
 - 1-1. Use the following materials for the Brazing alloys: Au-Sn (80/20) 300 to 320 °C in N2 atmosphere
 - 1-2. Mounting
 - (1) Control the temperature of the substrate so it matches the temperature of the brazing alloy.
 - (2) Place the brazing alloy on the substrate and place the capacitor on the alloy. Hold the capacitor and gently apply the load. Be sure to complete the operation within 1 minute.

2. Wire Bonding

2-1. Wire

Gold wire: 25 micro m (0.001 inch) diameter

- 2-2. Bonding
 - (1) Thermo compression, ultrasonic ball bonding.
 - (2) Required stage temperature: 150 to 200 °C
 - (3) Required wedge or capillary weight: 0.2N to 0.5N
 - (4) Bond the capacitor and base substrate or other devices with gold wire.

Other

1. Under Operation of Equipment

- 1-1. Do not touch a capacitor directly with bare hands during operation in order to avoid the danger of an electric shock.
- 1-2. Do not allow the terminals of a capacitor to come in contact with any conductive objects (short-circuit). Do not expose a capacitor to a conductive liquid, including any acid or alkali solutions.
- 1-3. Confirm the environment in which the equipment will operate is under the specified conditions. Do not use the equipment under the following environments.
 - (1) Being spattered with water or oil.
 - (2) Being exposed to direct sunlight.
 - (3) Being exposed to ozone, ultraviolet rays, or radiation.
 - (4) Being exposed to toxic gas (e.g., hydrogen sulfide, sulfur dioxide, chlorine, ammonia gas, etc.)
 - (5) Any vibrations or mechanical shocks exceeding the specified limits.
 - (6) Moisture condensing environments.
- 1-4. Use damp proof countermeasures if using under any conditions that can cause condensation.

2. Other

- 2-1. In an Emergency
 - (1) If the equipment should generate smoke, fire, or smell, immediately turn off or unplug the equipment. If the equipment is not turned off or unplugged, the hazards may be worsened by supplying continuous power.
 - (2) In this type of situation, do not allow face and hands to come in contact with the capacitor or burns may be caused by the capacitor's high temperature.

2-2. Disposal of Waste

When capacitors are disposed of, they must be burned or buried by an industrial waste vendor with the appropriate licenses.

2-3. Circuit Design

- (1) Addition of Fail Safe Function Capacitors that are cracked by dropping or bending of the board may cause deterioration of the insulation resistance, and result in a short. If the circuit being used may cause an electrical shock, smoke or fire when a capacitor is shorted, be sure to install fail-safe functions, such as a fuse, to prevent secondary accidents.
- (2) Capacitors used to prevent electromagnetic interference in the primary AC side circuit, or as a connection/insulation, must be a safety standard certified product, or satisfy the contents stipulated in the Electrical Appliance and Material Safety Law. Install a fuse for each line in case of a short.
- (3) The GJM, GMA, GMD, GQM, GR3, GRJ, GRM, KR3, KRM, LLA, LLL, LLM and LLR series are not safety standard certified products.

2-4. Remarks

Failure to follow the cautions may result, worst case, in a short circuit and smoking when the product is used.

The above notices are for standard applications and conditions. Contact us when the products are used in special mounting conditions.

Select optimum conditions for operation as they determine the reliability of the product after assembly. The data herein are given in typical values, not guaranteed ratings.

Notice

Rating

1. Operating Temperature

- 1. The operating temperature limit depends on the capacitor.
 - 1-1. Do not apply temperatures exceeding the upper operating temperature.
 - It is necessary to select a capacitor with a suitable rated temperature that will cover the operating temperature range.
 - It is also necessary to consider the temperature distribution in equipment and the seasonal temperature variable factor.
 - 1-2. Consider the self-heating factor of the capacitor. The surface temperature of the capacitor shall be the upper operating temperature or less when including the self-heating factors.

2. Atmosphere Surroundings (gaseous and liquid)

- 1. Restriction on the operating environment of capacitors.
 - 1-1. Capacitors, when used in the above, unsuitable,

- operating environments may deteriorate due to the corrosion of the terminations and the penetration of moisture into the capacitor.
- 1-2. The same phenomenon as the above may occur when the electrodes or terminals of the capacitor are subject to moisture condensation.
- 1-3. The deterioration of characteristics and insulation resistance due to the oxidization or corrosion of terminal electrodes may result in breakdown when the capacitor is exposed to corrosive or volatile gases or solvents for long periods of time.

3. Piezo-electric Phenomenon

1. When using high dielectric constant type capacitors in AC or pulse circuits, the capacitor itself vibrates at specific frequencies and noise may be generated. Moreover, when the mechanical vibration or shock is added to the capacitor, noise may occur.

■ Soldering and Mounting

1. PCB Design

- 1. Notice for Pattern Forms
 - 1-1. Unlike leaded components, chip components are susceptible to flexing stresses since they are mounted directly on the substrate. They are also more sensitive to mechanical and thermal stresses than leaded components. Excess solder fillet height can multiply these stresses and cause chip cracking. When designing substrates, take land patterns and dimensions into consideration to eliminate the possibility of excess solder fillet height.
- 1-2. There is a possibility of chip cracking caused by PCB expansion/contraction with heat, because stress on a chip is different depending on PCB material and structure. When the thermal expansion coefficient greatly differs between the board used for mounting and the chip, it will cause cracking of the chip due to the thermal expansion and contraction. When capacitors are mounted on a fluorine resin
 - printed circuit board or on a single-layered glass epoxy board, it may also cause cracking of the chip for the same reason.

Pattern Forms

Pattern Forms	Prohibited	Correct
Placing Close to Chassis	Chassis Solder (ground)	Solder Resist
Placing of Chip Components and Leaded Components	Lead Wire	Solder Resist
Placing of Leaded Components after Chip Component	Soldering Iron Lead Wire	Solder Resist
Lateral Mounting		Solder Resist






Notice

Continued from the preceding page.

2. Land Dimensions

2-1. Chip capacitors can be cracked due to the stress of PCB bending, etc. if the land area is larger than needed and has an excess amount of solder. Please refer to the land dimensions in table 1 for flow soldering, table 2 for reflow soldering, table 3 for reflow soldering for LLA Series, table 4 for reflow soldering for LLM Series.



Please confirm the suitable land dimension by evaluating of the actual SET / PCB.

Table 1 Flow Soldering Method

Dimensions Part Number	Chip (L×W)	a	b	С
GQM/GR3/GRJ/GRM Series 18 size	1.6×0.8	0.6 to 1.0	0.8 to 0.9	0.6 to 0.8
GQM/GR3/GRJ/GRM Series 21 size	2.0×1.25	1.0 to 1.2	0.9 to 1.0	0.8 to 1.1
GR3/GRJ/GRM Series 31 size	3.2×1.6	2.2 to 2.6	1.0 to 1.1	1.0 to 1.4
LLL Series 21 size	1.25×2.0	0.4 to 0.7	0.5 to 0.7	1.4 to 1.8
LLL Series 31 size	1.6×3.2	0.6 to 1.0	0.8 to 0.9	2.6 to 2.8

Flow soldering can only be used for products with a chip size from 1.6x0.8mm to 3.2x1.6mm.

(in mm)

Table 2 Reflow Soldering Method

Part Number	Dimensions	Chip (L×W)	a	b	С	
GJM/GRM Se	eries 02 size	0.4×0.2	0.16 to 0.2	0.12 to 0.18	0.2 to 0.23	
GJM/GRM Se	eries 03 size	0.6×0.3	0.2 to 0.3	0.2 to 0.35	0.2 to 0.4	
GJM/GRM Se	wice 4E size	1.0×0.5 (within ±0.10)	0.3 to 0.5	0.35 to 0.45	0.4 to 0.6	
GJW/GRW 56	eries 15 size	1.0×0.5 (±0.15/±0.20)	0.4 to 0.6	0.4 to 0.5	0.5 to 0.7	
GQM/GR3/GRJ/GF	OM Corios 19 siza	1.6×0.8 (within ±0.10)	0.6 to 0.8	0.6 to 0.7	0.6 to 0.8	
GQIW/GR3/GRJ/GR	TIM Series 16 Size	1.6×0.8 (±0.15/±0.20)	0.7 to 0.9	0.7 to 0.8	0.8 to 1.0	
GQM Serie	es 21 size	2.0×1.25	1.0 to 1.2	0.6 to 0.7	0.8 to 1.1	
		2.0××1.25 (within ±0.10)	1.2	0.6	1.25	
GR3/GRJ/GRM	Series 21 size	2.0×1.25 (±0.15)	1.2	0.6 to 0.8	1.2 to 1.4	
		2.0×1.25 (±0.20)	1.0 to 1.4	0.6 to 0.8	1.2 to 1.4	
GR3/GRJ/GRM	Corios 21 sizo	3.2×1.6 (within ±0.20)	1.8 to 2.0	0.9 to 1.2	1.5 to 1.7	
GR3/GRJ/GRW	Series 31 size	3.2×1.6 (±0.30)	1.9 to 2.1	1.0 to 1.3	1.7 to 1.9	
GR3/GRJ/GRM	Series 32 size	3.2×2.5	2.0 to 2.4	1.0 to 1.2	1.8 to 2.3	
GR3/GRJ/GRM	Series 43 size	4.5×3.2	3.0 to 3.5	1.2 to 1.4	2.3 to 3.0	
GR3/GRJ/GRM	Series 55 size	5.7×5.0	4.0 to 4.6	1.4 to 1.6	3.5 to 4.8	
LLL Series	s 15 size	0.5×1.0	0.15 to 0.2	0.2 to 0.25	0.7 to 1.0	
LLL Series	s 1U size	0.6×1.0	0.20 to 0.25	0.25 to 0.35	0.7 to 1.0	
LLL/LLR Se	ries 18 size	0.8×1.6	0.2 to 0.3	0.3 to 0.4	1.4 to 1.6	
LLL Series	s 21 size	1.25×2.0	0.4 to 0.5	0.4 to 0.5	1.4 to 1.8	
LLL Serie	s 31 size	1.6×3.2	0.6 to 0.8	0.6 to 0.7	2.6 to 2.8	
GQM Serie	es 22 size	2.8×2.8	2.2 to 2.5	0.8 to 1.0	1.9 to 2.3	

(in mm)

<Applicable to Part Number KR3/KRM>

Applicable to Fart Halliber Killo/Killini				
Dimensions Part Number	Chip (L×W)	a	b	С
KRM Series 21 size	2.0×1.25	1.0 to 1.2	0.6 to 0.7	0.8 to 1.1
KRM Series 31 size	3.2×1.6	2.2 to 2.4	0.8 to 0.9	1.0 to 1.4
KR3/KRM Series 55 size	5.7×5.0	2.6	2.7	5.6

muRata

(in mm)



GMD Series

GRJ Series


KRM Series

KR3 Series

LLL Series

LLM Series

Notice






Table 3 LLA Series Reflow Soldering Method

Dimensions Part Number	Chip (L×W)	a	b	С	p
LLA Series 18 size	1.6×0.8	0.3 to 0.4	0.25 to 0.35	0.15 to 0.25	0.4
LLA Series 21 size	2.0×1.25	0.5 to 0.7	0.35 to 0.6	0.2 to 0.3	0.5
LLA Series 31 size	3.2×1.6	0.7 to 0.9	0.4 to 0.7	0.3 to 0.4	0.8

(in mm)

Table 4 LLM Series Reflow Soldering Method

Dimensions Part Number	Chip (L×W)	а	b, b'	c, c'	d	е	f	р
LLM Series 21 size	2.0×1.25	0.6 to 0.8	(0.3 to 0.5)	0.3	2.0 to 2.6	1.3 to 1.8	1.4 to 1.6	0.5
LLM Series 31 size	3.2×X1.6	1.0	(0.3 to 0.5)	0.4	3.2 to 3.6	1.6 to 2.0	2.6	0.8

(in mm) b=(c-e)/2, b'=(d-f)/2

<Applicable to beyond Rated Voltage of 250VDC>


2-2. Dimensions of Slit (Example)

Preparing the slit helps flux cleaning and resin coating on the back of the capacitor.

However, the length of the slit design should be as short as possible to prevent mechanical damage in the capacitor.

A longer slit design might receive more severe mechanical stress from the PCB.

Recommended slit design is shown in the Table.







Notice

Continued from the preceding page.


3. Board Design

When designing the board, keep in mind that the amount of strain which occurs will increase depending on the size and material of the board.

[Relationship with amount of strain to the board thickness, length, width, etc.]

$$\varepsilon = \frac{3\text{PL}}{2Ewh^2}$$
 Relationship between load and strain

- ε : Strain on center of board (μ st)
- L: Distance between supporting points (mm)
- w: Board width (mm)
- h: Board thickness (mm)
- E: Elastic modulus of board (N/m²=Pa)
- Y: Deflection (mm)
- P: Load (N)



When the load is constant, the following relationship can be established.

- · As the distance between the supporting points (L) increases, the amount of strain also increases.
- →Reduce the distance between the supporting points.
- · As the elastic modulus (E) decreases, the amount of strain increases. Increase the elastic modulus.
- · As the board width (w) decreases, the amount of strain increases.
- →Increase the width of the board.
- As the board thickness (h) decreases, the amount of strain increases. →Increase the thickness of the board

Since the board thickness is squared, the effect on the amount of strain becomes even greater.

2. Adhesive Application

- 1. Thin or insufficient adhesive can cause the chips to loosen or become disconnected during flow soldering. The amount of adhesive must be more than dimension c, shown in the drawing at right, to obtain the correct bonding strength.
 - The chip's electrode thickness and land thickness must also be taken into consideration.
- 2. Low viscosity adhesive can cause chips to slip after mounting. The adhesive must have a viscosity of 5000Pa · s (500ps) min. (at 25°C).

3. Adhesive Coverage


o. Manosivo Covorago	
Size (L×W) (in mm)	Adhesive Coverage*
1.6×0.8	0.05mg min.
2.0×1.25	0.1mg min.
3.2×1.6	0.15mg min.

*Nominal Value

muRata

3. Adhesive Curing

- 1. Insufficient curing of the adhesive can cause chips to disconnect during flow soldering and causes deterioration in the insulation resistance between the outer electrodes due to moisture absorption.
 - Control curing temperature and time in order to prevent insufficient hardening.



Notice

Continued from the preceding page.


4. Flux for Reflow and Flow Soldering

- 1. An excessive amount of flux generates a large quantity of flux gas, which can cause a deterioration of solder ability, so apply flux thinly and evenly throughout. (A foaming system is generally used for flow soldering.)
- 2. Flux containing too high a percentage of halide may cause corrosion of the outer electrodes unless there is sufficient cleaning. Use flux with a halide content of 0.1% max.
- 3. Do not use strong acidic flux.
- 4. Do not use water-soluble flux.*

(*Water-soluble flux can be defined as non-rosin type flux including wash-type flux and non-wash-type flux.)

5. Flow Soldering

 Set temperature and time to ensure that leaching of the outer electrode does not exceed 25% of the chip end area as a single chip (full length of the edge A-B-C-D shown at right) and 25% of the length A-B shown as mounted on substrate.



6. Washing

- 1. Please evaluate the capacitor using actual cleaning equipment and conditions to confirm the quality, and select the solvent for cleaning.
- 2. Unsuitable cleaning solvent may leave residual flux or other foreign substances, causing deterioration of electrical characteristics and the reliability of the capacitors.
- 3. Select the proper cleaning conditions.
 - 3-1. Improper cleaning conditions (excessive or insufficient) may result in deterioration of the performance of the capacitors.

7. Coating

1. A crack may be caused in the capacitor due to the stress of the thermal contraction of the resin during curing process.

The stress is affected by the amount of resin and curing contraction.

Select a resin with low curing contraction.

The difference in the thermal expansion coefficient between a coating resin or a molding resin and the capacitor may cause the destruction and deterioration of the capacitor such as a crack or peeling, and lead to the deterioration of insulation resistance or dielectric breakdown.

Select a resin for which the thermal expansion coefficient is as close to that of the capacitor as possible.

A silicone resin can be used as an under-coating to buffer against the stress.

2. Select a resin that is less hygroscopic.

Using hygroscopic resins under high humidity conditions may cause the deterioration of the insulation resistance of a capacitor.

An epoxy resin can be used as a less hygroscopic resin.





GMD Series

LLR Series

Notice

Continued from the preceding page.

Other

1. Transportation

- 1. The performance of a capacitor may be affected by the conditions during transportation.
 - 1-1. The capacitors shall be protected against excessive temperature, humidity, and mechanical force during transportation.
 - (1) Climatic condition
 - low air temperature: -40°C
 - change of temperature air/air: -25°C/+25°C
 - low air pressure: 30 kPa
 - change of air pressure: 6 kPa/min.
 - (2) Mechanical condition

Transportation shall be done in such a way that the boxes are not deformed and forces are not directly passed on to the inner packaging.

- 1-2. Do not apply excessive vibration, shock, or pressure to the capacitor.
 - (1) When excessive mechanical shock or pressure is applied to a capacitor, chipping or cracking may occur in the ceramic body of the capacitor.
 - (2) When the sharp edge of an air driver, a soldering iron, tweezers, a chassis, etc. impacts strongly on the surface of the capacitor, the capacitor may crack and short-circuit.

muRata

1-3. Do not use a capacitor to which excessive shock was applied by dropping, etc. A capacitor dropped accidentally during processing may be damaged.

2. Characteristics Evaluation in the Actual System

- 1. Evaluate the capacitor in the actual system, to confirm that there is no problem with the performance and specification values in a finished product before using.
- 2. Since a voltage dependency and temperature dependency exists in the capacitance of high dielectric type ceramic capacitors, the capacitance may change depending on the operating conditions in the actual system. Therefore, be sure to evaluate the various characteristics, such as the leakage current and noise absorptivity, which will affect the capacitance value of the capacitor.
- 3. In addition, voltages exceeding the predetermined surge may be applied to the capacitor by the inductance in the actual system. Evaluate the surge resistance in the actual system as required.

Qualified Standards

The products listed here have been produced by ISO 9001 certified factory.

Plant
Fukui Murata Mfg. Co., Ltd.
Izumo Murata Mfg. Co., Ltd.
Okayama Murata Mfg. Co., Ltd.
Murata Electronics Singapore (Pte.) Ltd.
Beijing Murata Electronics Co., Ltd.
Wuxi Murata Electronics Co., Ltd.



MEMO	

Design assistant tool: SimSurfing SimSurfing

MLCC is now available!

Design assistant tool "SimSurfing" has been updated and you can now find and view any kind of characteristics of MLCCs.

Available function for MLCCs:

- 1) Products search
- ② View frequency characteristics (S parameters, Z, R, X, Q, DF, L, C) DC bias can be applied to available part number.
- ③ DC voltage bias characteristics (absolute capacitance/change rate)
- 4 Temperature characteristics (absolute capacitance/change rate)
- ⑤ AC voltage bias characteristics (absolute capacitance/change rate)
- 6 Download SPICE netlist/S parameter



If you register members only engineers portal site "my Murata", you can use the Enhanced SimSurfing.

Member Registration

https://my.murata.com/




- (1) By part number
- (2) By specification


2 View characteristics

By clicking buttons in this area with part number selected, you can view any electrical characteristics chart.

3 Data download

You can download SPICE netlist and S parameter files (S2P)





Added the capacitor finder tool for middle and high voltage capacitor which are capable for specified voltage waveform.

These images are captured at August/2014. Be sure that this software will be updated frequently.

http://ds.murata.com/software/simsurfing/en-us/mlcc/

Capacitor Website Introduction



2 Search by specifications http://psearch.murata.com/capacitor/spec/


Capacitors can be searched by various specifications, such as the capacitance, rated voltage, and temperature characteristics.

Basic specifications

Applicable products can be searched by any value and specified range. To support the entry, the minimum and maximum values of the product applicable to the conditions selected in the other items will be displayed.

Add detailed specifications

Setting the conditions particular to the SMD, mold and lead, enables you to search the product with a more detailed specification.




specification code.

the part number including the package


Search by features http://psearch.murata.com/capacitor/feature/ The applicable capacitors can be searched by the Shape, Maximum operating temperature, Applications, Benefits, and Mounting. Select the conditions of the following items to search for a product. "Shape" "Maximum operating temperature" "Applications" "Benefits" "Mounting"

Downloaded from **Arrow.com**.





[Search result]



Global Locations

For details please visit www.murata.com



Note

1 Export Control

For customers outside Japan:

No Murata products should be used or sold, through any channels, for use in the design, development, production, utilization, maintenance or operation of, or otherwise contribution to (1) any weapons (Weapons of Mass Destruction [nuclear, chemical or biological weapons or missiles] or conventional weapons) or (2) goods or systems specially designed or intended for military end-use or utilization by military end-users.

For customers in Japan:

For products which are controlled items subject to the "Foreign Exchange and Foreign Trade Law" of Japan, the export license specified by the law is required for export.

- 2 Please contact our sales representatives or product engineers before using the products in this catalog for the applications listed below, which require especially high reliability for the prevention of defects which might directly damage a third party's life, body or property, or when one of our products is intended for use in applications other than those specified in this catalog.
 - Aircraft equipment
 - Aerospace equipment
 - 3 Undersea equipment
 - Power plant equipment
- Medical equipment
- Transportation equipment (vehicles, trains, ships, etc.)
- Traffic signal equipment
- (8) Disaster prevention / crime prevention equipment
- Data-processing equipment
- Application of similar complexity and/or reliability requirements to the applications listed above

- 3 Product specifications in this catalog are as of August 2014. They are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. If there are any questions, please contact our sales representatives or product engineers.
- 4 Please read rating and \(\Delta\)CAUTION (for storage, operating, rating, soldering, mounting and handling) in this catalog to prevent smoking and/or burning, etc.
- This catalog has only typical specifications.
 Therefore, please approve our product
 specifications or transact the approval sheet
 for product specifications before ordering.
- Please note that unless otherwise specified, we shall assume no responsibility whatsoever for any conflict or dispute that may occur in connection with the effect of our and/or a third party's intellectual property rights and other related rights in consideration of your use of our products and/or information described or contained in our catalogs. In this connection, no representation shall be made to the effect that any third parties are authorized to use the rights mentioned above under licenses without our consent.
- 7 No ozone depleting substances (ODS) under the Montreal Protocol are used in our manufacturing process.

Murata Manufacturing Co., Ltd.

www.murata.com

