



DATASHEET Part No. 1004627 Product: **GPS/GLONASS** Patch Antenna with Cable

Part No. 1004627 **GPS/GLONASS** Patch Antenna with Cable

1.575, <u>1.602 GHz</u>

Supports: Tracking, Smart Home, Agriculture, Automotive, Healthcare, Digital Signage, Wearables, Industrial Devices



Quicker Time-to-Market By optimizing antenna size,

performance and emissions, customer and regulatory

OBD-II

Access

Point Telematics KYOCERA AVX antennas deliver on the key needs of device designers for higher functionality and performance in smaller/thinner designs. These innovative antennas provide compelling advantages for a GPS/GLONASS enabled handheld devices, media players and other mobile devices.

Electrical Specifications

Typical characteristics measured on a 70 x 70 mm PCB ground plane.

	Frequency (GHz)	1.575	1.602
GPS / GLONASS Patch Antenna	GNSS Bands	GPS	GLONASS
	Peak Gain	3.7 dBi	3.0 dBi
1.575 & 1.602 GHz	Gain at Zenith	3.59 dBic	1.04 dBic
KEY BENEFITS	Axial Ratio	1.0 dB	8.0 dB
Reduced Costs & Time-to-Market Standard antennas eliminate design fees, redesign cycle time and minimize risk associated with	Average Efficiency	60%	36%
	VSWR	< 2.0:1	< 3.0:1
	Polarization	R.H	R.H.C.P
customer solution. Quicker time to market.	Feed Point Impedance	50 Ω	

Mechanical Specifications & Ordering Part Number

,			
customer and regulatory specifications are more easily met.	Ordering Part Number	1004627	
Reliability	Size (mm)	25.0 x 25.0 x 5.3	
Products are the latest RoHS version compliant.	Mounting	Drop-in (Adhesive)	
APPLICATIONS	Weight (grams)	6.8	
 Embedded Tracking design Healthcare 	Packaging	Plastic Tray	
 POS, M2M, Headsets, Industrial 	Connector	IPEX MHF3	
Tablets devices Gateway, Smart Grid 	Cable (mm)	Gray Ø 0.81 coax , 72.0 cable	

9/27/2021


Proprietary





GPS / GLONASS Patch KYOCERA AVX Embedded Antenna Specifications KYOCERA AVX produces a wide variety of standard and custom antennas to meet user needs.


VSWR, Efficiency, Peak Gain, and Axial Ratio Plots Typical performance on 70 x 70 mm PCB

> Teste Setup: 1004627 GPS antenna _____ (25 x 25 x 5.3 mm, 72mm cable) On 70 x 70 mm ground plane










Axial Ratio (1585 MHz)



© 2021 KYOCERA AVX

Downloaded from Arrow.com.

tel +(1) 858.550.3820 email: <u>eth.info@KYOCERA-AVX.com</u>




GPS / GLONASS Patch KYOCERA AVX Embedded Antenna Specifications KYOCERA AVX produces a wide variety of standard and custom antennas to meet user needs.

Antenna Radiation Patterns


Typical performance on 70 x 70 mm PCB Measured @ 1575, 1600 MHz





90




►Z










90

60



© 2021 KYOCERA AVX




GPS / GLONASS Patch KYOCERA AVX Embedded Antenna Specifications KYOCERA AVX produces a wide variety of standard and custom antennas to meet user needs.

Mechanical Dimensions

Typical antenna dimensions (mm)

Part Number	A (mm)	B (mm)	C (mm)	D (mm)
1004627	25.0 ± 0.2	25.0 ± 0.2	5.3	72.0 ± 2.0



© 2021 KYOCERA AVX