

Panasonic ideas for life

HMI Panels: KP3 Part Numbers



Part numbers for KP3 appear below.

You can sort models by clicking on the column title. You can also filter models by using the drop down boxes.

- [Download KP3 product catalog in PDF format for more in-depth part number information](#)

Message Runners

Model Name	Display	Number Of Dots	Display Characters	Message Length	Display Speed	Backlight	External Connection	Operation Voltage
AKP31000	Negative type dot Matrix LCD	16 x 64	8characters X 1 Line (Vertical display), 8characters X 1 Line (Lateral display)	Max 32 characters	Fast(1.5sec) /Medium (3sec) /Slow (6sec)	Green/Orange	14Pin Connector	5V DC
AKP31003	Negative type dot Matrix LCD	16 x 64	8characters X 1 Line (Vertical display), 8characters X 1 Line (Lateral display)	Max 32 characters	Fast(1.5sec) /Medium (3sec) /Slow (6sec)	Green/Orange	14Pin Connector	12-24V DC
AKP31004	Negative type dot Matrix LCD	16 x 64	8characters X 1 Line (Vertical display), 8characters X 1 Line (Lateral display)	Max 32 characters	Fast(1.5sec) /Medium (3sec) /Slow (6sec)	Green/Orange	14Pin Connector	5V DC
AKP31007	Negative type dot Matrix	16 x 64	8characters X 1 Line (Vertical)	Max 32 characters	Fast(1.5sec) /Medium (3sec)	Green/Orange	14Pin Connector	12-24V DC

Model Name	Display	Number Of Dots	Display Characters	Message Length	Display Speed	Backlight	External Connection	Operation Voltage
	LCD		display), 8characters X 1 Line (Lateral display)		/Slow (6sec)			
AKP32113	Negative type dot Matrix LCD	16 x 64	4characters X 1 Line (Vertical display), 8characters X 1 Line (Lateral display)	Max 16 characters (Vertical display), Max 32 characters (Lateral display)	Fast(1.5sec) /Medium (3sec) /Slow (6sec)	Green/Orange	6pin terminal Block	12-24V DC
AKP32117	Negative type dot Matrix LCD	16 x 64	4characters X 1 Line (Vertical display), 8characters X 1 Line (Lateral display)	Max 16 characters (Vertical display), Max 32 characters (Lateral display)	Fast(1.5sec) /Medium (3sec) /Slow (6sec)	Green/Orange	6pin terminal Block	12-24V DC
AKP33123	Negative type dot Matrix LCD	16 x 64	4characters X 1 Line (Vertical display), 8characters X 1 Line (Lateral display)	Max 16 characters (Vertical display), Max 32 characters (Lateral display)	Fast(1.5sec) /Medium (3sec) /Slow (6sec)	Green/Orange	6pin terminal Block	12-24V DC
AKP33127	Negative type dot Matrix LCD	16 x 64	4characters X 1 Line (Vertical display), 8characters X 1 Line (Lateral display)	Max 16 characters (Vertical display), Max 32 characters (Lateral display)	Fast(1.5sec) /Medium (3sec) /Slow (6sec)	Green/Orange	6pin terminal Block	12-24V DC

Accessories

Model Name	Description
AKP3801	PANEL COVER (BLACK) with face characters / Standard
AKP3802	PANEL COVER (ASH GRAY)with face characters / MTO/ comes with product
AKP3803	MOUNTING FRAME

Model Name	Description
AKP3804	RUBBER PACKING FOR WATER PROTECTION
AKP3805	PANEL COVER (BLACK) without face characters / Standard
AKP3806	PANEL COVER (ASH GRAY)without face characters / MTO
AKP3811	TRANSMITTING CABLE (1m)
AKP3812	TRANSMITTING CABLE (2m)
AKP3813	TRANSMITTING CABLE (3m)
AKP3814	TRANSMITTING CABLE (4m)
AKP38203M	TRANSFER CABLE KIT (1m) WITH SOFTWARE ENGLISH for all KP3 Series
AKP3833	CONNECTOR WITH SEPARATE LEADS (3m)
AKP3835	CONNECTOR WITH LEAD WIRES (FOR KP3H) 1M

Manuals And Software

Model Name	Description
AKP38163M	MESSAGE RUNNER SOFTWARE ENGLISH for all KP3 Series

[Panasonic](#) > [Automation Controls](#) > [Products](#) > [HMI Panels](#) > [KP3](#) > Part Numbers

Copyright © 2011 Panasonic Electric Works Corporation of America, All Rights Reserved.

Phone: 1.908.464.3550 Fax: 1.908.464.4128