


Datasheet of SAW Device

SAW Single Filter

for Band7 / Unbalanced / 5pin /1109

Murata PN: SAFFB2G65AA0F0A



Note: Murata SAW Component is applicable for Cellular /Cordless phone (Terminal) relevant market only.

Please also read caution at the end of this document.




Revision No.	Date	Discription
SAFFB2G65AA0F0A_rev. A	Dec-11-2012	■ Initial Release

Operating temperature
 Storage temperature
 Input Power
 D.C. Volatage between the terminals
 Minimum Resistance betweem the terminals
 RoHS compliance
 : -30 to +85 deg.C
 : -40 to +85 deg.C
 : 415 dBm 2000 h
 : 3V (25+/-2 deg.C)
 : 10M ohm
 : Yes



Package Dimensions & Recommended Land Pattern unit: mm

Dimensions



Marking: Laser Printing

* : Month code(Refer to the table A)

\$: Date code(Refer to the table B)

1 : X

2:T


Terminal Number

(1): Unbalance Port

(4): Unbalance Port


Others: GND.

Land Pattern



Measurement Circuit (Top View)

R1:50 ohm R2:50 ohm





$SAFFB2G65AA0F0A \quad (\ Band7\ /\ Unbalanced\ /\ 5pin\ /\ 1109\)$

Electrical Characteristic < Single Filter >

Matching Impedance (nominal)

- : Unbalance Port : 50 ohm - : Unbalance Port : 50 ohm


	Item			Characteristics (-30 to +85 deg.C)			Unit	Note	
	200111				min. typ. max		0 1110	1,000	
Center Frequency					2655		MHz		
Insertion Loss	2620.	2690.	MHz		1.8	3.0	dB		
	2620.	2690.	MHz		1.8	2.7	dB	+23 to +27deg.C	
Ripple deviation	2620.	2690.	MHz		0.7	1.7	dB	8	
• •	2620.	2690.	MHz		0.7	1.3	dB	+23 to +27deg.C	
VSWR	2620.	2690.	MHz		1.7	2.1		•	
Absolute Attenuation	1.	2500.	MHz	25	32		dB		
	45.	45.	MHz	50	60		dB	Rx-Tx	
	832.	862.	MHz	26	34		dB	B20 Tx CA	
	1710.	1785.	MHz	25	33		dB	B3 Tx CA	
	2500.	2570.	MHz	37	42		dB	Tx	
	2570.	2600.	MHz	1	6		dB	(Rx+Tx)/2	
	2775.	6000.	MHz	18	25		dB		
	2400.	2500.	MHz	32	42		dB	ISM 2.4G	
	4900.	5950.	MHz	28	36		dB	ISM 5G	
	7620.	7830.	MHz	24	31		dB	Rx+2Tx	
	7860.	8070.	MHz	23	30		dB	3xLO	
	10480.	10760.	MHz	20	30		dB	4xLO	
	6000.	12750.	MHz	15	29		dB		
				t		<u> </u>			
				t					
						<u> </u>			
				L		1	L		


^{*} Typical value at 25±2deg.C



Electrical Characteristic

< Single Filter >









Dimensions of Tape & Reel unit: mm


Carrier Tape







Reel





Marking Code

Table	A :	Month	Code
1 aoic	4 A.	111011111	

2009	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2013 2017	Α	В	С	D	Е	F	G	Н	J	K	L	М
2010	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2014 2018	N	Р	Ø	R	S	Т	U	٧	W	Х	Υ	Z
2011	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2015 2019	а	b	0.1	d	е	f	g	h	j	k	l	m
2012	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2016 2020	n	p	G	r	1	t	u	V	W	x	y	3

Table B: Date Code

date	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	
code	Α	В	С	D	Е	F	G	Н	J	K	
date	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	
code	L	М	Ν	Р	Q	R	S	Т	U	V	
date	21st	22nd	23rd	24th	25th	26th	27th	28th	29th	30th	31st
code	W	Χ	Υ	Z	а	b	10	d	е	f	g

Important Notice (1/2)

PLEASE READ THIS NOTICE BEFORE USING OUR PRODUCTS.

Please make sure that your product has been evaluated and confirmed from the aspect of the fitness for the specifications of our product when our product is mounted to your product.

All the items and parameters in this product specification/datasheet/catalog have been prescribed on the premise that our product is used for the purpose, under the condition and in the environment specified in this specification. You are requested not to use our product deviating from the condition and the environment specified in this specification.

Please note that the only warranty that we provide regarding the products is its conformance to the specifications provided herein. Accordingly, we shall not be responsible for any defects in products or equipment incorporating such products, which are caused under the conditions other than those specified in this specification.

WE HEREBY DISCLAIMS ALL OTHER WARRANTIES REGARDING THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, THAT THEY ARE DEFECT-FREE, OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS.

The product shall not be used in any application listed below which requires especially high reliability for the prevention of such defect as may directly cause damage to the third party's life, body or property. You acknowledge and agree that, if you use our products in such applications, we will not be responsible for any failure to meet such requirements.



Important Notice (2/2)

Furthermore, YOU AGREE TO INDEMNIFY AND DEFEND US AND OUR AFFILIATES AGAINST ALL CLAIMS, DAMAGES, COSTS, AND EXPENSES THAT MAY BE INCURRED, INCLUDING WITHOUT LIMITATION, ATTORNEY FEES AND COSTS, DUE TO THE USE OF OUR PRODUCTS IN SUCH APPLICATIONS.

- Aircraft equipment.
- Aerospace equipment
- Undersea equipment.
- Power plant control equipment Medical equipment.
- Transportation equipment (vehicles, trains, ships, elevator, etc.).
- Traffic signal equipment.
- Disaster prevention / crime prevention equipment.
- Burning / explosion control equipment
- Application of similar complexity and/ or reliability requirements to the applications listed in the above.

We expressly prohibit you from analyzing, breaking, Reverse-Engineering, remodeling altering, and reproducing our product. Our product cannot be used for the product which is prohibited from being manufactured, used, and sold by the regulations and laws in the world.

We do not warrant or represent that any license, either express or implied, is granted under any our patent right, copyright, mask work right, or our other intellectual property right relating to any combination, machine, or process in which our products or services are used. Information provided by us regarding third-party products or services does not constitute a license from us to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from us under our patents or other intellectual property.

Please do not use our products, our technical information and other data provided by us for the purpose of developing of mass-destruction weapons and the purpose of military use.

Moreover, you must comply with "foreign exchange and foreign trade law", the "U.S. export administration regulations", etc.

Please note that we may discontinue the manufacture of our products, due to reasons such as end of supply of materials and/or components from our suppliers.

Customer acknowledges that Murata will, if requested by you, conduct a failure analysis for defect or alleged defect of Products only at the level required for consumer grade Products, and thus such analysis may not always be available or be in accordance with your request (for example, in cases where the defect was caused by components in Products supplied to Murata from a third party).

The product shall not be used in any other application/model than that of claimed to Murata.

Customer acknowledges that engineering samples may deviate from specifications and may contain defects due to their development status.

We reject any liability or product warranty for engineering samples.

In particular we disclaim liability for damages caused by

- •the use of the engineering sample other than for evaluation purposes, particularly the installation or integration in the product to be sold by you,
 - •deviation or lapse in function of engineering sample,
 - improper use of engineering samples.

We disclaim any liability for consequential and incidental damages.

If you can't agree the above contents, you should inquire our sales.