

Note: This datasheet may be out of date. Please download the latest datasheet of GRM319C81C106MA12# from the official website of Murata

Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GRM319C81C106MA12%23

"#" indicates a package specification code.

GRM319C81C106MA12#















< List of part numbers with package codes > GRM319C81C106MA12D GRM319C81C106MA12J



Appearance & Shape







References

Packaging	Specifications	Standard Packing Quantity
D	180mm Paper Tape	4000
J	330mm Paper Tape	

Mass (typ.)				
1 piece	24.0mg			
φ180mm Reel	208g			

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



1 of 4



GRM319C81C106MA12#

Note: This datasheet may be out of date.

Please download the latest datasheet of GRM319C81C106MA12# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GRM319C81C106MA12%23

"#" indicates a package specification code.



Specifications

Length	3.2±0.15mm		
Width	1.6±0.15mm		
Thickness	0.85±0.1mm		
Capacitance	10μF ±20%		
Distance between external terminals g	1.5mm min.		
External terminal size e	0.3 to 0.8mm		
Operating Temperature Range	-55°C to 105°C		
Rated Voltage	16Vdc		
Size code in inch(mm)	1206 (3216M)		
Capacitance change rate	±22.0%		
Temperature characteristics (complied standard)	X6S(EIA)		
Temperature range of temperature characteristics	-55°C to 105°C		

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. Please download the latest datasheet of GRM319C81C106MA12# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GRM319C81C106MA12%23


"#" indicates a package specification code.





Characteristic Data


GRM319C81C106MA12#

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




GRM319C81C106MA12#


Note: This datasheet may be out of date.

Please download the latest datasheet of GRM319C81C106MA12# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GRM319C81C106MA12%23

"#" indicates a package specification code.





4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

