SMD / SMT Inductors (Coils) VLF3012ST-1R0N2R0

Т

Applications	Commercial Grade	
	Wire Wound Wire Wound	
Feature	Shield Magnetic Shield	
	Ferrite Core	W Th
Series Type	VLF	the le
	A Obsolete	100 0
Status	Recommended Alternate Part No. : <u>VLS3012CX-1R0M-1</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.29, 2019	
	Last Shipment Date : Sep.30, 2019	
Brand	ТДК	


	Size
Length(L)	3.00mm Nom.
Width(W)	2.80mm Nom.
Thickness Height	1.20mm Max.
Recommended Land Pattern (A)	0.65mm Nom.
Recommended Land Pattern (B)	2.10mm Nom.
Recommended Land Pattern (C)	1.20mm Nom.

Electrical Characteristics				
Inductance	1µH ±30% at 1MHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	2A (30% Down)			
Rated Current (Temperature Rise) [Typ.]	2.7A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	32mΩ			
DC Resistance [Max.]	38mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other		
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C	
Soldering Method	Reflow	
AEC-Q200	NO	
Packing	Embossed (Plastic)Taping [180mm Reel]	
Images are for reference only and show exemplary products. Package Quantity I This PDF document was created based on the data listed on the TDK Corporation websit	2000pcs	
Weight are subject to change without notice.	0.03g	

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$