RoHS Reach Halogen Free Pb Free



TDK

**Brand** 

| Applications  | Automotive Grade  |  |
|---------------|---|--|
| Feature       | AEC-Q200  Multilayer  Multilayer  Non-Mag Core  Non-Magnetic Core (Dielectric Ceramic)  High Q High Q |  |
| Series   Type | MLG-P   |  |
| Status        | Production  |  |



| 9                            | Size           |
|------------------------------|----------------|
| Length(L)                    | 0.60mm ±0.03mm |
| Width(W)                     | 0.30mm ±0.03mm |
| Thickness   Height           | 0.30mm ±0.03mm |
| Recommended Land Pattern (A) | 0.25mm Nom.    |
| Recommended Land Pattern (B) | 0.30mm Nom.    |
| Recommended Land Pattern (C) | 0.30mm Nom.    |

| Electrical Characteristics     |                        |  |
|--------------------------------|------------------------|--|
| Inductance                     | 4.2nH ±0.2nH at 500MHz |  |
| Rated Current                  | 350mA                  |  |
| DC Resistance [Typ.]           | 240mΩ                  |  |
| DC Resistance [Max.]           | 400mΩ                  |  |
| Self Resonant Frequency [Min.] | 5.8GHz                 |  |
| Self Resonant Frequency [Typ.] | 6.6GHz                 |  |
| Q [Min.]                       | 14 at 500MHz           |  |
| Q [Typ.]                       | 18 at 500MHz           |  |

| Other   |  |  |
|---|--|--|
| Operating Temp. Range (Including Self-Temp. Rise) | -55 to 125°C                                       |  |
| Soldering Method                                  | Reflow   |  |
| AEC-Q200  | YES  |  |
| Packing   | Punched (Paper)Taping [180mm Reel, Tape width 8mm] |  |
| Package Quantity                                  | 15000pcs   |  |
| Weight  | 0.0002g  |  |

 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.


<sup>!</sup> All specifications are subject to change without notice.


RoHS Reach Halogen Free Pb Free




## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)











<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.