

IRJ17AB 300X200X0.4

Flexield

Category : Noise Suppressing / Magnetic Sheets
Sub Category : Noise Suppressing / Magnetic Sheets
TDK Series Name : IRJ17
Application : No Data Available.
Function : No Data Available.
Description : No Data Available.
▶ Submit Sample Request
▶ Check Distributor Inventory
▶ Print Page



Additional Search Tools:

- ▶ [Application](#)
- ▶ [Catalog](#)
- ▶ [SEAT](#)
- ▶ [CCV](#)
- ▶ [TVCL](#)
- ▶ [Tech Notes](#)

Property Name	Property Description
Product Lifecycle Stage	Production
Part Number Replacement	<i>No Data Available.</i>
Lead (Pb) Free	Yes
Surface Mount	No
Body Length (L)	Nom 300 mm
Body Breadth (W)	Nom 200 mm
Standard Sheet Thickness	Nom 0.4 mm
Recommended Frequency Range	Min 5 MHz
Recommended Frequency Range	Max 3 GHz
Category Temperature Range	Min -40 Cel
Category Temperature Range	Max 85 Cel
Initial Permeability	Min <i>No Data Available.</i>
Initial Permeability Measuring Condition	1MHz
Surface Resistivity	Min 1 MOhm
Thermal Conductivity	Nom 1.7 W/(m.k)
Density	Nom 3500 kg/m**3
Storage Temperature Range	Min <i>No Data Available.</i> Max <i>No Data Available.</i>
Country of Origin	JPN
Packing	Box
Minimum Package Qty	Nom 1 Pcs
Minimum Order Qty	Nom 1 Pcs
Weight	Nom 84 g

Disclaimer: This information is to be used for reference purposes only and is subject to change by TDK without notice. It reflects an overview of the product characteristics/performance for the particular part number. For product specification information, please refer to TDK's general product specification. Please note that this standard part is not designed or warranted to meet any specifications of any intermediate or end user different from or in addition to the specifications set forth in TDK's general product specification. Note also that this standard part has not been specially designed or manufactured for, nor is it intended or warranted for use in , or permitted to be resold for, specialized applications such as aviation, medical, and/or governmental/military applications (collectively, "Excluded Applications").