



Applications	Commercial Grade	
Feature	Shield Magnetic Shield Wire Wound Wire Wound	
	Ferrite Core	
Series   Type	VLS-E	
	Production (Not Recommended for New Design)	
Status	Recommended Alternate Part No. : <u>VLS201610CX-220M-1</u> (Interchangeability is not guaranteed.)	
Brand	TDK	

	Size
Length(L)	2.00mm ±0.10mm
Width(W)	2.00mm ±0.10mm
Thickness   Height	1.20mm Max.
Recommended Land Pattern (A)	0.65mm Nom.
Recommended Land Pattern (B)	0.70mm Nom.
Recommended Land Pattern (C)	2.00mm Nom.


Electrical Characteristics				
Inductance	22µH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	370mA (30% Down)			
Rated Current (L Change) [Max.]	330mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	350mA (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	1.47Ω			
DC Resistance [Max.]	1.764Ω			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	No
Packing	Blister (Plastic)Taping [180mm Reel]
Package Quantity	2000pcs
I mages are for reference only and show exemplary products. This PDF document was created based on the data listed on the TDK Corporation website.	0.017g

! All specifications are subject to change without notice.







VLS2012ET-220M(No Bias) VLS2012ET-220M(DC Bias = 0.17A)

# Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

! Images are for reference only and show exemplary products.


! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

VLS2012ET-220M (Amb. Temp. = 20 °C)







# Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

! Images are for reference only and show exemplary products.


! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.





# Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.