SMD / SMT Inductors (Coils) MLK1005S3N6STD25

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200	
	No Directivity No Directivity	
	Multilayer Multilayer	
	Non-Mag Core Non-Magnetic Core (Dielectric Ceramic)	
	High Self Resonant Frequency	
Series Type	MLK	
Status	EOL announced	
	Recommended Alternate Part No. : <u>MLG1005S3N6STD25</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.24, 2021	
	Last Purchase Order Date : Mar.31, 2026	
	Last Shipment Date : Jun.30, 2026	
Brand	трк	


Size		
Length(L)	1.00mm ±0.10mm	
Width(W)	0.50mm ±0.10mm	
Thickness Height	0.50mm ±0.10mm	
Recommended Land Pattern (A)	0.50mm Nom.	
Recommended Land Pattern (B)	0.40mm Nom.	
Recommended Land Pattern (C)	0.50mm Nom.	


Electrical Characteristics		
Inductance	3.6nH ±0.3nH at 100MHz	
Rated Current	400mA	
DC Resistance [Typ.]	120mΩ	
DC Resistance [Max.]	250mΩ	
Self Resonant Frequency [Min.]	6.8GHz	
Self Resonant Frequency [Typ.]	8.1GHz	
Q [Min.]	7 at 100MHz	
Q [Typ.]	8 at 100MHz	


Other		
Operating Temp. Range (Including Self-Temp. Rise)	-55 to 125°C	
Coldering Method	Reflow	
Soldering Method	Iron Soldering	
AEC-Q200	YES	
Packing	Punched (Paper)Taping [180mm Reel, Tape width 8mm]	
Package Quantity rence only and show exemplary products.	10000pcs	
! This PDF document was created based on the data listed on the TDK Corporation website Maight Competitions are subject to change without notice.	 0.001g	

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)








! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.