

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of PRF18BD471QS5RB from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=PRF18BD471QS5RB

PRF18BD471QS5RB

In Production Recommended AEC-Q200 RoHS REACH

Appearance & Shape



e	g	e	4			
	L					
Part Number	Dimensions (mm)					
Part Number	L	W	Т	е	g	
PRF03_RL	0.6±0.05	0.3±0.05	0.3±0.05	0.1 to 0.2	-	
PRF15_RC	1.0±0.05	0.5±0.05	0.5±0.05	0.1 to 0.4	0.3 min.	
PRF18_RB	1.6±0.15	0.8±0.15	0.8±0.15	0.1 to 0.6	-	
PRF21_RA	2.0±0.2	1.25±0.2	0.9±0.2	0.2 min.	0.5 min.	



1. SMD type is helpful for miniaturizing circuits because of its small size and light weight.

2. Excellent thermal response due to small size

3. Solid-state construction provides excellent mechanical vibration and impact resistance.

- 4. Contactless operation provides noiseless operation.
- 5. Lead is not contained in the terminations.
- 6. UL/cULcertified product. (UL1434, File No. E137188)

Applications

Limited Usage

Automotive Grade



Packaging Information

Packaging		Standard Packing Quantity
RB	180mm Paper Tape	4000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





PRF18BD471QS5RB

Note: This datasheet may be out of date. Please download the latest datasheet of PRF18BD471QS5RB from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=PRF18BD471QS5RB

Specifications

Max. Voltage	32V
Sensing Temperature	95℃
Sensing Temperature Tolerance	±5℃
Measure Condition of Sensing Temperature	at 4.7k ohm
Sensing Temperature(2)	110℃
Sensing Temperature (2) Tolerance	±7°C
Measure Condition of Sensing Temperature(2)	at 47k ohm
Resistance (25°C)	470Ω
Resistance Value Tolerance (at 25°C)	±50%
Operating Temperature Range	-40°C to 150°C
Size Code (in mm)	1.6x0.8mm
Size Code (in inch)	0.6x0.3inch
Shape	SMD
Mass	0.004g
MSL	1

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.






Product Search Data Sheet

PRF18BD471QS5RB

Note: This datasheet may be out of date. Please download the latest datasheet of PRF18BD471QS5RB from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en/products/productdetail?partno=PRF18BD471QS5RB



1000 100 Resistance Change (R/R25) 10 0.1 40 -20 0 20 40 60 80 100 120 140 160

Resistance-Temperature Characteristics

Temperature (°C)



Resistance-Temperature Characteristics Range (Reference)

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

