RoHS Reach Pb Free

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200  Wire Wound Wire Wound  Shield Magnetic Shield  Ferrite Core Ferrite Core	
Series   Type	CLF-D	
Status	Production	
Brand	TDK	



9	Size
Length(L)	12.50mm ±0.30mm
Width(W)	12.10mm +0.30,-0.20mm
Thickness   Height	5.50mm ±0.35mm
Recommended Land Pattern (A)	2.70mm Nom.
Recommended Land Pattern (B)	8.30mm Nom.
Recommended Land Pattern (C)	3.20mm Nom.

Electrical Characteristics			
Inductance	220μH ±20% at 100kHz		
Rated Current (L Change) [Typ.]	1.5A (10% Down)		
Rated Current (L Change) [Max.]			
Rated Current (Temperature Rise) [Typ.]	900mA (30°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	370mΩ		
DC Resistance [Max.]	444mΩ		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			


Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 150°C		
Caldarina Mathad	Reflow		
Soldering Method	Iron Soldering		
AEC-Q200	YES		
Packing	Punched (Paper)Taping [330mm Reel]		
Package Quantity	500pcs		
Weight	3g		


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


<sup>!</sup> All specifications are subject to change without notice.


RoHS Reach Pb Free


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.


<sup>!</sup> All specifications are subject to change without notice.

CLF12555T-221M-D

RoHS Reach Pb Free

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.