⊗TDK

3-terminal Filters, SMD Array

For signal line(Jumper type)

MEA series

Туре:	MEA1608P000R	1608[0603 inch]*
		* Dimensions Code JIS[EIA]
1		

Issue date: November 2011

- All specifications are subject to change without notice.
- Conformity to RoHS Directive: This means that, in conformity with EU Directive 2002/95/EC, lead, cadmium, mercury, hexavalent chromium, and specific bromine-based flame retardants, PBB and PBDE, have not been used, except for exempted applications.

&TDK

3-terminal Filters, SMD Array For Signal Line(Jumper Type)

MEA Series MEA1608P000R

FEATURES

• This jumper chip forms four circuits in one chip with support for high-density mounting.


TEMPERATURE RANGES


Operating	–40 to +85°C	
Storage(After mount)	–40 to +85°C	

ELECTRICAL CHARACTERISTICS

Part No.	Rated current (mA)	Resistance value (mΩ)max.
MEA1608P000R	100	50

SHAPES AND DIMENSIONS





Weight: 3.5mg Dimensions in mm

- Conformity to RoHS Directive: This means that, in conformity with EU Directive 2002/95/EC, lead, cadmium, mercury, hexavalent chromium, and specific bromine-based flame retardants, PBB and PBDE, have not been used, except for exempted applications.
- Please contact our Sales office when your application is considered the following: The device's failure or malfunction may directly endanger human life (e.g. application for automobile/aircraft/medical/nuclear power devices, etc.)

• All specifications are subject to change without notice.