## SMD / SMT Inductors (Coils) VLF252015MT-4R7M-CA

Applications	Automotive Grade	
Feature	Wire Wound	
	Shield Magnetic Shield   Ferrite Core	
Series   Type	VLF-M	
Status	▲ Obsolete	
	Recommended Alternate Part No. : <u>VLS5045EX-4R7M-H</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.31, 2021	
	Last Shipment Date : Sep.30, 2021	
Brand	ТДК	


Size			
Length(L)	2.50mm ±0.20mm		
Width(W)	2.00mm ±0.20mm		
Thickness   Height	1.50mm Max.		
Recommended Land Pattern (A)	0.75mm Nom.		
Recommended Land Pattern (B)	0.60mm Nom.		
Recommended Land Pattern (C)	1.30mm Nom.		

Electrical Characteristics					
Inductance	4.7µH ±20% at 1MHz				
Rated Current (L Change) [Typ.]	660mA (30% Down)				
Rated Current (L Change) [Max.]	590mA (30% Down)				
Rated Current (Temperature Rise) [Typ.]	1.45A (40°C Rise)				
Rated Current (Temperature Rise) [Max.]					
DC Resistance [Typ.]	100mΩ				
DC Resistance [Max.]	120mΩ				
Self Resonant Frequency [Min.]					
Self Resonant Frequency [Typ.]					
Q [Min.]					
Q [Typ.]					

Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Unages are for reference only and show exemplary products. Package Outantity I This PDF document was created based on the data listed on the TDK Corporation website	2000pcs
Weight specifications are subject to change without notice.	0.027g

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$