

RoHS Reach Halogen Free Pb Free

Applications	Automotive Grade	
Feature	Wire Wound Wire Wound	
	Shield Magnetic Shield	
	Ferrite Core	
Series   Type	VLF-M	
Status	↑ Obsolete	
	Recommended Alternate Part No. : <u>VLS5045EX-2R2N-H</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.31, 2021	
	Last Shipment Date : Sep.30, 2021	
Brand	TDK	



Size		
Length(L)	2.50mm ±0.20mm	
Width(W)	2.00mm ±0.20mm	
Thickness   Height	1.00mm Max.	
Recommended Land Pattern (A)	0.75mm Nom.	
Recommended Land Pattern (B)	0.60mm Nom.	
Recommended Land Pattern (C)	1.30mm Nom.	

Electrical Characteristics		
Inductance	2.2μH ±20% at 1MHz	
Rated Current (L Change) [Typ.]	920mA (30% Down)	
Rated Current (L Change) [Max.]	830mA (30% Down)	
Rated Current (Temperature Rise) [Typ.]	1.47A (40°C Rise)	
Rated Current (Temperature Rise) [Max.]		
DC Resistance [Typ.]	100mΩ	
DC Resistance [Max.]	120mΩ	
Self Resonant Frequency [Min.]		
Self Resonant Frequency [Typ.]		
Q [Min.]		
Q [Typ.]		

Other		
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C	
Soldering Method	Reflow	
AEC-Q200	NO	
Packing	Embossed (Plastic)Taping [180mm Reel]	

<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.



2 of 5 Creation Date : October 11, 2022 (GMT)


RoHS Reach Halogen Free Pb Free


Package Quantity	2000pcs
Weight	0.017g


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.



RoHS Reach Halogen Free Pb Free

## **Associated Images**



 $<sup>! \ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.