

Product Search Data Sheet


NFZ15SR352SN10#

In Production RoHS REACH

< List of part numbers with package codes > NFZ15SR352SN10B NFZ15SR352SN10D

Appearance & Shape





0.5±0.05

Electrode (in mm)





- NFZ15SR series is designed for noise suppression of audio lines such as class D amplifier. This product can suppress noise about the range from FM band to 2GHz without distorting audio waveform. We have set the impedance specify frequency as 900MHz in this reason.
- 2. The nickel barrier structure of the external electrodes provides excellent solder heat resistance.
- 3. Rated current ranges from 400mAto 270mA.
- 4. Meets 85°C maximum operating temperature.

Applications

Other Usage

For general

Packaging Information

Packaging	Specifications	Standard
		Packing
		Quantity
В	Bulk(Bag)	1000
D	180mm Paper Tape	10000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date. Please download the latest datasheet of NFZ15SR352SN10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ15SR352SN10%23

"#" indicates a package specification code.



Rata Product Search Data Sheet

NFZ15SR352SN10#

Note: This datasheet may be out of date. Please download the latest datasheet of NFZ15SR352SN10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ15SR352SN10%23

"#" indicates a package specification code.



Specifications

Shape	SMD
Size Code (in inch)	0402
Length	1.0mm
Length Tolerance	±0.05mm
Width	0.5mm
Width Tolerance	±0.05mm
Thickness	0.5mm
Thickness Tolerance	±0.05mm
Operating Temperature Range	-40°C to 85°C
Mass(typ.)	0.001g
Number of Circuit	1
Rated Current (at 85°C)	270mA
DC Resistance(max.)	1.65Ω
DC Resistance	1.30Ω (Тур.)
Impedance (at 100MHz)	500Ω
Impedance (at 100MHz) Tolerance	(Тур.)
Impedance (at 900MHz)	3500Ω
Impedance (at 900MHz) Tolerance	(Тур.)
Size Code (in mm)	1005

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.






Product Search Data Sheet

NFZ15SR352SN10#

Note: This datasheet may be out of date. Please download the latest datasheet of NFZ15SR352SN10# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ15SR352SN10%23

"#" indicates a package specification code.



Impedance-Frequency Characteristics

Equivalent Circuit

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3