RoHS Reach Pb Free

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200 Wire Wound Shield Magnetic Shield Ferrite Core	
Series Type	SLF-H	
Status	Production	
Brand	TDK	



	Size
Length(L)	10.10mm ±0.30mm
Width(W)	10.10mm ±0.30mm
Thickness Height	4.50mm ±0.30mm
Recommended Land Pattern (A)	2.50mm Nom.
Recommended Land Pattern (B)	5.60mm Nom.
Recommended Land Pattern (C)	3.20mm Nom.


Electrical Characteristics				
Inductance	680µH ±20% at 1kHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	380mA (10% Down)			
Rated Current (Temperature Rise) [Typ.]	380mA (30°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	1.6Ω			
DC Resistance [Max.]	1.92Ω			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				


Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C			
Coldaring Method	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	YES			
Packing	Embossed (Plastic)Taping [330mm Reel, Tape width 24mm]			
Package Quantity	500pcs			
Weight	1.3g			


[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


[!] All specifications are subject to change without notice.


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Associated Images





 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.