

### VLF3012AT-6R8MR59

RoHS Reach Halogen Free Pb Free

Applications	Commercial Grade		
	Wire Wound		
Feature	Shield Magnetic Shield		
	Ferrite Core		
Series   Type	VLF		
Status	⚠ Obsolete		
	Recommended Alternate Part No. : <u>VLS3012CX-6R8M-1</u> (Interchangeability is not		
	guaranteed.)		
	Discontinue Issue Date : May.18, 2017		
	Last Purchase Order Date : Mar.29, 2019		
	Last Shipment Date : Sep.30, 2019		
Brand	TDK		





	Size	
Length(L)	2.80mm Nom.	
Width(W)	2.60mm Nom.	
Thickness   Height	1.20mm Max.	
Recommended Land Pattern (A)	0.65mm Nom.	
Recommended Land Pattern (B)	2.10mm Nom.	
Recommended Land Pattern (C)	1.20mm Nom.	


Electrical Characteristics			
Inductance	6.8µH ±20% at 100kHz		
Rated Current (L Change) [Typ.]			
Rated Current (L Change) [Max.]	590mA (30% Down)		
Rated Current (Temperature Rise) [Typ.]	830mA (40°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	230mΩ		
DC Resistance [Max.]	270mΩ		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			


Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
lmages are for reference only and show exemplary products. Package Quantity ! Inis PDF document was created based on the data listed on the TDK Corporation website	2000pcs
weight	0.027g


### Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

# **Associated Images**



 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.