## SMD / SMT Inductors (Coils) VLF10045T-331MR70

Applications	Commercial Grade			
	Wire Wound Wire Wound			
Feature	Shield Magnetic Shield			
	Ferrite Core	256		
Series   Type	VLF	the states		
Status	Obsolete	-Ka SOM		
	Recommended Alternate Part No. : <u>CLF10040T-331M-D</u> (Interchangeability is not			
	guaranteed.)			
	Discontinue Issue Date : May.18, 2017			
	Last Purchase Order Date : Mar.29, 2019			
	Last Shipment Date : Sep.30, 2019			
Brand	TDK			


Size		
Length(L)	10.00mm Nom.	
Width(W)	9.70mm Nom.	
Thickness   Height	4.50mm Max.	
Recommended Land Pattern (A)	1.70mm Nom.	
Recommended Land Pattern (B)	7.30mm Nom.	
Recommended Land Pattern (C)	3.60mm Nom.	

Electrical Characteristics				
Inductance	330μH ±20% at 100kHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	700mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	800mA (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	721mΩ			
DC Resistance [Max.]	829mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

01	ther
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [330mm Reel]
Umages are for reference only and show exemplary products. Package Quantity I This PDF document was created based on the data listed on the TDK Corporation websit:	500pcs
Weight are subject to change without notice.	1.49g

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Pb Free

## Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice.}$