RoHS Reach Halogen Free Pb Free



## MLK1005S6N2STD25

Applications	Automotive Grade
Feature	AEC-Q200 AEC-Q200
	No Directivity No Directivity
	Multilayer Multilayer
	Non-Mag Core Non-Magnetic Core (Dielectric Ceramic)
	High Self Resonant Frequency
Series   Type	MLK
Status	A EOL announced
	Recommended Alternate Part No. : <u>MLG1005S6N2STD25</u> (Interchangeability is not
	guaranteed.)
	Discontinue Issue Date : May.24, 2021
	Last Purchase Order Date : Mar.31, 2026
	Last Shipment Date : Jun.30, 2026
Brand	TDK





	Size
Length(L)	1.00mm ±0.10mm
Width(W)	0.50mm ±0.10mm
Thickness   Height	0.50mm ±0.10mm
Recommended Land Pattern (A)	0.50mm Nom.
Recommended Land Pattern (B)	0.40mm Nom.
Recommended Land Pattern (C)	0.50mm Nom.


Electrical Characteristics		
Inductance	6.2nH ±0.3nH at 100MHz	
Rated Current	400mA	
DC Resistance [Typ.]	180mΩ	
DC Resistance [Max.]	350mΩ	
Self Resonant Frequency [Min.]	5.6GHz	
Self Resonant Frequency [Typ.]	6.4GHz	
Q [Min.]	7 at 100MHz	
Q [Typ.]	8 at 100MHz	


Ot	ther
Operating Temp. Range (Including Self-Temp. Rise)	-55 to 125°C
Coldering Makhod	Reflow
Soldering Method	Iron Soldering
AEC-Q200	YES
Packing	Punched (Paper)Taping [180mm Reel, Tape width 8mm]
Package Quantity rence only and show exemplary products.	10000pcs
This PDF document was created based on the data listed on the TDK Corporation website Maigherifications are subject to change without notice.	<sup>2</sup> .0.001g

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)











<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.