RoHS Reach Pb Free

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200	
	Wire Wound Wire Wound	
	Shield Magnetic Shield	
	Ferrite Core Ferrite Core	
Series Type	CLF-CA	
Status	↑ Obsolete	
	Recommended Alternate Part No. : <u>CLF12555T-680M-D</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.29, 2019	
	Last Shipment Date : Sep.30, 2019	
Brand	TDK	



	Size
Length(L)	12.50mm ±0.30mm
Width(W)	12.10mm +0.30,-0.20mm
Thickness Height	5.50mm ±0.35mm
Recommended Land Pattern (A)	2.70mm Nom.
Recommended Land Pattern (B)	8.30mm Nom.
Recommended Land Pattern (C)	3.20mm Nom.

Electrical Characteristics		
Inductance	68μH ±20% at 100kHz	
Rated Current (L Change) [Typ.]	2.6A (10% Down)	
Rated Current (L Change) [Max.]		
Rated Current (Temperature Rise) [Typ.]	1.6A (30°C Rise)	
Rated Current (Temperature Rise) [Max.]		
DC Resistance [Typ.]	125mΩ	
DC Resistance [Max.]	150mΩ	
Self Resonant Frequency [Min.]		
Self Resonant Frequency [Typ.]		
Q [Min.]		
Q [Typ.]		

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C			
Coldaring Mathod	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	YES			
Packing	Punched (Paper)Taping [330mm Reel]			


Package Quantity 500pcs Weight 3g


[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $^{! \ \}mbox{All specifications}$ are subject to change without notice.


RoHS Reach Pb Free


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.


[!] All specifications are subject to change without notice.


SMD / SMT Inductors (Coils)

&TDK

RoHS Reach Pb Free

Associated Images





 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.