RoHS Reach Pb Free



VLM10555T-3R3M7R2-2

Applications	Commercial Grade
Feature	Wire Wound Shield Magnetic Shield Ferrite Core
Series Type	VLM
Status	Production
Brand	TDK





	Size
Length(L)	10.50mm Max.
Width(W)	10.60mm ±0.20mm
Thickness Height	5.40mm ±0.20mm
Recommended Land Pattern (A)	2.60mm Nom.
Recommended Land Pattern (B)	3.40mm Nom.
Recommended Land Pattern (C)	3.00mm Nom.
Recommended Land Pattern (D)	6.10mm Nom.
Recommended Land Pattern (E)	1.90mm Nom.
Recommended Land Pattern (F)	1.80mm Nom.


Electrical Characteristics			
Inductance	$3.3\mu H \pm 20\%$ at $100kHz$		
Rated Current (L Change) [Typ.]			
Rated Current (L Change) [Max.]	12A (25% Down)		
Rated Current (Temperature Rise) [Typ.]	7.2A (40°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	8.3mΩ		
DC Resistance [Max.]	9.55mΩ		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			


Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C		
Coldarina Mathad	Reflow		
Soldering Method	Iron Soldering		
AEC-Q200	NO		
Packing	Embossed (Plastic)Taping [330mm Reel]		
Package Quantity Images are for reference only and show exemplary products.	500pcs		
This PDF document was created based on the data listed on the TDK Corporation we Weight ! All specifications are subject to change without notice.	ebsite.		


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Associated Images



 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.