

1 Toddot Ocaron Data Onec

Please download the latest datasheet of NFZ15SG151SN11# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ15SG151SN11%23

Note: This datasheet may be out of date.

"#" indicates a package specification code.

NFZ15SG151SN11#







< List of part numbers with package codes > NFZ15SG151SN11B NFZ15SG151SN11D



Appearance & Shape













Features

- NFZ15SG series is designed for noise suppression of audio lines such as class D amplifier.
 This product can suppress noise about the range from 700MHz to 2GHz without distorting audio waveform.
 We have set the impedance specify frequency as 900MHz in this reason.
- 2. The nickel barrier structure of the external electrodes provides excellent solder heat resistance.
- 3. Low DC resistance of NFZ15SG series meets large current. Its rated current ranges from 0.27Ato 1.1A
- 4. Meets 85°C maximum operating temperature.



Applications

| Other Usage | For general |
|-------------|-------------|



Packaging Information

| Packaging | Specifications | Standard Packing |
|-----------|------------------|---------------------|
| | | Quantity |
| В | Bulk(Bag) | 1000 |
| D | 180mm Paper Tape | 10000 |

1 of 3

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





NFZ15SG151SN11#

Note: This datasheet may be out of date.

Please download the latest datasheet of NFZ15SG151SN11# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ15SG151SN11%23

"#" indicates a package specification code.



Specifications

| Shape | SMD |
|---------------------------------|---------------|
| Size Code (in inch) | 0402 |
| Length | 1.0mm |
| Length Tolerance | ±0.05mm |
| Width | 0.5mm |
| Width Tolerance | ±0.05mm |
| Thickness | 0.5mm |
| Thickness Tolerance | ±0.05mm |
| Operating Temperature Range | -40°C to 85°C |
| Mass(typ.) | 0.001g |
| Number of Circuit | 1 |
| Rated Current (at 85°C) | 1A |
| DC Resistance(max.) | 0.12Ω |
| DC Resistance | 0.09Ω (Typ.) |
| Impedance (at 900MHz) | 150Ω |
| Impedance (at 900MHz) Tolerance | (Тур.) |
| Impedance (at 1.7GHz) | 250Ω |
| Impedance (at 1.7GHz) Tolerance | (Тур.) |
| Size Code (in mm) | 1005 |

2 of 3

Attentior

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



NFZ15SG151SN11#


Note: This datasheet may be out of date.


Please download the latest datasheet of NFZ15SG151SN11# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=NFZ15SG151SN11%23

"#" indicates a package specification code.







Impedance-Frequency Characteristics

Equivalent Circuit

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

