# Samsung V-NAND SSD 870 EVO

2021 Data Sheet

Revision 1.1



#### **LEGAL DISCLAIMER**

SAMSUNG ELECTRONICS CO., LTD. RESERVES THE RIGHT TO CHANGE PRODUCTS, INFORMATION AND SPECIFICATIONS WITHOUT NOTICE.

Products and specifications discussed herein are provided for reference purposes only. All information discussed herein may change without notice and is provided on an "AS IS" basis, without warranties of any kind. This document and all information discussed herein remain the sole and exclusive property of Samsung Electronics Co., Ltd. No license of any patent, copyright, mask work, trademark or any other intellectual property right is granted under this document, by implication, estoppels or otherwise. Samsung products are not intended for use in life support, critical care, medical, safety equipment, or similar applications where product failure could result in loss of life or personal or physical harm, or any military or defense application, or any governmental procurement to which special terms or provisions may apply. For updates or additional information about Samsung products, contact your nearest Samsung representative. All brand names, trademarks and registered trademarks belong to their respective owners.

#### **COPYRIGHT © 2021**

This material is copyrighted by Samsung Electronics Co., Ltd. Any unauthorized reproductions, use or disclosure of this material, or any part thereof, is strictly prohibited and is a violation under copyright law.

#### TRADEMARKS & SERVICE MARKS

The Samsung logo is the trademark of Samsung Electronics Co., Ltd. All other company and product names may be trademarks of the respective companies with which they are associated.

For more information, please visit www.samsung.com/ssd and www.samsungssd.com. To download the latest software & manuals, please visit www.samsung.com/samsungssd



#### **TECHINCAL SPECIFICATIONS**

			Samsung S	SD 870 EVO				
Usage Application	Client PCs							
Interface	SATA 6 Gb/s Interface, compatible with SATA 3 Gb/s & 1.5 interfaces							
Hardware Information	Capacity <sup>1)</sup>		250GB	500GB	1TB	2TB	4TB	
	Controller		Samsung MKX Controller					
	NAND Flash Memory		Samsung V-NAND 3bit MLC					
	DRAM Cache Memory		512MB	LPDDR4	1GB LPDDR4	2GB LPDDR4	4GB LPDDR4	
	Dimensions		100x 69.85x 6.8(mm)					
	Form Factor		2.5 inch					
	Sequential Read		560 MB/s					
	Sequential Write <sup>3)</sup>		530 MB/s					
Performance	4KB Ran. Read (QD1)		13,000 IOPS					
(Up to.) <sup>2)</sup>	4KB Ran. Write (QD1)		36,000 IOPS					
	4KB Ran. Read (QD32)		98,000 IOPS					
	4KB Ran. Write (QD32)		88,000 IOPS					
	Idle	DIPM on	30 mW	30 mW	30 mW	35 mW	35 mW	
Power Consumption <sup>4)</sup>	Active (Avg.)	Read/Write	2.0W/2.2W	2.0W/2.2W	2.0W/2.5W	2.2W/2.5W	2.2W/2.5W	
	Devslp		2.5 mW	2.5 mW	3.0 mW	4.5 mW	6.5 mW	
	Temp.	Operating	0°C to 70°C					
		Non- Operating	-40°C to 85°C					
	Humidity		5% to 95% non-condensing					
Reliability <sup>4)</sup>	Shock	Non- Operating	1,500G, duration: 0.5ms, 3 axis					
	Vibration	Non- Operating	20~2,000Hz, 20G					
	MTBF		1.5 million hours					
Ma are a to	TBW <sup>5)</sup>		150TB	300TB	600TB	1,200TB	2,400TB	
Warranty	Period		5 year limited					
Supporting Features	TRIM (Required OS support), Garbage Collection, S.M.A.R.T							
Data Security	AES 256-bit Full Disk Encryption, TCG/Opal V2.0, Encrypted Drive(IEEE1667)							

- 1) GB: 1GB = 1,000,000,000 bytes. A certain portion of capacity may be used for system file and maintenance use, thus the actual available capacity may differ from the labeled total capacity.
- 2) Sequential performance measurements are based on CrystalDiskMark v.5.0.2. Random performance measurements are based on IOmeter1.1.0. Performance may vary based on SSD's firmware version, system hardware & configuration. Test system configuration: Intel® Core i7-470K CPU @4.00 GHz, DDR3 1600MHz 8GB, OS-Windows 10 Pro 64bit, Chipset-ASUS Z97 PRO
- 3) Sequential Write performance measurements are based on Intelligent TurboWrite technology. The sequential performance measurements after Intelligent TurboWrite region are 300MB/s (250/500GB), or 530MB/s (1TB/2TB/4TB).
- 4) Power consumption is measured with IOmeter1.1.0 version with Intel Core i7-7700K @ 4.2GHz, SAMSUNG DDR4 16GB, Gigabyte GA-Z270X, OS Windows 10 PRO K x64
- 5) All documented endurance test results are obtained in compliance with JESD218 Standards. Please visit www.jedec.org for detailed information on JESD218 Standards
- 6) TBW means Total Bytes Written.
- 7) Please refer to the detailed warranty statement here at <a href="http://samsung.com/samsungssd">http://samsung.com/samsungssd</a>.
- 8) Warranty provides coverage for the stated time period or the TBW, whichever comes first.

**SAMSUNG** 

Data Sheet

### **PRODUCT LINEUP**

Density	Model Name	Box Contents	Model Code	
250GB*			MZ-77E250BW	
	MZ-77E250	Samsung SSD 870 EVO 250GB	MZ-77E250B/AM	
		Warranty Statement	MZ-77E250B/EU	
		warranty Statement	MZ-77E250B/CN	
			MZ-77E250B/KR	
500GB*	MZ-77E500		MZ-77E500BW	
		Cameung CCD 970 EVO E00CD	MZ-77E500B/AM	
		Samsung SSD 870 EVO 500GB	MZ-77E500B/EU	
		Warranty Statement	MZ-77E500B/CN	
			MZ-77E500B/KR	
1TB (1,000GB*)	MZ-77E1T0		MZ-77E1T0BW	
		Samsung SSD 870 EVO 1TB	MZ-77E1T0B/AM	
		Warranty Statement	MZ-77E1T0B/EU	
			MZ-77E1T0B/CN	
2TB (2,000GB*)	MZ-77E2T0		MZ-77E2T0BW	
		Samsung SSD 870 EVO 2TB	MZ-77E2T0B/AM	
		Warranty Statement	MZ-77E2T0B/EU	
			MZ-77E2T0B/CN	
4TB (4,000GB*)	MZ-77E4T0		MZ-77E4T0BW	
		Samsung SSD 870 EVO 4TB	MZ-77E4T0B/AM	
		Warranty Statement	MZ-77E4T0B/EU	
			MZ-77E4T0B/CN	

<sup>\*</sup> GB: 1GB = 1,000,000,000 bytes by IDEMA. The actual usable capacity may be less than the labeled capacity. For more information, including but not limited to the warranty provided for this product, please visit www.samsung.com/ssd and www.samsungssd.com.



Data Sheet

## **Revision History**

Revision Number	Description	Revision Date
1.0	Initial Release	November 2020
1.1	After TurboWrite performance for $1/2/4$ TB change (500 $\rightarrow$ 530 MB/s)	January 2021