

SAMSUNG

Q

RDIMM

M393A4K40DB3-CWE



OVERVIEW

SPECIFICATIONS

RELATED RESOURCES

RELATED INSIGHTS

Proven DRAM module solution in the global market

Samsung's memory modules are designed for a wide range of applications to deliver the best performance with low power requirements.

Specifications

DDR	DDR4	Dimm Type	RDIMM
Density	32 GB	Rank x Org.	2R x 4
Speed	3200 Mbps	Voltage	1.2 V
No. of Pin	288	Component Compositi on	(2G x 4) x 36
Product Status	Sample		

SEE ALL

Related resources



Related insights



Inside the building blocks of the 5G future

The management and processing of data in the new era of connectivity will be a critical issue for every organization and enterprise.

LEARN MORE >



Samsung's PM1733 SSD and High Density DIMMs Support AMD

Samsung announced support of the Samsung PM1733 PCle Gen4 SSD and high density DIMMs for the AMD EPYCTM 7002 Generation Processors.

LEARN MORE >

00

All product specifications reflect internal test results and are subject to variations by user's system configuration. All product images shown are for illustration purposes only and may not be an exact representation of the product. Samsung reserves the right to change product images and specifications at any time without notice.

	Newsroom	PRODUCTS	SOLUTIONS	Other Sites	Follow us
	Product finder	DRAM	APPLICATIONS	中文(简体) 🖸	
	Technical	SSD	TOPICS	B2B Workplace 🗹	(1) (2)
T	resources TCO calculator	eSTORAGE		Memory (日本語) 🖸	
		MCP		ISOCELL 🗹	
	About us	PROCESSOR		Exynos 🗹	(

IMAGE SENSOR
SECURITY
SOLUTIONS
DISPLAY IC

LED 🗹
Display 🖸

Worker Safety 🛚

Copyright © 1995-2020 SAMSUNG All Rights Reserved.

POWER IC

PRIVACY LEGAL SITEMAP

This website is best viewed using Microsoft Internet Explorer 9 or higher, and/or latest version of Google Chrome and Mozila Firefox browsers.