#### DLA Land and Maritime - VQ Supplemental Information Sheet for Electronic QML-38535

Specification Details: Date: 3/30/2016

Specification: MIL-PRF-38535 Title: Advanced Microcircuits Federal Supply Class (FSC): 5962

Conventional: No

Specification contains quality assurance program: Yes MIL-STD-790 Established Reliability & High Reliability: No MIL-STD-690 Failure Rate Sampling Plans & Procedures: No

Weibull Graded: No

Specification contains space level reliability requirements: Yes

Specification allows test optimization: Yes

#### **Contact Information:**

Office of Primary Involvement: Custom Devices Branch, DLA Land and Maritime - VQC

Primary Qualifying Activity Contact: 614-692-0606, e-mail: vqc.vt@dla.mil Secondary Qualifying Activity Contact: 614-692-0589, e-mail: vqc.at@dla.mil

#### Notes:

If a manufacturer desires to have test data considered for qualification, he must be certified and perform all required qualification tests; the qualification sample must be produced under a valid authorization to test with DLA Land and Maritime-VQ certified materials and manufacturing techniques; and he must comply with the requirements specified in MIL-PRF-38535 prior to the start of any testing.

The listing of microcircuit manufacturing lines in the QML applies only to products produced in the plant(s)specified herein. Therefore, only those products that have been manufactured, assembled, and tested on the certified/qualified lines herein, can be supplied as qualified microcircuit QML devices

Microcircuits manufactured, assembled, and tested in accordance with MIL-PRF-38535 shall bear the "QML" certification mark or the "Q" abbreviation. Products manufactured, assembled, and tested shall meet all the provisions of MIL-PRF-38535; and shall be manufactured on the DLA Land and Maritime-VQ certified lines as indicated herein. The information contained in this QML reflects the actual manufacturing lines, materials, and manufacturing construction techniques of the particular test sample(s). Any product represented as being compliant shall be manufactured on the lines/flows using the material and manufacturing construction techniques listed herein, as is necessary to meet the requirements of the user. The user shall be responsible for determining if the QML listing is adequate to demonstrate capability for the intended application.

- 1/ This note has been removed.
- 2/ Package lead counts are listed by the maximum number of leads covered by the qualification. If the manufacturer's package outline drawing is covered by MIL-STD-1835, then the case outline letter will be listed.
- 3/ The manufacturer has certified that the advanced microcircuits listed were/are being built, tested, and shipped, using the certified/qualified lines/flows, processes, and materials, and as defined by a completed Standardized Military Drawing (SMD) or MIL-M-38510 part number are in full compliance with MIL-PRF-38535.
- 4/ Caution. Do not use this number for item acquisition. Items acquired to this number are NOT QML devices and may not satisfy the performance, quality, or reliability requirements of the military.
- 5/ All devices are in the military temperature range -55 to +125?C, unless otherwise specified in the SMD
- 6/ Devices found in this table meet the qualification requirement of MIL-PRF-38535 but are not covered by a Standardized Microcircuit Drawing (SMD). Please contact Mr. Tom Hess (614) 692-0547 concerning the possibility of covering these devices with an SMD.
- 7/ Contact Texas Instruments for plastic package availability for a given device type.
- 8/ This product is being actively supplied under MIL-PRF-38535 and is considered acceptable for use in new designs.
- 9/ SMD devices and MIL-M-38510 slash sheet devices which meet the RHA requirements of MIL-PRF-38535 shall be marked with the appropriate RHA designator M, D, P, L, R, F, G, or H replacing the dash "-" in the PIN as indicated.

Only the highest RHA level that the device is qualified for shall be listed in this QML; however, at the request of the customer, the manufacturer is authorized to supply any lower RHA level device. Upon request of the customer, the non-RHA PIN designated with a dash (-) may be supplied at the option of the manufacturer. The manufacturer may also opt to submit a certificate of compliance to have the non-RHA PIN listed in addition to the RHA PIN in this QML.

10/ The lead finish indicated in the Section I Table I listing is the most readily available from the manufacturer listed for the part. The manufacturer is authorized to supply other lead finishes than that listed provided that further testing/qualification is performed by the manufacturer on the other lead finish(es). The user needs to contact the manufacturer to determine the availability of other lead finishes not listed herein.

Important Information concerning User Decision to Procure Texas Instruments QML Devices in Plastic Packaging Technology

- 1. The user must carefully research the device end-use applications to determine if plastic packaging is appropriate.
- 2. Because plastic packages are not hermetic, if product is to be stored for a certain period in uncontrolled conditions, "dry bag" packaging may be required. TI will identify devices that require dry bag packaging. It is the buyer's responsibility to insure that these conditions are maintained over the storage life of the product.

- 3. Plastic packages typically do not dissipate heat as well as ceramic or metal packages.
- 4. The QML packaging technology flow is typically the same as commercial through assembly, therefore, users cannot require "specials".

These are some of the basic differences between TI's plastic commercial Off the Shelf (COTS) and plastic QML.

# 1. TRACEABILITY

COMMERCIAL OFF THE SHELF - LIMITED

QML - YES

#### 2. BURN-IN

COMMERCIAL OFF THE SHELF - NOT UNLESS COMMERCIAL PERFORMS

QML - NOT UNLESS COMMERCIAL PERFORMS 1/

#### 3. PRODUCT CHANGE NOTIFICATION

COMMERCIAL OFF THE SHELF - LIMITED

QML - YES

#### 4. AVAILABILITY

COMMERCIAL OFF THE SHELF - VARIES BY DEVICES (COULD BE AS LITTLE AS 2 YEARS)

QML - EXTENDED SUPPORT WITH OPPORTUNITY FOR LIFETIME BUY

#### 5. MILITARY TEMPERATURE TESTING

COMMERCIAL OFF THE SHELF - NO

QML - YES

#### 6. AVAILABILITY OF QUALIFICATION AND RELIABILITY DATA

COMMERCIAL OFF THE SHELF - LIMITED

QML - YES

### 7. FAILURE ANALYSIS FOR FIELD FAILURES

COMMERCIAL OFF THE SHELF - LIMITED

QML - YES

#### 8. EXTENSIVE BACKGROUND INFORMATION IN USING PRODUCT IN MILITARY ENVIRONMENTS

COMMERCIAL OFF THE SHELF - LIMITED

QML - YES

#### 9. SUPPORT FOR SPECIAL QUALITY CLAUSES AND/OR FLOW-DOWN REQUIREMENTS

COMMERCIAL OFF THE SHELF - NO

QML - YES

For more detailed information the user may contact:

TI/QML Program Manager/(915) 561-6614

DLA Land and Maritime-VQC/Mr. Andy Thacker/(614) 692-0589

Rome Lab/Mr. James Reilly/(315) 330-4055

NASA/Mr. Nick Vermani/(301) 731-8902

DLA Land and Maritime-VAC/Mr. Tom Hess/(614) 692-0547

1/ TI's QML plastic product offering follows TI's BEST COMMERCIAL PRACTICE approach. The Military and Commercial plastic flows are essentially the same with the exception of extended Military temperature testing in accordance with the SMD. Therefore, a QML plastic device will not receive burn-in unless the commercial device also receives burn-in (regardless of test optimization results). Life test is performed during initial qualification and as part of periodic reliability monitors. In addition, some QML plastic lead frames are palladium and burn-in may degrade the solderability of the palladium lead frame.

# **Part Configuration:**

SMD PINs shall be as follows:

Federal Stock Class Designator	RHA Designator	Drawing Designator	Device Type	Device Class	Case Outline	Lead Finish
5962	M,D,P,L,R,F, G,or H	XXXXX	ZZ	M,N,Q,V, or T	Υ	Υ

Device specification documents, originally published prior to 27 July 1990, shall be as follows:

Military Designator	RHA Designator	Device Specification Designator	Device Type	Device Class	Case Outline	Lead Finish
M38510	H or /	XXX	ZZ	B or S	Υ	Υ

#### Aeroflex-Colorado Springs

#### **Quality System Information**

Aeroflex-Colorado Springs 4350 Centennial Boulevard Colorado Springs, CO 80907-3486

Website: http://www.aeroflex.com/ams/aboutus/au-cos.cfm

CAGE Code: 65342

Company Contact: Jackie Mortensen, (719) 594-8026 Qualifying Activity Contact: Scott Thomas, (614) 692-0587 QML Status: Full QML Certification/Qualification

Radiation hardness level: 1 Meg

Class: Q and V

#### **Technology Types:**

0.6um, 0.8um, 1.2um, 1.5 um and 1.2 um CMOS, and 0.18, 0.25, 0.35 um logic

#### **Product Types:**

memory, CMOS gate array, linear Bipolar

#### **Design Center(s)**

Location: Colorado Springs, CO Line: CMOS Gate Array Flow: 63202 Rev A

#### **Mask Development Center(s)**

Location: Colorado Springs, CO Line: CMOS Gate Array Flow: 63003 Rev M

# Wafer Fabrication Operation(s)

Location: Colorado Springs, CO Line: CMOS Gate Array 1.5 & 1.2

Flow: 141280/121260 1.2um; 14101/14102 1.5um

Location: Camas, WA
Line: 0.25 um
Flow: ASIC Logic
Location: TSMC, Taiwan
Line: 0.18 um,0.25um,0.35um

Flow: Antifuse Logic Location: Camas, WA

Line: 0.18 um Flow: Logic

Location: Pocatello, ID Line: 0.6um, 0.8um CMOS

Flow: 141280/121260 1.2 um; 14101/14102 1.5 um

Location: Manassas, VA Line: 0.8 um CMOS Assembly Operation(s)

Location: Colorado Springs, CO

Line: Flatpack, DIP, PGA & LCC packages

Flow: 30503/01 Rev A (Class Q); 30503/02 Rev A (Class V)

Electrical Test Operation(s)
Location: Colorado Springs, CO

Flow: 30503/01 Rev A (Class Q); 30503/02 Rev A (Class V)

Environmental Test Operation(s)
Location: Colorado Springs, CO

Line: CMOS Gate Array

Flow: 30503/01 Rev A (Class Q); 30503/02 Rev A (Class V)

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	28-304		solder	50-100 mil
Flatpack	28-352		solder/gold	20-50 mil
LCC	84 max		solder/gold	50 mil
PGA		8x8/18x18	solder/gold	100 mil

### Amkor Technology

#### **Quality System Information**

Amkor Technology KM 22 East Service Road Mauntinlupa City, PH CAGE Code: N/A

Company Contact: Louie Reyes, (632) 850 7583

Qualifying Activity Contact: Andy Thacker, (614) 692-0589

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q (A/T)

#### **Technology Types:**

Assembly/Test

# Product Types:

N/A

# Assembly Operation(s)

Location: Muntinlupa City, Metro Manila, Philippines

Line: PDIP

Flow: 001-0501-2300

Location: Muntinlupa City, Metro Manila, Philippines

Line: QFP

Flow: 001-0501-2306

Location: Muntinlupa City, Metro Manila, Philippines

Line: SIP

Flow: 001-0501-2310

Location: Muntinlupa City, Metro Manila, Philippines

Line: SOIC

Flow: 001-0501-2302

Location: Muntinlupa City, Metro Manila, Philippines

Line: TQFP

Flow: 001-0501-2322

Location: Muntinlupa City, Metro Manila, Philippines

Line: PLCC

Flow: 001-0501-2304

Location: Muntinlupa City, Metro Manila, Philippines

Line: SSOP

Flow: 001-0501-2319

Location: Muntinlupa City, Metro Manila, Philippines

Line: PSOP3 Flow: 001-0501-2952

Location: Muntinlupa City, Metro Manila, Philippines

Line: TSOP Flow: 001-0501-2317

Location: Bina, Laguna, Philippines

Line: CABGA Flow: 02-0501-1251

Location: Bina, Laguna, Philippines

Line: SBGA

Flow: 001-0501-2870

Location: Muntinlupa City, Metro Manila, Philippines

Line: Hermetic Flow: 02-0501-1904

Location: Muntinlupa City, Metro Manila, Philippines

Line: PSOP2 Flow: 001-0501-2950

Location: Muntinlupa City, Metro Manila, Philippines

Line: TSSOP Flow: 001-0501-2317

Location: Muntinlupa City, Metro Manila, Philippines

Line: SSOP

Flow: 001-0501-2319

### Amkor Technology

#### **Quality System Information**

Amkor Technology KM 22 East Service Road Mauntinlupa City, PH CAGE Code: N/A

Company Contact: Louie Reyes, (632) 850 7583

Qualifying Activity Contact: Andy Thacker, (614) 692-0589

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q (A/T)

#### **Technology Types:**

Assembly/Test

# **Product Types:**

N/A

# Assembly Operation(s)

Location: Bina, Laguna, Philippines

Line: SBGA

Flow: 001-0501-2870

Location: Bina, Laguna, Philippines

Line: Flex Array Flow: 02-0501-1632

Location: Muntinlupa City, Metro Manila, Philippines

Line: TSOP Flow: 001-0501-2317

Location: Muntinlupa City, Metro Manila, Philippines

Line: PSOP3 Flow: 001-0501-2952

Location: Bina, Laguna, Philippines

Line: Flex Array Flow: 02-0501-1632

Location: Bina, Laguna, Philippines

Line: PBGA Flow: 02-0501-0993

Location: Muntinlupa City, Metro Manila, Philippines

Line: PSOP2 Flow: 001-0501-2950

Location: Muntinlupa City, Metro Manila, Philippines

Line: PDIP

Flow: 001-0501-2300

Location: Muntinlupa City, Metro Manila, Philippines

Line: QFP

Flow: 001-0501-2306

Location: Muntinlupa City, Metro Manila, Philippines

Line: SIP

Flow: 001-0501-2310

Location: Muntinlupa City, Metro Manila, Philippines

Line: SOIC

Flow: 001-0501-2302

Location: Muntinlupa City, Metro Manila, Philippines

Line: TQFP Flow: 001-0501-2322

Location: Muntinlupa City, Metro Manila, Philippines

Line: PLCC Flow: 001-0501-2304

Location: Bina, Laguna, Philippines

Line: CABGA Flow: 02-0501-1251

Location: Muntinlupa City, Metro Manila, Philippines

Line: TSSOP Flow: 001-0501-2317

Lood Dongo

# Amkor Technology

### **Quality System Information**

Amkor Technology KM 22 East Service Road Mauntinlupa City, PH CAGE Code: N/A

Company Contact: Louie Reyes, (632) 850 7583

Qualifying Activity Contact: Andy Thacker, (614) 692-0589

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q (A/T)

### **Technology Types:**

Assembly/Test

# **Product Types:**

N/A

# Assembly Operation(s)

Location: Muntinlupa City, Metro Manila, Philippines

Line: Hermetic Flow: 02-0501-1904

Location: Bina, Laguna, Philippines

Line: PBGA Flow: 02-0501-0993

#### **Environmental Test Operation(s)**

Location: Bina, Laguna, Philippines

Line: Test

Flow: 02-0529-1255

Location: Bina, Laguna, Philippines

Line: Test

Flow: 02-0529-1255

Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CerDip (glass seal)	8-48		solder	
Flexarray				
LCPGA				
PBGA				
PGA		28-655		
PLCC				
PSOP				
Plastic-DIP	8-64			
Plastic-PGA				
Quad Flat Pack	44-208			
SBGA				
SIP				
SOIC	8-16,16-30			
SOJ				
SSOP	8-28,16-28			
Side-Braze	8-68		N/A	variable
TQFP				

Matrix Cina

Lood Finish

Lood Ditch

#### Analog Devices

#### **Quality System Information**

Analog Devices 7910 Triad Center Dr Greensboro, NC 27409

Website: http://www.analog.com/salesdir/continent.asp

CAGE Code: 24355, Symbol Code: CEKS
Company Contact: Elaine Trotter, (336) 605-4234
Qualifying Activity Contact: Scott Thomas, (614) 692-0587
QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q and V

#### **Technology Types:**

Bipolar, CMOS, Bi-CMOS, Bi-FET

#### **Product Types:**

data converters, op amps, analog and digital signal processors, sensors, references, switches, multiplexers

#### **Design Center(s)**

Location: Nashua (DSP Tools), NH

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Longmont, CO

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Raleigh, NC

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Aalborg, Denmark

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Cambridge, Great Britain

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Somerset, NJ

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: San Diego, CA

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0

Location: Austin, TX

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Toronto, Canada

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0

Location: Sandy, UT

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Valencia, Spain

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Santa Clara, CA

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Wilmington, MA

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver. 1.0 Location: Beaverton, OR

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver. 1.0

#### Analog Devices

### **Quality System Information**

Analog Devices 7910 Triad Center Dr Greensboro, NC 27409

Website: http://www.analog.com/salesdir/continent.asp

CAGE Code: 24355, Symbol Code: CEKS
Company Contact: Elaine Trotter, (336) 605-4234
Qualifying Activity Contact: Scott Thomas, (614) 692-0587
QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q and V

# **Technology Types:**

Bipolar, CMOS, Bi-CMOS, Bi-FET

#### **Product Types:**

data converters, op amps, analog and digital signal processors, sensors, references, switches, multiplexers

#### **Design Center(s)**

Location: Limerick, Ireland

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Greensboro, NC

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver. 1.0 Location: Wilmington, MA

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver. 1.0 Location: Newbury, United Kingdom

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver. 1.0 Location: San Jose, CA

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0 Location: Vancouver, WA

Line: Linear, Mixed Signal, & Digital (Q and V)

Flow: Design Manual Ver 1.0

Wafer Fabrication Operation(s)

Location: Wilmington, MA

Line: Bipolar, BiFET, BiCMOS (Q and V)

Flow: ADI-0088

Location: TSMC; Hsin-chu, Taiwan

Line: CMOS, Bi-MOS (Q)

Flow: ADI-0088

Location: OKI Tokoyo, Japan

Line: Bipolar (Q) Flow: ADI-0088

Location: Limerick, Ireland Line: CMOS, BIMOS (Q and V)

Flow: ADI-0088

Location: Chartered Semiconductor, Singapore

Line: Fabs 1,2 and 3, CMOS (Q)

Flow: ADI-0088

Location: Santa Clara, CA

Line: Bipolar, BiFET, BiCMOS (Q and V)

Flow: ADI-0088

#### Assembly Operation(s)

Location: ADI, Greensboro, NC Line: Ceramic Packages

Flow: ADI-0300

Location: ADI, Gen. Trias, Cavite, Philippines

Line: Ceramic, metal can

Flow: F-0133M,F0153M & F0154M

### Analog Devices

# **Quality System Information**

Analog Devices 7910 Triad Center Dr Greensboro, NC 27409

Website: http://www.analog.com/salesdir/continent.asp

CAGE Code: 24355, Symbol Code: CEKS
Company Contact: Elaine Trotter, (336) 605-4234
Qualifying Activity Contact: Scott Thomas, (614) 692-0587
QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q and V

#### **Technology Types:**

Bipolar, CMOS, Bi-CMOS, Bi-FET

#### **Product Types:**

data converters, op amps, analog and digital signal processors, sensors, references, switches, multiplexers

### **Assembly Operation(s)**

Location: ADI, Manila, Philippines

Line: Ceramic Package, metal can package Flow: F-0133M, F-0153M, F-0154M

#### **Electrical Test Operation(s)**

Location: Wilmington, MA

Line: Electrical Screening, Group A

Flow: Per PROMIS system corresponding to part number

Location: Greensboro, NC Line: Electrical Test

Flow: Per PROMIS system corresponding to part number

Location: ADI, Manila, Philippines

Line: Electrical Test

Flow: Per PROMIS system corresponding to part number

Location: ADI, Gen. Trias, Cavite, Philippines

Line: Electrical Screening, Group A

Flow: Per PROMIS system corresponding to part number

# **Environmental Test Operation(s)**

Location: Wilmington, MA

Line: Screening, Burn-In, Group B/C/D

Flow: Per PROMIS system corresponding to part number

Location: Limerick, Ireland Line: Environmental Test

Flow: LK-00399

Location: ADI, Manila, Philippines Line: Screening, Burn-In, Group B/C

Flow: ADI-0300

Location: ADI, Gen. Trias, Cavite, Philippines

Line: Screening, Burn-In, Group B/C

Flow: Per PROMIS system corresponding to part number

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	2-12		solder/gold	100-400 mil
DIP	8-48		solder/gold	100-600 mil
Flatpack	2-52		solder/gold	50 mil
J-Lead Chip Carrier	44		gold	
LCC	20-48		solder/gold	50 mil

### Atmel-Nantes

#### **Quality System Information**

Atmel-Nantes

La Chantrerie BP 70602 44306 Nantes Cedex 3, FR

Website: http://www.atmel.com/dyn/general/contact.asp

CAGE Code: F7400

Company Contact: Valerie Lepaludier, 33240181633 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q and V

#### **Technology Types:**

CMOS 0.8um-0.6um-0.5um-0.35um and RT variants

#### **Product Types:**

ASICS, Memories, FIFO, SRAM, Gate Arrays, Microprocessors, Microcontrollers, DSP

#### **Design Center(s)**

Location: Garching, Germany
Line: Atmel Design Center
Flow: contact manufacturer
Location: Nantes, France
Line: Atmel Design Center
Flow: contact manufacturer
Location: Bracknell, UK
Line: Atmel Design Center
Flow: contact manufacturer
Location: Milan, Italy

Line: Atmel Design Center
Flow: contact manufacturer

# Mask Development Center(s)

Location: Taoyuan, Taiwan

Line: TOPPAN CHUNGWA ELECTRONICS CO., LTD. (T.C.E.)

Flow: N/A

#### Wafer Fabrication Operation(s)

Location: L Foundry (formerly Atmel), Rousset Cedex, France Line: CMOS 0.35um, 0.25um, 0.18um and RT Variouts

Flow: contact manufacturer

Location: MHS Nantes, FR --- (Formerly Atmel-Nantes) France

Line: CMOS 0.8,0.6,0.5 RT and RTP Variout

Flow: contact manufacturer Location: UMC, HsinChu, Taiwan

Line: 8S for CMOS 0.18; m and RT Variouts Flow: 8S for CMOS 0.18; m and RT Variouts

Location: UMC, Tainan, Taiwan

Line: 12A for CMOS 0.09¿m and RT Variouts

# Assembly Operation(s)

Location: e2v, Grenoble, France

Line: Hermetic Assembly, PGA, Sidebraze, Flat Pack, MCGA

Flow: contact manufacturer

Location: Millennium Microtech Co, Ltd, Chachoengsao, Thailand

Line: MMT

Flow: MMTAH027 & 035 (QMLV and QMLQ DLA qualified)

# **Electrical Test Operation(s)**

Location: Nantes, France Line: Atmel Nantes Flow: contact manufacturer

# Environmental Test Operation(s) Location: Nantes, France

Line: Atmel S.A.

Flow: contact manufacturer

# Atmel-Nantes

# **Quality System Information**

Atmel-Nantes

La Chantrerie BP 70602 44306 Nantes Cedex 3, FR

Website: http://www.atmel.com/dyn/general/contact.asp

CAGE Code: F7400

Company Contact: Valerie Lepaludier, 33240181633 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q and V

### **Technology Types:**

CMOS 0.8um-0.6um-0.5um-0.35um and RT variants

#### **Product Types:**

ASICS, Memories, FIFO, SRAM, Gate Arrays, Microprocessors, Microcontrollers, DSP

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	14-48		solder/gold	100 mil
Flatpack	28-352		solder/gold	25-50 mil
LCC	24		gold	
LGA	349-625		gold	
MCGA	349-472		solder	50 mil
PGA		64-232	gold	100 mil

### BAE Systems

#### **Quality System Information**

**BAE Systems** 

9300 Wellington Road Manassas, VA 22110-4122

Website: http://www.baesystems.com

CAGE Code: 1RU44

Company Contact: Paul Nixon, (571) 364-7657

Qualifying Activity Contact: Paul Granchi, (614) 692-9975 QML Status: Full QML Certification/Qualification

Radiation hardness level: 2 Meg

Class: Q and V

#### **Technology Types:**

0.8um RHCMOS (RHCMOSMOS3E, RHCMOS4E, RHCMOS4S0); 0.8um RHCMOS-E with ONO Anti-fuse (RHCMOS4EF); 0.5um RHCMOS (RHCMOS5M, RHCMOS5ML); 0.25um RHCMOS (RH25); 0.25um RHCMOS (R25) Class Q only

#### **Product Types:**

Memory (SRAM, PROM), FPGA, microprocessor, logic, custom, semi-custom and gate array ASICs

#### **Design Center(s)**

Location: Manassas. VA

Line: VLSI Design and Product Development

Flow: per QM plan and technology specific design rules

#### Mask Development Center(s)

Location: Outside location

Line: Toppan (Dupont), Photronics, IBM, Towne Labs

Flow: Contact Supplier

#### Wafer Fabrication Operation(s)

Location: Manassas, VA

Line: Semiconductor Technology Center Flow: QM Plan Baseline Process Flows RH25

Location: Burlington, VT Line: IBM Microelectronics

Flow: R25 (IBM 0.25um CMOS6SF)

Location: Manassas, VA

Line: Semiconductor Technology Center

Flow: QM Plan Baseline Process Flows 0.8um - RHCMOS3E, RHCMOS4E, RHCMOS4S

Location: Manassas, VA

Line: Semiconductor Technology Center

Flow: QM Plan Baseline Process Flows 0.5um - RHCMOS5M, RHCMOS5ML

Location: East Fishkill, NY Line: IBM Microelectronics Flow: RH45 (IBM 45nm SOI12S0)

Location: Manassas, VA

Line: Semiconductor Technology Center

Flow: QM Plan Baseline Process Flows 0.8um with ONO anti-fuse- RHCMOS4EF

# Assembly Operation(s)

Location: Manassas. VA

Line: BAE Systems assembly - Memory, Logic, Microprocessors, Multi-Chip modules

Flow: QM Plan Baseline Process Flows, Wirebond, Flipchip, Ceramic FP or Column Grid Array

#### **Electrical Test Operation(s)**

Location: Manassas, VA

Line: BAE Systems Memory and Logic Test Flow: QM Plan Baseline Process Flows

# **Environmental Test Operation(s)**

Location: Manassas, VA

Line: BAE Systems Burn-in and Mil-screen Flow: QM Plan Baseline Process Flows

Location: USA

Line: subset of TCI Group B and D testing done by DLA-suitable Labs (e2v, Pernicka, Silicon Cert, Oneida, Silicon Turnkey Solutions, Integra

Technologies)

Flow: Contact Supplier

#### BAE Systems

# **Quality System Information**

**BAE Systems** 

9300 Wellington Road Manassas, VA 22110-4122

Website: http://www.baesystems.com

CAGE Code: 1RU44

Company Contact: Paul Nixon, (571) 364-7657

Qualifying Activity Contact: Paul Granchi, (614) 692-9975 QML Status: Full QML Certification/Qualification

Radiation hardness level: 2 Meg

Class: Q and V

### **Technology Types:**

0.8um RHCMOS (RHCMOSMOS3E, RHCMOS4E, RHCMOS4S0); 0.8um RHCMOS-E with ONO Anti-fuse (RHCMOS4EF); 0.5um RHCMOS (RHCMOS5M, RHCMOS5ML); 0.25um RHCMOS (RH25); 0.25um RHCMOS (R25) Class Q only

### **Product Types:**

Memory (SRAM, PROM), FPGA, microprocessor, logic, custom, semi-custom and gate array ASICs

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CGA	19x19, 25x25		Solder columns	
DIP	28		gold	100 mil
Flatpack	28-340		gold	15-50 mil
LCC	32		gold	50 mil

# Corwil Technology Corporation

# **Quality System Information**

Corwil Technology Corporation 1635 McCarthy Boulevard

Milpitas, CA 95035

Website: http://www.corwil.com

CAGE Code: 061F4

Company Contact: Nawal Cotran, (408) 321-6556 Qualifying Activity Contact: Sean McNulty, (614) 692-8800 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: QV (A/T)

# **Technology Types:**

Assembly/Test <a href="Product Types:">Product Types:</a>

N/A

# Assembly Operation(s)

Location: Milpitas, CA Line: Military Hermetic Flow: Customer Specific

### **Environmental Test Operation(s)**

Location: Milpitas, CA Line: Military 883 Flow: Customer Specific Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CerDip (glass seal)	8-64		solder	
CerPack (glass seal)	14-28		solder	
Flatpack	6-172		gold	25mil
LCC	6-132		gold	50 mil
PGA		28-391	gold	25mil
Quad Flat Pack	20-304		solder	
SOIC	8-28		gold	
Side-Braze	8-64		gold	
ТО	TO-18		solder	

#### Criteria Labs

# **Quality System Information**

Criteria Labs 706 Brentwood Street

Austin, TX 78744

Website: http://criterialabs.com

CAGE Code: 1NQ10

Company Contact: Yolanda Guillory, (512) 637-4516 Qualifying Activity Contact: Paul Granchi, (614) 692-9975 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q (A/T)

# **Technology Types:**

Assembly/Test Product Types:

N/A

# Assembly Operation(s)

Location: Austin, TX Line: Military Hermetic Flow: Customer Specific

#### **Environmental Test Operation(s)**

Location: Austin, TX Line: Military 883 Flow: Customer Specific Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Flatpack	CM		solder/gold	
LCC	СМ		solder/gold	
Side-Braze	СМ		solder/gold	

### Cypress Semiconductor

#### **Quality System Information**

Cypress Semiconductor 198 Champion Court

San Jose, CA 95134-1709

Website: http://www.cypress.com CAGE Code: 65786, Symbol Code: CETK

Company Contact: Don Darling, (408) 544-1635

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q, M

# **Technology Types:**

0.8, 0.65 um DLM and TLM, CMOS and BICMOS

### Product Types: nvSRAM, PLD, clocks

Design Center(s)

Location: San Jose, CA Line: N/A

Flow: Cypress design rules
Wafer Fabrication Operation(s)

Location: Taiwan Semiconductor Mfg, Taiwan

Line: PLD, 0.5 u

Flow: QM Plan 90-00033

Location: Chartered (Global Foundry), Singapore

Line: Fab2; 0.8 u, nvSRAM Flow: 90-00033 Military Programs Location: Round Rock, TX

Line: Fab2; 0.8u, CMOS & BICMOS Flow: 90-00033 Military Programs

Assembly Operation(s)

Location: MMT, Chachoengsao, Thailand

Line: Hermetic

Flow: 49-15xxx per package type

Location: Amkor Anam, Manila, Philippines

Line: CLCC, CERDIP

Flow: 49-1xxxx per package type **Electrical Test Operation(s)** 

Location: CML, Cavite City, Philippines

Line: PROM, PLD, clocks

Flow: 16-0001 program change procedure

Location: Integra, Wichita, KS

Line: nvSRAM

Flow: 16-0001 program change procedure Environmental Test Operation(s)

Location: SemPac, Philippines

Line: Burn-in & Life Test Flow: 29-nnnnn per device type

Location: QP Semiconductor, Santa Clara, CA

Line: Reliability, mechanical

Flow: 22-00011, Quality Conformance and Qualification Procedure

Location: Atlantic Analytical Laboratories, Whitehouse, NJ

Line: Internal Water Vapor

Flow: 22-00011, Quality Conformance and Qualification Procedure

Location: CML, Cavite City, Philippines
Line: Reliability & QCI Lab, Burn-in & Life Test
Flow: 22-00012, Group C and D Travelers
Location: MMT, Chachoengsao, Thailand
Line: Reliability, mechanical and thermal stress

Flow: 22-00011, Quality Conformance and Qualification Procedure

# Cypress Semiconductor

# **Quality System Information**

Cypress Semiconductor 198 Champion Court San Jose, CA 95134-1709 Website: http://www.cypress.com

CAGE Code: 65786, Symbol Code: CETK Company Contact: Don Darling, (408) 544-1635

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q, M

### **Technology Types:**

0.8, 0.65 um DLM and TLM, CMOS and BICMOS

Product Types: nvSRAM, PLD, clocks Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	24-28		solder	100 mil
Flatpack	160-208		Gold	50 mil
LCC	32-84		solder	50 mil

#### DPA Components International (DPACI)

#### **Quality System Information**

DPA Components International (DPACI)

2251 Ward Avenue Simi Valley, CA 93065 CAGE Code: 6S055

Company Contact: Douglas Schweitzer, (805) 581-9200 Qualifying Activity Contact: Jonathan Puhalsky, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q&QV(A/T)

#### **Technology Types:**

90 nm CMOS & Assembly/Test

#### **Product Types:**

Asyncronus SRAM, Class Q&V assembly/test

### Design Center(s)

Location: San Jose, CA

Line: Cypress

Flow: Cypress Design Rules Location: Original Manufacturer

Line: Various Flow: Various

#### **Mask Development Center(s)**

Location: Original Manufacturer

Line: Various Flow: Various

### Wafer Fabrication Operation(s)

Location: Original IC Manufacturer

Line: Various Flow: Various

Location: Bloomington, MN

Line: Cypress

Flow: R9 (90 Nanometer CMOS) Location: Bloomington, MN

Line: Cypress

Flow: R9 (90 Nanometer CMOS)

# Assembly Operation(s)

Location: Simi Valley, CA

Line: DPA Class V contract assemlby

Flow: Standard DPA Components QML Flow DPA-OID-009

Location: Simi Valley, CA Line: DPA Class Q SRAM

Flow: Standard DPA Components QML Flow DPA-OID-009

Location: Milipitas, CA

Line: Golden Altos, Alternate Assembly

Flow: Standard Golden Altos QML Line, GAF 1491, 1492

Location: Milipitas, CA
Line: Alternate Tinning
Flow: QML Tinning procedure
Environmental Test Operation(s)

Location: Milipitas, CA
Line: Alternate Solderability

Flow: DSCC Approved Solerability Flow

Location: Simi Valley, CA Line: DPA Environmental test

Flow: Standard DPA 883 Envoronmental Test Procedure

# DPA Components International (DPACI)

# **Quality System Information**

DPA Components International (DPACI)

2251 Ward Avenue Simi Valley, CA 93065 CAGE Code: 6S055

Company Contact: Douglas Schweitzer, (805) 581-9200 Qualifying Activity Contact: Jonathan Puhalsky, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q&QV(A/T)

### **Technology Types:**

90 nm CMOS & Assembly/Test

# **Product Types:**

Asyncronus SRAM, Class Q&V assembly/test

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	2-10		solder/gold	
Chip Carrier J lead	4-370		solder/gold	
DIP	8-48		solder/gold	
Flatpack	6-256		solder/gold	
PGA		4-504	solder/gold	
SOIC	8-20		solder	
SOJ	20-26		solder	
SSOP	20-28		solder	
Side-Braze	8-64		solder	
TSOPII	44-54		solder/gold	

#### e2v aerospace and defense, inc. (DBA QP Semiconductor)

#### **Quality System Information**

e2v aerospace and defense, inc. (DBA QP Semiconductor)

765 Sycamore Drive Milpitas, CA 95035

Website: http://www.qpsemi.com/default.asp

CAGE Code: 0C7V7

Company Contact: Margaret Dancey, (408) 585-7172 Qualifying Activity Contact: Vinh Tran, (614) 692-0606 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q and V

# **Technology Types:**

Bipolar, Linear, MCO, Digital, FAST, ECL, CMOS, BiCMOS, HCMOS

#### **Product Types:**

Bipolar Memory, Linear, Microcontroller, SRAM, PROM, EPROM, PLD and Logic

#### **Design Center(s)**

Location: e2v a&d (DBA QP Semiconductor) - Milpitas, CA

Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: Seattle, WA

Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: Hong Kong

Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: Tempe, AZ

Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: San Jose, CA

Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: Canada Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: Swindon, UK

Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: Taiwan

Line: N/A

Flow: Per SCD-14 Device Design Requirements

Location: Los Angeles, CA

Line: N/A

Flow: Per SCD-14 Device Design Requirements

# Wafer Fabrication Operation(s)

Location: Lubbock, TX Line: QP2 Xfab, CMOS Flow: 0.8u, 3 metal Location: UK

Line: QP12 Plessey, Bipolar logic

Flow: 1u, 3 metal Location: California

Line: QP11 Micrel, OP AMPs/Switches bipolar

Flow: 1u, 2 metal Location: California

Line: QP7 BICMOS, Bipolar logic, Bipolar analog

Flow: 1u, 2 metal Location: Taiwan

Line: QP5 Macronix, CMOS Non-Volatile

Flow: 0.45u, 2 metal Assembly Operation(s)

e2v aerospace and defense, inc. (DBA QP Semiconductor)

#### **Quality System Information**

e2v aerospace and defense, inc. (DBA QP Semiconductor)

765 Sycamore Drive Milpitas, CA 95035

Website: http://www.qpsemi.com/default.asp

CAGE Code: 0C7V7

Company Contact: Margaret Dancey, (408) 585-7172 Qualifying Activity Contact: Vinh Tran, (614) 692-0606 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q and V

#### **Technology Types:**

Bipolar, Linear, MCO, Digital, FAST, ECL, CMOS, BiCMOS, HCMOS

#### **Product Types:**

Bipolar Memory, Linear, Microcontroller, SRAM, PROM, EPROM, PLD and Logic

#### Assembly Operation(s)

Location: Millennium Microtech (Thailand) Co., Ltd.- (MMT), Chachoengsao, Thailand

Line: Military Hermetic, QML Q, S/V Certified

Flow: QPL-AH-001, QP Labs Process Flow and Special Requirements

Location: e2v a&d (DBA QP Semiconductor) - Milpitas, CA

Line: Military Hermetic, QML Q, S/V Certified

Flow: Per QAP-21, Military Screening, Qualification and QCI Testing

Location: Golden Altos, Milpitas, CA

Line: Military Hermetic

Flow: Per SCD-12 Assembly Build Requirements

# **Electrical Test Operation(s)**

Location: Integra, Witchita, Kansas

Line: Electrical Test

Flow: Per SOP-01-0004, Burn-in and Test Program Development (DRO/BRO) Location: Millennium Microtech (Thailand) Co., Ltd.- (MMT), Chachoengsao, Thailand

Line: Electrical Test

Flow: Per SOP-01-0004, Burn-in and Test Program Development (DRO/BRO)

Location: e2v a&d (DBA QP Semiconductor) - Milpitas, CA

Line: Electrical Test

Flow: Per SOP-01-0004, Burn-in and Test Program Development (DRO/BRO)

# **Environmental Test Operation(s)**

Location: Millennium Microtech (Thailand) Co., Ltd.- (MMT), Chachoengsao, Thailand

Line: Military Screening

Flow: DSCC QML Approved - Class Q and S/V

Location: e2v a&d (DBA QP Semiconductor) - Milpitas, CA

Line: Military Screening and QCI. (See DSCC Lab Suitability Certification VQC-05-007332)

Flow: Per QAP-21, Military Screening, Qualification and QCI Testing

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	8-64		solder/gold	100 mil
Flatpack / QFP	10-132		solder/gold	25/50 mil
J-Lead Chip Carrier	28-84			
LCC	14-84		solder/gold	40/50 mil
Metal Can/ TO-5	8-10 L		solder/gold	N/A
Metal Can/ TO-66	9 L		solder	N/A
Metal Can/ TO-8	12 L		solder/gold	N/A
PGA		11x11, 15x15	solder/gold	100 mil

#### e2v Technologies

### **Quality System Information**

e2v Technologies

Avenue de Rochepleine BP-123, 38521 Saint-Egreve Cedex, FR Website: http://www.e2v.com/

CAGE Code: F8385

Company Contact: Christian Carmona, 33476583189 Qualifying Activity Contact: Scott Thomas, (614) 692-0587 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

#### **Technology Types:**

HCMOS 0.5um, 0.65um, 1.0 um, 1.5 um, 3.0 um, CMOS 0.6 um

#### **Product Types:**

Microprocessors, Microcontrollers, Memory

# Design Center(s) Location: France

Line: N/A

Flow: M54HCMOS Location: France

Line: N/A

Flow: 54ACMOS

### Wafer Fabrication Operation(s)

Location: Austin, TX Line: MOS11 Flow: 0.65 um Location: Italy Line: F8

Flow: CMOSE5-U35 Location: Austin, TX Line: MOS13

Flow: HiP1.3 (.5um)
Location: France
Line: HCMOS
Flow: 3.0 um
Location: Scotland

Line: MOS1 Flow: 1.5 um Location: Austin, TX Line: MOS8

Flow: 1.0 um

Location: Sendai, Japan

Line: TCS Flow: 1 um

### Assembly Operation(s)

Location: France

Line: F5

Flow: CDSG-QFPBTND Electrical Test Operation(s)

Location: France

Line: F3

Flow: ASSG-QFPBDMA Location: France Line: Sentry20-AEHR Flow: 2A00QT, 2A00Q Location: France Line: J971-B1300 Flow: 2A00Q

#### e2v Technologies

### **Quality System Information**

e2v Technologies

Avenue de Rochepleine BP-123, 38521 Saint-Egreve Cedex, FR Website: http://www.e2v.com/

CAGE Code: F8385

Company Contact: Christian Carmona, 33476583189

Qualifying Activity Contact: Scott Thomas, (614) 692-0587

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

HCMOS 0.5um, 0.65um, 1.0 um, 1.5 um, 3.0 um, CMOS 0.6 um

#### **Product Types:**

Microprocessors, Microcontrollers, Memory

# **Electrical Test Operation(s)**

Location: France
Line: GR18-B160
Flow: 2A00Q
Location: France
Line: J971-AEHR
Flow: 2A00QT, 2A00QL
Location: France
Line: J971-AEHR
Flow: 1AR3BIN
Location: France
Line: GR180-B1300

Flow: 0AR3QT0A, 0ARAR3QT

Location: France Line: GR180-AEHR

Flow: TC23EFM, TC13FM, TC23FVB Environmental Test Operation(s)

Location: France

Line: Periodically Qualification

Flow: 'FIA' Software

Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	40-48		gold/tin	100 mil
Flatpack	52-240		gold/tin	20-50 mil
LCC	44-240		gold/tin	20-50 mil
PGA		68-241	gold/tin	100 mil

# Golden Altos Corporation

# **Quality System Information**

Golden Altos Corporation 402 South Hillview Drive Milpitas, CA 95035

Website: http://www.goldenaltos.com/

CAGE Code: 065N4

Company Contact: Timothy Flaherty, (408) 956-1010 Qualifying Activity Contact: Sean McNulty, (614) 692-8800 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: QV (A/T)

# **Technology Types:**

Assembly/Test <a href="Product Types:">Product Types:</a>

N/A

# Assembly Operation(s)

Location: Milpitas, CA Line: Hermetic Flow: GAF 1492

#### **Environmental Test Operation(s)**

Location: Milpitas, CA Line: 883 Testing Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Cerdip	8-48		solder	100 mil
Cerpac	8-48		solder	50 mil
Cerquad	20-304		solder/gold	15, 19-50 mil
Flat Packages	8-172		solder/gold	19-50 mil
JLCC	28-84		solder/gold	50-100 mil
LCC	3-84		solder/gold	25 35 40 50 mil
PGA		28-476	solder/gold	50, 100 mil
SOIC	8-30		solder/gold	25, 50, 100 mil
Sidebraze	8-64		solder/gold	70, 100 mil
TO CAN/Header	2-16		solder/gold	50-400 mil

#### Honevwell Aerospace

# **Quality System Information**

Honeywell Aerospace 12001 State Highway 55 Plymouth, MN 55441-4799

Website: http://www.honeywellmicroelectronics.com/

CAGE Code: 34168

Company Contact: Trish Hertog, (763) 954-2594 Qualifying Activity Contact: Shing Yu, (614) 692-0588 QML Status: Full QML Certification/Qualification

Radiation hardness level: 1 Meg

Class: Q and V

#### **Technology Types:**

0.8um SOI IV, 0.7um SOI IVE, 0.35um SOI V, 0.15um S150

#### **Product Types:**

Core Product Types (CPT):[SRAM, FIFO, ROM, Gate Array ASICs, Full Custom]; SOI IV, V, and S150: CPT, SOI IVE, V, and S150: Memory

#### Design Center(s)

Location: Plymouth, MN

Line: SOI IV(Q & V), SOI IVE(Q & V), SOI V (Q & V), S150 (V), MRAM

Flow: GMS 10022

#### Mask Development Center(s)

Location: Plymouth, MN

Line: SOI IV (Q & V), SOI IVE(Q & V), SOI V (Q & V), S150 (V), MRAM

Flow: GMS 10027

#### Wafer Fabrication Operation(s)

Location: Plymouth, MN

Line: SOI IV (Q & V), SOI IVE(Q & V), SOI V (Q & V), S150 (V), MRAM

Flow: 22017935 (SOI IV), 22019135 (SOI IVe), 22020920 (SOI V), 22025794 (S150)

Location: Chandler, AZ

Line: MRAM

Flow: 22031906-SD, 58035282-SD

# Assembly Operation(s)

Location: Micross Components, Orlando, FL Line: Military Hermetic QML Q/V Certified

Flow: S HW SCA Location: Plymouth, MN

Line: SOI IV (Q & V), SOI IVE(Q & V), SOI V (Q & V), S150 (V), MRAM

Flow: 22009590(SCP), 22021691(MCMs)

#### **Electrical Test Operation(s)**

Location: Plymouth, MN

Line: SOI IV (Q & V), SOI IVE(Q & V), SOI V (Q & V), S150 (V), MRAM

Flow: GMS 10006

#### **Environmental Test Operation(s)**

Location: Micross Components, Orlando, FL

Line: 883 Testing Flow: GMS 10006 Location: Plymouth, MN

Line: SOI IV (Q & V), SOI IVE(Q & V), SOI V (Q & V), S150 (V), MRAM

Flow: GMS 10006

Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DBGA/LGA	783 Max		solder balls/Au	40-50 mil
DIP	24-28		gold	100 mil
Flatpack	28-352		gold	20-50 mil
Pin Grid Array	128 Max		gold	100 mil

#### Integrated Device Technology, Inc (IDT)

#### **Quality System Information**

Integrated Device Technology, Inc (IDT)

6024 Silver Creek Valley Road

San Jose, CA 95138 Website: http://www.idt.com/

CAGE Code: 0SP21

Company Contact: Mary Vesey, (408) 284-4565

Qualifying Activity Contact: Jonathan Puhalsky, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

#### **Technology Types:**

BiCMOS, .08um CMOS 7, 0.6 um CMOS 8, CMOS 9

# Product Types: SRAM, Logic

Design Center(s)

Location: IDT, San Jose, CA

Line: N/A

Flow: IDT Design Rules

Mask Development Center(s)
Location: IDT, San Jose, CA

Line: N/A

Flow: IDT Design Rules

Wafer Fabrication Operation(s)

Location: TSMC Fab 3, Hsinchu, Taiwan

Line: Fab 3

Flow: TSMC 0.5u (1-2P/2-3M), TSMC 0.35u (1-2P/3-4M)

Location: IDT, Salinas, CA Line: Fab 2 (Die/Wafer Stock Only) Flow: 0.6um CMOS 8, 0.8um CMOS 7

Location: IDT, Hillsboro, OR

Line: Fab 4

Flow: CMOS 7, CMOS 8, CMOS 9

#### Assembly Operation(s)

Location: Amkor, Muntinlupa City, Philippines

Line: Hermetic Assembly Flow: IDT Hermetic Flow

Location: MMT, Tambon Saladang Bangnumpriew, Thailand

Line: Hermetic Assembly
Flow: Form 4H-LS-0309

<u>Electrical Test Operation(s)</u>
Location: IDT, Penang,

Line: N/A

Flow: IDT Military Test Flow QCA-1797, QCA-0600

# **Environmental Test Operation(s)**

Location: MMT, Tambon Saladang Bangnumpriew, Thailand

Line: QCI Monitor Flow: Form TSP-4019

Location: KESP, Penang, Malaysia

Line: Burn-In Monitor

Flow: TSS-5512-C, TSC-6121 Location: IDT, Penang,

Line: N/A Flow: QCA-0600

# Integrated Device Technology, Inc (IDT)

# **Quality System Information**

Integrated Device Technology, Inc (IDT)

6024 Silver Creek Valley Road

San Jose, CA 95138 Website: http://www.idt.com/

CAGE Code: 0SP21

Company Contact: Mary Vesey, (408) 284-4565

Qualifying Activity Contact: Jonathan Puhalsky, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

BiCMOS, .08um CMOS 7, 0.6 um CMOS 8, CMOS 9

# Product Types: SRAM, Logic

Type	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	16-48		solder	100 mil
Flatpack	16-84		solder	50 mil
LCC	20-68		solder	50 mil
PGA		68-84	solder	100 mil

#### Intersil Corporation

# **Quality System Information**

Intersil Corporation

1650 Robert J. Colan Blvd. Palm Bay, FL 32905-3398

Website: http://www.intersil.com/cda/Support/contacts/

CAGE Code: 34371, Symbol Code: CDWO Company Contact: Jeff Touvell, (321) 729-5602

Qualifying Activity Contact: Paul Granchi, (614) 692-9975 QML Status: Full QML Certification/Qualification

Radiation hardness level: 300 K

Class: Q,V,T,M

#### **Technology Types:**

Bipolar, CMOS, linear, CMOS SAJI

#### **Product Types:**

memories, logic, switches, timers, microprocessors, micro-peripherals

#### Wafer Fabrication Operation(s)

Location: Intersil, Palm Bay, FL

Line: Fab 59

Flow: Bipolar, CMOS, SAJI, SAJI I, Scaled SAJI IV, SAJI V, SAJI VI, L7, Linear Silicon Gate, DI Bipolar, DI Linear CMOS

Location: Yamaha, Hamamatsu, Japan

Line: Yamaha C5.6

Flow: Non-rad hard, Class M only

#### Assembly Operation(s)

Location: Intersil, Palm Bay, FL Line: Compliant Hermetic Flow: 841XXX, 240XXX, 352XXX Location: Amkor, Philippines

Line: Hermetic (DIP, FP, Leadless CC, PGA)

Flow: Non-rad hard, Class M only

Location: Millenium Microtech, Chachoengsao, Thailand Line: Compliant Hermetic (DIP, FP, Leadless CC, PGA)

Flow: Non-rad hard, Class B/Q only

#### **Electrical Test Operation(s)**

Location: Criteria/Austin, Texas

Line: Wafer Probe Flow: Class Q, T, V

Location: Criterion Labs, Austin, TX

Line: Wafer Probe Flow: Class Q, T, V Location: Intersil, Milpitas, CA

Line: Test

Flow: Non-rad hard, Class M only Location: Lingsen, Taichung, Taiwan

Line: Test

Flow: Non-rad hard, Class M only Location: Intersil, Palm Bay, FL

Line: Compliant

Flow: Contact Manufacturer

Location: STATS ChipPAC, Kuala Lumpur, Malaysia

Line: Test

Flow: Contact Manufacturer

Location: Carsem (S), Ipoh, Malaysia

Line: Wafer Probe

Flow: Non-rad hard, Class B/Q only **Environmental Test Operation(s)** 

Location: Millenium Microtech, Chachoengsao, Thailand

Line: Compliant Hermetic

Flow: 86XXXX, 40-H721-052-XXX, 8\*XXXXX, 9\*XXXXX, 87XXXX, 240XXX

#### Intersil Corporation

# **Quality System Information**

Intersil Corporation

1650 Robert J. Colan Blvd. Palm Bay, FL 32905-3398

Website: http://www.intersil.com/cda/Support/contacts/

CAGE Code: 34371, Symbol Code: CDWO Company Contact: Jeff Touvell, (321) 729-5602

Qualifying Activity Contact: Paul Granchi, (614) 692-9975 QML Status: Full QML Certification/Qualification

Radiation hardness level: 300 K

Class: Q,V,T,M

### **Technology Types:**

Bipolar, CMOS, linear, CMOS SAJI

#### **Product Types:**

memories, logic, switches, timers, microprocessors, micro-peripherals

### **Environmental Test Operation(s)**

Location: STATS ChipPAC, Kuala Lumpur, Malaysia

Line: Compliant Hermetic

Flow: 86XXXX, 40H-721-052-XXX, 8\*XXXXX, 9\*XXXXX, 87XXXX, 240XXX

Location: Intersil,Palm Bay, FL Line: Compliant Hermetic

Flow: 86XXX, 40H-721-052-XXX,8\*XXXXX, 9\*XXXXX, 54XXXX, 87XXXX, 240XXX

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	3-12		solder/gold	N/A
DIP	8-40		solder/gold	100 mil
Flatpack	8-48		gold	25/40/50 mil
LCC	3-44		solder/gold	30/40/50 mil
PGA		68	gold	100 mil

#### Kyocera America, Inc.

### **Quality System Information**

Kyocera America, Inc. 8611 Balboa Avenue

San Diego, CA 92123-1580

Website: http://americas.kyocera.com/kai/semiparts/

CAGE Code: 03KL1

Company Contact: Gregg Burnett, (858) 614-2589 Qualifying Activity Contact: Vinh Tran, (614) 692-0606 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: QV (A/T)

# **Technology Types:**

Assembly/Test <a href="Product Types:">Product Types:</a>

# Assembly Operation(s)

Location: San Diego, CA Line: Kyocera America, Inc.

Flow: Full QML Class Q and V/S Assembly

Electrical Test Operation(s)
Location: San Diego, CA
Line: Kyocera America, Inc.

Flow: QML Flow

# **Environmental Test Operation(s)**

Location: Milpitas, CA

Line: Hi-Reliability Microelectronics

Flow: TM2002, TM2007 Location: San Diego, CA Line: Kyocera America, Inc.

Flow: QML Flow

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
BGA		1272 max	gold	N/A
DIP	64 max		gold	N/A
LCC	132 max		gold	N/A
LGA	1272 max		gold	N/A
PGA		540 max	gold	N/A
Quad Flat Pack	352 max		gold	N/A

#### Lansdale Semiconductor Incorporated

#### **Quality System Information**

Lansdale Semiconductor Incorporated

5245 South 39th St. Phoenix, AZ 85040-9008

Website: http://www.lansdale.com/

CAGE Code: 58625

Company Contact: Lee Mathiesen, (602) 438-0123 Qualifying Activity Contact: Scott Thomas, (614) 692-0587 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

TTL, Bipolar, linear, ECL, CMOS, NMOS, others

#### **Product Types:**

logic, memory, microprocessors, others

# Design Center(s)

Mask Development Center(s)
Location: Original Manufacturer
Line: Contact Manufacturer
Flow: Contact Manufacturer

Location: Original Manufacturer

# Wafer Fabrication Operation(s)

Location: Tempe, AZ Line: Panjit

Flow: Contact Manufacturer Assembly Operation(s)

Location: Milpitas, CA

Line: Corwil

Flow: Standard Corwil QML Flow

Location: Milpitas, CA Line: Golden Altos

Flow: Standard Golden Altos QML flow

# Electrical Test Operation(s)

Location: Sunnyvale, CA

Line: EAST

Flow: Standard EAST Electrical Test procedures

#### **Environmental Test Operation(s)**

Location: Sunnyvale, CA

Line: EAST

Flow: Standard EAST 883 Environmental Test Procedures

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	8-12		solder/gold	N/A
DIP	8-64		solder	
Flatpack	10-64		solder/gold	
LCC	20-132		solder/gold	

### Linear Technology

### **Quality System Information**

Linear Technology 720 Sycamore Drive Milpitas, CA 95035-7406 Website: http://www.linear.com/

CAGE Code: 64155, Symbol Code: CENU Company Contact: Regina Soares, (408) 432-1900

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q and V

# **Technology Types:**

Bipolar, CMOS, BiCMOS

**Product Types:** 

Qualified for: Comparators, power, op amps. Capable for: rf, wireless.

**Design Center(s)** 

Location: Linear Technology, Plano, TX

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Milpitas, CA

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, North Chelmsford, MA

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Yishun Industrial Park A, Singapore

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Aubum, NH

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Colorado Springs, CO

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Cary, NC

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Santa Barbara, CA

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Colchester, VT

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technoogy, Ismaning, Germany

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Tempe, AZ

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technoloby, Hangzhou, P.R.C

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Location: Linear Technology, Grass Valley, CA

Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

# **Mask Development Center(s)**

Location: Mask Fab Contractors Line: QM Plan 06-03-7039

Flow: Q,V,B,S,M

Wafer Fabrication Operation(s)

### Linear Technology

### **Quality System Information**

Linear Technology 720 Sycamore Drive Milpitas, CA 95035-7406 Website: http://www.linear.com/

CAGE Code: 64155, Symbol Code: CENU Company Contact: Regina Soares, (408) 432-1900

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q and V

# **Technology Types:**

Bipolar, CMOS, BiCMOS

**Product Types:** 

Qualified for: Comparators, power, op amps. Capable for: rf, wireless.

# Wafer Fabrication Operation(s)

Location: Linear Technology, Milpitas, CA Line: Fab 4 Hillview Bipolar, CMOS, BiCMOS

Flow: Q,V,B,S,M

Location: Linear Technology, Camas, WA Line: Fab 3 Bipolar, CMOS, BiCMOS

Flow: Q,V,B,S,M
Assembly Operation(s)

Location: Linear Technology, Milpitas, CA Line: Hillview, Ceramic and TO Can

Flow: Q,V,B,S,M

Location: Team Pacific, FTI Complex, Taguig, Philippines

Line: TO Can, with screening

Flow: Q, B, M

Location: Linear Technology, Milpitas, CA Line: Ceramic and Metal Can, with Screening

Flow: Q,V,B,S,M

Location: Amkor/Anam, Muntinlupa, Philippines

Line: Ceramic, with screening

Flow: Q, B, M

# **Electrical Test Operation(s)**

Location: Linear Technology, Penang, Malaysia

Line: Wafer Sort Flow: Q,V,B,S,M

Location: Linear Technology, Milpitas, CA

Line: Wafer Sort & Final Test

Flow: Q,V,B,S,M

Location: Linear Technology, Yishun Industrial Park A, Singapore

Line: Screening and Group A

Flow: Q, B, M

#### **Environmental Test Operation(s)**

Location: Linear Technology, Milpitas, CA Line: Burn-In and Quality Conformance Tests

Flow: Q,V,B,S,M

Location: Linear Technology, Yishun Industrial Park A, Singapore

Line: Burn-In and Quality Conformance Tests

Flow: Q, B, M

# Linear Technology

# **Quality System Information**

Linear Technology 720 Sycamore Drive Milpitas, CA 95035-7406 Website: http://www.linear.com/

CAGE Code: 64155, Symbol Code: CENU Company Contact: Regina Soares, (408) 432-1900

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q and V

### **Technology Types:**

Bipolar, CMOS, BiCMOS

**Product Types:** 

Qualified for: Comparators, power, op amps. Capable for: rf, wireless.

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
B/Brazed FP (Solder Seal)	10-14		solder or gold	50
CerDip (glass seal)	8-28		solder only	100
CerPack (glass seal)	10-14		solder only	50
LCC	20		solder only	50
Other Cans	2-10		solder only	
S/Brazed DIP	14-16		solder or gold	100

#### M.S. Kennedy Corp.

# **Quality System Information**

M.S. Kennedy Corp. 6635 Kirkville Road East Syracuse, NY 13057

Website: http://www.anaren.com/msk

CAGE Code: 51651

Company Contact: Daniel Miller, (315) 362-0760

Qualifying Activity Contact: Philip Patterson, (614) 692-2178 QML Status: Transitional QML Certification/Qualification

Radiation hardness level: 300 K

Class: Q and V

# **Technology Types:**

TBD

#### **Product Types:**

TBD

# Wafer Fabrication Operation(s)

Location: Milpitas, CA Line: Linear Technology Flow: Class Q/V Assembly Operation(s)

# Location: East Syracuse, NY

Line: Class Q/V

Flow: Class Q 2422-16054 / Class V 2422-14417

# Electrical Test Operation(s) Location: East Syracuse, NY

Line: Electrical Test

Flow: Class Q 2422-16054 / Class V 2422-14417

# **Environmental Test Operation(s)**

Location: East Syracuse, NY

Line: Class Q/V

Flow: Class Q 2422-16054 / Class V 2422-14417

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CerPack (glass seal)	10		tin-lead/gold	50 mil
TO257	3		tin-lead/gold	100 mil

#### Maxwell Technologies

### **Quality System Information**

Maxwell Technologies 9244 Balboa Avenue San Diego, CA 92123 CAGE Code: 68911

Company Contact: Dean Hulett, (858) 503-3413 Qualifying Activity Contact: Vinh Tran, (614) 692-0606 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q and V

#### **Technology Types:**

**CMOS** 

#### **Product Types:**

A/D Converters, RAD PAK Technology, EE PROM

#### **Design Center(s)**

Location: San Diego, CA

Line: Maxwell

Flow: Characterization of Hitachi Die Wafer Fabrication Operation(s)

Location: Pocatello, ID Line: AMI, Fab 9 Flow: A/D Converter Location: Kofu, Japan Line: Hitatchi, K4 fab facility

Flow: 1 MEG EEPROM CMOS 1LM, 6 ", 0.8um

# Assembly Operation(s)

Location: San Diego, CA

Line: Maxwell

Flow: Side Braze, Dip, Flat pack, LCC, ES-028

Location: San Diego, CA
Flow: Pyramid Class B Travelers
Electrical Test Operation(s)
Location: San Diego, CA

Line: Maxwell

Flow: Per device specification

Environmental Test Operation(s)

Location: San Diego, CA

Line: Maxwell

Flow: Screening per QCII-028

Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	28-44		gold	100 mil
LLC	28-40		gold	50 mil

## Microchip Technology (Thailand) Co., Ltd (MTHAI)

## **Quality System Information**

Microchip Technology (Thailand) Co., Ltd (MTHAI)

17/2 Moo 18, Suwiontawong Road Chachoengsao, Th 24000

CAGE Code: N/A

Company Contact: Padet Sang nikornnopkao, (66-38)845530 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: QV (A/T)

### **Technology Types:**

Assembly/Test

# Product Types:

N/A

## Assembly Operation(s)

Location: Chachoengsao, Thailand Line: Hermetic and Plastic

Flow: Standard Military

## **Environmental Test Operation(s)**

Location: Chachoengsao, Thailand

Line: Hermetic and Plastic

Flow: Screening

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CerDip (glass seal)	8-40		solder	
CerPack (glass seal)	14-28		solder	
Flatpack	16,32		solder	
LCC	16-68		solder	
PGA		32,68,84,100	solder	
PLCC	20-84		solder	
PQFP	44-208		solder	
Plastic-DIP	18-28		solder	
Quad Flat Pack	28-64		solder	
SOIC	24,28		solder	
SOJ	24,28		solder	
Side-Braze	8-48		solder	

### Microsemi Analog Mixed Signal Group

### **Quality System Information**

Microsemi Analog Mixed Signal Group

11861 Western Avenue

Garden Grove, CA 92641-2119

Website: http://www.microsemi.com/contact/contactfind.asp

CAGE Code: 34333, Symbol Code: CESD
Company Contact: Gary Hancock, (714) 372-8334
Qualifying Activity Contact: Vinh Tran, (614) 692-0606
QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

## **Technology Types:**

Bipolar

#### **Product Types:**

regulators, op amps, comparators, sense amps, drivers, transistor arrays

### **Design Center(s)**

Location: Garden Grove, CA

Line: Linear

Flow: Contact Manufacturer

Mask Development Center(s)

Location: Garden Grove, CA

Line: Linear

Flow: Contact Manufacturer

Wafer Fabrication Operation(s)

Location: Garden Grove, CA

Line: Linear Flow: SGM5900 Assembly Operation(s)

Location: Team Pacific, FTI Complex, Taguig, Philippines

Line: Linear

Flow: SGM5901, SGM5902 Location: Garden Grove, CA

Line: Linear

Flow: SGM5901, SGM5902 Location: Philippines, (PSI)

Line: Linear

Flow: SGM5901, SGM5902 <u>Electrical Test Operation(s)</u> Location: Philippines, (PSI)

Line: Linear

Flow: SGM5901, SGM5902 Location: Garden Grove, CA

Line: Linear

Flow: SGM5901, SGM5902

Environmental Test Operation(s)
Location: Garden Grove, CA

Line: Linear

Flow: SGM5901, SGM5902 Location: Philippines, (PSI)

Line: Linear

Flow: SGM5901, SGM5902 Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	2-12		solder	N/A
DIP	8-18		solder	100 mil
Flatpack	10-24		solder	30-50 mil
LCC	20		solder	50 mil

#### Microsemi SoC

### **Quality System Information**

Microsemi SoC 2061 Stierlin Court

Mountainview, CA 94043-4655

Website: http://www.actel.com/company/contact/offices/disti\_na.aspx CAGE Code: 0J4Z0

Company Contact: Lisa Konigsberg, (408) 522-7522 Qualifying Activity Contact: Vinh Tran, (614) 692-0606 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

#### **Technology Types:**

CMOS Field Programmable Gate Arrays

#### **Product Types:**

Field Programmable Gate Array and Rad hard FPGA

## Design Center(s)

Location: Sunnyvale CA Line: Actel Design System Flow: Per QM Plan 1-04-13047 Mask Development Center(s)

Location: Nagaokakyo, Kyoto, Japan

Line: MEC

Flow: Per QM Plan 1-04-1347

Location: Singapore, Line: Photronics

Flow: Per QM Plan 1-04-1347 Location: Manassas, VA

Line: BAE Systems

Flow: Per QM Plan 1-04-1347 Wafer Fabrication Operation(s)

Location: Manassas, VA Line: BAE Systems

Flow: 0.8 Micron CMOS Rad Hard FPGA

Location: Hsinchu City, Taiwan

Line: United Microelectronics corp (UMC)

Flow: .15um, 0.25um CMOS and .22u Flash/CMOS FPGA

Location: Regensburg, Germany Line: Infineon Technologies Flow: 0.25um Flash/CMOS FPGA Location: Hsinchu City, Taiwan Line: Winbond Electronics

Flow: .045um, 0.6um, 0.8um CMOS FPGA Location: Nagaokakyo, Kyoto, Japan

Line: Matsushita (MEC)

Flow: 0.25um, 0.6um, 0.8um and 1.0um CMOS FPGA

Location: Singapore,

Line: Chartered Semiconductor (CSM) Flow: 0.35 um, .45um, .6um CMOS FPGA

Assembly Operation(s) Location: Manila, Philippines

Line: AAIP

Flow: Ceramic Quad Flatpak (CQFP) and Pin Grid Array (CPGA)

Location: San Jose, CA Line: Six Sigma Flow: Solder Dip Location: Manassas, VA

Line: BAE Systems

Flow: Hermetic Package Assembly for J Lead Chip Carrier & Quad Flatpack & Column Grid Array (CCGA)

#### Microsemi SoC

### **Quality System Information**

Microsemi SoC 2061 Stierlin Court

Mountainview, CA 94043-4655

Website: http://www.actel.com/company/contact/offices/disti\_na.aspx

CAGE Code: 0J4Z0

Company Contact: Lisa Konigsberg, (408) 522-7522 Qualifying Activity Contact: Vinh Tran, (614) 692-0606 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

CMOS Field Programmable Gate Arrays

#### **Product Types:**

Field Programmable Gate Array and Rad hard FPGA

### Assembly Operation(s)

Location: Fremont, CA
Line: Pantronix Corporation

Flow: Ceramic Quad Flatpak (CQFP) and Pin Grid Array (CPGA)

Location: San Diego, CA

Line: Kyocera

Flow: Ceramic Quad Flatpak (CQFP) and Pin Grid Array (CPGA)

## **Electrical Test Operation(s)**

Location: Sunnyvale CA

Line: Actel

Flow: Per QM Plan 1-04-1347 Location: Manassas, VA Line: BAE Systems

Flow: Per BAE Systems QM Plan Baseline Flow

## **Environmental Test Operation(s)**

Location: Milpitas, CA

Line: RQE

Flow: Burn-In, Life Test Location: Santa Clara, CA

Line: QP Semi
Flow: Group B & D
Location: San Jose, CA
Line: Six Sigma
Flow: Solderability

Location: Sunnyvale, CA

Line: AMER

Flow: Failure analysis, SEM analysis

Location: Spokane, WA

Line: Hi Rel

Flow: Failure analysis, SEM analysis

Location: Santa Clara, CA Line: Riga Analytical Lab inc. Flow: Failure analysis Location: Sunnyvale, CA

Line: Accurel

Flow: Failure analysis, SEM analysis

Package Information 2/

TypeLead RangeMatrix SizeLead FinishLead PitchFlatpack256gold

#### Microsemi-Phoenix

### **Quality System Information**

Microsemi-Phoenix 3601 East University Drive Phoenix, AZ 85034-7217 CAGE Code: 54230

Company Contact: Tim Johnson, (602) 437-1520

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

**CMOS** 

### **Product Types:**

SRAM

#### Design Center(s)

Location: N/A Line: N/A Flow: N/A

## **Mask Development Center(s)**

Location: N/A Line: N/A Flow: N/A

## Wafer Fabrication Operation(s)

Location: Puchased Die,

Line: Certified through TRB process 035A00002

### Assembly Operation(s)

Location: Amertron, Pampanga, Philippines

Line: Ceramic, with screening

Flow: Q Only

Location: Fremont, CA
Line: Ceramic, with screening

Flow: Q Only Location: Tempe, AZ

Line: Premier Semiconductor Services

Flow: Solder lead finish

Electrical Test Operation(s)

Location: White Electronic Designs, Phoenix, AZ

Line: Electrical Tests

Flow: Q Only

Location: Amertron, Pampanga, Philippines

Line: Electrical Test Flow: Q Only

### **Environmental Test Operation(s)**

Location: White Electronic Designs, Phoenix, AZ

Line: Conformance Tests

Flow: Q Only

Location: Amertron, Pampanga, Philippines

Line: Burn-in Flow: Q Only

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP-J lead			solder/gold	
DIP-S lead			solder/gold	
DIP-straight lead			solder/gold	
Flatpack			solder/gold	
LCC			solder/gold	
ZIP			solder/gold	

### Micross Components

## **Quality System Information**

Micross Components

7725 N. Orange Blossom Trail Orlando, FL 32810-2696

Website: http://www.micross.com/

CAGE Code: 57300

Company Contact: Allen Wares, (407)296-5642

Qualifying Activity Contact: Scott Thomas, (614) 692-0587 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q&QV(A/T)

## **Technology Types:**

OEM & Assembly/Test

**Product Types:** 

## Design Center(s)

Location: Original QML Manufacturer

Line: Original QML Design
Flow: Original QML Design
Wafer Fabrication Operation(s)
Location: Original QML Manufacturer

Line: Original QML Die Flow: Original QML Die Assembly Operation(s) Location: Orlando, FL Line: Chip Supply Assembly

Flow: TVL-0396

## **Electrical Test Operation(s)**

Location: Orlando, FL

Line: Chip Supply Electrical Test Flow: TVL--0397 thru TVL-0400 Environmental Test Operation(s)

Location: Orlando, FL

Line: Chip Supply Environmental Testing

Flow: TVL--0397 thru TVL-0400 **Package Information 2/** 

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Flatpack	7-304		solder/gold	Contact Mfr.
LCC	3-116		solder/gold	Contact Mfr.
Metal Can/TO-5	2-12		solder/gold	Contact Mfr.
PGA		6x5-19x19	solder/gold	Contact Mfr.
Side-Braze	8-64		solder/gold	Contact Mfr.

### Minco Technology Labs

## **Quality System Information**

Minco Technology Labs 1805 Rutherford Lane Austin, TX 78754

Website: http://www.mincotech.com/

CAGE Code: 60264

Company Contact: Pat McCord, (512) 834-2022

Qualifying Activity Contact: Sean McNulty, (614) 692-8800 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q&Q(A/T)

## **Technology Types:**

OEM & Assembly/Test

### **Product Types:**

Various (Minco purchases die)

## Assembly Operation(s)

Location: Austin, TX

Line: Minco Hermetic Assembly

Flow: Contact Minco

### **Electrical Test Operation(s)**

Location: Austin, TX

Line: Electrical Test Operations
Flow: Per Applicable Device Spec
Environmental Test Operation(s)

Location: Austin, TX

Line: Minco Environmental Testing

Flow: Contact Minco

Package Information 2/

Type Lead Range Matrix Size Lead Finish Lead Pitch

Contact Minco

## ON Semiconductor

### **Quality System Information**

ON Semiconductor 2300 Buckskin Road Pocatello, ID 83201-2798

Website: http://www.onsemi.com/ CAGE Code: 31471

Company Contact: Mona Hale, (208) 234-6084 Qualifying Activity Contact: Shing Yu, (614) 692-0588 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q and N

#### **Technology Types:**

CMOS .13u, .35u C3H/2LM, C3I/3LM; .5u C5A/2LM, C5B/3LM; .6u C6H/C6O/2LM, C6I/3LM; .8u CWB/C8H/2LM, CWC/C8I/3LM; 1.25u CAB/C8W/2LM; 1.5u ABM MixSig, 1.0u CYC/C8I/3LM, CYB/C8H/2LM

### **Product Types:**

ASICs, gate arrays, standard cells

### **Design Center(s)**

Location: ON Semiconductor, Dallas, TX

Line: QML Design Flow: 12MQE00004A

Location: ON Semiconductor, American Fork, UT

Line: QML Design Flow: 12MQE00004A

Location: ON Semiconductor, Pocatello, ID

Line: QML Design Flow: 12MQE00004A

Location: ON Semiconductor, Lower Gwynedd, PA

Line: QML Design Flow: 12MQE00004A

### **Mask Development Center(s)**

Location: Wafer Fab Controlled Line: Wafer Fab Controlled Flow: 12MID7619163

## Wafer Fabrication Operation(s)

Location: ON Semiconductor, Gresham, OR

Line: Y2: ONC18D Flow: 12MID7019030

Location: ON Semiconductor, Pocatello, ID

Line: Fab 10: ABB,CAB,CYB,CYC,CWB,CWC,C6H,C6I,C60,C5A,C5B,C3H,C3I,C8I,C8H,C8W

Flow: 12MID7019030
Assembly Operation(s)

Location: Pantronix, Fremont, CA

Line: QML Ceramic Packages and hot solder dip

Flow: 12MID7020040

Location: Amkor Technology, Gwangju, South Korea

Line: QML Plastic Packages Flow: 12MID7020037

Location: Amkor Technology, Metro Manila, Philippines

Line: QML Plastic Packages Flow: 12MID7020037

Location: Criteria Labs, Austin, TX

Line: Hot Solder Dip Flow: 12MID7050013

Location: Amkor Technology, Metro Manila, Philippines

Line: QML Plastic LQFP Packages

Flow: 12MID7020062

Location: Kyocera, San Diego, CA Line: QML Ceramic DBGA Packages

Flow: 12MID7020040

## ON Semiconductor

### **Quality System Information**

ON Semiconductor 2300 Buckskin Road Pocatello, ID 83201-2798 Website: http://www.onsemi.com/

CAGE Code: 31471

Company Contact: Mona Hale, (208) 234-6084 Qualifying Activity Contact: Shing Yu, (614) 692-0588 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q and N

### **Technology Types:**

CMOS .13u, .35u C3H/2LM, C3I/3LM; .5u C5A/2LM, C5B/3LM; .6u C6H/C6O/2LM, C6I/3LM; .8u CWB/C8H/2LM, CWC/C8I/3LM; 1.25u CAB/C8W/2LM; 1.5u ABM MixSig, 1.0u CYC/C8I/3LM, CYB/C8H/2LM

### **Product Types:**

ASICs, gate arrays, standard cells

### Assembly Operation(s)

Location: Amkor Technology, Seoul, South Korea

Line: QML Plastic Packages Flow: 12MID7020037

Location: Amkor Technology, Buchon, South Korea

Line: QML Plastic Packages Flow: 12MID7020037

Location: Amkor Technology, Metro Manila, Philippines

Line: QML Ceramic Packages Flow: 12MID7020040

**Electrical Test Operation(s)** 

Location: ON Semiconductor, Carmona Philippines

Line: QML Technology Flow 12MID7050013 & 12MID7050026

Flow: 12MID7050024

Location: ON Semiconductor, Pocatello, ID

Line: QML Technology Flow 12MID7050013 & 12MID7050026

Flow: 12MID7450000

# **Environmental Test Operation(s)**

Location: ON Semiconductor, Carmona Philippines

Line: QML Technology Flow 12MID7050013 & 12MID7050026

Flow: 12MID7020044

Location: Hi-Reliability Microelectronics, Milpitas, CA

Line: QML Technology Flow 12MID7050013 & 12MID7050026

Flow: 12MID7020044

Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CLCC	84		solder/gold	50 mil
CPGA	69-181		gold	100 mil
CQFP	100-352		gold	25 mil
DBGA	228-277		solder ball	50 mil
JLDCC	84		solder plate	50 mil
LFPBGA	84		solder plate	25 mil
LQFP	144-208		solder plate	20 mil
PBGA	564 balls		solder ball	50 mil
PQFP	44-240		solder plate	20 mil
SBGA	560 balls		solder ball	50 mil
Side-Braze	28-48		gold	100 mil

## Pantronix Corporation

## **Quality System Information**

Pantronix Corporation 2710 Lakeview Court Fremont, CA 94538 CAGE Code: 2V289

Company Contact: Solomon Ching, 510-656-5898 Qualifying Activity Contact: Shing Yu, (614) 692-0588 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: QV (A/T)

### **Technology Types:**

Assembly/Test

# Product Types:

all (assembly and test house only)

## Assembly Operation(s)

Location: Pantronix Corp, Fremont, CA Line: Ceramic and TO Metal Can/Screening

Flow: Military (Class Q: 710-019 and Class V: 710-020)

## Environmental Test Operation(s)

Location: Pantronix Corp, Fremont, CA

Line: Conformance Test

Flow: Military (Class Q: 710-026 and Class V: 710-027)

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	3-10		solder/gold	
CerDip (glass seal)	8-40		solder	
CerPack (glass seal)	8-40		solder	
DIP	8-48		solder/gold	50-125 mil
Flatpack	10-32		solder/gold	25-75 mil
LCC	3-68		solder/gold	
PGA		48-144	solder/gold	100 mil
Quad Flat Pack	28-352		solder	
SOIC	8-28		solder	
SOJ	28-32		solder	
SSOP	16-28		solder	

## PSI Technologies

## **Quality System Information**

**PSI Technologies** 

Taguig, Manilla CAGE Code: N/A

Company Contact: Mabel Dalagan, 632 838 49 66 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q (A/T)

## **Technology Types:**

Assembly/Test

## **Product Types:**

## **Assembly Operation(s)**

Location: Taguig City 1604, Metro Manilla, Philippines

Line: Hermetic

Flow: PS-CD-4085, PS-CP-4085, PS-MC-4006, PS-CL-4088, PS-TO-4089, and PS-FP-4087

## **Environmental Test Operation(s)**

Location: Taguig City 1604, Metro Manilla, Philippines

Line: Test

Flow: Contact Manufactuer Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CLCC				
Can	3-12		solder	
CerDip (glass seal)				
CerPack (glass seal)				
Flatpack	8-48			
TO257				

#### Pvramid Semiconductor

## **Quality System Information**

Pyramid Semiconductor 1249 Reamwood Ave Sunnyvale, CA 94089

Website: http://www.pyramidsemiconductor.com/

CAGE Code: 3DTT2

Company Contact: Jagar Sandhu, (408) 734 8240

Qualifying Activity Contact: Philip Patterson, (614) 692-2178

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

#### **Technology Types:**

0.5, 0.6, 0.8, 1.0 um CMOS Single poly double metal, 0.6, 0.8um 1P2M CMOS, 0.6um 1P2M Silicide CMOS, 0.25um 1P3M CMOS

#### **Product Types:**

SRAMs, EEPROMs, Microprocessor, EEPROM, , Processor Interface

### **Design Center(s)**

Location: Sunnyvale, CA

Line: CMOS

Flow: Contact Pyramid Semiconductor

### **Mask Development Center(s)**

Location: Pocatello, ID Line: CWB, C8H

Flow: ON Semiconductor (formerly AMIS) QML Flow

Location: Hsin-Chu, Line: TSMC Mask

Flow: TSMC ISO 9000 Flow Wafer Fabrication Operation(s)

## Lagation: Depotally ID

Location: Pocatello, ID Line: CWB, C8H

Flow: ON Semiconductor (formerly AMIS) QML Flow

Location: Hsin-Chu, Line: TSMC Fab 2A Flow: TSMC ISO-9000 Flow Assembly Operation(s) Location: Milpitas, CA

Line: Corwil

Flow: Ceramic with glass seal flow, Cerpack

Location: Sunnyvale, CA

Line: Pyramid Assembly Clean Roon Flow: Pyramid Class B Travelers

Location: Millennium Microtech (Thailand) Co., Ltd.- (MMT), Chachoengsao,

Line: Milennium Microtech

Flow: Ceramic with glass seal flow, Cerdip

## **Electrical Test Operation(s)**

Location: Sunnyvale, CA

Line: Pyramid Flow: Per Lot Traveler

## **Environmental Test Operation(s)**

Location: Milpitas, CA Line: Hi-Rel Microelectronics

Flow: Group D, Constant Acceleration, Temperature Cycle, PIND

Location: Sunnyvale, CA

Line: Pyramid, Hermaticity Tests, Constant Acceleration, PIND, Temp Cycle

Flow: Pyramid Lot Traveler Location: Milpitas, CA Line: Golden Altos

Flow: Temp Cycle, Group D

## Pyramid Semiconductor

# **Quality System Information**

Pyramid Semiconductor 1249 Reamwood Ave Sunnyvale, CA 94089

Website: http://www.pyramidsemiconductor.com/

CAGE Code: 3DTT2

Company Contact: Jagar Sandhu, (408) 734 8240

Qualifying Activity Contact: Philip Patterson, (614) 692-2178

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

## **Technology Types:**

0.5, 0.6, 0.8, 1.0 um CMOS Single poly double metal, 0.6, 0.8um 1P2M CMOS, 0.6um 1P2M Silicide CMOS, 0.25um 1P3M CMOS

### **Product Types:**

SRAMs, EEPROMs, Microprocessor, EEPROM, , Processor Interface

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	16-64		solder/gold	50-100 mil
Flatpack	28-160		solder/gold	25-50 mil
LCC	18-36		solder/gold	40, 50 mil
PGA		68-179	solder/gold	100 mil

#### Rochester Electronics, LLC

### **Quality System Information**

Rochester Electronics, LLC 16 Malcolm Hoyt Drive Newburyport, MA 01950

Website: http://www.rocelec.com

CAGE Code: 3V146

Company Contact: Steve Hirschfeld, (978) 462-9332

Qualifying Activity Contact: Jonathan Puhalsky, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: NSC,30-300

Class: Q and V

#### **Technology Types:**

CMOS, NMOS, HCMOS, BPTTL, Schottky TTL, FAST, FACT BICMOS

#### **Product Types:**

Logic, Memory, Linear, Interface, Microprocessor, Micorcontroller

## Design Center(s)

Location: Desert Microtechnology Assoc., Scottsdale AZ Line: Subcontractors Re-design of OEM licensed devices

Flow: QIP91

#### Wafer Fabrication Operation(s)

Location: OEM Suppliers with EOL Agreements

Line: OEM Purchased Die

Flow: QIP 32

Location: Fairchild Semiconductor, S. Portland, ME

Line: Schottky, CMOS and BiCMOS

Flow: Q

Location: Xfab, Lubbuck, TX Line: CMOS, BiCMOS

Flow: Q

### Assembly Operation(s)

Location: Millennium Microtech, Bangkok, Thailand Line: Hermetic Assembly and Environmental Screening

Flow: Q and V

Location: Golden Altos, Milpitas, CA

Line: Hermetic Assembly and Environmental Screening

Flow: Q and V

## **Electrical Test Operation(s)**

Location: Rochester, Newburyport MA

Line: Digital, Analog and Mixed Signal Electrical Test

Flow: Q and V

### **Environmental Test Operation(s)**

Location: Rochester, Newburyport MA Line: Burn-in and Life Test, QCI Group D

Flow: Q and V

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CQFP	64-132		solder/gold	50 mil
Can	2-12		solder/gold	50-400 mil
DIP	8-64		solder/gold	100 mil
Flatpack/QFP	10-56		solder/gold	50 mil
J-Lead Chip Carrier	28-84		solder/gold	50 mil
LCC	16-84		solder/gold	50 mil
PGA		11 x 11	solder/gold	100 mil

Semelab

## **Quality System Information**

Semelab

CAGE Code: U3158

Company Contact: David Hall, 01455 552505

Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

## **Product Types:**

Linear IC

## Wafer Fabrication Operation(s)

Location: Semifab, Scotland

Assembly Operation(s)

Location: Lutterworth, England
Line: Hermetic metal can
Location: Lutterworth, England
Line: Hermetic CerDip

Electrical Test Operation(s)

Location: Lutterworth, England Line: Linear Test

## **Environmental Test Operation(s)**

Location: Lutterworth, England Line: Linear Screening Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	2,3		solder	
CerDip (glass seal)	8,14,16,18		solder	

## Silicon Turnkey Solutions

## **Quality System Information**

Silicon Turnkey Solutions 801 Buckeye Court

Website: http://www.sts-usa.com/

CAGE Code: 1VVP6

Milpitas, CA 95035

Company Contact: Madho Dhouni, (310) 259-9326

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q (A/T)

## **Technology Types:**

Assembly/Test <a href="Product Types:">Product Types:</a>

N/A

## Assembly Operation(s)

Location: Milpitas, CA

Line: STS

Flow: Hermetic Single Die/Planar MCM Class Q Flow Rev 01

## **Electrical Test Operation(s)**

Location: Milpitas, CA

Line: STS

Flow: DLA Laboratory Suitability per VQC-15-028944

## **Environmental Test Operation(s)**

Location: Milpitas, CA

Line: STS

Flow: DLA Laboratory Suitability per VQC-15-028944

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Flatpack	40-352		Gold	25-50 mil

Six Siama

## **Quality System Information**

Six Sigma

905 Montague Expressway Milpitas, CA 95035-6817

Website: http://www.sixsigmaservices.com/

CAGE Code: 1PBC8

Company Contact: Russ Winslow, (408) 956 0100 Qualifying Activity Contact: Paul Granchi, (614) 692-0604 QML Status: Full QML Certification/Qualification

Class: Q and V

## **Technology Types:**

## **Product Types:**

## Assembly Operation(s)

Location: Milpitas, CA Line: Column Attach Flow: PR-2010 Location: Milpitas, CA Line: Hot Solder Dip Flow: PR-2001

### **Environmental Test Operation(s)**

Location: Milpitas, CA Line: Test Services Flow: TS-2001

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
BGA		ALL	Solder	>= 1 mil
CGA	4-2400		Solder	>= 1 mil
LCC	4-2400		Solder	>= 1 mil
LGA	4-2400		Solder	>= 1 mil
OFN	4-2400		Solder	>= 1 mil

## SRI International

### **Quality System Information**

SRI International 201 Washington Road Princeton, NJ 08540-6449 CAGE Code: 0DKS7

Company Contact: George Kocsis, (609) 734-2933 Qualifying Activity Contact: Philip Patterson, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

5V 1.5 um BiCMOS, 20V BiCMOS, 100 V Driver/1.5um, 5V 0.8um, CMOS 5V 1.2um BiCMOS, 1.2 um SOS Rad Hard, 0.8um ECL, Dielectrically Isolated Schottky

## **Product Types:**

TTL, CMOS, CMOS4000, HiNil, PMOS, NMOS, ECL, Schottky

### **Design Center(s)**

Location: Princeton, NJ

Line: N/A

Flow: GEM Design Rules

Mask Development Center(s)

Location: Princeton, NJ Line: Design

Flow: Photronics Brookfield, CT Wafer Fabrication Operation(s)

Location: Princeton, NJ

Line: SRI International IC Center

Flow: GEM5VCOMB; GEMBICMOS2; GEMHV,GEM16 1.2u, GEM20 100v, SOSPRD, GEM 0.8u, DTI SHOT5V, DTI SHOT

### Assembly Operation(s)

Location: Orlando, FL
Line: Chip Supply Inc
Flow: Hermetic, Solder Seal
Location: Fremont, CA
Line: Pantronix Corp, QML
Flow: Hermetic, Solder Seal
Location: Milpitas, CA
Line: Golden Altos corp.
Flow: Hermetic, Solder Seal

## **Electrical Test Operation(s)**

Location: Sunnyvale, CA

Line: Engineering and Solutions Technology (EAST), LLC

Flow: Digital / Memory
Location: Round Rock, TX
Line: Anloy Technologies
Flow: Digital / Memory
Location: Princeton, NJ
Line: SRI International
Flow: Digital / Memory
Location: Austin, TX

Line: Austin Semiconductor, Inc.

Flow: Digital / Memory Location: Milpitas, CA Line: Hi-Rel Microelectronics Flow: Digital / Memory

## **Environmental Test Operation(s)**

Location: Milpitas, CA Line: Golden Altos Flow: MIL-STD-883 Location: Fremont, CA Line: Pantronix Corp, QML Flow: MIL-STD-883

#### SRI International

## **Quality System Information**

SRI International 201 Washington Road Princeton, NJ 08540-6449 CAGE Code: 0DKS7

Company Contact: George Kocsis, (609) 734-2933 Qualifying Activity Contact: Philip Patterson, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

5V 1.5 um BiCMOS, 20V BiCMOS, 100 V Driver/1.5um, 5V 0.8um, CMOS 5V 1.2um BiCMOS, 1.2 um SOS Rad Hard, 0.8um ECL, Dielectrically Isolated Schottky

### **Product Types:**

TTL, CMOS, CMOS4000, HiNil, PMOS, NMOS, ECL, Schottky

## **Environmental Test Operation(s)**

Location: Austin, TX

Line: Austin Semiconductor, Inc.

Flow: MIL-STD-883 Location: Milpitas, CA Line: Hi-Rel Microelectronics

Flow: MIL-STD-883 Location: Princeton, NJ Line: SRI International Flow: MIL-STD-883 Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	64		solder/gold	as required
Flatpack	48		solder/gold	as required
LCC	76		solder/gold	as required
LGA			gold	as required
PGA			solder/gold	as required
QFP	68		solder/gold	as required

#### STMicroelectronics

### **Quality System Information**

STMicroelectronics

3 rue de suisse CS60816 35208 Rennes Cedex 2 FR

Website: http://www.st.com/stonline/address/distrib/index.htm

CAGE Code: F8859

Company Contact: Sylvie Peron, 33299264800

Qualifying Activity Contact: Jonathan Puhalsky, (614) 692-2458

QML Status: Full QML Certification/Qualification

Radiation hardness level: 300 K

Class: Q and V

#### **Technology Types:**

2μm (RHF voltage regulators & operational amplifiers), 0.7μm (RHF ACMOS), 0.35μm (RHR/RHF VCX), 0.25μm (RHF AD converters)

#### **Product Types:**

buffers, flip flops, latches, counters, registers, multiplexers, decoders, voltage regulators, operational amplifiers, AD converters

### **Design Center(s)**

Location: Catania, Italy

Line: N/A

Flow: RHF ACMOS, RHF voltage regulators, RHF operational amplifiers, RHR/RHF VCX, RHF AD converters

### Wafer Fabrication Operation(s)

Location: Carrollton, TX Line: RHF ACMOS

Flow: confidential, contact manufacturer

Location: Crolles, France Line: RHF VCX Family

Flow: confidential, contact manufacturer

Location: Crolles, France Line: RHF AD converters

Flow: confidential, contact manufacturer

Location: Carrollton, TX

Line: RHF voltage regulatores + RHF operational amplifiers

Flow: confidential, contact manufacturer

Location: Agrate, Italy Line: RHF ACMOS

Flow: confidential, contact manufacturer

## Assembly Operation(s)

Location: Rennes, France Line: Hermetic Assembly Flow: 7084427 QML Q Location: Rennes, France Line: Hermetic Assembly Flow: 7086591 QML V

### **Environmental Test Operation(s)**

Location: Rennes, France

Line: N/A

Flow: Contact Manufacturer Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	up to 24		solder/gold	
Flatpack	up to 48		solder/gold	
SMD	up to 5		solder/gold	
TO	3		solder/gold	

## Texas Instruments

### **Quality System Information**

Texas Instruments 6412 Highway 75 South Sherman, TX 75090

Website: http://focus.ti.com/hirel/howtobuy.shtml

CAGE Code: 01295

Company Contact: Brent Rhoton, (903) 487-3305 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: 100K

Class: Q,N, V

### **Technology Types:**

TTL, ABT, AC/ACT, AHC/AHCT, ALV, CHC/HCT, LV/LVC/LVCH, LVT/LVTH, S/LS/ALS, TTL, BCT, CDC, CBT, FCT, FAST, CMOS, HCMOS, BICMOS, SiGe, Bipolar

### **Product Types:**

DSP, op amp, comparators, DAC/ADC, mixed signal, voltage regulators, interface, supervisors, general purpose linear and logic, power management, fifo, itag, Bipolar logic, MCOMS Logic, programmable logic, microcontrollers, memory, ASIC

#### **Design Center(s)**

Location: Houston, TX Line: DSP Design Flow: DSP Design Rules Location: Sherman, TX

Line: MPD ASIC / FIFO / JTAG / Mixed Signal

Flow: Military Products Design Rules

Location: Sherman, TX

Line: SLL Logic/Mixed Signal/ Linear

Flow: HVAL Design Rules Location: Dallas, TX Line: DSP Design Flow: DSP Design Rules Location: Freising, Germany Line: Logic / Mixed Signal / Linear Flow: HVAL Design Rules

Flow: HVAL Design Rules Location: Hiji, Japan

Line: Logic

Flow: Logic Design Rules
Location: Dallas, TX
Line: Linear Design
Flow: Linear Design Rules
Location: Dallas, TX
Line: Logic Design
Flow: Logic Design Rules
Location: Bangalore, India
Line: DSP/MCU/ASIC

## **Mask Development Center(s)**

Location: Tokyo, Line: ASIC / FIFO

Flow: HPA/DSP/MCU

Flow: Contact Texas Instruments

Location: Dallas, TX Line: Toppan

Flow: Contact Texas Instruments Wafer Fabrication Operation(s)

Location: Sherman, TX

Line: Logic, Analog/Mixed Signal, Programmable Logic (Classes Q and V)

Flow: SFAB

Location: Houston, TX

Line: Logic, Interface, ASIC, DSP (Class Q)

Flow: HFAB

### Texas Instruments

### **Quality System Information**

Texas Instruments 6412 Highway 75 South Sherman, TX 75090

Website: http://focus.ti.com/hirel/howtobuy.shtml

CAGE Code: 01295

Company Contact: Brent Rhoton, (903) 487-3305 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: 100K

Class: Q,N, V

### **Technology Types:**

TTL, ABT, AC/ACT, AHC/AHCT, ALV, CHC/HCT, LV/LVC/LVCH, LVT/LVTH, S/LS/ALS, TTL, BCT, CDC, CBT, FCT, FAST, CMOS, HCMOS, BICMOS, SiGe, Bipolar

#### **Product Types:**

DSP, op amp, comparators, DAC/ADC, mixed signal, voltage regulators, interface, supervisors, general purpose linear and logic, power management, fifo, itag, Bipolar logic, MCOMS Logic, programmable logic, microcontrollers, memory, ASIC

## Wafer Fabrication Operation(s)

Location: Freising, Germany

Line: Logic, Interface, Analog/Mixed Signal (Class Q and V)

Flow: FFAB

Location: Miho, Japan Line: DSP (Class Q)

Flow: Contact Texas Instruments

Location: Dallas, TX

Line: Logic, Interface, Analog/Mixed Signal, ASIC, DSP (Classes Q and V)

Flow: DFAB

Location: Merrimack, NH

Line: MFAB (Classes Q and V) Die/Wafer Bank only

Flow: Contact Texas Instruments

Location: Dallas, TX Line: DSP (Class Q and V)

Flow: DMOSV Location: Anam, Korea Line: DSP

Flow: ANAM1 Location: Tucson, AZ

Line: Analog/Mixed Signal (Die/Wafer Bank Only)

Flow: Contact Texas Instruments

Location: Hiji, Japan

Line: Contact Texas Instruments (Class Q)

Flow: Contact Texas Instruments

#### Assembly Operation(s)

Location: Kuala Lumpur, Malaysia Line: Plastic Packaging only

Flow: 07-015-1001,1002,1003,1004,0610 Location: San Diego, CA (Kyocera)

Line: Special Products Assembly (Hermetic) (Classes Q and V)

Flow: Contact Texas Instruments Location: Bangkok, Thailand (Mthai)

Line: Special Products Assembly (Hermetic) (Classes Q and V)

Flow: Contact Texas Instruments

Location: Tokyo, Line: TAB Assembly

Flow: Contact Texas Instruments Location: Taipei, Taiwan (TITL)

Line: Plastic

Flow: 07-012-1601,1901 Location: Singapore Line: Plastic (High Pin Count) Flow: Contact Texas Instruments

#### Texas Instruments

## **Quality System Information**

Texas Instruments 6412 Highway 75 South Sherman, TX 75090

Website: http://focus.ti.com/hirel/howtobuy.shtml

CAGE Code: 01295

Company Contact: Brent Rhoton, (903) 487-3305 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: 100K

Class: Q,N, V

### **Technology Types:**

TTL, ABT, AC/ACT, AHC/AHCT, ALV, CHC/HCT, LV/LVC/LVCH, LVT/LVTH, S/LS/ALS, TTL, BCT, CDC, CBT, FCT, FAST, CMOS, HCMOS, BICMOS, SiGe, Bipolar

#### **Product Types:**

DSP, op amp, comparators, DAC/ADC, mixed signal, voltage regulators, interface, supervisors, general purpose linear and logic, power management, fifo, itag, Bipolar logic, MCOMS Logic, programmable logic, microcontrollers, memory, ASIC

## Assembly Operation(s)

Location: Baguio City, Philippines (TIPI) Line: Contact Texas Instruments (Plastic) Flow: Contact Texas Instruments

## **Electrical Test Operation(s)**

Location: Taipei, Taiwan (TITL)

Line: Special Products Test (Classes Q and N)

Flow: Contact Texas Instruments Location: Baguio City, Philippines (TIPI)

Line: Contact Texas Instruments (Classes Q and V)

Flow: Contact Texas Instruments

Location: Sherman, TX

Line: Special Products Test (Class Q)

Flow: Sherman Test Floor Location: Houston, TX

Line: Special Products Test (Class Q)

Flow: Houston Test Floor Location: Dallas, TX (CLAB) Line: Special Product (Class Q) Flow: Contact Texas Instruments Location: Kuala Lumpur, Malaysia

Line: Test (Class Q)

Flow: Contact Texas Instruments Location: Bangkok, Thailand (Mthai) Line: Test (Classes Q and V) Flow: Contact Texas Instruments

## **Environmental Test Operation(s)**

Location: Dallas, TX

Line: Environmental Test (Classes Q and V)

Flow: Contact Texas Instruments Location: Bangkok, Thailand (Mthai) Line: Environmental Test (Classes Q and V)

Line. Environmental rest (Classes Q and v

Flow: Contact Texas Instruments

Location: Houston, TX

Line: Environmental Test (Classes Q and V)

Flow: Contact Texas Instruments

## Texas Instruments

## **Quality System Information**

Texas Instruments 6412 Highway 75 South Sherman, TX 75090

Website: http://focus.ti.com/hirel/howtobuy.shtml

CAGE Code: 01295

Company Contact: Brent Rhoton, (903) 487-3305 Qualifying Activity Contact: Andy Thacker, (614) 692-0589 QML Status: Full QML Certification/Qualification

Radiation hardness level: 100K

Class: Q,N, V

## **Technology Types:**

TTL, ABT, AC/ACT, AHC/AHCT, ALV, CHC/HCT, LV/LVC/LVCH, LVT/LVTH, S/LS/ALS, TTL, BCT, CDC, CBT, FCT, FAST, CMOS, HCMOS, BICMOS, SiGe, Bipolar

## **Product Types:**

DSP, op amp, comparators, DAC/ADC, mixed signal, voltage regulators, interface, supervisors, general purpose linear and logic, power management, fifo, jtag, Bipolar logic, MCOMS Logic, programmable logic, microcontrollers, memory, ASIC

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
BGA		144-429	Eu Solder Balls	Contact Mfr
DIP	8-40		SN63/PB37	
Flatpack	8-56		SN63/PB37	Contact Mfr
LCC	20-44		SN63/PB37	
LGA	429		Au Plate	Contact Mfr
PGA		80-324	SN63/PB37+Au PI	Contact Mfr
Quad Flat Pack	68-408		SN63/PB37+Au PI	Contact Mfr

### Texas Instruments SVA (formerly National Semiconductor)

### **Quality System Information**

Texas Instruments SVA (formerly National Semiconductor)

2900 Semiconductor Drive
Santa Clara, CA 95052-8090
Website: http://www.ti.com/contacts/
CAGE Code: 27014, Symbol Code: CCXP

Company Contact: Dennis Tanguay, (408) 721-3509 Qualifying Activity Contact: Shing Yu, (614) 692-0588 QML Status: Full QML Certification/Qualification

Radiation hardness level: 30-300 K

Class: Q and V

## **Technology Types:**

BiPolar, CMOS, BiCMOS

#### **Product Types:**

Analog, linear, interface, LVDS

### **Design Center(s)**

Location: TISVA, Greenock, Scotland

Line: TISVA Design Rules

Flow: Q and V

Location: TISVA, Santa Clara, CA Line: TISVA Design Rules

Flow: Q and V

Location: TISVA, Furstenfeldbruck, Germany

Line: TISVA Design Rules

Flow: Q and V

Location: TISVA, Takada, Japan Line: TISVA Design Rules

Flow: Q and V

Location: TISVA, Arlington, TX (Die Bank)

Line: TISVA Design Rules

Flow: Q and V

## Mask Development Center(s)

Location: Dupont, Santa Clara, CA

Line: TISVA Specific Flow: Q and V

Location: Photronics, Danbury, CT

Line: TISVA Specific Flow: Q and V

Location: Dupont, Rousett, France

Line: TISVA Specific Flow: Q and V

### Wafer Fabrication Operation(s)

Location: TISVA, Greenock, Scotland Line: Fab 3, 6" (BiPolar and CMOS)

Flow: Q and V

Location: Quality Backgrind and Backmetal Service, Santa Clara, CA

Line: Wafer Thinning

Flow: Selected analog parts (Q and V)

Location: Scientific Coating Lab, Santa Clara, CA

Line: Wafer Backside Gold

Flow: Selected analog parts (Q and V) Location: TISVA, Arlington, TX (Die Bank)

Line: 6" (BiPolar and CMOS)

Flow: Q and V

Location: TISVA, South Portland, ME Line: 8" CMOS 7, CMOS 8, CMOS 9

Flow: Q and V

Location: Taiwan Semiconductor Manuf. Co., Hsin-Chu, Taiwan

Line: 8" (BiPolar and CMOS)

Flow: Q only

### Texas Instruments SVA (formerly National Semiconductor)

#### **Quality System Information**

Texas Instruments SVA (formerly National Semiconductor)

2900 Semiconductor Drive Santa Clara, CA 95052-8090 Website: http://www.ti.com/contacts/

CAGE Code: 27014, Symbol Code: CCXP
Company Contact: Dennis Tanguay, (408) 721-3509
Qualifying Activity Contact: Shing Yu, (614) 692-0588
QML Status: Full QML Certification/Qualification

Radiation hardness level: 30-300 K

Class: Q and V

## **Technology Types:**

BiPolar, CMOS, BiCMOS

#### **Product Types:**

Analog, linear, interface, LVDS

## Assembly Operation(s)

Location: Team Pacific, FTI Complex, Taguig, Philippines Line: TO Metal Can, with selected screen tests (no burn-in)

Flow: Q only

Location: Amkor Technology, site P1, Muntinlupa City, Philippines

Line: Ceramic, with selected screen tests (no burn-in)

Flow: Q and V

Location: Golden Altos, Milpitas CA

Line: high pin count ceramics, with selected screen tests (no burn-in)

Flow: Q and V

Location: Golden Altos, Milpitas CA

Line: TO Metal Can, wth selected screen tests (no burn-in)

Flow: V

Location: Millennium Microtech, Bangkok, Thailand Line: Ceramic, with selected screen tests (no burn-in)

Flow: Q and V

Location: TISVA Melaka, Malaysia

Line: Wafer Thinning

Flow: Selected analog parts (Q and V)

# Electrical Test Operation(s)

Location: TISVA Melaka, Malaysia

Line: Electrical Test

Location: TISVA, Santa Clara, CA

Line: Electrical Test Flow: Q and V

### **Environmental Test Operation(s)**

Location: TISVA, Santa Clara, CA

Line: Burn-In, Life Test, Ionizing Radiation (Total Dose)

Flow: Q and V

Location: contact manufacturer Line: Burn-In, Life Test

Flow: Q and V

Location: White Sands Missile Range, New Mexico

Line: Ionizing Radiation (Low Dose)

Flow: Q and V

Location: Aeroflex RAD, Colorado Springs, CO

Line: Ionizing Radiation (Low Dose)

Flow: Q and V

Location: TISVA Melaka, Malaysia

Line: Group B, D Flow: Q and V

Location: TISVA, South Portland, ME Line: Ionizing Radiation (Total Dose)

Flow: Q and V

## Texas Instruments SVA (formerly National Semiconductor)

## **Quality System Information**

Texas Instruments SVA (formerly National Semiconductor)

2900 Semiconductor Drive
Santa Clara, CA 95052-8090
Website: http://www.ti.com/contacts/
CAGE Code: 27014, Symbol Code: CCXP

Company Contact: Dennis Tanguay, (408) 721-3509 Qualifying Activity Contact: Shing Yu, (614) 692-0588 QML Status: Full QML Certification/Qualification

Radiation hardness level: 30-300 K

Class: Q and V

## **Technology Types:**

BiPolar, CMOS, BiCMOS

**Product Types:** 

Analog, linear, interface, LVDS

Environmental Test Operation(s)

Location: Golden Altos, Milpitas CA

Line: Group B, D Flow: Q and V

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CerDip (glass seal)	8, 14, 16		solder	100 mil
CerPack (glass seal)	10, 14, 16, 20		solder	50 mil
Leadless Chip Carrier	20, 28		solder	50 mil
Other Cans	2, 3, 8, 10		solder	100 and 200 mil
PGA		180 (15x15)	gold	100 mil
Quad CerPack - Gull Wing	128		gold	20 mil
Quad Cerpack	48, 68		gold	25 and 50 mil
S/Brazed DIP	14, 24		solder	100 mil
SOIC	10, 14, 16		solder	50 mil
TO-3 Can	2		solder	430 mil

#### Vishav-Siliconix

## **Quality System Information**

Vishay-Siliconix

2201 Laurelwood Road

Santa Clara, CA 95056-0951

Website: http://www.vishay.com/company/contacts/#sales

CAGE Code: 17856, Symbol Code: CDBN Company Contact: Liz Korntved, (408) 970-5640

Qualifying Activity Contact: Michael Grammens, (614) 692-0604

QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

## **Technology Types:**

Bipolar, metal gate II, silicon gate I& II LDMOS

### **Product Types:**

analog switches, analog multiplexers, video switch

### **Design Center(s)**

Location: Santa Clara, CA

Line: Design Flow: 4149

#### Mask Development Center(s)

Location: Santa Clara, CA

Line: Mask Flow: 4016

## Assembly Operation(s)

Location: Santa Clara, CA

Line: Metal Can Assembly and Back-up Assembly

Flow: PF-S-0005-FT Rev AX Line: Military Assemlby

Flow: Sub-001APPANP01 Rev AC Electrical Test Operation(s) Location: Santa Clara, CA

Line: Electrical Test

Flow: PF-S-0005-FT Rev AX

# **Environmental Test Operation(s)**

Location: Santa Clara, CA Line: Environmental

Flow: PF-S-0005-FT Rev AX Package Information 2/

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
Can	10		solder/gold	N/A
CerDip (glass seal)	8-28		solder	
Flatpack	14-16		solder/gold	
LCC	20-28		solder/gold	
Side-Braze	14-28		solder/gold	

## Xilinx Incorporated

## **Quality System Information**

Xilinx Incorporated 2100 Logic Drive

San Jose, CA 95124-3450

Website: http://www.xilinx.com/company/sales/ww\_disti.htm

CAGE Code: 68994

Company Contact: Craig Taylor, (408) 626 6381

Qualifying Activity Contact: Philip Patterson, (614) 692-2178

QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q, N

#### **Technology Types:**

0.6um, 0.5um, 0.35um, 0.22um, 0.18 um 0.15 um, 0.13 um, CMOS, 0.6um CMOS floating gate

#### **Product Types:**

logic, gate arrays, FPGA, EPROM, SPROM

### Design Center(s)

Location: San Jose, CA

Line: Programmable Platforms Development (PPD)

Flow: DPS0021

Location: Longmont, Colorado

Line: Programmable Platforms Development (PPD), Software Development

Flow: DPS0021

### Mask Development Center(s)

Location: San Jose, CA

Line: Programmable Platforms Development (PPD)

Flow: DSP0015

#### Wafer Fabrication Operation(s)

Location: Hsin-chu Taiwan, UMC

Line: 8 and 12 inch, 0.35um, 0.25um, 0.18um, 0.15um, 0.13 um

Flow: per UMC (new & legacy product)

### Assembly Operation(s)

Location: Amkor, Philippines

Line: Plastic, Ceramic

Flow: MFC0067, MFC0068, MFC0007, MFC0008

Location: Amkor, Korea

Line: Plastic

Flow: MFC0067, MFC0068 Location: Six Sigma, Milpitas, CA

Line: Column attach (CG717 5962-02530 ONLY)

Flow: Per Six Sigma Location: SPIL, Taiwan

Line: Bump Flow: MFC0082

## **Electrical Test Operation(s)**

Location: San Jose, CA Line: Xilinx (Backup)

Flow: QAP0094, MFC0067, MFC0068

Location: Silicon Turnkey Solutions (STS), Milpitas, CA

Line: Electrical Test

Flow: Product level TSC controls

Environmental Test Operation(s)

Location: Silicon Turnkey Solutions (STS), Milpitas, CA

Line: Burn-in / QCI Flow: BIC0009, ADQ0007

## Xilinx Incorporated

## **Quality System Information**

Xilinx Incorporated 2100 Logic Drive

San Jose, CA 95124-3450

Website: http://www.xilinx.com/company/sales/ww\_disti.htm

CAGE Code: 68994

Company Contact: Craig Taylor, (408) 626 6381

Qualifying Activity Contact: Philip Patterson, (614) 692-2178

QML Status: Full QML Certification/Qualification

Radiation hardness level: 100 K

Class: Q, N

## **Technology Types:**

0.6um, 0.5um, 0.35um, 0.22um, 0.18 um 0.15 um, 0.13 um, CMOS, 0.6um CMOS floating gate

### **Product Types:**

logic, gate arrays, FPGA, EPROM, SPROM

Type	Lead Range	Matrix Size	Lead Finish	Lead Pitch
CF	1114		90Pb/10Sn Col	40 mil
CLCC	44		solder	50 mil
CQFP	100-228		gold plate	25 mil
CSGA (CG)	560, 717		90Pb/10Sn Col	25 mil
Cerdip (DD)	8		solder dip	100 mil
FG	256-1156		63Sn//37Pb Ball	40 mil
HQFP	208-240		Solder plate	20 mil
PGA		68-559	gold plate	50mil/100mil
PQFP	100-240		Solder plate	50 mil
Plastic BGA	225-728		63Sn//37Pb Ball	50-60 mil
SOIC	20		Solder plate	50 mil
VQFP	4		Solder plate	32 mil

#### XTREME Semiconductor

## **Quality System Information**

XTREME Semiconductor 12908 Trails End Road, Suite E

Leander, TX 78641 CAGE Code: 3RNH0

Company Contact: Marty Lanning, (602) 368-5575 Qualifying Activity Contact: Sean McNulty, (614) 692-8800 QML Status: Full QML Certification/Qualification

Radiation hardness level: N/A

Class: Q

### **Technology Types:**

1.2um CMOS. 3.0 um CMOS

# **Product Types:**

A/D Converter Design Center(s)

Location: Contact Xtreme Semiconductor Line: OEM

Flow: OEM

## **Mask Development Center(s)**

Location: Pocatello. ID

Line: ON Semiconductor (formerly AMIS) Flow: Contact XTREME Semiconductor Wafer Fabrication Operation(s)

Location: Pocatello, ID Line: AMI Semiconductor

Flow: QML Flow

# Assembly Operation(s) Location: San Diego, CA

Line: Maxwell Technology

Flow: Military Hermetic QM Q/V Certified/Qualified

Location: Milpitas, CA Line: Golden Altos

Flow: Military Hermetic QML Q Certified/Qualified

## **Electrical Test Operation(s)** Location: San Diego, CA

Line: Maxwell Technology

Flow: Military Hermetic QML Q Certified ,Tested to SMD specification

Location: Leander, TX Line: Anloy Technology

Flow: DLA Suitable Commercial Lab for 883 Electrical Test, Tested to SMD specifications

## **Environmental Test Operation(s)**

Location: Milpitas, CA Line: Golden Altos

Flow: Military Hermetic QML Q Certified/Qualified

Location: San Diego, CA Line: Maxwell Technology

Flow: Military Hermetic QML Q Certified/Qualified

Туре	Lead Range	Matrix Size	Lead Finish	Lead Pitch
DIP	8-64		Solder/Gold	100 mil
LCC	4-84		Solder/Gold	40-50 mil

### **QML Manufacturer Military Distributors**

This section contains a list of QML manufacturers' military distributors. This information was supplied by the QML manufacturers and is provided in QML-38535 as a service from DLA Land and Maritime-VQC. This listing is provided as a service only and is in no way intended to be an endorsement or restriction by the Government. For additional information or further update contact the applicable manufacturer in the QML Program Status section.

#### Analog Devices, 7910 Triad Center Dr, Greensboro,, NC 27409

Distributors:

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Digi-Key, 701 Brooks Avenue South, Thief River Falls, MN 56701

Rochester Electronics, 10 Malcolm Hoyt Drive, Newburyport, MA 01950-4018

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

### Atmel-Nantes, La Chantrerie BP 70602, 44306 Nantes Cedex 3,, FR

Distributors

All American Semiconductor, 16115 Northwest 52nd Avenue, Miami, FL 33014

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

### Cypress Semiconductor, 198 Champion Court, San Jose,, CA 95134-1709

Distributors:

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

### e2v aerospace and defense, inc. (DBA QP Semiconductor), 765 Sycamore Drive, Milpitas,, CA 95035

Distributors:

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

### Intersil Corporation, P O Box 37, Palm Bay,, FL 32905-3398

Distributors:

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

### Linear Technology, 720 Sycamore Drive, Milpitas,, CA 95035-7406

Distributors:

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

### Microsemi Analog Mixed Signal Group, 11861 Western Avenue, Garden Grove,, CA 92641-2119

Distributors:

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Falcon Electronics, 47 Mall Dr (# 5), Commack, NY 11725

Richardson Electronics, 40W267 Keslinger Road, LaFox, IL 60147

Universal Semiconductor, 2775 West Cypress Creek Drive, Fort Lauderdale, FL 33309

All American Semiconductor, 16115 Northwest 52nd Avenue, Miami, FL 33014

### Microsemi SoC, Mountainview., CA 94043-4655

Distributors:

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

## Rochester Electronics, LLC, 10 Malcolm Hoyt Drive, Newburyport,, MA 01950

Distributors:

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

## STMicroelectronics, 3 rue de suisse CS80816, 35208 Rennes Cedex 2, FR

Distributors:

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Future Electronics, 237 Hymus Boulevard, Qubeck, Point Claire, Quebec H9R 5C7 Canada

Nu Horizons, 70 Maxess Road, Melville, NY 11747

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

## Texas Instruments, 6412 Highway 75 South, Sherman,, TX 75090

Distributors:

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Rochester Electronics, 10 Malcolm Hoyt Drive, Newburyport, MA 01950-4018

## **QML Manufacturer Military Distributors**

This section contains a list of QML manufacturers' military distributors. This information was supplied by the QML manufacturers and is provided in QML-38535 as a service from DLA Land and Maritime-VQC. This listing is provided as a service only and is in no way intended to be an endorsement or restriction by the Government. For additional information or further update contact the applicable manufacturer in the QML Program Status section.

## Texas Instruments SVA (formerly National Semiconductor), Santa Clara,, CA 95052-8090

#### Distributors:

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Future Electronics, 237 Hymus Boulevard, Qubeck, Point Claire, Quebec H9R 5C7 Canada

### Vishay-Siliconix, 2201 Laurelwood Road, Santa Clara., CA 95056-0951

#### Distributors:

Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Tri-Start Electronics, 979 Marconi Ave., Ronkonkoma, NY 11779

Spirit Electronics, 23910 N 19th Ave, Suite 26, Phoenix, AZ 85027

Newark Electronics, 4801 N. Ravenswood, Chicago, IL 60640

New Yorker Electronics, 209 Industrial Parkway, Northvale, NJ 07647

Mouser Electronics, 1000 North Main Street, Mansfield, TX 76063

Jaco Electronics, 145 Oser Avenue, Hauppauge, NY 11788-3721

Falcon Electronics, 47 Mall Dr (# 5), Commack, NY 11725

Arrow Electronics, 50 Marcus Drive, Melville, NY 11747-4210

Allied Electronics, 7410 Pebble Dr., Fort Worth, TX 76118

Future Electronics, 237 Hymus Boulevard, Qubeck, Point Claire, Quebec H9R 5C7 Canada

## Xilinx Incorporated, 2100 Logic Drive, San Jose,, CA 95124-3450

#### Distributors:

Nu Horizons, 70 Maxess Road, Melville, NY 11747 Avnet, 2211 S. 47th Street, Phoenix, AZ 85034

Digi-Key, 701 Brooks Avenue South, Thief River Falls, MN 56701

Standardized Microcircuit Drawing (SMD) Approved Sources are available at the following web pages: Qualification Part Search: http://www.landandmaritime.dla.mil/programs/psearch/Standard Microcircuit Cross-Reference: http://www.landandmaritime.dla.mil/Programs/Smcr/Qualified Products Database: http://qpldocs.dla.mil/search/parts.aspx?qpl=1118