B82450A7204A000 RoHS Reach Halogen Free Pb Free

用途	车载等级
特点	AEC-Q200 AEC-Q200 X/Y Coil X/Y Coil
	B82450A*A
	20210011
状态	量产体制



	尺寸	
长度(L)	11.40mm ±0.20mm	
宽度 (W)	3.50mm Max.	
厚度 高低	2.40mm Max.	

电气特性		
电感	7.2mH $\pm 3\%$ at 125kHz	
工作频率	125kHz	
Q (Min.)	40 at 125kHz	
灵敏度(Typ.)	52mV/μT at 125kHz	
共振频率(Min.)	1MHz	
共振頻率(Min.)		
直流电阻(Max.)		

	其他
使用温度范围(包括自我温度上升)	-40∼125° C
焊接方法	回流
AEC-Q200	YES
包装形式	塑封编带 (330mm卷筒、带宽 24mm)
包装个数	2500pcs
重量	0. 32g

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.



RoHS Reach Halogen Free Pb Free




特性图表(这是参考数据,并不保证产品的特性。)


[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

Associated Images





[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.