## B82451L1005E402

RoHS Reach Halogen Free Pb Free

用途	车载等级
特点	AEC-Q200 AEC-Q200 Z Coil Z Coil
型	B82451L*E
状态	量产体制
品牌	EPCOS



	尺寸
长度(L)	7.70mm $\pm 0.20$ mm
宽度(W)	7.40mm ±0.10mm
厚度   高低	2.65mm Max.

电气特性	
电感	10mH ±3% at 125kHz
工作频率	125kHz
Q (Min.)	40 at 125kHz
灵敏度 (Typ.)	23mV/μT at 125kHz
共振频率(Min.)	
共振頻率(Min.)	850kHz
直流电阻(Max.)	124. 8 Ω

	其他
使用温度范围(包括自我温度上升)	-40∼85° C
焊接方法	回流
AEC-Q200	YES
包装形式	塑封编带 (330mm卷筒、带宽 16mm)
包装个数	1500pcs
重量	1g

<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.



RoHS Reach Halogen Free Pb Free




特性图表(这是参考数据,并不保证产品的特性。)


<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>!\ \</sup>mbox{\footnotements}$  . All specifications are subject to change without notice.

## Associated Images





<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.