
RoHS Reach Halogen Free Pb Free



## MCZ2010AH201L4T000

用途	一般等级	
特点	Multilayer 积层 High-speed 高速信号线	
系列	MCZ	
	♠ 停止生产	
	推荐代替型号 : MCZ1210AH201L2TA0G (不保证其兼容性。)	
状态	停产发布日期 : 2018年12月6日	
	最后订单日期 : 2020年6月30日	
	最后出货日期 : 2020年12月31日	
品牌	TDK	



	尺寸
长度(L)	$2.00 \text{mm} \pm 0.15 \text{mm}$
宽度(W)	1.00mm ±0.15mm
厚度   高低	0.50mm ±0.10mm

电气特性		
共模阻抗[Typ.]	$200\Omega$ at $100\text{MHz}$	
共模阻抗 [Min.]		
共模电感	390nH at 1MHz (参考)	
额定电流	100mA	
额定电压	5VDC	
绝缘电阻 [Min.]	10ΜΩ	
直流电阻	3.5Ω Max.	

į	其他
使用温度范围	-40∼85° C
焊接方法	回流
<b>焊接</b> 刀法	烙铁焊接
AEC-Q200	NO
包装形式	纸编带 (180mm卷筒、带宽 8mm)
包装个数	5000pcs
重量	0. 005g

<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.



RoHS Reach Halogen Free Pb Free



特性图表(这是参考数据,并不保证产品的特性。)


<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.


<sup>!</sup> All specifications are subject to change without notice.



## Associated Images







<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.