
RoHS Reach Halogen Free Pb Free



MCZ2010CH240L4T000

用途	一般等级	
特点	Multilayer 积层 Ultra 超高速信号线	
系列	MCZ	
	A 停止生产	
	推荐代替型号 : <u>MCZ1210CH240L2TA0G</u> (不保证其兼容性。)	
状态	停产发布日期 : 2018年12月6日	
	最后订单日期 : 2020年6月30日	
	最后出货日期 : 2020年12月31日	
品牌	TDK	



	尺寸
长度(L)	$2.00 \text{mm} \pm 0.15 \text{mm}$
宽度(W)	$1.00 \text{mm} \pm 0.15 \text{mm}$
厚度 高低	$0.50 \text{mm} \pm 0.10 \text{mm}$

电气特性	
共模阻抗 [Typ.]	24Ω at 100MHz
共模阻抗 [Min.]	
共模电感	46nH at 1MHz (参考)
额定电流	100mA
额定电压	5VDC
绝缘电阻 [Min.]	10ΜΩ
直流电阻	1000mΩ Max.

į	其他
使用温度范围	-40∼85° C
相体子计	回流
焊接方法	烙铁焊接
AEC-Q200	NO
包装形式	纸编带 (180mm卷筒、带宽 8mm)
包装个数	5000pcs
重量	0. 005g

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.



RoHS Reach Halogen Free Pb Free



特性图表(这是参考数据,并不保证产品的特性。)


[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.


[!] All specifications are subject to change without notice.



Associated Images







[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.