

## 钳位滤波器(带包装盒铁氧体磁芯)

## ZCAT1325-0530A-BK

RoHS Reach Halogen Free Pb Free

用途	一般等级	
产品型	电缆固定型	
适用电缆	Ф 3mm~ Ф 5mm	
系列	ZCAT	
状态	量产体制	



	尺寸
A	25.00mm ±1.00mm
В	20.00mm ±1.00mm
C	5.00mm ±1.00mm
D	12.80mm ±1.00mm
E	11.20mm ±1.00mm

	电气特性
M1+ (N: ) / O	50 (10~100MHz)
阻抗 (Min.) / Ω	100 (100~500MHz)

	其他
使用温度范围	-40∼85° C
AEC-Q200	NO
Case Color	黑
包装个数	1344pcs
重量	6. 37g

<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.



ZCAT1325-0530A-BK

2 of 3 Creation Date : November 16, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)


<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Associated Images



<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.