钳位滤波器(带包装盒铁氧体磁芯)

ZCAT20D-BK RoHS Reach Halogen Free Pb Free

用途	一般等级
产品型	扁平电缆型
适用电缆	15mm (W) x 5mm (T)
系列	ZCAT
状态	量产体制



	尺寸
A	35.00mm ±1.00mm
В	30.00mm ±1.00mm
C	20.00mm ±-1.00mm
D	5.00mm ±1.00mm
E	15.00mm ±1.00mm

	电气特性
四七 (N:-) / O	60 (10~100MHz)
阻抗 (Min.) / Ω	150 (100~500MHz)

	其他	
使用温度范围	-40∼85° C	
AEC-Q200	NO	
Case Color	黑	
包装个数	280pcs	
重量	46. 3g	

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

ZCAT20D-BK

2 of 3 Creation Date : November 15, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)


[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

ZCAT20D-BK

Associated Images



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{!\ \}mbox{\footnotements}$. All specifications are subject to change without notice.