钳位滤波器(带包装盒铁氧体磁芯)

ZCAT2436-1330A

RoHS Reach Halogen Free Pb Free

用途	一般等级
产品型	电缆固定型
适用电缆	Φ 10mm \sim Φ 13mm
系列	ZCAT
状态	量产体制



	尺寸
A	36.00mm ±1.00mm
В	29.00mm ±1.00mm
c	13.00mm ±1.00mm
D	23.50mm ±1.00mm
E	22.00mm ±1.00mm

	电气特性
MI + (M:) / O	30 (10~100MHz)
阻抗 (Min.) / Ω	80 (100~500MHz)

	其他	
使用温度范围	-40∼85° C	
AEC-Q200	NO	
Case Color	灰	
包装个数	400pcs	
重量	29g	

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

ZCAT2436-1330A

2 of 3 Creation Date : November 15, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)


[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

ZCAT2436-1330A RoHS Reach Halogen Free Pb Free

Associated Images



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.