

## 钳位滤波器(带包装盒铁氧体磁芯)

## \_\_\_\_\_

ZCAT3035-1330-BK

用途	一般等级	
产品型	束带固定型	
适用电缆	Φ13mm Max.	
系列	ZCAT	
状态	量产体制	



	尺寸
A	39.00mm ±1.00mm
В	34.00mm ±1.00mm
C	13.00mm ±1.00mm
D	30.00mm ±1.00mm
E	

	电气特性
M1+- (N. ) / O	80 (10~100MHz)
阻抗 (Min.) / Ω	150 (100~500MHz)

	其他	
使用温度范围	-40∼85° C	
AEC-Q200	NO	
Case Color	黑	
包装个数	200pcs	
重量	64. 8g	

<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>!\ \</sup>mbox{\footnotements}$  . All specifications are subject to change without notice.



ZCAT3035-1330-BK

Creation Date : November 16, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)


<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

ZCAT3035-1330-BK

## Associated Images



<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>!\ \</sup>mbox{\em All}$  specifications are subject to change without notice.