

钳位滤波器(带包装盒铁氧体磁芯)

ZCAT3618-2630D

RoHS Reach Halogen Free Pb Free

用途	一般等级	
产品型	扁平电缆型	
适用电缆	20芯扁平电缆 26mm (W) x 1.3mm (T)	
系列	ZCAT	
状态	量产体制	



	尺寸
A	35.50mm ±-1.00mm
В	$17.50 \text{mm} \pm -1.00 \text{mm}$
C	26.00mm ±1.00mm
D	11.50mm ±1.00mm
E	

	电气特性	
阻抗 (Min.) / Ω	30 (50~500MHz)	

	其他
使用温度范围	-40∼85° C
AEC-Q200	NO
Case Color	灰
包装个数	480pcs
重量	15. 6g

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.



2 of 3 Creation Date : November 15, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)


[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{!\ \}mbox{\em All}$ specifications are subject to change without notice.

ZCAT3618-2630D RoHS Reach Halogen Free Pb Free

Associated Images



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.