

钳位滤波器(带包装盒铁氧体磁芯)

ZCAT3618-2630DT RoHS Reach Halogen Free Pb Free

用途	一般等级
产品型	扁平电缆型(双面胶带固定规格)
适用电缆	20芯扁平电缆 26mm (W) x 1.3mm (T)
系列	ZCAT
状态	↑ 量产体制(新设计非推荐) 推荐代替型号 : ZCAT3618-2630D (不保证其兼容性。)



	尺寸	
A	35.50 mm ± -1.00 mm	
В	17.50mm ±−1.00mm	
C	26.00mm ±1.00mm	
D	12.50mm ±1.00mm	
E		

	电气特性
阻抗 (Min.) / Ω	30 (50~500MHz)

	其他	
使用温度范围	-40∼85° C	
AEC-Q200	NO	
Case Color	灰	
包装个数	480pcs	
重量	15. 6g	

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{!\ \}mbox{\sc All}$ specifications are subject to change without notice.

2 of 3 Creation Date : November 15, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)

[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

钳位滤波器(带包装盒铁氧体磁芯)

ZCAT3618-2630DT RoHS Reach Halogen Free Pb Free

Associated Images



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{!\ \}mbox{\footnotements}$. All specifications are subject to change without notice.