

## 钳位滤波器(带包装盒铁氧体磁芯)

## ZCAT6819-5230D-BK

RoHS Reach Halogen Free Pb Free

用途	一般等级
产品型	扁平电缆型
适用电缆	40芯扁平电缆 52mm (W) x 1.3mm (T)
系列	ZCAT
状态	量产体制



	尺寸
A	67.50mm ±−1.00mm
В	18.50mm ±−1.00mm
С	52.00mm ±1.00mm
D	16.00mm ±1.00mm
Е	

	电气特性	
阻抗 (Min.) / Ω	35 (50~500MHz)	

使用温度范围	-40∼85° C	
AEC-Q200	NO	
Case Color	黑	
包装个数	160pcs	
重量	58. 4g	

<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.



ZCAT6819-5230D-BK

2 of 3 Creation Date : November 15, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)


<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Associated Images



<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>!\ \</sup>mbox{\em All}$  specifications are subject to change without notice.