

钳位滤波器(带包装盒铁氧体磁芯)

ZCAT6819-5230D

RoHS Reach Halogen Free Pb Free

用途	一般等级
产品型	扁平电缆型
适用电缆	40芯扁平电缆 52mm (W) x 1.3mm (T)
系列	ZCAT
状态	量产体制



	尺寸
A	67.50mm ±−1.00mm
В	18.50mm ±−1.00mm
С	52.00mm ±1.00mm
D	16.00mm ±1.00mm
Е	

	电气特性	
阻抗 (Min.) / Ω	35 (50~500MHz)	

	其他	
使用温度范围	-40∼85° C	
AEC-Q200	NO	
Case Color	灰	
包装个数	160pcs	
重量	58. 4g	

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.



2 of 3 Creation Date : November 15, 2021 (GMT)

RoHS Reach Halogen Free Pb Free

特性图表(这是参考数据,并不保证产品的特性。)

[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

ZCAT6819-5230D

Associated Images



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{!\ \}mbox{\footnotements}$. All specifications are subject to change without notice.