

Note: This datasheet may be out of date. Please download the latest datasheet of LQH43MN220K03# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQH43MN220K03%23

"#" indicates a package specification code.

Size Code 4532 (1812) in mm (in inch)

LQH43MN220K03#




< List of part numbers with package codes > LQH43MN220K03K LQH43MN220K03L

> n 1.0min.

Appearance & Shape





1.0n



3.2±0.2

3.2±0.2



References

Packaging	Specifications	Standard Packing Quantity
К	330Embossed Tape	2500
L	180Embossed Tape	500

Mass (typ.)		
1 piece	0.13g	



Notices

When rated current is applied to the products, selftemperature rise shall be limited to 20°C max and inductance will be within ±10% of initial inductance value.

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LQH43MN220K03#

Note: This datasheet may be out of date. Please download the latest datasheet of LQH43MN220K03# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQH43MN220K03%23

"#" indicates a package specification code.



Specifications

L size	4.5±0.3mm
W size	3.2±0.2mm
T size	2.6±0.2mm
Size code inch (mm)	1812 (4532)
Inductance	22µH±10%
Inductance Test Frequency	1MHz
Rated current (Itemp) (Based on Temperature rise)	320mA
Max. of DC resistance	0.94Ω
Class of magnetic shield	No Shield
Q(min.)	35
Q Test Frequency	1MHz
Self resonance frequency (min.)	15MHz
Operating Temperature Range(Self-temperature rise is not included)	-40℃ to 85℃
Brand	Murata
Series	LQH43MN_03

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQH43MN220K03# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-gb/products/productdetail?partno=LQH43MN220K03%23


"#" indicates a package specification code.



Characteristic Data

LQH43MN220K03#





Impedance - Current Characteristics

Q-Frequency Characteristics

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3