RoHS Reach Halogen Free Pb Free



### VLF252015MT-6R8M-CA

Applications	Automotive Grade		
	Wire Wound Wire Wound		
Feature	Shield Magnetic Shield		
	Ferrite Core Ferrite Core		
Series   Type	VLF-M		
Status	↑ Obsolete		
	Recommended Alternate Part No. : <u>VLS5045EX-6R8M-H</u> (Interchangeability is not		
	guaranteed.)		
	Discontinue Issue Date : May.18, 2017		
	Last Purchase Order Date : Mar.31, 2021		
	Last Shipment Date : Sep.30, 2021		
Brand	TDK		





	Size	
Length(L)	2.50mm ±0.20mm	
Width(W)	2.00mm ±0.20mm	
Thickness   Height	1.50mm Max.	
Recommended Land Pattern (A)	0.75mm Nom.	
Recommended Land Pattern (B)	0.60mm Nom.	
Recommended Land Pattern (C)	1.30mm Nom.	


Electrical Characteristics				
Inductance	6.8µH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	570mA (30% Down)			
Rated Current (L Change) [Max.]	520mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	1.14A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	160mΩ			
DC Resistance [Max.]	190mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				


Other		
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C	
Soldering Method	Reflow	
AEC-Q200	NO	
Packing	Embossed (Plastic)Taping [180mm Reel]	
! This PDF document was created based on the data listed on the TDK Corporation website	2000pcs	
weight	0.027g	


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free



# **Associated Images**



 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.